

ZONING CHANGE REVIEW SHEET

C12/1

CASE: C14-2011-0133
West 34th St. Redevelopment, Tract "C"

P.C. DATE: 02/14/12

ADDRESS: 801 W. 34th St.

AREA: 2.16 acres

APPLICANT: REIT Management & Research, L.L.C. (Richard Stilovich)

AGENT: McCann Adams Studio (Jana McCann)

NEIGHBORHOOD PLAN AREA: Central Austin Combined

CAPITOL VIEW: No

T.I.A.: Yes.

WATERSHED: Shoal/Waller Creek

DESIRED DEVELOPMENT ZONE: Yes

ZONING FROM: LO-NP – Limited Office, Neighborhood Plan

ZONING TO: GO-NP – General Office, Neighborhood Plan

SUMMARY STAFF RECOMMENDATION:

Staff recommends GO-NP-CO – General Office, Neighborhood Plan, Conditional Overlay. The Conditional Overlay would limit the height of any structure to forty feet five (45'). The applicant will enter into a Restrictive Covenant that includes all recommendations listed in the update to the Traffic Impact Analysis memorandum, dated January 11, 2012, as provided in Attachment A.

PLANNING COMMISSION RECOMMENDATION:

DEPARTMENT COMMENTS:

The site is currently developed with a two story office building with a parking lot and a sky bridge adjoining the building to the north. The zoning case is within the boundaries of the Central Austin Combined Neighborhood Plan. The requested zoning change of LO-NP to GO-NP is in accordance with the Mixed Use/Office category identified on the Future Land Use map.

The subject property is located along W. 34th Street between Lamar Boulevard and Guadalupe Street. The plan states on page 76 that this area "should become a primarily mixed use office corridor". In addition, page 77 of the plan recommends to "limit new building heights to maintain a neighborhood-friendly scale to the street". The existing Limited Office (LO) zoning category allows for a maximum height of forty feet (40'), while the General Office (GO) zoning category allows for a maximum height of sixty feet (60'). During the neighborhood planning process, there was extensive discussion regarding the height and scale of any new development along 34th Street which is reflected in the plan document and conditional overlays that were adopted concurrent with the neighborhood plan. Height limits of forty feet (40') were put in place along the majority of 34th Street to ensure new development was in context with the adjacent residential areas.

C12/2²

The uses permitted in General Office zoning are consistent with the plan's goal for W.34th Street between Lamar Boulevard and Guadalupe Street to become a mixed use office corridor; however to meet the "desired neighborhood-friendly scale to the street", the height should be limited to be consistent with the rest of 34th Street.

BASIS FOR RECOMMENDATION:

1. *Zoning changes should promote compatibility with adjacent and nearby uses.*

Granting GO-CO would be in keeping with the Central Austin Combined Neighborhood Plan which calls for property located along W. 34th Street between Lamar Boulevard and Guadalupe Street to become a primarily mixed use office corridor.

EXISTING ZONING AND LAND USES:

| | ZONING | LAND USES |
|--------------|---------------|------------------|
| SITE | LO-NP | Office |
| NORTH | LO-NP | Office |
| SOUTH | LO-NP | Parking lot |
| EAST | LO-NP | Office |
| WEST | LO-NP | Office |

CASE HISTORIES:

| CASE NUMBER | REQUEST | PLANNING COMMISSION | CITY COUNCIL |
|--|-----------------------|-------------------------------|-------------------------------|
| C14-95-0081 717 W. 35 th St. | From SF-3 to LO-CO | Approved LO-CO [Vote: 7-0] | Approved LO-CO [Vote: 5-0] |

NEIGHBORHOOD ORGANIZATION:

- Austin Neighborhoods Council
- Heritage Neigh. Assoc.
- West 31st Street Creekside Neigh. Assoc.

SCHOOLS:

Bryker Elementary School
O'Henry Middle School
Austin High School

SITE PLAN:

Site plans will be required for any new development other than single-family or duplex residential.

C12/3

Any development which occurs in an SF-6 or less restrictive zoning district which is located 540-feet or less from property in an SF-5 or more restrictive zoning district will be subject to compatibility development regulations.

Compatibility Standards

The site is subject to compatibility standards. Along the North and East property lines, the following standards apply:

- No structure may be built within 25 feet of the property line.
- No structure in excess of two stories or 30 feet in height may be constructed within 50 feet of the property line.
- No structure in excess of three stories or 40 feet in height may be constructed within 100 feet of the property line.
- No parking or driveways are allowed within 25 feet of the property line.
- A landscape area at least 25 feet wide is required along the property line. In addition, a fence, berm, or dense vegetation must be provided to screen adjoining properties from views of parking, mechanical equipment, storage, and refuse collection.
- for a structure more than 100 feet but not more than 300 feet from property zoned SF-5 or more restrictive, 40 feet plus one foot for each 10 feet of distance in excess of 100 feet from the property zoned SF-5 or more restrictive.
- An intensive recreational use, including a swimming pool, tennis court, ball court, or playground, may not be constructed 50 feet or less from adjoining SF-3 property.

ENVIRONMENTAL:

1. The site is not located over the Edwards Aquifer Recharge Zone. The site is located in the Shoal Creek and Waller Creek Watersheds of the Colorado River Basin, which are classified as an Urban Watershed by Chapter 25-8 of the City's Land Development Code. It is in the Desired Development Zone.
2. Impervious cover is not limited in this watershed class; therefore the zoning district impervious cover limits will apply.
3. This site is required to provide on-site structural water quality controls (or payment in lieu of) for all development and/or redevelopment when 5,000 s.f. cumulative is exceeded, and detention for the two-year storm. At this time, no information has been provided as to whether this property has any pre-existing approvals which would preempt current water quality or Code requirements.
4. According to flood plain maps, there is no flood plain within the project area.
5. Trees will likely be impacted with a proposed development associated with this rezoning case. Please be aware that an approved rezoning status does not eliminate a proposed development's requirements to meet the intent of the tree ordinances. If further explanation or specificity is needed, please contact the City Arborist at 974-1876. At this time, site specific information is unavailable regarding other vegetation, areas of steep slope, or other environmental features such as bluffs, springs, canyon rimrock, caves, sinkholes, and wetlands.

6. Standard landscaping and tree protection will be required in accordance with LDC 25-2 and 25-8 for all development and/or redevelopment.

C12/4

TRANSPORTATION:

A traffic impact analysis is required and has been received. Additional right-of-way, participation in roadway improvements, or limitations on development intensity may be recommended based on review of the TIA. [LDC, Sec. 25-6-142]. Comments will be provided in a separate memo.

Existing Street Characteristics:

| Name | ROW | Pavement | Class | Sidewalk? | Bus Route? | Bike Route? |
|------------------|-----|----------|-----------|-----------|------------|-------------|
| 34th Street | 60 | 35 | Collector | Yes | Yes | Yes |
| Grandview Street | 50 | 27 | Local | No | No | No |
| West Avenue | 50 | 27 | Local | No | No | Yes |

CITY COUNCIL DATE: March 8th, 2012

ACTION:

ORDINANCE READINGS:

1ST


2ND

3RD

ORDINANCE NUMBER:

CASE MANAGER: Clark Patterson
Clark.patterson@ci.austin.tx.us

PHONE: 974-7691



C12
/7



Central Austin Combined Neighborhood Planning Area: Future Land Use Map



City of Austin
Neighborhood Planning and
Zoning Department
Revised September 1, 2010

*A comprehensive plan shall not constitute zoning
regulations or establish zoning district boundaries.*

Legend

- | | | |
|------------------------------|------------------------|-------------------------|
| Single-Family | Mixed Use | Civic |
| Higher-Density Single-Family | High Density Mixed Use | Recreation & Open Space |
| Multifamily | Office | Transportation |
| Commercial | Mixed Use/Office | |



Google earth

feet 10
meters 3



Central Austin Combined Neighborhood Plan

12/10

West 34th Street

Objective 3.1: Provide for new commercial and housing opportunities by allowing mixed use along 34th Street between Lamar Boulevard and Guadalupe Street.

Recommendation 1 Allow the neighborhood mixed use building along West 34th Street between Lamar Boulevard and Guadalupe Street.

Objective 3.2: West 34th Street between Lamar Boulevard and Guadalupe Street should become a primarily mixed use office corridor.



There are a variety of office and commercial uses along West 34th Street between Guadalupe Street and Lamar Boulevard. The majority of the larger office uses are closer to Lamar (above and left) while closer to Guadalupe there is a mix of smaller scale commercial and office uses (below).



Central Austin Combined Neighborhood Plan

012/11

Recommendation 2 Allow the neighborhood mixed use building on all commercial and office zoned properties along the corridor.

Recommendation 3 Limit new building heights to maintain a neighborhood-friendly scale to the street.

Guadalupe Street/29th Street/38th Street

Objective 3.3: Guadalupe Street (29th Street to 30th Street) and adjacent commercial corridors—29th and 38th Streets—should become more pedestrian-friendly, mixed use corridors. Building heights should be limited in order to avoid creating a canyon-like effect along the narrow Guadalupe right-of-way.

Guadalupe and 29th Streets should provide shopping and services for the nearby neighborhoods as well as the rest of the city. Along 29th Street, immediately west of Guadalupe, the intensity of commercial uses should transition from more intense at the intersection of the two streets to less intense farther west along 29th Street. Along 29th, building heights should be limited to prevent new development from towering over the adjacent single-family neighborhoods.

Due to its proximity to the Heart Hospital of Austin and Seton Hospital, the segment of 38th Street between Guadalupe and Lamar Boulevard is more oriented toward the healthcare industry and serves both citywide and regional healthcare needs. New healthcare facilities being developed near the intersection of Lamar Boulevard and 38th Street will further reinforce the notion of a growing healthcare "district" in this part of the city.

New development along this segment of 38th Street will likely be supportive of this "district;" however, it should be designed in a pedestrian-friendly fashion.

Recommendation 4 Allow the mixed use building on commercially zoned properties along 29th Street as far west as West and Salado Streets.

Recommendation 5 Limit building heights along 29th Street to promote a more neighborhood-scaled commercial corridor.

Recommendation 6 Retain the intensive zoning along 29th Street to retain the permissive site development standards but limit the allowed uses to promote a more neighborhood-friendly commercial corridor.



C12
12

Date: January 11, 2012
To: Clark Patterson, Case Manager
CC: Kathleen Hornaday, P.E., P.T.O.E, HDR, Inc.
Reference: West 34th Street Development, C14-2011-0131 through 0134

The West 34th Street Development site is located along 34th Street, between Lamar Boulevard and Kings Lane in Austin, Texas. The proposed development will consist of approximately 228,005 square feet of medical office use and 3,300 square feet of high-turnover (sit-down) restaurant use located on four adjacent tracts along 34th Street.

Access to the development will be provided via five driveways: one driveway that will provide access to the parking garage on Owen Avenue; one driveway that will provide access on W. 34th Street; one driveway to Grandview Street; one driveway to West and one driveway to Kings Lane.

Transportation Review staff has reviewed the traffic impact analysis that was prepared for the W. 34th Street Development on September 19, 2011 (amended December 22, 2011), and offers the following comments:

TRIP GENERATION

Based on the standard trip generation rates established by the Institute of Transportation Engineers (ITE), the proposed development is expected to generate approximately 8,658 unadjusted daily weekday trips. Of these, 562 trips are estimated to occur during the AM peak-hour and 619 trips are estimated for the PM peak-hour.

Table 1 below shows the trip generation by land use for the proposed development:

Table 1. Unadjusted Weekday Peak Hour Trip Generation

| Land Use | Size | 24-Hour Two-Way Volume | AM Peak Hour | | PM Peak Hour | |
|-------------------------------------|-------------|------------------------------|--------------|------|--------------|------|
| | | | Enter | Exit | Enter | Exit |
| Medical-Dental Office | 228, 005 SF | 8,238 | 415 | 109 | 157 | 425 |
| High-Turnover (Sit-Down) Restaurant | 3,300 SF | 420 | 20 | 18 | 22 | 15 |

ASSUMPTIONS

1. Traffic growth rates for the area were determined using traffic counts conducted by Gram Traffic Inc, and from TxDOT and CAMPO projected daily volumes. Based on the available information, a 3 percent annual growth rate was applied to the study area roadways.
2. A pass-by reduction of 43 percent was assumed for the High Turnover (Sit-Down) Restaurant during the PM peak period.
3. An internal capture reduction of 10 percent was assumed for the proposed Medical-Dental Office use for the PM peak period.
4. A transit reduction of 5 percent was assumed for all site-generated trips, for both the existing network and proposed project site, during each peak period, based on annual ridership information from Capital Metro.
5. No pedestrian trip reduction was assumed for this project.

Table 2 below provides a summary of the adjusted daily and peak hour trip generation.

Table 2. Adjusted Weekday Peak Hour Trip Generation

| Land Use | Size | 24-Hour Two-Way Volume | AM Peak Hour | | PM Peak Hour | |
|-------------------------------------|-------------|------------------------------|--------------|------|--------------|------|
| | | | Enter | Exit | Enter | Exit |
| Medical-Dental Office | 228, 005 SF | 7,435 | 394 | 104 | 134 | 363 |
| High-Turnover (Sit-Down) Restaurant | 3,300 SF | 313 | 19 | 17 | 12 | 8 |

Table 3 below provides a summary of the area transportation system:

Table 3. Existing and Planned Roadways

| Roadway | Segment | Classification | Future Improvements | Bike Plan? |
|-------------------------|--|----------------|---------------------|------------|
| Lamar Boulevard | 29 th Street to Rundberg | MAD 4 | MAD 6 | Yes |
| Guadalupe Street | 29 th Street to 45 th Street | MAD 4 | Existing | Yes |
| 38 th Street | Jefferson Street to Guadalupe Street | MAD 4 | Existing | Yes |
| 34 th Street | Lamar Boulevard to Guadalupe Street | Collector | Existing | Yes |
| West Avenue | 30 th Street to 38 th Street | Collector | Existing | No |
| Kings Lane | 30 th Street o 34 th Street | Collector | Existing | No |
| Owen Avenue | 34 th Street to 38 th Street | Local | Existing | No |
| Grandview Street | 30 th Street o 34 th Street | Local | Existing | No |

C12/14

TRAFFIC ANALYSIS

The impact of site development traffic on the existing area roadways was analyzed. Two time periods and three travel conditions were evaluated:

- 2011 Existing Conditions
- 2017 Forecasted Conditions (without Site Traffic)
- 2017 Forecasted Conditions with Site Generated Traffic

Intersection Level of Service (LOS)

The TIA analyzed 4 signalized intersections, 8 un-signalized intersections, and each of the site driveways. Table 4 shows the existing (2011) and projected (2017) levels of service results. The 2017 analysis assumes that all roadway and intersection improvements recommended in the TIA are constructed.

Table 4. Intersection Level of Service

| Intersection | 2011 Existing | | 2017 Forecasted | | 2017 Site + Forecasted | |
|---|---------------|----|-----------------|----|------------------------|----|
| | AM | PM | AM | PM | AM | PM |
| Lamar Boulevard and W. 38 th Street* | D | D | E | E | D | D |
| West Avenue and W. 38 th Street * | A | B | A | B | B | B |
| Guadalupe Street and W. 34 th Street* | A | A | A | B | B | B |
| Lamar Boulevard and W. 34 th Street* | A | B | B | C | B | C |
| Owen Avenue and W. 34 th Street | A | A | A | A | -- | -- |
| Owen Avenue/Driveway B and W. 34 th Street | -- | -- | -- | -- | A | A |
| Grandview Street and W. 34 th Street | A | A | A | A | A | A |
| West Avenue and W. 34 th Street | A | A | A | A | A | A |
| Owen Avenue and Driveway A | -- | -- | -- | -- | A | A |
| Grandview Street and Driveway C | -- | -- | -- | -- | A | A |
| West Avenue and Driveway D | -- | -- | -- | -- | A | A |
| Kings Lane and Driveway E | -- | -- | -- | -- | A | A |

*Existing signalized intersection.


RECOMMENDATIONS

- 1) The owner will install stop signs and appropriate pavement markings for all site driveways.

- 2) Development of this property should be limited to uses and intensities which will not exceed or vary from the projected traffic conditions assumed in the TIA, including peak hour trip generations, traffic distribution, roadway conditions, and other traffic related characteristics. Add the following note the cover sheet and site plan sheet: "The site plan is subject to a limitation of 7,748 adjusted vehicle trips per day with zoning cases C14-2011-0131 through -0134."

C12
15

If you have any questions or require additional information, please contact me at 974-2628.



Ms. Shandrian Jarvis
Senior Planner
Planning and Development Review Department