

ENVIRONMENTAL BOARD

Notes of Regular Meeting

July 11, 2007

Meeting Called to Order:

6:10 p.m.

Meeting Adjourned:

11:30 p.m.

Attendance of Board Members:

David Anderson, P.E., Chair

Mary Ann Neely

Phil Moncada, Secretary

John Dupnik, P.G.

Present

William Curra, P. E. Present

Dr. Mary Gay Maxwell, Vice Chair Present

Present Present Rodney Ahart

Present

Present

Present Jon Beall

Staff Members Present:

Tom Ennis, P. E., WPDR

Pat Hartigan, P. E., WPDR Pat Murphy, WPDR, Mike Kelly, P. E, WPDR

Tom Franke, WPDR Marilla Carter, WPDR Prewez Moheet, CPA, AWU, Jay Ulary, P. E., Public Works

Betty Lambright, WPDR Javier Delgado, WPDR

Robin Smith, WPDR Forrest Nikorak, P. E., WPDR Nancy McClintock, WPDR Jose Guerrero, P. E., WPDR

Joe Almazan, WPDR Darryl Slusher, AWU Ingrid McDonald, WPDR

Attached is an agenda of the meeting and the motions made by the Board. There were (two) 2 motions passed by the Environmental Board. An audio tape recording of this meeting is available through the Watershed Protection Department.

- 1. There were (sixteen) 16 citizens signed up to speak on Pier Partners Planned Unit Development.
- 2. There were (eleven) 11 citizens signed up to speak on 222 and 300 East Riverside Drive.
- 3. The Environmental Board discussed clarification of a motion and variance approved by the Board on April 5, 2006 for the El Mitagro Subdivision and its proposed development within the water quality transition zone. Mr. Moncada, Dr. Maxwell, Mr. Curra, Mr. Ahart, and Mr. Dupnik clarified that their intent was only to limit the maximum impervious cover to that allowed by the SOS rules. Mr. Anderson clarified his intent that his vote intended to limit the maximum impervious cover to the 3,180 sq. ft. presented in the Board packet.
- 4. The Environmental Board recommended disapproval of a request to create a Planned Unit Development at the Pier site. See attached.

- 5. The Environmental Board recommends approval with conditions of a variance to: 1) Land Development Code Section 25-8-341 To exceed the 4' cut limit, and 2) Land Development Code Section 25-8-342 To exceed the 4' fill limit, for the Pleasant Valley Bike Route Retaining Wall project. See attached.
- 6. The Environmental Board received a briefing on the 222 and 300 East Riverside Drive, at the request of the Parks and Recreation Board. In response to this briefing, the Board committed to developing a policy for development in the Waterfront Overlay and its impacts on the environment. Board members Curra, Maxwell, and Moncada agreed to serve on this subcommittee.
- 7. The Environmental Board received a briefing on the application for a Conditional Use Permit at the Water Treatment Plant #4 site, including the installation of the stormwater and water quality facilities and the access drive.

Respectfully submitted,
Marella Carter

Marilla Carter

Environmental Board Liaison