Recommended Land Management for the Water Quality Protection Lands Austin, Texas

Submitted by the
Lady Bird Johnson Wildflower Center
to the
Wildland Conservation Division
Austin Water Utility
2010

Prepared by

Michelle Bertelsen, Lady Bird Johnson Wildflower Center Steve Windhager, Lady Bird Johnson Wildflower Center Mark Simmons, Lady Bird Johnson Wildflower Center

Table of contents

| Section | | Page |
|---------|--|------|
| 1 | Background and Assumptions | 1 |
| 1.1 | Overview | 2 |
| 1.1.1 | Bull Creek Management Unit | 3 |
| 1.1.2 | Upper Barton Creek Management Unit | 3 |
| 1.1.3 | Lower Barton Creek Management Unit | 4 |
| 1.1.4 | Slaughter Creek Management Unit | 4 |
| 1.1.5 | Bear Creek Management Unit | 5 |
| 1.1.6 | Little Bear Creek Management Unit | 5 |
| 1.1.7 | Onion Creek Management Unit | 7 |
| 1.2 | Assumptions Guiding the Management Plan | 8 |
| 1.2.1 | Goals | 8 |
| 1.3 | Managing Land for Water Quality and Quantity | 10 |
| 1.4 | Species of Concern | 14 |
| 1.4.1 | Faunal Species of Concern | 14 |
| 1.4.1.1 | Karst Invertebrates | 14 |
| 1.4.1.2 | Fisheries | 15 |
| 1.4.1.3 | Salamanders | 15 |
| 1.4.1.4 | Endangered Birds | 16 |
| 1.4.1.5 | Mammal Species of Concern | 18 |
| 1.4.2 | Floral Species of Concern | 19 |
| 1.4.2.1 | Desired Rare Plant Species | 19 |
| 1.4.2.2 | Invasive Plant Species | 19 |
| 1.5 | Public Access | 21 |
| 1.5.1 | Guiding Principles for Public Access | 21 |
| 1.5.2 | Public Stakeholder Process | 22 |
| 1.5.3 | Anticipated Impacts from Suggested Uses | 23 |
| 1.5.3.1 | General | 23 |
| 1.5.3.2 | Soils | 24 |
| 1.5.3.3 | Vegetation | 27 |
| 1.5.3.4 | Fauna | 28 |
| 1.5.3.5 | Interference with Land Management | 29 |
| 1.5.3.6 | Mitigation Measures | 29 |
| 2 | Natural Resource Information | 33 |
| 2.1 | Geology | 34 |
| 2.2 | Soils and Ecological Sites | 35 |
| 2.3 | Golden-cheeked Warbler Surveys | 38 |

| 2.3.1 | Bull Creek Management Unit | 38 |
|---------|--|----|
| 2.3.2 | Upper Barton Creek Management Unit | 38 |
| 2.3.3 | Lower Barton Creek Management Unit | 38 |
| 2.3.4 | Slaughter Creek Management Unit | 39 |
| 2.3.5 | Bear Creek Management Unit | 39 |
| 2.3.6 | Little Bear Creek Management Unit | 40 |
| 2.3.7 | Onion Creek Management Unit | 41 |
| 2.3.8 | Shudde Fath Management Unit | 41 |
| 2.4 | Native and Exotic Deer Surveys and Incidental Counts | 41 |
| 2.5 | Karst Feature Inventory | 42 |
| 2.5.1 | Bear Creek Management Unit | 42 |
| 2.5.2 | Little Bear Creek Management Unit | 43 |
| 2.6 | Other Fauna of Interest | 43 |
| 2.7 | Archeological Sites | 43 |
| 3 | General Discussion of Land Management | 44 |
| 3.1 | Restoring Historic Communities | 45 |
| 3.1.1 | Species Diversity in the Central Texas Grasslands | 46 |
| 3.1.2 | Commercially Available Native Seed | 47 |
| 3.1.3 | Harvesting Seed | 51 |
| 3.1.4 | Sowing Seed | 51 |
| 3.1.5 | Container Grown Stock and Salvaged Material | 52 |
| 3.2 | Routine Historical Disturbance | 53 |
| 3.2.1 | Historical Vegetation | 53 |
| 3.2.2 | Humans and Fire | 53 |
| 3.2.3 | Lightning and Fire | 55 |
| 3.2.4 | Cattle Versus Bison | 56 |
| 3.3 | Management Techniques | 58 |
| 3.3.1 | Prescribed Burning | 58 |
| 3.3.2 | Prescribed Grazing | 58 |
| 3.3.3 | Prescribed Mowing | 59 |
| 3.3.4 | Brush Removal and Invasive Species Control | 59 |
| 3.3.4.1 | Hand Removal | 60 |
| 3.3.4.2 | Prescribed Fire | 60 |
| 3.3.4.3 | Mechanical Removal | 61 |
| 3.3.4.4 | Chemical Removal | 62 |
| 3.3.4.5 | Biological Controls | 62 |
| 3.3.4.6 | Prescribed Goating | 62 |
| 3.4 | Wildlife Population Management | 63 |
| 3.4.1 | White-Tailed Deer and Blackbuck | 63 |

| 3.4.2 | Feral Hogs | 63 |
|-------|--|--------|
| 3.4.3 | Other Feral Animals | 64 |
| 4 | Discussion of WQPL Land Management | 65 |
| 4.1 | Goals | 66 |
| 4.2 | Objectives | 66 |
| 4.2.1 | Riparian Areas | 66 |
| 4.2.2 | Upland Areas | 66 |
| 4.2.3 | Endangered Species | 66 |
| 4.2.4 | Invasive Species | 66 |
| 4.2.5 | Animal Overpopulation | 67 |
| 4.2.6 | Oak Wilt | 67 |
| 4.2.7 | Woodland Health | 67 |
| 5 | Management Recommendations | 69 |
| 5.1 | Site-Specific Recommended Management | 70 |
| 5.1.1 | Adaptive Management | 70 |
| 5.1.2 | Brush Management | 72 |
| 5.1.3 | Riparian Areas | 73 |
| 5.1.4 | Endangered Species Habitat | 74 |
| 5.1.4 | Management Unit Recommendations | 78 |
| 5.2.1 | Bull Creek Management Unit | 78 |
| 5.2.1 | Upper Barton Creek Management Unit | 80 |
| | Lower Barton Creek Management Unit | 84 |
| 5.2.3 | Slaughter Creek Management Unit | 86 |
| 5.2.4 | • | 88 |
| 5.2.5 | Bear Creek Management Unit Little Bear Creek Management Unit | 91 |
| 5.2.6 | Onion Creek Management Unit | 94 |
| 5.2.7 | _ | 97 |
| 5.2.8 | Shudde Fath Management Unit | 97 |
| 5.2.9 | Brodie Wild Management Unit | 71 |
| 6 | Bibliography | 98 |
| 7 | Figures | Book 2 |
| 8 | Appendices | Book 3 |
| 8.1 | Improved Rangeland Management: Prospects for Improved Water Quantity and Quality from the Proposition 2 Lands in Austin, Texas | |
| 8.2 | Water Yield Annotated Bibliography | |

- 8.3 McCaw paper
- 8.4 Mapping Potential Golden-cheeked Warbler Breeding Habitat using Remotely Sensed Forest Canopy Cover Data

Tables and Graphs

| Table/Graph | | Page |
|-------------|---|------|
| 1.5.3-1 | K Values for the Volente Soil Complex after Adjustment | 26 |
| 1.5.3-2 | for Climate and Rainfall Potential unmitigated impacts and a qualitative estimate of their severity | 32 |
| 2.2-1 | Soil Types and K factors for Water Quality Protection Lands | 36 |
| 2.2-2 | Ecological Sites and Historic Climax Plant Communities | 37 |
| 2.4-1 | Average acres per deer and blackbuck: 2000 spotlight deer | 41 |
| 2.4-2 | survey Average acres per deer: 2007 and 2008 spotlight deer surveys | 42 |
| 3.1.2-1 | Recommended seed mix: general revegetation | 48 |
| 3.1.2-2 | Recommended seed mix: shade | 49 |
| 3.1.2-3 | Recommended seed mix: herbaceous riparian communities | 49 |
| 3.1.2-4 | Recommended seed mix: shallow soil | 50 |