
EXHIBIT A

South Sidewalk Improvements






Stansberry Engineering Co., Inc. Civil Engineers
Larson Burns & Smith, Inc. Landscape Architects / Planners

SPC-2012-0104D

EXHIBIT B

Irrigation and Electrical Improvements





Barton Springs Pool - General Grounds Improvements SPC-2012-0104D

Stansberry Engineering Co., Inc. *Civil Engineers*Larson Burns & Smith, Inc. *Landscape Architects / Planners*

EXHIBIT C

South Gate Ticket Booth




EXHIBIT D

Tree Court Improvements





EXHIBIT E

South Entry Parking Lot and Water Quality Improvements






EXHIBIT F MAINTENANCE OF VEGETATED FILTER STRIP

Barton Springs Pool - General Grounds Improvements SPC-2012-0104D

Part A – General

1. Scope

This specification outlines the necessary requirements to maintain the proper function of the vegetated filter strip that fulfills the water quality regulatory requirements (LDC §25-8-211) for the parking lot serving the south side pool entry.

2. Reference Documents

- 2.1 City of Austin Specification Item 601S, Salvaging and Placing Topsoil.
- 2.2 City of Austin Specification Item 604S, Seeding for Erosion Control.
- 2.3 City of Austin Special Specification 612, Topsoil Mix.
- 2.4 Texas Department of Transportation (TxDOT) Specification Item 161, Compost.

Part B – Products

3. Materials

- 3.1 Compost Compost shall conform to TxDOT Specification Item 161 (including Dillo Dirt).
- 3.2 Organic Fertilizers Organic Fertilizers, shall be a naturally occurring product such as manure, slurry, worm castings, peat, seaweed, humic acid, and guano or processed organic fertilizers such as compost, bloodmeal, bone meal, seaweed extracts, fish meal, and feather meal. Product shall be from sources that are not tainted with pesticides, herbicides, steroids, antibiotics or hormones.
- 3.3 Sand masonry/concrete sand.
- 3.4 *Vegetation* Vegetation shall consist of a dense stand of turf grass.
- 3.5 *Soil* Native soil shall be improved using the guidelines of this maintenance document. If imported topsoil is needed, soil shall conform to City of Austin Special Specification 612 or as approved by the Watershed Protection Department.
- 3.6 The use of synthetic fertilizers, herbicides, or pesticides is prohibited.

4. Equipment

- 4.1 *Slicer Aerator* aerates by cutting grooves within soil.
- 4.2 *Plug Aerator or Core Aerator* aerates by removing a finger size plug of soil, 3 to 4 inch depth, to allow penetration of air, water, and nutrients. Core hole is top dressed with sand and/or compost.
- 4.3 *Tiller or Disc Harrow* -- shall be used to aerate and break up compacted soil to a depth of 6 inches for long term soil rehabilitation.

Part C – Procedure

5. Inspection

- 5.1 Soil shall be inspected and tested by Austin Parks and Recreation.
 - 5.1.1 Immediately after a rainfall of 1 inch or greater, athletic field shall be visually inspected for areas of standing water outside tree root zones that remain 24 hours after the end of the rain event. Perform inspection four times per year.

January 29, 2013 Page | 1

- 5.1.2 Soil shall be visually inspected for continuous vegetation growth and areas of erosion. Bare areas shall not exceed 16 square feet and the height of vegetation shall stand at a minimum of 1 1/2 inch. Bare and eroded areas shall be prepared and reseeded as required per City of Austin Specification 604S. Perform inspection four times per year.
- 5.1.3 Soil samples shall be collected and tested annually by a laboratory such as the Texas A&M Agrilife Extension Service. Three soil samples, evenly spread across the two fields, shall be collected and prepared for testing per laboratory requirements. Sample locations shall vary from year to year. Test results shall be returned to the Program Manager for Austin Parks and Recreation Centralized Program Division/Athletics. A soil specialist shall analyze the results and make recommendations for soil amendments.

6. Construction Methods

6.1 Annual Maintenance

- 6.1.1 Irrigation heads shall be marked with non toxic, water based, biodegradable marking paint prior to aeration. Existing irrigation lines damaged during the aeration shall be repaired or replaced as necessary.
- 6.1.2 Aerate athletic fields with slicer aerator four times per year.
- 6.1.3 Amend soil twice a year or as needed with compost and/or organic fertilizers to replenish minerals and nutrients identified as deficient through soil testing.
- 6.1.4 Aerate athletic fields with plug aerator and top dress soil with sand annually.
- 6.1.5 Athletic field shall have a "rest period" for a minimum of 6 weeks throughout a one year period. The area shall be fenced off from access.
- 6.1.6 The turf of the vegetated filter strip, when used as an athletic field, shall not be mowed shorter than 1 1/2 inches.
- 6.1.7 Treatments for vegetation management shall follow the guidelines of the Austin Parks and Recreation Integrated Pest Management (IPM) Plan using organic, natural, biological methods specified for Waterways.
- 6.1.8 The use of synthetic fertilizers, herbicides and pesticides is prohibited.

6.2 Long Term Soil Rehabilitation.

If regular annual maintenance is insufficient to loosen soils compacted from use of the athletic fields, the following rehabilitation methods shall be performed.

- 6.2.1 Irrigation heads shall be marked with non toxic, water based, biodegradable marking paint prior to rehabilitation. Existing irrigation lines damaged during the soil rehabilitation shall be repaired or replaced as necessary.
- 6.2.2 Soil shall be amended with 1 part compost to 4 parts soil. When scarifying soil to a depth of 6 inches, 1 1/2 inches of compost shall be added.
- 6.2.3 Soil amendments shall be worked into the existing onsite topsoil with a disc or tiller to create a well-blended material. Amended soil shall be raked smooth.
- 6.2.4 After completion of item 6.2.3, the athletic fields shall be sodded with appropriate turf for athletic use. Fields shall be fenced to prevent access for a minimum of four weeks to allow the new turf to become established. More time may be necessary during the winter months as determined by Austin Parks and Recreation.
- 6.3 Tree protection. Precautions will be maintained at all times to protect all trees in the area of construction.

January 29, 2013 Page | 2

Maintenance of Vegetated Filter Strip Barton Springs Pool General Grounds Improvements SPC-2012-0104D

- 6.3.1 Equipment shall not be operated nor materials stockpiled under the canopies of trees.
- 6.3.2 Topsoil or soil amendments shall not be placed within the drip line of trees greater than 4 inches.

7. Administration

7.1 Austin Parks and Recreation is responsible for the annual and long term maintenance of the vegetated filter strip area used as athletic fields. Contact the Program Manager for Austin Parks & Recreation Centralized Program Division/Athletics at 512-978-2670.

Accepted by:	
Austin Parks and Recreation	_
Victoria Li, Director	_
City of Austin	
Watershed Protection Department	

January 29, 2013 Page | 3

Accumulation of Committees, Boards and Commissions Barton Springs Pool – General Grounds Improvements

Design Commission Meeting - February 27, 2012

The motion to support both items of Alternative Equivalent Compliance as requested and send a message to the public of the importance of preserving our natural, springs was approved.

Joint Committee Meeting - June 28, 2012

All aspects of the design were approved by the Joint Committee of the Environmental Board and Parks & Recreation Board over a two-year public engagement process.

Land, Facilities and Program Committee Meeting - August 13, 2012 The motion to Recommend the plan to the Parks and Recreation Board was approved.

Historic Landmark Commission Meeting - August 27, 2012

The motion to approve the Certificate of Appropriateness in accordance with Staff recommendation was approved.

Parks and Recreation Board Meeting - August 28, 2012

The motion to approve the plan was approved with the following exceptions:

1. ADA Trail through the grass of the South Lawn and request planner and Parks Depart. staff look closer at a place for that overlook away from the South Lawn.

Urban Forestry Board Meeting - December 19, 2012

The motion to approve the plan was approve with the following recommendations:

- 1.Tree Court Area:
- a. The entire tree court area is treated as a Critical Root Zone:
- b. Decomposed granite is removed from root zone areas and under walks to native grade;
- c. Piers for the suspended walk are excavated with an air excavation tool for the first 2';
- d. Soil beneath the suspended walk is de-compacted after piers are poured;
- e. An approved Certified Arborist or appropriate city staff be present during construction.
- 2. Remove the south overlook and pathway to the overlook from the plan.
- 3. Increase size of planting median in south parking lot area to 4000 SF and reduce the large maturing trees in the planting to two trees.

Planning Commission Meeting – January 8, 2013

Initiation of SOS Ordinance Amendment.

Codes and Ordinances Subcommittee – January 15, 2013

Introduction of variance language. Discussion postponed to February 19, 2013

Environmental Board Meeting – February 6, 2013

Motion to Postpone to February 20, 2013 was approved

Waterfront Planning Advisory Board Meeting - February 11, 2013

Motion to Recommend Approval of Site Plan with No Conditions or Exceptions was approved



ORDINANCE NO.

AN ORDINANCE AMENDING SECTION 25-8-514 AND GRANTING VARIANCES TO SECTIONS 25-8-482 AND 25-8-483 OF THE CITY CODE TO ALLOW CONSTRUCTION OF THE BARTON SPRINGS POOL GENERAL GROUNDS IMPROVEMENTS IN THE CRITICAL WATER QUALITY ZONE AND WATER QUALITY TRANSITION ZONE AND TO EXCEED IMPERVIOUS COVER LIMITATION.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

PART 1. This ordinance grants a code amendment and specific variances necessary to allow construction of sidewalks, underground utilities, ticket booth, decking, hardscape, and a vegetative filter strip in the critical water quality zone, and expanded parking in the water quality transition zone of Barton Creek, subject to Site Plan Number SPC-2012-0104D to facilitate general ground improvements at Barton Springs Pool (hereinafter the "Grounds Improvement Project").

PART 2. CRITICAL WATER QUALITY ZONE

A variance is granted from Section 25-8-482(*Critical Water Quality Zone*) and Section 25-8-514 (*Pollution Prevention Required*) of the City Code is amended to allow construction in the critical water quality zone of:

- (A) Sidewalks located along the western edge of the south lawn of the pool to provide or improve accessible routes, more particularly described in the attached and incorporated **EXHIBIT A**.
- (B) Underground irrigation and utilities as necessary to serve the irrigated landscape areas and provide lighting, more particularly described in the attached and incorporated **EXHIBIT B**.
- (C) A ticket booth located at the south entry gate, more particularly described in the attached and incorporated **EXHIBIT C**.
- (D) An overlook deck, new sidewalk and hardscape within the "tree court" area adjacent to the existing bathhouse to improve the soil conditions for the health of the heritage pecan trees, more particularly described in the attached and incorporated **EXHIBIT D**.
- (E) A portion of a vegetated filter strip located east of the existing gravel parking lot on the south side of the pool providing water quality for the parking lot, more particularly described in the attached and incorporated **EXHIBIT E**.

DRAFT: 1/30/13

PART 3. IMPERVIOUS COVER.

Section 25-8-514 (*Pollution Prevention Required*) is amended to allow impervious cover in excess of 15%.

PART 4. TRANSITION ZONE.

A variance is granted from Section 25-8-483 (*Water Quality Transition Zone*) to allow construction in the water quality transition zone of:

- (A) Concrete parking facility to improve and expand the existing gravel parking lot located on the south side of Barton Springs pool, more particularly described in **EXHIBIT E**.
- (B) Sidewalk providing an accessible route from the Robert E. Lee Right of Way and the parking lot on the south side of Barton Springs pool to the south entry to the pool, more particularly described in **EXHIBIT E.**

PART 5. CONDITIONS.

Construction in the critical water quality zone and water quality transition zone authorized by this ordinance must adhere to the following conditions:

- (A) After the Grounds Improvement Project is complete, restore the soil and the site with vegetation or other materials consistent with previous uses.
- (B) Provide not less than 15,000 square feet of additional landscape in addition to landscaping required under City Code. Native plants shall be planted outside of turf areas.
- (C) Provide a Vegetated Filter Strip as described in **EXHIBIT E** and maintain the Vegetated Filter Strip in accordance with the attached and incorporated **EXHIBIT F**.
- (D) Provide water quality treatment for both the existing parking lot and the improvements to the parking lot described in **EXHIBIT E.**
- **PART 6.** The requirements imposed by Section 25-8-41 (*Land Use Commission Variances*) regarding the processing and granting of variances is hereby waived for the variances granted in this Ordinance.
- PART 7. This ordinance takes effect on _______, 2013.