WORKING DOCUMENT FOR PUBLIC REVIEW JULY 2013

IMPACT FEE REPORTS:

ASSESSED AND COLLECTED FEES

AND

IMPACT FEE LAND USE ASSUMPTIONS

AND

IMPACT FEE CAPITAL IMPROVEMENTS PLAN

City of Austin, Texas Austin Water Utility

DRAFT SUBJECT TO CHANGE

IMPACT FEE REPORTS TABLE OF CONTENTS

		PAGE			
	ASSESSED AND COLLECTED FEES				
I.	ASSESSED AND COLLECTED IMPACT FEES PLACEHOLDER	ACF-1			
	IMPACT FEE LAND USE ASSUMPTIONS				
	TABLE OF CONTENTS	LUA-i			
	LIST OF MAPS	LUA-ii			
	LIST OF TABLES	LUA-ii			
I.	INTRODUCTION	LUA-1			
II.	SERVICE AREA	LUA-1			
III.	GROWTH PROJECTIONS	LUA-3			
IV.	SERVICE UNITS	LUA-6			
APPE	NDIX A DESCRIPTION OF IMPACT FEE BOUNDARY	LUA A-1			
	IMPACT FEE CAPITAL IMPROVEMENTS PLAN				
	TABLE OF CONTENTS	CIP-i			
	LIST OF FIGURES	CIP-ii			
	LIST OF TABLES	CIP-ii			
I.	INTRODUCTION	CIP-1			
II.	FACILITY PLANNING DEFINING THE EXISTING LEVEL				
	USAGE AND RESERVE CAPACITY NEEDS	CIP-1			
III.	USAGE AND RESERVE CAPACITY NEEDS III. IMPACT FEE FACILITIES AND FEE CALCULATION METHODOLOGY				
IV.					
V.	SERVICE UNIT DEMAND PROJECTIONS	CIP-30			
VI.	CAPACITY AND COST ATTRIBUTABLE TO NEW GROWTH	CIP-30			
VII.	CALCULATION OF MAXIMUM ALLOWABLE IMPACT FEE	CIP-40			
Append	ix A Water Rate Revenue Credit Calculation	CIP-A-1			
Append	ix B Wastewater Rate Revenue Credit Calculation	CIP-B-1			
Append	ix C CIP Projects Targeted to Meet Existing Needs – Wastewater	CIP-C-1			
Append	ix D CIP Projects Targeted to Meet Existing Needs – Water	CIP-D-1			

ASSESSED AND COLLECTED IMPACT FEES PLACEHOLDER

City of Austin, Texas Austin Water Utility

Working Document for Public Review July 2013

Working Document posted to IFAC Boards & Commissions Site on 8/5/2013

I. ASSESSED AND COLLECTED IMPACT FEES *PLACEHOLDER*

ACF-1 DRAFT SUBJECT TO CHANGE

IMPACT FEE LAND USE ASSUMPTIONS

City of Austin, Texas Austin Water Utility

Working Document for Public Review July 2013

$\begin{array}{c} \text{IMPACT FEE LAND USE ASSUMPTIONS} \\ \text{TABLE OF CONTENTS} \end{array}$

	LIST OF MAPS	PAGE LUA-ii
	LIST OF TABLES	LUA-ii
I.	INTRODUCTION	LUA-1
II.	SERVICE AREA	LUA-1
III.	GROWTH PROJECTIONS	LUA-3
IV.	SERVICE UNITS	LUA-6
APPEN	IDIX A DESCRIPTION OF IMPACT FEE BOUNDARY	LUA A-1

LIST OF MAPS

TITLE	PAGE
Map 1. Proposed Impact Fee and Service Area Boundary Map (with Planning Areas)	LUA-2
LIST OF TABLES	
TITLE	PAGE
Table 1. Population Growth	LUA-4
Table 2. Employment Growth	LUA-5
Table 3. Calculation of Service Units	LUA-6
Table 4. Estimate of Service Units in Austin Water Distribution System	LUA-7
Table 5. Projection of Water Service Units	LUA-9

IMPACT FEE LAND USE ASSUMPTIONS

City of Austin, Texas Austin Water Utility

Working Document for Public Review July 2013

I. INTRODUCTION

Texas law, specifically Texas Local Government Code, Chapter 395, enacted by the State Legislature in 1987 (Senate Bill 336) and amended as recently as 2011, empowers cities to impose and collect "impact fees" and establishes the guidelines cities must follow to do so. The term "impact fee" includes the "capital recovery fees" that the City of Austin charges for facility expansion of its water and wastewater systems. The City of Austin water and wastewater impact fees are further governed by the Austin City Code, Title 25 Land Development, Chapter 25-9 Water and Wastewater, Article 3 Water and Wastewater Capital Recovery Fees, Sections 25-9-311 through 25-9-353, other sections of the Land Development Code referred to by these sections, and ordinances approved amending these sections.

Among the several requirements imposed on cities by Chapter 395 is the development and approval of a report called "land use assumptions." Section 395.001 (5) of the Local Government Code defines the term succinctly: "Land use assumptions' includes a description of the service area and projections of changes in land uses, densities, and population over at least a 10-year period." In a definitive article written by three people who helped develop Chapter 395, entitled "Impact Fees: The Intent Behind the New Law" (St. B. Tex. Envtl. L. J., vol. 19; 1989; pp. 68-73) by Ray Farabee, et.al., the term is so described:

"Land use assumptions" are the basic projections of population growth and future land uses on which plans for new or expanded facilities must be based. The land use assumptions may be general and do not require detailed projections for specific parcels of land. They should, however, be thorough enough to permit reasonably accurate long range planning. The time period on which these projections are based must be at least ten years.

This report has been prepared for the purpose of complying with the requirements of Chapter 395 of the Local Government Code with respect to "land use assumptions." It is an amendment to the City's impact fee land use assumptions approved by the City Council on February 13, 1997, and subsequently amended and updated, most recently in August 2007, and adopted by City Council September 17, 2007. State law requires that the land use assumptions be updated at least every five years.


II. SERVICE AREA

The "service area", for the purposes of these land use assumptions, is the area within the corporate boundaries of the City of Austin and its existing extraterritorial jurisdiction (ETJ) to be served by the existing city water and wastewater systems and the facilities listed in the revised Impact Fee Capital Improvements Plan. The boundary encompassing this area is illustrated by Map 1. For general reference the areas are:

- 2007 outer boundary = 537 sq. mi. (343,861 acres)
- 2012 outer boundary = 544 sq. mi. (347,965 acres)

For reference, within the outer boundary, the 2010 served area covers approximately 192,000 acres, not including conservation land and other cities' jurisdictions, in general. Appendix A of this land use assumptions report provides the written description of the updated impact fee service area boundary for ordinance purposes. The written description, not the map, is the official service area description.

The Impact Fee "service area" defines the area to be used to calculate projected "service units" and the impact fee.



These land use assumptions anticipate that the impact fees to be calculated will be imposed uniformly over the entire service area and will be calculated in a manner consistent with that premise. This is explicitly provided for by 1989 amendments to Chapter 395 of the Local Government Code, which added Section 395.0455. This section reads in part:

System-Wide Land Use Assumptions.

(a) In lieu of adopting land use assumptions for each service area, a political subdivision may, except for storm water, drainage, flood control and roadway facilities, adopt system-wide land use assumptions, which cover all of the area subject to the jurisdiction of the political subdivision for the purpose of imposing impact fees under this chapter.

Another paragraph in this section further clarifies the requirements of state law:

(c) After adoption of system-wide land use assumptions, a political subdivision is not required to adopt additional land use assumptions for a service area for water supply, treatment, and distribution facilities or wastewater collection and treatment facilities as a prerequisite to the adoption of a capital improvements plan or impact fee, provided the capital improvements plan and impact fee are consistent with the system-wide land use assumptions.

III. GROWTH PROJECTIONS

For the 5-year update, 2010 U.S. Census population data was used to estimate the 2010 served population. This data was also used to adjust and improve the 2010 employment figures and the 2020 population and employment forecasts developed in years past by the Planning and Development Review Department. The 10-year period from 2010 to 2020 is used as the basis for determining the amount of growth in a 10-year planning horizon as required in the Impact Fee Act. The GIS-based review and adjustment procedure for updating the growth projection was done in coordination with the City Demographer from the Planning and Development Review Department. The resulting projection takes the form of population and employment distributed by traffic serial zones, which are then aggregated into the water pressure zones and wastewater drainage areas necessary for analysis of facility demand versus capacity relationships.

Results for the Planning Areas illustrated on Map 1 are:

Table 1 - Population Growth. Shows estimated 2010 and projected 2020 population aggregated to Planning Areas and to total service area. As noted above, these figures are consistent with U.S. census data for 2010 and projections for 2020. These 10-year growth population figures correspond to estimates and projections of residents actually receiving City of Austin water and/or wastewater service. This table includes the calculated average annual growth rate and the gross population density. The gross densities are calculated by dividing the estimated or projected population by the total acres in each Planning Area.

Table 2 - Employment Growth. Shows estimated 2010 and projected 2020 employment aggregated to Planning Area and to total service area. As noted above, these 10-year growth figures are consistent with Planning and Development Review Department data for 2010 and projections for 2020. This table includes the calculated average annual growth rate, and the gross employment density. The gross densities are calculated by dividing the estimated or projected employees by the total acres in each Planning Area. As with population, these figures correspond to work sites that will actually receive City of Austin water and/or wastewater service.

Table 1: Population Growth

lable I: Popu	able I: Population Growth	Æ					
Planning	2010	0000	Population	Acres for	2010 Residential 2020 Residential	2020 Residential	Change in
Area	2010	2020	Annual	2010 Served	Gross Density	Gross Density	Residential
Summary	Population	Population	Growth Rate	Area	Pop/Ac	Pop/Ac *	Gross Density
Н	60,282	68,750	1.32%	5,139	11.73	13.38	14.05%
2	25,815	727,72	0.72%	5,315	4.86	5.22	7.41%
3	27,171	28,242	0.39%	5,328	5.10	5.30	3.94%
4	20,455	21,782	0.63%	4,244	4.82	5.13	6.49%
2	37,491	44,846	1.81%	5,353	7.00	8:38	19.62%
9	32,643	36,390	1.09%	6,410	5.09	5.68	11.48%
7	31,217	36,150	1.48%	5,178	6.03	86.9	15.80%
8	74,144	77,052	0.39%	8,318	8.91	9.26	3.92%
6	31,967	35,210	0.97%	4,689	6.82	7.51	10.14%
10	41,351	50,543	2.03%	5,735	7.21	8.81	22.23%
11	35,787	42,209	1.66%	6,317	5.66	89.9	17.95%
12	43,359	45,269	0.43%	4,596	9.43	9.85	4.41%
13	35,255	38,000	0.75%	4,463	7.90	8.51	7.79%
14	47,441	51,549	0.83%	7,965	5.96	6.47	8.66%
15	39,986	45,632	1.33%	2,996	5.00	5.71	14.12%
16	31,163	34,604	1.05%	4,245	7.34	8.15	11.04%
17	43,605	48,858	1.14%	5,627	7.75	8.68	12.05%
18	12,629	13,032	0.31%	5,520	2.29	2.36	3.19%
19	29,897	33,678	1.20%	13,355	2.24	2.52	12.65%
20	30,345	39,781	2.74%	8,240	3.68	4.83	31.09%
21	16,616	35,702	7.95%	4,185	3.97	8.53	114.87%
22	39,468	62,383	4.68%	16,389	2.41	3.81	28.06%
23	20,433	31,871	4.55%	6,799	2.09	3.25	55.98%
24	16,527	27,781	5.33%	22,191	0.74	1.25	68.10%
25	20,225	35,416	2.76%	7,634	2.65	4.64	75.11%
56	30,663	38,534	2.31%	7,340	4.18	5.25	25.67%
Total within Boundary	875,936	1,050,991	1.84%	191,570	4.57	5.49	19.98%

* Based on 2010 served area acreage

Table 2: Employment Growth

* Based on 2010 served area acreage

IV. SERVICE UNITS

Water and Wastewater Service Unit Assumptions

Calculation of the impact fee in accordance with Chapter 395 of the Local Government Code requires the use of a "service unit." Within the definitions section of Chapter 395.001(10), "'Service unit' means a standardized measure of consumption, use, generation, or discharge attributable to an individual unit of development calculated in accordance with generally accepted engineering or planning standards and based on historical data and trends applicable to the political subdivision in which the individual unit of development is located during the previous 10 years."

To use a simplified explanation, the number of projected new service units are divided into the costs of capital projects allocated to this new growth in order to calculate the allowable impact fee (per service unit). The journal article by Ray Farabee, et.al, mentioned previously, states that the "'Service unit' is one of the most important, but conceptually difficult, elements of the (new) law." This article also observes that "Cities may select their own standards for measuring service units, but any measure chosen must attempt to accurately reflect differences in service consumption between users." The service unit is based on the size of water meter sold, exactly as the fee unit was calculated. Table 3 illustrates the relationship between service units and meter sizes. The service unit calculation depends on the relative differences between the various sizes and types of meters as determined by their rated maximum flows and rated continuous flows.

Table 3: CALCULATION OF SERVICE UNITS

The size and type of water meter purchased determines number of service units in accordance with the following schedule:

METER SIZE	TYPE	SERVICE UNITS
5/8"	positive displacement	1
3/4"	positive displacement	
1"	positive displacement	2.5
1 1/2"	positive displacement	5
1 1/2"	turbine	8
2"	positive displacement	8
2"	turbine	10
3"	compound	16
3"	turbine	24
4"	compound	25
4"	turbine	42
6"	compound	50
6"	turbine	92
8"	turbine	160
10"	turbine	250
12"	turbine	330
6" x 2"	fire service	based on domestic demand
8" x 2"	fire service	based on domestic demand
10" x 2"	fire service	based on domestic demand

The service unit is determined on the basis of the American Water Works Association (AWWA) standards C700-09, C701-12 and C702-10 recommended maximum rate for continuous duty (flow) of the meter purchased at sale of tap. The service unit, as described here, has for years been in Austin's capital recovery fee ordinances; it is well accepted, and it is extraordinarily easy to calculate at time of collection. In addition, it is based on Uniform Plumbing Code meter size and type criteria counting plumbing fixtures that directly reflect the differences in service consumption between different users. Table 4 shows the latest count of all meters in the system in September 2011 by size. From that list is calculated the number of hypothetical service units installed in the system. That figure is 352,521 service units as shown on Table 4.

Table 4 - Estimate of Service Units in the Austin Water Distribution System

Meter Size	Meters September 2011 *	Service Unit Multiplier **	September 2011 Service Units
5/8"	185,342	1	185,342
3/4"	10,509	1.5	15,764
1"	9,087	2.5	22,718
1 1/4"	10	5	50
1 1/2"	4,063	6.58	26,719
2"	3,693	8.94	33,020
3"	1,221	18.98	23,170
4"	587	27.11	15,916
6"	300	56.07	16,822
8"	29	100.74	2,921
10"	39	250	9,750
12"	1	330	330
16"	0		0
Total	214,881		352,521

^{*} Meter count September 2011 without individual customers in wholesale utilities.

Existing Water System Service Units

To determine the flow equivalent of a water system service unit the weather normalized pumpage is divided by the total number of service units. The weather-normalized water pumpage for FY10 (October 2009-September 2010) is estimated to be 49,967 million gallons (actual FY10 usage was 43,827 million gallons). Therefore the current system-wide flow average is 388 gallons per day per service unit (or 0.27 gpm). Weather normalized pumpage estimates are used to minimize the impact of weather related variation. Water use and pumpage are significantly impacted by weather.

Existing Wastewater System Service Units

The wastewater collection system does not have individual meters for a majority of the customers. In most cases wastewater is billed based on water meter data. Therefore wastewater collection system service units are calculated as a percentage of the water distribution system service units. Based on 2010 census data 96.4% of the AWU water customers are also wastewater customers. It is assumed that there is a direct relationship between the number of

customers and the number of service units so the number of wastewater service units is estimated to be 96.4% of the water distribution system service units or 339.878 service units.

The wastewater collection system service unit flow equivalent is calculated using the weather normalized total system influent treated at the wastewater treatment plants. The FY10 weather normalized total wastewater collection system influent is estimated to be 35,604 Million gallons. Therefore the flow equivalent per wastewater service unit is estimated to be 287 gallons per day per service unit.

Future Water and Wastewater Service Units

The projection of new service units presents a challenge in that it depends on size, type and number of meters sold, while the basis for the forecasts are population and employment converted to water and wastewater flows. The projection estimates of future service units are based on relationships between population, employment, total flow, and per capita flow projections.

Future service unit forecasts are derived from projections of population and employment combined with planned water pumpage forecasts. 2020 water pumpage forecasts are calculated in accordance with The 140 Plan, Austin Water Utility's Conservation Plan, referring to a goal of reducing the per capita pumpage from 156 gpcd in 2010 (weather normalized) to 140 gpcd by 2020. Reducing the per capita pumpage, while increasing the population and employment, results in a reduced number of gallons per service unit. The 2020 water flow per service unit is expected to be reduced proportionally with the per capita flow so the 2020 water flow per service unit is estimated to be 348 gallons per day per service unit.

$$\frac{156 \ gpcd (2010)}{140 \ gpcd (2020)} = \frac{388 \ gallons \ per \ day \ per \ service \ unit (2010)}{348 \ gallons \ per \ day \ per \ service \ unit (2020)}$$

The 2020 total system water pumpage, calculated based on the 140 Plan and the projected population of 1,050,991, is 53,853 Million gallons (leap year). Dividing the total annual pumpage by 348 gallons per day per service unit gives a 2020 estimate of 422,813 service units. For water the 2010 service units are 352,521 and for 2020 they are 422,813, therefore, the 10-year growth increment is 70,292.

Future wastewater service units were calculated in a similar fashion. For wastewater projections the 140 Plan Water Conservation plans have been taken into account through a relatively small reduction in total annual influent flow projections. Many of the water conservation measures in the 140 Plan are aimed at outdoor use so it is not expected to influence the wastewater flows as much as the water pumpage. For these reasons, the wastewater flow per service unit estimate, 287 gallons per service unit per day is assumed to remain constant from 2010 to 2020. Total annual wastewater influent flows for 2020 are projected to be 42,967 Million gallons. 42,967 million gallons generated at an average of 287 gallons per day per service unit yields an estimate of 410,166 wastewater service units in 2020. For wastewater the 2010 service units are 339,878 and for 2020 they are 410,166, therefore, the 10-year growth increment is 70,288.

The spatial summary of the results of this exercise is presented in Table 5. Since the location of growth and the service unit growth increments for water and wastewater essentially track the same, a wastewater version of Table 5 is not included in the report. The population and employment projections of Section III Tables 1 and 2 were converted to average daily water pumpage and then to forecasts of new service units for the entire service area.

Table 5: Projection of Water Service Units

	0.00	2010			0000	OCOC			70,00
Planning Area Summary	Residential MGD	Employment MGD	2010 Total MGD	2010 Total 2010 Service MGD Units	Residential MGD	Employment MGD	2020 Total MGD	2020 Total 2020 Service MGD Units	Sel
1	5.6	10.2	15.9	40,854	5.7	9.7	15.3	44,009	3,155
2	2.4	1.2	3.6	6,389	2.3	1.2	3.5	10,073	685
က	3.1	6.0	4.0	10,335	2.9	6.0	3.7	10,763	428
4	2.5	0.5	3.0	7,604	2.3	0.5	2.8	8,054	450
5	4.6	1.2	2.8	14,939	4.8	1.4	6.2	17,713	2,773
9	3.8	3.7	7.4	19,177	3.7	3.4	7.1	20,491	1,314
7	3.7	0.8	4.4	11,378	3.7	1.0	4.8	13,680	2,302
∞	7.0	2.3	9.5	23,767	6.4	2.3	9.8	24,847	1,081
6	3.1	2.3	5.4	13,977	3.0	2.2	5.2	15,076	1,099
10	3.8	2.2	0.9	15,446	4.1	3.2	7.4	21,178	5,732
11	3.4	1.9	5.2	13,433	3.5	2.0	5.5	15,728	2,295
12	4.1	2.0	6.1	15,712	3.8	1.9	5.7	16,383	671
13	3.4	0.7	4.2	10,711	3.3	0.8	4.1	11,672	961
14	2.0	0.5	5.6	14,351	4.8	9.0	5.5	15,748	1,398
15	4.6	1.1	9.9	14,486	4.6	1.2	2.8	16,555	2,069
16	3.1	1.0	4.1	10,594	3.1	1.0	4.1	11,783	1,190
17	4.2	1.7	5.9	15,180	4.2	1.8	0.9	17,183	2,002
18	1.2	0.9	2.1	5,401	1.1	0.8	1.9	5,458	28
19	3.5	1.5	4.9	12,718	3.5	1.6	5.1	14,578	1,860
20	3.8	1.1	4.9	12,569	4.4	1.2	9.5	16,078	3,510
21	2.0	9.0	5.6	6,712	3.8	1.0	4.8	13,936	7,224
22	4.1	2.7	8.9	17,485	5.5	3.6	9.1	26,185	8,700
23	1.9	1.8	3.7	9,492	5.6	2.1	4.7	13,617	4,125
24	1.6	1.7	3.3	8,484	2.3	2.9	5.2	14,890	6,406
25	1.9	1.1	3.1	7,873	3.0	1.7	4.7	13,556	5,683
26	3.6	0.5	4.1	10,453	4.0	0.7	4.7	13,576	3,122
Total within	3	Ç L	,	, ,	ı	ľ	,		
Boundary	9T.0	45.9	136.9	352,521	96.5	20.7	147.1	422,813	70,292

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

Description of Impact Fee Boundary for 5-Year Update Adopted TBD (Ord -00)

All jurisdiction boundaries such as county lines, utility companies, municipalities, etc., used in this description are those boundaries as they exist on the date this boundary is adopted and are to be recognized as the most accurate location of the impact fee boundary if another landmark or distance reference creates an ambiguity.

All street and landmark names reflect one of the names shown in commonly available maps of the Austin area. The City of Austin GIS was used for street names in this description. Distances have been scaled from Austin GIS and are intended to approximately place the boundary when landmarks are not available or may be ambiguous. The referenced landmark is to be taken as the accurate location.

When a road, street, etc. is referenced, the boundary is assumed to follow the centerline, and only one side of the road, street, etc. is within the impact fee service area boundary.

Boundaries of any city's jurisdiction (ETJ or city limits), counties, and the service area of another utility, can be found by referring to maps available from those individual entities. The accuracy of those maps is not warranted by the City of Austin or the Austin Water Utility. Taxing authority records also indicate inclusion in the individual entities.

The impact fee service area described below shall not include the certificated service area of another utility providing water and/or wastewater service to its customers under a certificate of convenience and necessity from the Texas Commission on Environmental Quality or its predecessor and successor agency and with whom the City has no wholesale contract to provide water and/or sewer service providing for the payment of impact fees.

The impact fee service area described below shall not include land within the jurisdiction of cities other than Austin; provided, however, that within the jurisdiction of cities other than Austin, land is included within the impact fee service area where it is included in the service area of those utilities with whom the City has wholesale contracts to provide water and/or sewer service providing for the payment of impact fees or where that other city has executed an agreement with Austin for the City to supply retail water and/or wastewater service providing for the payment of impact fees.

Where the impact fee service area is described by the Austin jurisdiction passing through a tract, the entire tract which is partially in the Austin jurisdiction and not in the jurisdiction of another city will be considered to be in the service area.

In addition to land within the impact fee service area described below, the impact fee service area includes land in the service areas of those utilities with whom the City has wholesale contracts to provide water and/or wastewater service providing for the payment of impact fees, to the extent such land has been approved by the City to receive water and/or wastewater service from the City.

Any tract of land which is not entirely within the impact fee service area, as described below or according to the conditions described above, is not considered to be in the impact fee service area.

Accordingly, the City of Austin Impact Fee Service Area Boundary is described as follows:

- 1. Beginning at the junction of the east frontage road of IH-35 South and the common city limits of Austin and Buda, the boundary proceeds along the jurisdiction boundary of Austin in a generally east and south direction (to include the Sunfield #2 MUD) for about 3.0 miles until it turns generally NE.
- 2. Then proceeding in a general NE direction along the common jurisdiction boundary of Austin and Buda for about 0.5 mile to the jurisdiction boundary west of S. Turnersville Road.
- 3. Then proceeding in a general south direction along the common jurisdiction boundary of Austin and Buda west of S. Turnersville Rd., including the electric substation property, for about 1.7 miles to Satterwhite Road.
- 4. Then proceeding in a general east and SE direction along Satterwhite Rd. for about 2.1 miles to the common jurisdiction boundary of Austin and Niederwald near Williamson Road.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 5. Then proceeding in a general NE direction along the common jurisdiction boundary of Austin and Niederwald for about 0.4 mile to the intersection of the common jurisdiction boundaries of Niederwald and Austin at Williamson Road.
- Then proceeding in a general NE direction along the common jurisdiction boundary of Austin and Creedmoor for about 5.7 miles including sections along Williamson Road, Graef Road, Wright Rd., Palmer Road and near FM 1327 and Carl Road.
- 7. Then proceeding in a general NNE direction along the common jurisdiction boundary of Austin and Creedmoor near Carl Road for about 0.9 mile to its intersection with Old Lockhart Hwy.
- 8. Then proceeding in a general SE direction along the common jurisdiction boundary of Austin and Creedmoor for about 3.9 miles until it intersects with the common jurisdiction boundary of Austin, Creedmoor, and Mustang Ridge and turns generally northeast.
- Then proceeding in a general east direction along the common jurisdiction boundary of Austin and Mustang Ridge for about 3.8 miles to the vicinity of SH130 until it turns generally ESE.
- 10. Then proceeding in a general ESE direction along the jurisdiction boundary of Austin for about 3.8 miles across the common Travis/Bastrop County line to the common jurisdiction boundary of Bastrop and Austin and turns generally NE.
- 11. Then proceeding in a general NNE direction along the jurisdiction boundary of Austin for about 22.2 miles to the centerline of the Colorado River and turns generally NNW.
- 12. Then proceeding in a general NNW direction from the centerline of the Colorado River along the common jurisdiction boundary of Austin and Webberville for about 9.5 to the end of the Webberville jurisdiction on Blake Manor Rd. where it turns NE.
- 13. Then proceeding in a general NE and NW direction along the jurisdiction boundary of Austin following Blake Manor Road for about 1.3 miles and turns generally north.
- 14. Then proceeding in a general north direction along the jurisdiction boundary of Austin for about 5.0 miles to its intersection with Littig Road, which is also the common jurisdiction boundary of Austin and Manor, and continues east along the jurisdiction boundary.
- 15. Then proceeding in a general WNW direction along the jurisdiction boundary of Austin, which is also Littig Road, for about 2.2 miles along the common jurisdiction boundary of Austin and Manor and continues along the Austin jurisdiction boundary.
- 16. Then proceeding in a clockwise direction WNW, SW, NW and NE along the common jurisdiction boundary of Austin and Manor for about 5.6 miles until it intersects with Gregg Manor Road.
- 17. Then proceeding in a general NNW direction along Gregg Manor Rd., which is the jurisdiction boundary of Austin for about 0.4 mile until it intersects Fuchs Grove Road and the Austin jurisdiction.
- 18. Then proceeding in a general NE direction along the jurisdiction boundary of Austin near Fuchs Grove Road for about 3.0 miles until it intersects with Cameron Road.
- 19. Then proceeding in a general NW direction along the jurisdiction boundary of Austin for about 1.9 mile (Cameron Road) until it and the common jurisdiction boundary of Austin and Pflugerville turns generally SW.
- 20. Then proceeding in general SW direction along the common jurisdiction boundary of Austin and Pflugerville (Cameron Road) for about 1.2 mile until it and the common jurisdiction boundary of Austin and Pflugerville turns generally NW.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 21. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin for about 2.4 miles until the jurisdiction boundary turns generally SW just east of the intersection of Immanuel Road and Killingsworth Lane.
- 22. Then proceeding in a general SW direction along the common jurisdiction boundary of Pflugerville and Austin (east of Immanuel Road) for about 0.5 mile until the jurisdiction boundary turns generally NW.
- 23. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin (south of Serenity Drive) for about 0.5 mile until the jurisdiction boundary turns generally NE.
- 24. Then proceeding in a general NE direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.4 mile until the jurisdiction boundary turns generally NW.
- 25. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin (south of St. Croix Ln.) for about 0.4 mile until the jurisdiction boundary turns generally NE.
- 26. Then proceeding in a general NE direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.1 mile until the jurisdiction boundary turns generally NW.
- 27. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.3 mile until the jurisdiction boundary turns generally NE.
- 28. Then proceeding in a general NE direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.5 mile until it turns generally NW.
- 29. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin (north of Olympic Drive) for about 0.2 mile until it turns generally SW.
- 30. Then proceeding in a general SW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.4 mile until it turns generally NW.
- 31. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.4 mile until it turns generally SW.
- 32. Then proceeding in a general SW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.4 mile until the jurisdiction boundary turns generally NW at Wells Branch Parkway.
- 33. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.3 mile until it turns generally NE.
- 34. Then proceeding in a general NE direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.9 mile until it turns generally NW at or near Old Austin-Pflugerville Road.
- 35. Then proceeding in a general NW direction along the common jurisdiction boundary of Pflugerville and Austin (Old Austin-Pflugerville Road, Pecan St. and FM 1825) for about 0.7 mile until the jurisdiction boundary turns generally NE.
- 36. Then proceeding in a general NE direction along the common jurisdiction boundary of Pflugerville and Austin (also along or near Central Commerce Dr. and West Pflugerville Loop) for about 0.5 mile until the jurisdiction boundary turns generally WNW.
- 37. Then proceeding in a general WNW direction along the common jurisdiction boundary of Pflugerville and Austin for about 0.2 mile until the jurisdiction boundary turns generally west at or near White River Blvd.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 38. Then proceeding in a general west direction along the common jurisdiction boundary of Pflugerville and Austin (also along or near Grand Avenue Parkway) for about 0.2 mile until the jurisdiction boundary turns generally NNW.
- 39. Then proceeding in general NNW and NNE directions along the common jurisdiction boundary of Pflugerville and Austin for about 0.3 mile until the jurisdiction boundary turns generally NW at or near Royston Lane.
- 40. Then proceeding in a general WNW direction along the common jurisdiction boundary of Pflugerville and Austin (also along or near Royston Lane) for about 0.1 mile until the jurisdiction boundary turns generally NW.
- 41. Then proceeding in a general north direction along the common jurisdiction boundary of Pflugerville and Austin (also along or near Central Commerce Dr.) for about 0.2 mile until the jurisdiction boundary turns generally NW.
- 42. Then proceeding in a general WNW direction along the common jurisdiction boundary of Pflugerville and Austin (also along or near Picadilly Dr.) for about 0.7 mile until the jurisdiction boundary turns generally NW.
- 43. Then proceeding in general NW and west directions along the common jurisdiction boundary of Round Rock and Austin for about 0.4 mile until the jurisdiction boundary turns generally SSW at or near Bratton Lane.
- 44. Then proceeding in a general SSW direction along the common jurisdiction boundary of Round Rock and Austin for about 0.2 mile (along or near Bratton Lane) until the jurisdiction boundary turns generally WNW.
- 45. Then proceeding in a general WNW direction along the common jurisdiction boundary of Round Rock and Austin for about 0.3 mile until it turns generally NNE.
- 46. Then proceeding in a general NNE direction along the common jurisdiction boundary of Round Rock and Austin for about 0.2 mile until it turns generally WNW.
- 47. Then proceeding in a general WNW direction along the common jurisdiction boundary of Round Rock and Austin for about 0.7 mile until it turns generally NW at or near FM 1325.
- 48. Then proceeding in a general NW direction along the common jurisdiction boundary of Round Rock and Austin for about 0.2 mile until it turns generally west in the vicinity of SH 45.
- 49. Then proceeding in a general west direction along the common jurisdiction boundary of Round Rock and Austin for about 1.0 mile until it turns generally SW at or near McNeil Road.
- 50. Then proceeding in a general SW direction along the common jurisdiction boundary of Round Rock and Austin (and also along or near McNeil Road) for less than 0.1 mile until it turns generally WNW.
- 51. Then proceeding in a general WNW direction along the common jurisdiction boundary of Round Rock and Austin for about 0.1 mile until it turns generally NNW.
- 52. Then proceeding in a general NNW direction along the common jurisdiction boundary of Round Rock and Austin for about 2.1 miles until it turns generally SW at or near RM 620.
- 53. Then proceeding in a general SW direction along the common jurisdiction boundary of Round Rock and Austin (and also along or near RM 620) for about 0.8 mile until it turns generally SSE.
- 54. Then proceeding in a general SSE direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of the Brushy Creek MUD) for about 0.8 mile until it turns generally WSW.
- 55. Then proceeding in a general WSW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of the Brushy Creek MUD) for about 0.6 mile until it turns generally NNW.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 56. Then proceeding in a general NNW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of the Brushy Creek MUD) for about 0.3 mile until it turns generally SW at or near RM 620.
- 57. Then proceeding in a general SW direction along the common jurisdiction boundary of Round Rock and Austin (and also along or near RM 620 and the boundary of Brushy Creek MUD) for about 0.6 mile until it turns generally NNW.
- 58. Then proceeding in a general NNW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of Brushy Creek MUD) for about 0.2 mile until it turns generally WSW.
- 59. Then proceeding in a general WSW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of Brushy Creek MUD) for about 0.2 mile until it turns generally NNW.
- 60. Then proceeding in a general NNW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of Brushy Creek MUD) for about 1.1 mile until it turns generally ENE.
- 61. Then proceeding in a general ENE direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of Brushy Creek MUD) for about 0.3 mile until it turns generally NNW.
- 62. Then proceeding in a general NNW direction along the common jurisdiction boundary of Round Rock and Austin (and also along the boundary of Brushy Creek MUD and Fern Bluff MUD) for about 1.3 mile until it turns generally WSW at or near Brushy Creek Road.
- 63. Then proceeding in a general WSW direction along the northern jurisdiction boundary of Austin that also generally meanders alongside South Brushy Creek, for about 5.0 miles until it turns generally SW at or near US 183.
- 64. Then proceeding along US 183 North, also called South Bell Blvd., which marks the common jurisdiction boundary of Cedar Park and Austin for about 0.7 mile until it turns generally WSW.
- 65. Then proceeding in a general WSW direction along the common jurisdiction boundary of Cedar Park and Austin for about 0.8 mile until it turns generally SSE.
- 66. Then proceeding in a general SSE direction along the common jurisdiction boundary of Cedar Park and Austin for about 0.8 mile until it intersects FM 620 North.
- 67. Then proceeding in a general WSW direction along FM 620 North, which marks the common jurisdiction boundary of Cedar Park and Austin for about 1.1 mile until it intersects with FM 2769.
- 68. Then proceeding in general WNW direction along FM 2769, which marks the common jurisdiction boundary of Cedar Park and Austin for about 0.9 mile until it turns generally SW along FM 2769.
- 69. Then proceeding in a general WSW direction along FM 2769 (part of which marks the common jurisdiction boundary of Cedar Park and Austin) for about 2.7 miles until it intersects with Bullick Hollow Rd.
- 70. Then proceeding in a general SSE direction along Bullick Hollow Rd. for about 2.2 miles until it intersects with the Austin Water Utility property and turns SW along the Austin Water Utility property.
- 71. Then proceeding in a general SSE along the Austin Water Utility property for about 0.6 until it intersects with Bullick Hollow Road and continues SW.
- 72. Then proceeding in a general SSE direction along Bullick Hollow Road for about 0.2 mile until it intersects with the Austin Water Utility property and turns south along the Austin Water Utility property.
- 73. Then proceeding in a generally south direction along the Austin Water Utility property for about 1.5 miles until it intersects with FM 620 at the Cortana habitat property.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 74. Then proceeding in a general SSW direction along the west boundary of Cortana for about 2.7 miles until it turns generally SE.
- 75. Then proceeding in a general SE direction along the west boundary of Cortana for about 0.3 mile until it turns generally SSW.
- 76. Then proceeding in a general SSW direction along the west boundary of Cortana for about 1.5 mile until it intersects the Colorado River.
- 77. Then proceeding in a general WSW direction upstream along the Colorado River, along the border of Commons Ford Park, for about 0.3 mile.
- 78. Then proceeding in a general SW direction upstream along the Colorado River, along the border of the Balfour Tract, for about 1.0 mile.
- 79. Then proceeding in a general SSE and SSW direction along the common jurisdiction boundary of Austin and Bee Caves (which is the border of the Balfour Tract), for about 0.9 mile, until it turns generally SSE.
- 80. Then proceeding in a general SSE direction along the common jurisdiction boundary of Austin and Bee Caves (which is the border of the Balfour Tract), for about 0.7 mile, until it intersects FM 2244.
- 81. Then proceeding in a general east direction along FM 2244 for about 0.1 mile until it intersects the eastern boundary of the Balfour Tract.
- 82. Then proceeding in a general NNE direction along the border of the Balfour Tract for about 1.6 mile until it turns generally SE.
- 83. Then proceeding in a general SE direction along the border of the Balfour Tract and Commons Ford Ranch Park for about 0.2 mile to the south corner of Commons Ford Ranch Park.
- 84. Then proceeding in a general NNE direction along the border of Commons Ford Ranch Park for about 0.3 mile until it turns generally north in an arc.
- 85. Then proceeding in an approximate arc, following the boundary of Commons Ford Ranch Park for about 0.6 mile as it turns from north to NE.
- 86. Then proceeding in a general NNW direction along the border of Commons Ford Ranch Park for about 0.3 mile until it intersects the Colorado River.
- 87. Then proceeding in a general NE direction downstream along the Colorado River for about 1.9 mile.
- 88. Then proceeding in an approximate arc, following the course of the river for about 3.1 miles as it turns from east to south, and then from south to east.
- 89. Then proceeding in a general south direction along the WCID #10 boundary for about 1.7 mile until it intersects FM 2244 in the vicinity of Barton Creek Blvd.
- 90. Then proceeding in a general SW direction along the common WCID #20 and WCID #10 boundary (and along Barton Creek Blvd.) for about 0.4 mile until the district boundary turns generally SE.
- 91. Then proceeding in a general SE direction along the common WCID #20, Camelot WSC and WCID #10 boundary for about 0.5 mile until it turns generally SSW.
- 92. Then proceeding in a general SSW direction along the WCID #10 boundary for about 0.4 mile until its junction with the boundary of Lost Creek MUD and Country Club at or near Barton Creek.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 93. Then proceeding in a varying direction from southwest to southeast along the western boundary of Lost Creek Country Club for about 2.4 mile until it turns generally NE.
- 94. Then proceeding in a general east direction along the boundary of Lost Creek Country Club, Lost Creek MUD and Barton Creek for about 1.0 mile until it intersects with the west property line of the Gaines Ranch.
- 95. Then proceeding in a general SSW direction along the west property lines of the Barton Creek Wilderness Preserve and Gaines Ranch subdivision to Foster Ranch Road for about 1.5 mile until it turns generally ESE.
- 96. Then proceeding in a general ESE direction along Foster Ranch Road for about 0.2 mile to Travis Country Circle until it turns generally SSW.
- 97. Then proceeding in a general SSW direction along Foster Ranch Rd. for about 0.4 mile to the full purpose Austin city limits at Southwest Parkway until it turns generally WNW.
- 98. Then proceeding in a general WNW direction for about 2.5 miles, along the Austin full purpose city limit at Amara Cove where it turns generally WNW.
- 99. Then proceeding in a general WNW direction for about 0.5 mile across the Austin jurisdiction to the corner of the Barton Creek Habitat Preserve just west of Barton Creek Blvd. until it turns SSW.
- 100. Then proceeding in a general SSW direction along the back lot lines on Barton Creek Blvd., and continues for about 0.5 mile until the boundary intersects the full purpose Austin city limits and turns generally west.
- 101. Then proceeding in a general west and SSW along the full purpose Austin city limits and along the boundary of the Uplands tract for about 0.6 mile until the boundary intersects with Old Bee Caves Road and turns generally west.
- 102. Then proceeding in a general west direction along Old Bee Caves Road for about 0.4 mile to the eastern right of way of Hwy. 71 and turns generally NE.
- 103. Then proceeding in a general NW direction along Hwy. 71, for about 2.1 miles until the boundary intersects with the common jurisdiction boundary of the Village of Bee Cave and City of Austin.
- 104. Then proceeding in a general arc from east to west along the common jurisdiction boundary of the Village of Bee Cave and City of Austin for about 3.5 miles until the jurisdiction intersects with the boundary of the Wong Tract which is also the LCRA CCN #11670 boundary.
- 105. Then proceeding in a general south direction along various portions of the east boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 5.7 miles until it turns generally WNW.
- 106. Then proceeding in a general WNW direction along the southern boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 0.9 mile until it turns generally NNE.
- 107. Then proceeding in a general NNE direction along the western boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 0.1 mile until it turns generally east.
- 108. Then proceeding in a general east direction along the western boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 0.5 mile until it turns generally north.
- 109. Then proceeding in a general north direction along the western boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 0.5 mile until it turns generally west.
- 110. Then proceeding in a general east direction along the western boundary of the Wong Tract which is also the LCRA CCN #11670 boundary for about 0.5 mile until it intersects the Shield-Ayres City of Austin Conservation property and turns generally south.

IMPACT FEE LAND USE ASSUMPTIONS - APPENDIX A

- 111. Then proceeding in a general south direction about 0.4 mile along the boundary of the Shield-Ayres City of Austin Conservation Easement property until it turns generally WNW.
- 112. Then proceeding in a general WNW direction about 0.8 mile along the boundary of the Shield-Ayres City of Austin Conservation Easement property until it turns generally SSW.
- 113. Then proceeding in a general SSW and NW direction about 3.4 miles along the southern boundary of the Shield-Ayres Private Conservation Easement property until it intersects the Austin jurisdiction boundary and turns generally SSE.
- 114. Then proceeding in a general SSE and SSW direction 1.9 miles along the Austin jurisdiction until it intersects the county line boundary between Travis and Hays and it turns generally SE.
- 115. Then proceeding in a general SE direction 5.3 miles along the county line boundary between Travis and Hays until it turns generally south at the village limits of Bear Creek.
- 116. Then proceeding in a general south direction along the common city limits of Austin and Bear Creek and the common jurisdiction boundary of Austin and Dripping Springs for about 6.0 miles until it turns generally east.
- 117. Then proceeding in a general east direction along the common jurisdiction boundary of Austin and Dripping Springs for about 1.0 mile until it intersects with the common Austin jurisdiction and Hays jurisdiction.
- 118. Then proceeding in a general east direction along the common jurisdiction boundary of Austin and Hays for about 1.7 mile until it turns generally north.
- 119. Then proceeding in a general north direction along the common jurisdiction boundary of Austin and Hays which follows various subdivision boundaries for about 4.2 miles until it turns generally east.
- 120. Then proceeding in a general east direction along the common jurisdiction boundary of Austin and Hays for about 0.9 mile until it turns generally south.
- 121. The proceeding in a general south direction along the common jurisdiction boundary of Austin and Hays for about 1.4 mile until it turns generally east.
- 122. Then proceeding in a general east and south direction along the common jurisdiction boundary of Austin and Hays for about 1.5 mile until it intersects the common jurisdiction boundary of Austin and Buda and turns generally SE.
- 123. Then proceeding in a general SE direction along the common jurisdiction boundary of Austin and Buda for about 1.8 mile until it turns generally south.
- 124. Then proceeding in a general south direction along the common jurisdiction boundary of Austin and Buda for about 1.2 mile until it turns generally east.
- 125. Then proceeding in a general east direction along the common jurisdiction boundary and city limits of Austin and Buda for about 1.7 miles to the east frontage road of IH-35 South which marks both the end and beginning points of the Impact Fee Service Area Boundary.

IMPACT FEE CAPITAL IMPROVEMENTS PLAN

City of Austin, Texas Austin Water Utility

Working Document for Public Review July 2013

IMPACT FEE CAPITAL IMPROVEMENTS PLAN TABLE OF CONTENTS

			PAGE
	LIST	OF FIGURES	CIP-ii
	LIST	OF TABLES	CIP-ii
I.	INTR	ODUCTION	CIP-1
II.	_	LITY PLANNING DEFINING THE EXISTING LEVEL GE AND RESERVE CAPACITY NEEDS	CIP-1
III.	IMPA	ACT FEE FACILITIES AND FEE CALCULATION METHODOLOGY	CIP-26
IV.	SERV	/ICE UNIT DEMAND AND CAPACITY RELATIONSHIPS	CIP-27
V.	SERV	/ICE UNIT DEMAND PROJECTIONS	CIP-30
VI.	CAP	ACITY AND COST ATTRIBUTABLE TO NEW GROWTH	CIP-30
VII.	MAX	IMUM ALLOWABLE FEE CALCULATION AND RATE REVENUE CREDIT	CIP-41
Append	ix A	Water Rate Revenue Credit Calculation	CIP-A-1
Append	ix B	Wastewater Rate Revenue Credit Calculation	CIP-B-1
Append	ix C	CIP Projects Targeted to Meet Existing Needs – Wastewater	CIP-C-1
Append	ix D	CIP Projects Targeted to Meet Existing Needs – Water	CIP-D-1
Append	ix E	Descriptions of the Zones for the Current Fees	CIP-E-1

LIST OF FIGURES

Title		Page
Map 1, 1A	, 1B, 1C, 1D, 1E Impact Fee Capital Improvements Plan Major Water Facilities	CIP-8
Map 2, 2A	, 2B, 2C, 2D, 2E Impact Fee Capital Improvements Plan Major Wastewater Facilities	CIP-18
LIST OF	TABLES	
Title		Page
Table 1.	Water Impact Fee Projects	CIP-3
Table 2.	Wastewater Impact Fee Projects	CIP-14
Table 3.	Long-Range Future Growth Projects in the Capital Improvements Program	CIP-24
Table 4.	Projects Removed From Previous Impact Fee Listing – Water and Wastewater	CIP-25
Table 5.	Land Use - Service Equivalency Matrix	CIP-27
Table 6.	Water Service Unit Conversion Factors and Capacity Sizing Basis	CIP-28
Table 7.	Wastewater Service Unit Conversion Factors and Capacity Sizing Basis	CIP-29
Table 8.	Impact Fee Calculations Water Impact Fee Projects	CIP-33
Table 9.	Impact Fee Calculations Wastewater Impact Fee Projects	CIP-37

I. INTRODUCTION

The Texas Impact Fee Act (Chapter 395 of the Texas Local Government Code) provides methods and procedures that Austin must follow to continue to impose its water and wastewater impact fees. This act requires the determination of the costs of capital improvements attributable to new growth for a specified period of time. These costs are the principal building blocks on which the calculation of impact fees is based. The plan that identifies the capital improvements or facility expansions for which impact fees may be assessed is termed the "capital improvements plan". In 1990, the City of Austin achieved compliance with the Texas Impact Fee Act by approving land use assumptions on April 5, 1990 and then approving the impact fee CIP and amendments to the ordinance on June 7, 1990. In subsequent years, the City has maintained compliance with periodic updates. From 1990 to 2001, the Texas Impact Fee Act stipulated that the City is to update its land use assumptions and impact fee CIP at least every three years. Beginning September 1, 2001, the Texas Impact Fee Act stipulates that these updates are to be done at least every five years. The five-year period begins on the day the impact fee CIP is adopted. This document represents the update to the 2007 CIP. Both it and the land use assumptions can be adopted at the same time.

The law outlines a methodology for calculating the cost of particular facilities attributable to new growth based on a defined planning period (not to exceed 10 years). The planning period establishes a time frame in which to evaluate capacity made available for new growth as compared to the demand for that capacity represented by the land use assumptions. One of the keys to the methodology is the expression of both demand and capacity for a particular project in terms of service units. By knowing the number of service units associated with the impact fee projects that are expected to be used during the planning period, the capacity and cost attributable to new growth can readily be determined. Using this cost and the projected total number of new service units within the utility service boundary during the planning period, the "maximum fee per service unit" may be calculated as prescribed by the law. The methodology of the Capital Improvements Plan provides the framework for calculating the maximum allowable impact fee, which is simply the upper limit on the fee pursuant to the law.

The methodologies employed in this Impact Fee CIP comply with the provisions of the Texas Impact Fee Act. This update is as comprehensive as previous updates, extensively reworking the list of qualified CIP projects. It continues to exclude projects that are predominately dedicated to existing users, or that may not be constructed within the ten-year planning period. And in cases where other participants contributed funds, only the City of Austin's shares of the costs were included. In addition, capacity, costs, and service areas were studied on a project by project basis.

The Impact Fee CIP process calculates the maximum allowable fees. This calculation conforms to the state requirement for the Impact Fee CIP to include a plan for awarding a credit for the portion of water and wastewater utility service revenues generated by new service units connected during the program period that is used for the payment of improvements, including the payment of debt, that are included in the Impact Fee CIP. Note that, beginning September 1, 2001 Texas State Law required this type of revenue credit method. In previous City of Austin Impact Fee updates, the alternate credit method equal to 50 percent of the total projected cost of implementing the capital improvements plan was used. Discussion of a new rate revenue credit method applied in this Impact Fee 5-year update can be found in Section VII.

II. FACILITY PLANNING -- DEFINING THE LEVEL OF CAPACITY USAGE AND RESERVE CAPACITY NEEDS

To provide an overall comparison of the capacity and costs associated with new growth projects versus those associated with existing needs, the recent Capital Improvements Program projects of the Austin Water Utility have been divided into the three groups. Appendices C and D include those projects from the FY 2012/2016 CIP built in prior years or scheduled to be built in the next few years that are targeted to benefit existing users and to meet stricter safety, efficiency, environmental or regulatory standards. Tables 1 and 2 list those water and wastewater impact fees projects that have been built or plan to be built in the future and that will largely benefit new Utility customers during the next ten years. Table 3 is composed of projects that are anticipated to be built late in the ten-year planning period or beyond, and thus are not included in the group of projects on which impact fee calculations are based. Projects removed from the project listing adopted in the 2007 Impact Fee CIP are shown on Table 4. The Impact Fee CIP

projects along with major utility facilities are shown on Water Map 1, 1A, 1B, 1C, 1D, 1E, following Table 1 and Wastewater Map 2, 2A, 2B, 2C, 2D and 2E following Table 2.

A comparison of the dollar value of projects in the Appendices and Tables 1, 2, and 3 gives an indication of the relative investment in capacity to serve existing and future needs (as defined by the law) as a function of the Capital Improvements Programs of 1980s. Some of the projects in Appendices C and D will certainly benefit future users; however, in order to take a conservative approach to ensuring full compliance with the law, they will not be considered impact fee projects when they are made necessary by environmental and regulatory requirements. Other projects in Appendices C and D will also benefit future users as well as existing users (annexation areas, highway utility relocations, and certain trunk lines internal to the system), but when their benefit to existing users outweighs the benefit to future users, they are not included in Tables 1 and 2.

Analysis of the level of existing usage of capacity in the case of water and wastewater treatment plants is a straightforward examination of flow data. Flow data for pipes in the water distribution system and wastewater collection system is generally not available, so system calculations and hydraulic models are used to help estimate utilization levels of pipes under selected demand conditions (existing or future). The summary tables at the end of this document, Tables 8 and 9, include an estimate of the existing users and the total capacity of impact fee projects expressed in service units for water pressure zones and wastewater collection areas. Inspection of these figures gives an indication of the level of existing capacity usage and the reserve capacity associated with the facilities.

In sizing and timing new facilities, both population projections (the Land Use Assumptions) and historical flow data are used in predicting demands (flows) associated with future growth. The Utility's CIP planning employs cost-effectiveness analysis to identify the best infrastructure timing and sizing investment alternatives. The principle factors weighed in this analysis are:

- brainstorming of alternatives
- capital costs
- operation and maintenance costs
- time value of money
- economy of scale
- environmental and other key non-pecuniary impacts

The Utility seeks to maintain a prudent, cost-effective amount of reserve capacity in the water and wastewater system in order to carry out its mission of providing safe, reliable service. In this way, the commitments that the City makes to its customers in the form of tap sales, service extension requests, developer contracts, and MUD and other district contracts, can be fulfilled in a manner that allows all parties in the development process to plan efficiently. The impact fee methodology prescribed by state statute serves the function of quantifying the cost of the reserve capacity that constitutes the Utility's plan for serving new customers for a ten-year planning horizon.

This Impact Fee update is consistent with a number of core principles of the City's recently approved Imagine Austin comprehensive plan, including:

- Grow as a compact and connected city
- Develop as an affordable and healthy community
- Sustainably manage water and other environmental resources

Imagine Austin's planning framework and guidelines are part of Austin Water Utility's planning processes and are integrated into the development of the Utility's CIP. Additionally, this Impact Fee update incorporates the City's water conservation goal of reducing per capita water pumpage to 140 gpcd by 2020.

Interest Cost	1,311 11,566 0	11,566	5,532 954	5,044	2,221	8,667	9,876	6,560	4,418	8,904	0	5,075	5,531	10,650	0 0	16,181	117,727 21,036	995	492	1,087	2,343	7,593	650	3,827	1,830	2,102 7,090
Cost to Build	1,231	12,191	5,194 896	4,736	2,085	8,138	9,273	6,160	4,148	8,361	803	4,765	5,193	10,000	1,922	17,115	110,542 19,752	934	462	1,021	2,200	7,130	610	3,593	1,718	1,974 6,657
Completion Date	1987 2013 2013	2013	1988 2007	2000	2000	2001	2001	1989	1989	1988	2006	1998	2001	2001	2001	2001	2014 2016	1990	1999	2011	2017	2015	1988	1989	1999	1989 1997
Pressure Zone	Northwest C Northwest C Northwest C	Northwest C	Northwest C Northwest C	Northwest B	Northwest B	Northwest B	Northwest B	Northwest B	Northwest B	Northwest A	Northwest A	Northwest A	Northwest A/B/C	Northwest A/B/C	Northwest A/B/C	Northwest A/B/C	Northwest A/B/C	North	North	North	North	North	North	North	North	North North
(Costs in 1000's) Size	30" 11.2 MGD, 1.5 MG 11.2 MGD, 1.5 MG	11.2 MGD, 1.5 MG 24"/36"	8mg 5.8-B 10.4-C	16"	24"	48"	48"	45mgd	3 mg	34 mg	16"	36"	54/42/36/24	43/65 mgd	43/65 mgd	43/65 mgd	. 48 - 42	16"	16/24"	16"	16"	24"	48"	48"	48"	55 mgd 54/48"
Project Description	tion CANYON CREEK 30 part NWC Pump Station (and tank) part NWC Pump Station (and tank)	group NVC Pump Station (and task) Anderson Mill R 600 Transmission Main	Four Points Reservoir WEST BULL CREEK P.S. UPGRADES	Anderson Mill Transmission Main III	Anderson Mill Transmission Main II-A & IV	part Jollyville Transmission Main Ph. IIA & III	group JOLLYVILLE TM group	JOLLYVILLE PUMP STATION	ANDERSON MILL RESERVOIR	NORTHWEST A PRES ZONE RES Martin total	16 in FM 1825 Interconnect	HOWARD LANE EAST TM	part HOWARD LN PUMP STATION & TM sizing >	part HOWARD LANE PRESSURE ZONE IMP (PS)	part HOWARD LANE PRESSURE ZONE IMPR (PS)	group HOWARD LANE PUMP SIATION & IM group	Jollyvile NWA Iransmission Main (Plant 4) Martin Hill Transmission Main	DESSAU RD TRANSMISSION MAIN	DECKER LAKE TM/JOHNNY MORRIS	Austin Film Society	Howard Lane Extension	Boyce Lane Transmission Main	NORTHTOWN TRANS MAIN		NORTH/EAST AREA WATER IMP. Samsung	NE AUSTIN PUMPING STATION NE AUSTIN TRANS MAIN
Subproject / Map ID	City Construction 3889.001 5038.001	5038.001	2032.001 2006.003	793.001	793.002	1086.001	2000.000	3897.001	3616.001	2014.001	4758.002	4814.002	4814.003	4814.003	4814.004	1	6935.016 2028.001	2939.001	2090.005	6935.021	6935.035	6935.003	3779.001	2088.001	4814.001	3783.001 844.001


27,676 4,751 32,427 10,383 Interest 8,736 6,516 2,995 2,847 10,995 9,133 1,922 3,734 5,321 2,558 18 724 1,593 Cost 2,283 1,674 5,986 2,037 2,278 7,951 4,876 2,029 1,449 509 Cost to Build 6,118 25,987 4,461 2,812 2,673 10,324 8,576 2,144 3,700 8,203 30,448 1,913 2,139 7,466 1,805 478 9,749 4,578 3,506 4,996 2,402 680 1,496 1,572 4,049 5,621 1,905 3,212 1,361 2,058 2,242 17 Completion Date 2016 2016 1989 1998 2001 2001 1988 2012 2012 2012 2011 2011 2012 2010 2011 1988 1989 1992 1992 1992 1987 1993 2010 **Central South Central South** Central South Pressure Central Central Central Central Central Central Central South Zone South South South South South South South South South Size 36/30/24" 24 MGD PMC 60" 60" 60" 36" 48" 24" 66" 48" 72" 72/48" 36" 48" 36" 48" 488" 24" 36" 36" 36" part S I-35, Seg. 13/14 - Pleasant Valley Ext., Rinard Crk to E Slaughter Lr 42" part S I-35, Segment 4 - I 35, N of FM 1626 to Onion Creek, 36-Inch Water 36" part S I-35, Segment 17/18/19 - Slaughter Ln Ext to Thaxton, 48-inch Wate 48" oart S I-35, Segment 9.0 - FM 1327, I 35 to Bradshaw Rd, 42-Inch Water M 42' part S I-35, Segment 6 - I 35 South of Onion Creek, 36-Inch Water Main part S I-35, Segment 7 - I 35, north of FM 1327, 42-Inch Water Main part S I-35, Segment 21 - Pilot Knob Reservoir 48-inch Water Main part GREEN WTP TRANSMISSION MAIN south funding BLUFF SPRINGS TRANS MAIN PILOT KNOB BLUFF SPRINGS RESERVOIR PILOT KNOB part So. IH35 W/WW Infrastructure Improvs PMC part CENTRAL AREA WATER IMP. Engineering group GREEN WTP TRANS MAIN SOUTH group MOORE'S CRSG RESERVOIR & TRANS SLAUGHTER LN TRANSMISSION MAIN part BURLESON RD TRANSMISSION MAIN SOUTH IH 35 TRANSMISSION MAIN part GREEN WTP TRANS. MAIN SOUTH E BEN WHITE BLVD TRANS MAIN part PILOT KNOB TRANS MAIN SECIII BLUFF SPRINGS TRANS MAIN II group PILOT KNOB TRANS MAIN group SOUTH CENTRAL TRANS MAIN ELROY TRANSMISSION MAIN S I-35, Pilot Knob Pump Station group ULLRICH TO GREEN TM group part IH 35 South Transmission Main SPRINGDALE ROAD 48" TM **US 290 EAST RESERVOIR** East Austin TRANS MAIN part ULLRICH TO GREEN TM FM969 Decker to SH 130 Project Description part part City Construction Subproject 6935.018 1168.003 6937.012 2097.001 3876.001 6937.003 6937.001 6937.006 3937.008 5937.009 3620.001 3618.001 1168.004 6937.005 3937.010 5937.013 2937.001 3617.001 5937.011 3761.001 3612.001 3769.001 3626.001 3898.001 3901.001 3628.001 3871.001 2963.001 3766.001 / Map ID

	(Cos	(Costs in 1000's)				
Subproject / Map ID	Project Description	Size	Pressure Zone	Completion Date	Cost to Build	Interest Cost
City Construction						
6937.014	part S I-35, Segment 9.1 - FM 1327 to Bradshaw Road north of FM 1327	42"	South	2012	2,810	2,993
6937.015		48"	South	2010	317	338
6937.016	part S I-35, Seg. 20.1/21 - Wm Cannon from McKinney Falls to Pilot Knob 48"	48"	South	2011	3,247	3,458
6937.017	Seg. 2/5 - I 35 Slaughter a	36"	South	2012	7,950	8,467
6937.018	Segment 8 - I 35 Crossing	42"	South	2011	1,614	1,719
6937.019		48"	South	2011	3,247	3,458
6937.020	part S I-35, Segment 15 - Goodnight Ranch Ph I, 48-Inch Water Main	48"	South	2010	1,011	1,077
6937.021	part S I-35, Segment 1 - I 35 Slaughter Ln to Slaughter Crk, 36-In Water Mt 36"	36"	South	2011	2,863	3,049
6937.022	part S I-35, Seg. 11/12 - S. Pleasant Val. Ext. at Legends Way, 42-In Wate 42"	42"	South	2011	1,953	2,080
6937.023	part S I-35, Segment10 - Bradshaw Rd, S of River Plantation Dr, 42-In Wate	42"	South	2011	1,770	1,885
6937.024	hase II, 48-Inch Water Main	48"	South	2010	1,366	1,455
6937.030	part S. IH 35, E. Slaugnter ROW acquisition	site Seg. 1//18/19	South	2010	496	228
	group S I-35 TM and PS Group	36"/42"/48", 24 mgd PS	South	2012	60,515	64,448
3825.001	SWB CAMP BEN MC CULLOUGH REALL	16"	Southwest B	1992	504	537
3859.001	WINDMILL RUN SW B TRANS MAIN	36"	Southwest B	1990	1,962	2,090
4800.010	SWC Pressure Zone Pump Station	8.2 mgd	Southwest C	2006	5,862	6,318
4800.005	Circleville Reservoir	1.25 mg	Southwest C	2001	2.347	0
4800.022	SWC Pressure Zone TM Phase 1	30	Southwest C	2007	5,546	5.906
4800.021	SWC PRESSURE ZONF TM PHASE 2	30	Southwest	2007	2,104	2,241
		3			î	į 1
5335.001	part Ullrich WTP 160 MGD Expansion	67 mgd exp	Ullrich Service	2007	109,136	116,230
5335.002	part Ullrich WTP 160 MGD Expansion Contract 1 - LSPS	67 mgd exp	Ullrich Service	2006	2,567	2,734
	group ULLRICH WTP 100 to 167 mgd group	67 mgd exp	Ullrich Service	2007	111,703	118,964
6683.019	part WTP4 CMAR	50 mgd	Plant 4 Service	2014	247,255	263,327
6683.019	part WTP4 CMAR	50 mgd	Plant 4 Service	2014	26,451	0
6683.002	part Water Treatment Plant No. 4	50 mgd	Plant 4 Service	2014	98,386	104,781
6683.002	part Water Treatment Plant No. 4	50 mgd	Plant 4 Service	2014	2,073	0
6683.014	part WTP4 RW Pump Station Facility	50 mgd	Plant 4 Service	2014	7,243	7,714
6683.013	part WTP4 Raw Water Pump Station Excavation and Stormwater Facilities	50 mgd	Plant 4 Service	2014	3,438	3,661
6683.010	part WTP 4-Plant Site Storm Water Facilities	50 mgd	Plant 4 Service	2014	3,327	3,543
6683.009	part WTP #4-Environmental Commissioning	50 mgd	Plant 4 Service	2014	2,839	3,024
6683.020	part WTP4 Bullick Hollow Roadway Improvements	50 mgd	Plant 4 Service	2011	1,081	1,151
6683.018	part Value Engineering	50 mgd	Plant 4 Service	2014	574	611
6683.007		50 mgd	4	2009	329	382
	WTP #4 plant total cost (see also SPID 6935.016)	50 mgd	4	2014	393,026	388,195
	part Adjustment to upsized components for 50 mgd unit cost	50 mgd	4	2014	-14,130	-15,048
	group WTP 4 Adjusted cost for fee calculation	50 mgd	Plant 4 Service	2014	378,896	373,147
8702.003	Shaw Lane Sludge Facility Improvements	60 acre, 34 years	Entire System	2013	4,043	4,306


		(Costs in 1000's)				
Subproject		ë	Pressure	Completion	Cost to	Interest
/ мар ID	Project Description	Size	7one	Date	Build	ts Cost
Developer Re	Developer Reimbursements					
3353.027	CANYON CREEK Subdivision Reimbursement	24"	Northwest C	2002	1,100	1,172
3353.022	AMAX Self-Storage Reimbursement	24"	Northwest C	2007	169	210
	group Developer Reimbursements Northwest $C = 2$	24"	Northwest C	2007	1,269	1,382
		:			;	,
3041.001	DAVIS SPRINGS SERVICE EXTENSION	24"	Northwest B	1997	941	0
3353.018	AVERY RANCH SERVICE EXTENSION	24/36/48" 3MG tank	Northwest B	2012	6,769	10,404
3353.018	AVERY RANCH SERVICE EXTENSION	24/36/48" 3MG tank	Northwest B	2012	3,756	0
3353.038	STONE HEDGE Subdivision	24"	Northwest B	2011	8,931	9,512
3353.094	Pearson Ranch-RRISD SER 2869 and 2870	24"	Northwest B	2013	2,670	0
	group Developer Reimbursements Northwest B = 4	36"	Northwest B	2012	26,067	19,916
3353.019	IBM TIVOLI	16"	Northwest A	2002	341	0
3353.032	HOWARD LANE SERVICE EXTENSION	24/16"	Northwest A	2000	220	0
3353.065	Schultz 45 Acre Tract WaterWells Branch Commerce Park	24"	Northwest A	2012	332	354
	group Developer Reimbursements Northwest A = 3	24"	Northwest A	2012	893	354
3353.009	DELL WATER	24"	North	1998	1,769	0
3353.042	PARMER PARK TM REIMBURSEMENT	24"	North	2002	871	928
3353.033	PIONEER CROSSING, ph2, ser1825	24"	North	2004	1,243	1,324
3353.007	Jourdan's Crossing Service Extension	24"	North	2001	282	0
2090.003	DECKER LAKE 24" TM (WSER 1745)	24"	North	1996	1,148	1,223
5028.002	RMMA Reimbursement	16/24"	North	2007	1,119	1,192
5028.004	RMMA Reimbursement	16"	North	2008	6,106	6,503
5028.006	RMMA Reimbursement	30"	North	2011	5,692	6,062
5815.002	Triangle - Infrastructure Incentives	16/24"	North	2005	413	440
3353.099	Pioneer Hill	16"	North	2012	430	458
3353.028	Wild Horse Ranch	24/36"	North	2010	2,414	2,571
	group Developer Reimbursements North = 11	16/24/30/36 "	North	2012	21,487	20,699
3353.095	Whisper Valley-Indian Hills CRA north line	24"	North	2015-2018	0	3,060
3353.049	Robertson Hill Development	16"	Central	2008	643	685
3353.069	University Neighborhood Overlay District	24"	Central	2007	1,828	1,947
	group Developer Reimbursements North Central = 2	24"	Central	2008	2,471	2,632
3353.095	Whisper Valley-Indian Hills CRA central line	48"	Central	2015-2018	2,000	20,477
3353.052	Del Valle Junior High Number 2	24"	Central South	2005	349	372
3353.059	PEARCE LANE TRACT	36"	Central South	2004	2,598	2,767
3353.073	Watersedge PUD	24"	Central South	2013	5,150	5,485
3353.096	Formula One United States	24/36"	Central South	2012	5,380	5,730
3353.100	71 Commercial	24"	Central South	2012	1,098	1,169
	group Developer Reimbursements South Central = 5	36"	Central South	2013	14,575	15,522

Projects
Fee
Impact
Water
Table 1


		(Costs in 1000's)	•			
Subproject			Pressure	Completion	Cost to	Interest
/ Map ID	Project Description	Size	Zone	Date	Build	Cost
Developer Re	Developer Reimbursements	= 70	9	O	2.0	0
3353.062	Zachary ocott Tract oer	47	South	5007	1,240	1,32.1
3353.074	Alexan Onion Creek	24/36"	South	2010	884	941
3353.072	Goodnight Ranch	24"	South	2011	1,817	1,935
3353.089	Fox Hill	16/24"	South	2015	3,776	4,021
	group Developer Reimbursements South = 4	36"	South	2015	7,717	8,219
3353.068	Circle C CCR 103 Water Line Improvements	16"	Southwest B	2018	2,094	2,230
3353.068	Circle C CCR 103 Water Line Improvements	16"	Southwest B	2018	852	0
	group Circle C CCR 103 Developer Reimbursements Southwest B	16"	Southwest B	2018	2,946	2,230
3353.008	Lantana Service Extension Developer Reimbursement SW B&C	14 mgd PS	Southwest B&C	2002	3,254	0
3353.025	TRAVIS COUNTRY WEST Reimbursement	2.1 mgd PS, 16"	Southwest C	2003	1,680	1,789
Contract Reve	Contract Revenue Bond Projects					
Ö	Circle C MUD #3 Southwest A&B Facilities					
	Southwest A Site Development CC#3-MUD	na	Southwest A/B/C	1988	266	283
85.2278	85/22-78 Southwest B Pump Station CC#3 MUD	22 mgd	Southwest B	1988	2,290	2,439
85.2277	85/22-77 Southwest B 36" Transmission Main CC#3-MUD	36-inch	Southwest B	1988	1,130	1,203
1988.0628	Southwest B 16" Trans Main CC#3-MUD	16-inch	SWB	1988	197	210
1000.001	Southwest B Reservior #1 CC#3-MUD total	2 mg	SWB	1988	1,903	2,027
1001.001	Davis Lane Reservoir SO-MUD add 10 to 20 mg	10 mg	South	1988	1,819	1,937
1987.0508	Davis Lane TM (PS discharge) SO-MUD	48"	Southwest A/B/C	1987	220	234
>	Village at Western Oaks MUD Southwest A Zone Facilities					
85.2265	85/22-65 Davis Lane Pump Station VWO-MUD	56 mgd	Southwest A/B/C	1988	5,758	6,132
Σ	Maple Run at Austin MUD Southwest A Zone Facilities					
1987.0627	SWA 48" Interconnector MR-MUD	48-inch	Southwest A/B/C	1987	1,016	1,082
85.2279	85/22-79 SWA TM Phases 1,1A,2,3,4A,4B MR-MUD	48-inch	Southwest A/B/C	1987	4,501	4,794
85.2276	85/22-76 SWA Storage Tank (Slaughter Lane) MR-MUD	6 mg	Southwest A/B/C	1988	1,256	1,338
_	#1					
82.224	82/22-40 Howard Lane Reservoirs NCAGC-MUD total	20 mg	North	1987 Totolo	3,824	4,073
				Total Build Cost w/ Interest	// Interest	2,057,350



MAP 1




MAP 1A




MAP 1B

CIP-10 DRAFT SUBJECT TO CHANGE




MAP 1C

CIP-11 DRAFT SUBJECT TO CHANGE



MAP 1D

CIP-12 DRAFT SUBJECT TO CHANGE



MAP 1E

CIP-13 DRAFT SUBJECT TO CHANGE

Table 2 Wastewater Impact Fee Projects

SubProject	(Costs in 1000s)		Drainage	Completion	Cost to	Interest
/ Map ID	Project Description	Size	Basin	Date	Build	Cost
City Construction						
3168.037	Pearce Lane Lift Station Upgrade (900 to 1800 gpm)	900 gpm exp	Upper Dry Creek	2012	220	0
6937.003	part So. IH35 W/WW Infrastructure Improvs PMC	PMC	Upper Onion	2012	3,992	4,251
6937.003	part So. IH35 W/WW Infrastructure Improvs PMC	PMC	Upper Onion	2012	644	0
6937.025	part S I-35, Onion Creek Wastewater Interceptor - Rinard to Slaughter (N Tunnel)	54"	Upper Onion	2012	13,355	14,223
6937.026	part S I-35, Onion Creek Golf Course WW Int - I 35 to Rinard (South Tunnel)	42"	Upper Onion	2012	11,473	12,219
6937.027	part S I-35, Onion Creek Wastewater Tie-in Line - Phase 1	24"	Upper Onion	2012	2,508	2,671
	group S I-35, Onion Creek Wastewater Interceptor - group	54"	Upper Onion	2012	31,972	33,364
3353.062	part Zachary Scott Tract (both city const. and dev design)	36"	Rinard	2010	5,997	6,387
3353.062	part Zachary Scott Tract (both city const. and dev design)	36"	Rinard	2010	2,310	0
	group Zachary Scott Tract (both city const. and dev design) group				8,307	6,387
4197.001	part ONION CRK INTRCPTR	54"	Onion, Middle	1986	1,965	2,093
4292.001	part ONION CK INTER EXIST to BOGGY CK	54"	Onion, Middle	1989	2,351	2,504
4577.001	part ONION CREEK INTERCEPTOR	54"	Onion, Middle	1986	627	899
	group ONION CREEK INTERCEPTOR above tunnel group	54"	Onion, Middle	1986	4,943	5,264
4299.001	part ONION CK INTERCEPTOR PH 4 tunnel	84"	Onion Tunnel	1986	11,568	12,320
4577.001	part ONION CREEK INT REALLO tunnel	84"	Onion Tunnel	1986	10,576	11,263
	group ONION CREEK INTERCEPTOR TUNNEL group	84"	Onion Tunnel	1986	22,144	23,583
4221.001	WILLIAMSON CREEK INT PH II	42"	Up. Williamson	1989	820	873
4534.001	OAK HILL BR-OF WMSON CK INTER	30"	Up. Williamson	1989	1,533	1,633
6943.004	part Parmer Lane Interceptor	42"	Lake, Rattan	2017	483	514
6943.004	part Parmer Lane Interceptor	42"	Lake, Rattan	2017	26,598	0
	group Parmer Lane Interceptor group	42"	Lake, Rattan	2017	27,081	514
810.001	part Upper Walnut Creek Interceptor	36"	Up. Walnut	2002	8,362	8,906
810.001	part Upper Walnut Creek Interceptor	36"	Up. Walnut	2002	614	0
	group Upper Walnut Creek Interceptor group	36"	Up. Walnut	2002	8,976	8,906
3168.039	Waters Park Relief Main	36"	Up. Walnut	2015	4,087	4,353

CIP-14 DRAFT SUBJECT TO CHANGE

Table 2 Wastewater Impact Fee Projects (Costs in 1000s)


SubProlect	(Costs In 1000s)		Orainage	Completion	Cost to	Interes
/ Map ID	Project Description	8 20	Baeln	Date	Bulld	0 8
City Construction						
4926.028 4028 028	part ACWP - Little Weinut/Buttemilk - South		Little Wainut	2008	11,069	11,788
4926.021	part ACVVP- Little Walnut/ Buttermilk at 290 and 183	24	Little Walnut	2008 7008	1,98	2,057
4926.023	part ACWP-Little Wainut/ Buttermilk at Centre Greek group ACWP-Little Wainut/ Buttermilk group		Little Walnut Little Walnut	2008 2008	4,732 23,485	5,040 18,885
4926.037	ACWP - Shoal Creek WWV Improvements / 29th to 34th St.	-99	Shoal Creek	2006	12,270	13,069
400 B 007	Value V and I adjantaged CIMOA	= 0 0		250	0	, A
60.0784 1		9		200	D D	D - D
4769.008	Wildhorse Northwest Interceptor Phase 2	21"/24"	Decker-Gilleland	2013	2,597	0
4769.006	Northeast Service Area North Interceptor (Willdhorse North Interceptor)		Decker-Gilleland	2005	2,329	2,480
4769.010	Harris Branch Interceptor Lower A		Harre-Gilleland	2016	6,626	7,057
87.085.4 810.085.4 810.085.4	Tarios Uranco Interceptor Lower u			2015 8105	000,r 075, æ	D C
4769.015	Wildhorse North Interceptor Ext No. of 290	124	Harts-Gilleland	2012	3,640	3,877
7265.002	Purchase of Dessau Utilities	.5 mgd plant,4100 gpm LS, 16" FM	Dessau/Hams	2006	2,061	0
7265.014	Dessau WWYTP Expansion to 1.0 MGD GROUP	exal bgm 8.	Dessau/Hams	2018	4,500 6,561	4,793 4,793
4295.001	part GOVALLE I & D SYSTEM	-96	Govalle/SAR part	1990	5,913	6,297
4699,001	part GOVALLE INTER AND DIVERSION	96	Govalle/SAR part	1990	38,085	40,561
	30VALLE INTERCEPT	-9e	Govalle/SAR part	1990	43,998	46,858
5481.001	Downtown Wastewater	 	Upper Gov/SAR part	2012	53,282	56,745
5481.001	Downtown Wastewater	-9 0	Upper Gov/SAR part	2012	908'B	0
	group Downtown Wastewater Tunnel group	_ 9 0	Upper Gov/SAR part	2012	61,591	56,745
3333.001	SAR Expansion & Imp	25 mgd exp	SAR service	2006	19,067	20,306
3333,005	part SAR Lift Station interconnect Tunnel	25 mgd exp	SAR service	2008	3,941 1,000 1,000	761,45
9999		dxe pôu ez		9000	- DO - BO	01.0
3333.007	CHOOL OF CHECK TAKES THE CHECK THE C	Z5 mgd exp	SAR Service	2 008	2,626	807
3333.008		25 mgd exp	SAR service	2007	13,238	14,098
	group SAR WMTP 50 to 75 MGD EXPANSION group	25 mgd exp	SAR service	2007	94,064	97,168
3023.017	part Wainut Creek WWTP 75 MGD Upgrade	15 mgd exp	Walnut service	2004	9'828	9,434
3023.017	part Wainut Creek WWTP 75 MGD Upgrade	15 mgd exp	Walnut service	2004	18,753	0
4579.001	DOINT WALNUT ORIER WWYTP, PH	15 mgd exp	Walnut service	2004	15,483	16,489
90K3,000	part Wainut Creek WWYTP group WALNUT CREEK WWTP60 TO 75 MGD group	15 mgd exp 15 mgd exp	Walnut service Walnut service	2004 2005	20,474 63,569	21,805 47,728

Table 2 Wastewater Impact Fee Projects (Costs in 1000s)


Interest Cost	14,804	2,366	231 471 702	0 0	44	0	0	000	1,271 738 2,009	4,340 845 0 4,340	0 1,065 2,194 1,678 4,937	724	1,386	3,355 2,142 476 5,973
Cost to Build	11,500	2,222	217 442 659	761 459 1,220	41	151 151	8,127 8,127	2,406 652 3,058	1,193 693 1,886	4,075 793 845 5,713	1,476 1,000 2,060 1,576 6,112	089	1,301	2,539 3,150 2,011 447 8,147
Completion Date	2015	2014	2007 2008 2006	1997 2000 2000	1997	2000	2012 2012	1998 2000 2007	2005 2008 2008	2009 2009 2009 2009	1996 2013 2016 2002 2016	2006	2009	2010 2010 2008 2010 2010
Drainage Basin	Lower Gilleland	Upper Onion	Lower Bear Lower Bear Lower Bear	Slaughter Slaughter Slaughter	Williamson	Carson	Upper Dry Creek Upper Dry Creek	Walnut Creek Walnut Creek Walnut Creek	Waller Creek Waller Creek Waller Creek	Decker Decker Decker	Lake Greek Lake Greek Lake Greek Lake Greek Lake Greek	Elm Creek	Tannehill To SAR	fannehill to WALNU
s) Size	30/36"/LS/TP	15/18/24	350 gpm LS 500 gpm LS, FM 850 gpm	12"FM/18" 18" 18"	21"	24" 24"	30" 30"	48" 18" 24"	18" 15" 15/18"	.75 mgd 18" 18" .75 mgd, 18/24"	16"FM/21" gravity 15/FM/1100gpmLS 12/24/FM/1100gpmLS 24" 12/24/FM/1100gpmLS	1000 gpm LS, FM	15"	15-inch 18-inch 15-inch 15-inch
(Costs in 1000s) Project Description	ursements Whisper Valley-Indian Hills CRA	Stratford Tracts 1,2,3-SER Developer Reimbursement Upper Onion Basin = 1	MARBRIDGE FARMS WASTEWATER Rancho Alto Ventures group Developer Reimbursements Bear Creek = 2	Cullen/Southland Acquisition Akin High School Reimbursement group Developer Reimbursements Slaughter Basin = 2	TRAVIS COUNTRY Developer Reimbursement Williamson Basin = 1	Metro Center Services Extension (#1537) group Developer Reimbursements Carson Creek Basin = 1	Formula One United States group Developer Reimbursements Mid Dry Creek Basin = 1	JOURDAN CROSSING WW LLINE (Samsung) Dell 18 group Developer Reimbursements Walnut Creek Basin = 2	Triangle - Infrastructure Incentives Robertson Hill Development group Developer Reimbursements Waller Creek = 2	Wild Horse Ranch Wild Horse Addition Scots Glen group Developer Reimbursements Decker Creek = 3	DAVIS SPRINGS SERVICE EXT. 3600 gpm LS #1, and > 3363.093 Lakeline Condos-Gencap Partners SER 2846 3363.094 Pearson Ranch-RRISD SER 2869 and 2870 Balcones Lift Station Relief (STANZEL BROTHERS) group Developer Reimbursements Lake Creek Basin = 4	Austin Blue Sky In Inc SER 2271	RMMA Redevelopment South SER 2281 (plans 2007-0016)	RMMA SER 2282 Southeast WW Improvements RMMA SER 2282 Southeast WW Improvements RMMA Airport Rd WW Impross Phase Two SER 2279 RMMA Redevelopment Catellus SER 2263
SubProject / Map ID	Developer Reimbursements 3353.095	3353.092	3353.054 3353.071	3351.001 3353.016	3353.006	3353.013	3353.096	3353.007 3353.011	5815.002 3353.049	3353.028 3353.076 3353.077	3041.001 28.46 28.7 3168.029	3353.067	5028.005	5028.007 5028.007 5028.003 5028.007

Table 2 Wastewater Impact Fee Projects


Amp ID Project Description Size Basin Date Build Cost Capital Investment in Brushy Creek Regional Wasewater System Na Brushy Creek 21.06 12.063 12.847 Contract Revenue Bond Projects Contract Revenue Bond Projects Contract Revenue Bond Projects 12.06 1.276 1.276 Circle C MID AS Stangater Creek Facilities Scatch Bond Interceptor and Extension CC44 MuDD 21.30-inch Stangater 1886 1.650 1.757 Circle C MID AS Stangater Creek Facilities Scatch Bond Interceptor Traces I. As & SCAMUD 36-inch Stangater 1886 1.650 1.757 Circle C MID AS Stangater Creek Facilities Scatch Bond Interceptor Traces I. As & CASH MUD 48-inch Stangater 1886 1.650 1.757 Scatch Stangater Creek Facilities 8223.143 8223.144 824-inch Stangater 1886 701 1.757 Scatch Standard Creek Facilities 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 8223.145 <th>SubProject</th> <th>(Costs in 1000s)</th> <th></th> <th>Drainage</th> <th>Completion</th> <th>Cost to</th> <th>Interest</th>	SubProject	(Costs in 1000s)		Drainage	Completion	Cost to	Interest
Purchase of Brushy System Capacity from LCRA, to 0.84mgd 0.5 mgd increase Brushy Creek	/ Мар ID	Project Description	Size	Basin	Date	Build	Cost
## Standard Projects Standard Projects Standard Projects	stment in Bru	ishy Creek Regional Wastewater System Purchase of Brushy System Capacity from LCRA, to 0.84mgd	0.5 mgd increase	Brushy Creek	2010	12,063	12,847
South Branch Interceptor and Extension CC#4 MUD 21:30-inch Slaughter Slaughter 1988 1,556	venue Bond F	Projects Creek Eacility					
82/23-13 North Bank Upper Slaughter Creek Interceptor Phases 1, 2A & 2B CC#3 MUD 36-inch Slaughter 1988 1,650 82/23-13 Slaughter Creek Interceptor Phases 1, 2A & 2B CC#3 MUD 48-inch Slaughter 1990 701 82/23-13 Slaughter Creek Interceptor 1 & 2 SO-MUD 30-inch Slaughter 1990 701 82/23-13 Slaughter Creek Interceptor 1 & 2 SO-MUD 48-inch Slaughter 1990 701 82/23-13 Slaughter Tunnel SO-MUD 48-inch Slaughter 1990 701 82/23-13 Slaughter Tunnel SO-MUD 54-inch Slaughter 1988 3,442 Aks MUD Nonth Williamson Creek Int & Easements VWO MUD 42-inch Williamson 1989 3,037 North Williamson Creek Facility North Williamson Creek Racility Williamson Creek Racility 1,224 1,1221 1 MUD Williamson Creek Racility Williamson Creek WW Interceptor MR-MUD 72-inch Williamson Creek Racility 500 Mupper Walnut Creek WW Interceptor MR-MUD 1,322 1,468 D #1 Wells Branch Upper Walnut Creek WW Trunk Line Phases 2 NCAGC-MUD 18-24-inch Walnut 1985	89.0506 D #3 Slaughter	South Tagins South Interceptor and Extension CC#4 MUD Creek Facilities	21-30-inch	Slaughter	1988	1,295	1,379
82/23-13 Slaughter Creek Interceptor Phases 1, 2A & 2B CC#3 MUD 48-54-inch Slaughter (1988-1992 9,280 82/23-13 Slaughter Creek Interceptor 1 & 2 SO-MUD 80-inch 80-inch Slaughter (1990 701 82/23-13 Slaughter Creek Interceptor 1 & 2 SO-MUD 30-inch 80-inch Slaughter (1990 701 82/23-13 Slaughter Tunnel SO-MUD 54-inch Slaughter (1990 701 7.835 North Williamson Creek Int Phase 3 (Slaught. To Boggy) SO-MUD 42-inch Williamson (1989 3.097 North Williamson Creek Facility Williamson Creek Facility 42-inch Williamson (1989 3.097 MUD Williamson Creek Facility Williamson Creek Facility Williamson (1989 3.097 MUD Williamson Creek Facility Williamson Creek Facility Williamson (1989 5.00 MUD Williamson Creek Facility Williamson Creek Facility Williamson (1989 5.00 MUD Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility MUD Williamson Creek Facility Williamson Creek Wi	8223.131	82/23-13 North Bank Upper Slaughter Cr.Int. A&B CC#3 MUD	36-inch	Slaughter	1988	1,650	1,757
82/23-13 Slaughter Creek Interceptor 1 & 2 SO-MUD 48-inch Slaughter 1990 701 82/23-13 Slaughter North Branch Interceptor SO-MUD 82/23-13 Slaughter Tunnel SO-MUD 3-402 1.595 3-402 82/23-13 Slaughter Tunnel SO-MUD 64-inch Slaughter 1990 7.595 3-402 Nonion Creek Facilisty Chick Facility 42-inch Williamson Trunk Brases 1989 3.097 North Williamson Creek Facility North Williamson Trunk Phases 1 and 2 WVO-MUD 42-inch Williamson Trunk Brases 1989 3.097 MUD Williamson Creek Facility Williamson Creek Facility Mulliamson Creek Facility 1989 500 Williamson Creek Facility Williamson Creek Facility 1989 500 Williamson Creek Facility Williamson Creek Facility 1989 500 Slower Walnut Creek Walnut Creek Walnut Creek Int Phases A, B& C NCAGC-MUD 18-24-inch Walnut Hases Walnut Creek Wa	8223.132 Oaks MUD Slaug	Creek Interceptor	48-54-inch	Slaughter	1988-1992	9,280	9,883
82/23-13 Slaughter North Branch Interceptor SO-MUD 30-inch Slaughter 1990 1,595 92/23-13 Slaughter North Branch Interceptor SO-MUD 54-inch Slaughter 1986 2,935 9 Onion Greek Facility Onion Greek Int & Easements VWO MUD 42-inch Williamson 1989 2,935 aks MUD North Williamson Creek Int Rhases 1 and 2 VWO-MUD 42-inch Williamson 1989 3,097 MUD Williams on Creek Int Williams on Creek Facilities South Williamson Creek Facilities 30-inch Williamson 1989 500 MUD Williams on Creek WW Interceptor MR-MUD All	23.132		48-inch	Slaughter	1990	701	747
82/23-13 Slaughter Tunnel SO-MUD 54-inch Slaughter Tunnel SO-MUD 54-inch Slaughter Tunnel SO-MUD 3,442 Onion Creek Facility Onion Creek Int Phase 3 (Slaught. To Boggy) SO-MUD 54-inch Williamson 1989 2,935 Aks MID Williamson Creek Int & Easements VWO MUD 42-inch Williamson 1989 3,097 MUD Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility 1989 500 MUD Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility 12-24-inch Williamson 1989 500 Growth Condor MUD #1 Walnut Creek Facilities 72/24-inch Williamson 1989 500 Growth Condor MUD #1 Walnut Creek WW Intent Creek WW Intent Eaclities 72/24-inch Walnut 1987 6,253 Upper Walnut Creek WW Trunk Line Phases 2 NCAGC-MUD 14-inch Walnut 1985 1,468 Upper Walnut Creek WW Trunk Line Phases 2 NCAGC-MUD 24" Walnut 1985 1,325 Lake Creek Wastewater System Improvements Contracts 182 (LS at capacity) 48" Intent Creek 1989 3,627	3.134	82/23-13 Slaughter North Branch Interceptor SO-MUD	30-inch	Slaughter	1990	1,595	1,699
Onion Creek Facility Onion Creek Facility Onion Creek Facility Onion Creek Int Phase 3 (Slaught. To Boggy) SO-MUD Anoth Williamson Creek Int & Easements VWO MUD North Williamson Creek Int & Easements VWO-MUD North Williamson Creek Int & Easements VWO-MUD South Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility Williamson Creek Facility Williamson Creek Facilities 7/22-3ch Lower Walnut Creek WW Imperestor MR-MUD Growth Control MUD #1 Walnut Creek WW Imperestor MR-MUD Upper Walnut Creek WW Trunk Line Phases 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Ww Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Ww Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Ww Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Ww Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Ww Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek Wastewater System Improvements Contracts 18.2 (LS at capacity) Lake Creek Wastewater System Improvements Contracts 18.2 (LS at capacity) Total Cost to Build w/ Interest 1.05 Total Cost to Build w/ Interest 1.05	23.135	82/23-13 Slaughter Tunnel SO-MUD	54-inch	Slaughter	1988	3,442	3,666
Achinch Williamson Creek Int & Easements VWO MUD North Williamson Creek Int & Easements VWO MUD South Williamson Creek Int & Easements VWO MUD South Williamson Creek Facilities South Williamson Creek Facilities South Williamson Creek Facilities Growth Corridon MUD#1 Walnut Creek Pacilities T2/23-05 Lower Walnut Creek WW Imp Phases A,B&C NCAGC-MUD Opper Walnut Creek WW Trunk Line Phases, 1,1A, 2&3 NCAGC-MUD Opper Walnut Creek WW Trunk Line Phases, 1,1A, 2&3 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phases, 1,1A, 2&3 NCAGC-MUD Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build wi Interest Take Creek Decide Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build wi Interest Total Cost to Build	ks MUD Onio	n Creek Facility					
Asy MuD North Williamson Creek Int & Easements VWO MUD South Williamson Trunk Phases 1 and 2 VWO-MUD South Williamson Trunk Phases 1 and 2 VWO-MUD MUD Williamson Creek Facility Williamson Creek Facilities Williamson Creek Facilities Williamson Creek Facilities T2/23-05 Lower Walnut Creek Eacilities T2/23-05 Lower Walnut Creek WW Imp Phases A, B&C NCAGC-MUD Upper Walnut Creek Int Phases 3A, 3B, 4&5 NCAGC-MUD O#1 Wells Branch Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build w/ Interest Total Cost to Build w/ Interest Total Cost to Build w/ Interest Table Creek Build w/ Interest Total Cost to Build w/ Interest Table Cost to Build w/ Interest Total Cost to Build w/ Interest Total Cost to Build w/ Interest Total Cost to Build w/ Interest Table Creek Build w/ Interest Total Cost to Build w/ Interest Table Creek Build w/ Interest Total Cost to Build w/ Interest	4197.001	nion Creek Int Phase 3 (Slaught. To	54-inch	Onion, Middle	1988	2,935	3,126
North Williamson Creek Int & Easements VWO MUD 42-inch Williamson Trunk Phases 1 and 2 VWO-MUD 42-inch Williamson Trunk Phases 1 and 2 VWO-MUD 3,097 3,007 4,008 3,007 4,008 3,007 4,008 3,007 4,008 3,007 4,008 3,007 4,008 4,008 4,008 4	stern Oaks M	9					
South Williamson Trunk Phases 1 and 2 VWO-MUD 15-24-inch Williamson Trunk Phases 1 and 2 VWO-MUD 15-24-inch Williamson Creek Facility 919 919 MUD Williamson Creek Facility Williamson Creek Facilities 30-inch Williamson Williamson Creek Facilities 500 Growth Corridor MUD #1 Walnut Creek Facilities 72/23-05 Lower Walnut Creek WW Imp Phases A, B&C NCAGC-MUD 72-inch Walnut 1987 6,253 D#1 Wells Branch Upper Walnut Facilities Walnut Trunk Line Phases, 1,1A, 2&3 NCAGC-MUD 18-24-inch Walnut 1985 1,468 Wells Branch WW Trunk Line Phase 2 NCAGC-MUD 24" Walnut 1985 1,325 Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Lake Creek Toest to Build WInterest 1.0	38.055	North Williamson Creek Int & Easements VWO MUD	42-inch	Williamson	1989	3,097	3,298
MUD Williamson Creek Facility Williamson Creek 30" WW Interceptor MR-MUD Growth Corridor MUD #1 Walnut Creek Facilities 72/23-05 Lower Walnut Creek WW Imp Phases A,B&C NCAGC-MUD Upper Walnut Creek Int Phases 34,3B,4&5 NCAGC-MUD 0 #1 Wells Branch Upper Walnut Facilities Walnut Creek Int Phases 34,3B,4&5 NCAGC-MUD 0 #1 Walnut Creek Int Phases 34,3B,4&5 NCAGC-MUD 0 #1 Wells Branch Upper Walnut Facilities Walnut Creek Wy Trunk Line Phase 2 NCAGC-MUD 24" Walnut 1985 1,468 Upper Walnut Creek Walnut Facilities Walnut 1985 1,325 Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 1,00 Total Cost to Build W Interest 1,00	38.084	South Williamson Trunk Phases 1 and 2 VWO-MUD	15-24-inch	Williamson	1989	919	626
Williamson Creek 30" WW Interceptor MR-MUD Growth Corridor MUD #1 Walnut Creek Facilities 72/23-05 Lower Walnut Creek WW Imp Phases A, B&C NCAGC-MUD Upper Walnut Creek Int Phases 34,38,4&5 NCAGC-MUD 24" Walnut Creek WW Imp Phases A, B&C NCAGC-MUD Walnut Creek Int Phases 34,38,4&5 NCAGC-MUD Walnut Creek Int Phases 34,38,4&5 NCAGC-MUD 18-24-inch Walnut Creek Walnut Facilities Walnut Facilities Walnut Interest United Phase 2 NCAGC-MUD 14-88 Walnut Creek Walnut Creek Walnut Facilities Walnut Interest United Phase 2 NCAGC-MUD Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Totals S56,011 4 Total Cost to Build W Interest 1.0	Austin MUD \	Williamson Creek Facility					
Growth Corridor MUD #1 Walnut Creek Facilities 72/23-05 Lower Walnut Creek WW Imp Phases A,B&C NCAGC-MUD 72/23-05 Lower Walnut Creek WW Imp Phases A,B&C NCAGC-MUD 96 Jinch Walnut 1987 1,221 1,468 Walnut 1985 1,325 Walnut Lie Phase 2 NCAGC-MUD 97 Jinch Walnut 1987 6,253 1,468 Walnut Lie Phase 2 NCAGC-MUD 24" Walnut 1989 3,627 Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Total Cost to Build W Interest 1,00	85.0777	Williamson Creek 30" WW Interceptor MR-MUD	30-inch	Williamson	1989	200	533
72/23-05 Lower Walnut Creek WW Imp Phases A,B&C NCAGC-MUD 72-inch Walnut 1987 12,221 Upper Walnut Creek Int Phases 3A,3B,4&5 NCAGC-MUD 60-inch Walnut Facilities Wells Branch Upper Walnut Facilities Wells Branch WW Trunk Line Phase 2 NCAGC-MUD 24" Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD 24" Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Total Cost to Build W Interest 1.0	Austin Growth	Corridor MUD #1 Walnut Creek Facilities					
Upper Walnut Creek Int Phases 34,38,4&5 NCAGC-MUD 1 Walnut Creek Int Phases 34,38,4&5 NCAGC-MUD 2 Walnut Facilties Wells Branch Upper Walnut Facilties Wells Branch WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build w/ Interest 1,05	23.7641	72/23-05 Lower Walnut Creek WW Imp Phases A, B&C NCAGC-MUD	72-inch	Walnut	1987	12,221	13,015
24" Walnut Facilties Wells Branch Upper Walnut Facilties Wells Branch WW Trunk Line Phase 2 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Lake Creek Collection, Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build w/ Interest 1,468 1,325 1,325 1,325 Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build w/ Interest 1,055	23.7642	Upper Walnut Creek Int Phases 3A,3B,4&5 NCAGC-MUD	60-inch	Walnut	1987	6,253	6,659
Wells Branch WW Trunk Line Phases, 1,14, 2&3 NCAGC-MUD Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD Lake Creek Collection, Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) Total Cost to Build w/ Interest 1,325 1,325 1,325 1,325 1,468 1,325 1,325 1,468 1,325 1,325 1,468 1,325 1,325 1,468 1,325 1,325 1,468 1,325	GC MUD #1 M	/ells Branch Upper Walnut Facilties					
Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD 24" Walnut 1985 1,325 Lake Creek Collection, Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Totals 556,011 45 Total Cost to Build w/ Interest 1.05	22.264	Wells Branch WW Trunk Line Phases, 1,1A, 2&3 NCAGC-MUD	18-24-inch	Walnut	1985	1,468	1,563
Lake Creek Collection, Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Totals 556,011 49 Total Cost to Build w/ Interest 1.05	na	Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD	24"	Walnut	1985	1,325	1,411
Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity) 48" Totals 556,011 49 Total Cost to Build w/ Interest 1.05	MUD #1	Lake Creek Collection,					
556,011	27.7669	Lake Creek Wastewater System Improvements Contracts 1&2 (LS at capacity)	48"	Lake Creek	1989	3,627	3,863
				Total	lotals Cost to Build w/ Int	-	494,382 1.050.393



MAP 2




MAP 2A




MAP 2B

CIP-20 DRAFT SUBJECT TO CHANGE




MAP 2C

CIP-21 DRAFT SUBJECT TO CHANGE



MAP 2D



MAP 2E

CIP-23 DRAFT SUBJECT TO CHANGE

Table 3 Long-Range Future Growth Projects in the Capital Improvements Program

Capital Improvement Projects Targeted to Meet Long-Range Future Needs Timing uncertain, or beyond 2020, or not serving new users in 10-year planning horizon

WATER			(Costs in 1000s)
DEPT	SUBPROJECT ID	SUBPROJECT NAME	COST
2207	2006.013	Far South Zone Pump Station	\$6,000
2207	2127.016	Southwest Parkway SWB Elevated Reservoir	\$5,000
2207	2127.022	Far South Zone Reservoir	\$6,000
2207	3353.060	Pioneer Crossing Amended PUD (North)	\$1,170
2207	3353.079	Ridgeview Subdivison	\$165
2207	6935.001	Davis Medium Service TM	\$56,000
2207	6935.005	Springdale Road/US 183/Hwy 71 TM	\$9,400
2207	6935.007	East Highway 183 TM	\$4,720
2207	6935.013	Forest Ridge/NWA Transmission Main	\$1,123
2207	6935.019	Parmer & 620 Interconnect	\$2,220
2207	6935.022	Springdale/290 Improvements	\$3,250
2207	6935.024	EAPS to Cameron TM	\$22,000
2207	6935.025	Southwest Parkway TM (SWB)	\$3,600
2207	6935.026	Moore Rd TM	\$3,500
2207	6935.029	FM 812 TM	\$8,000
2207	6935.031	McNeil Rd TM	\$23,000
2207	6935.033	Johnny Morris/Hwy 290 Area Grid Extension	\$2,200
2207	6935.039	Cameron Rd Distribution Waterline(s)	\$3,627
2207	6936.002	Martin Hill Elevated Reservoir	\$6,000
2207	6937.002	South I-35 Elevated Tank	\$10,117

WASTEWATER			(Costs in 1000s)
DEPT	SUBPROJECT ID	SUBPROJECT NAME	COST
2307	448.002	Williamson Creek Tunnel And Gravity Interceptor	\$37,000
2307	3023.033	Walnut Creek WWTP Sludge Transfer Line	\$6,850
2307	3023.046	Walnut Creek WWTP 100 MGD Expansion	\$287,505
2307	3168.040	Boggy Creek Tunnel	\$8,400
2307	3168.059	Pearce Lane Lift Station Phase 2 Upgrade and New Forcemain	\$3,500
2307	3353.060	Pioneer Crossing Amended PUD (SER, North)	\$2,000
2307	3353.073	Watersedge PUD (SER)	\$8,163
2307	3353.083	The Vistas (SER)	\$4,239
2307	3353.098	Block 18 Alley WW Relocation	\$5,791
2307	3353.091	Pearson Avery Ranch (Future Wastewater SER)	\$2,132
2307	3353.101	Bellingham Meadows/Wm Wallace Way LS SER	\$2,280
2307	4769.011	Upper Harris Branch Wastewater Improvements	\$14,585
2307	4769.017	Upper Gilleland Interceptors-18 inch	\$15,949
2307	4769.019	Upper Gilleland Interceptor -24 inch	\$3,441
2307	6943.003	Lower Tannehill Interceptor (above Crosstown Tunnel)	\$5,000
2307	6943.020	WWTP Flow Transfer (Walnut growth capacity management)	\$2,100
2307	6943.023	Onion Interceptor Upgrade - Segment 2-Etj To Bear	\$2,500
2307	6943.024	Robinson Ranch Walnut Interceptor	\$6,000
2307	7265.004	Wildhorse WWTP Expansion to 1.5 MGD	\$8,000

Table 4 Projects Removed from Previous Impact Fee Listing

																					Ф	4						8.037			ty					
\$	Build Reason	164 minimal capacity remaining	499 plan changed by new site location	8,362 moved to future, Table 3	1,170 no developer activity, to Table 3	1,545 no developer activity, to Table 3	300 minor cost to track in multi-zones	56,000 moved to future, Table 3	6,218 no developer activity, to Table 3	1,960 moved to future, Table 3	688 reconfigured in S 135 project	3,978 reconfigured in S 135 project	11,443 reconfigured in S 135 project	10,117 moved to future, Table 3	971 minimal capacity remaining	1.111 minimal capacity remaining			ost to Build Reason		10,247 replaced by later capacity purchase	500 replaced by Parmer Ln Int 6943.004	15,200 moved to future, Table 3	4,068 no developer activity, to Table 3	1,200 replaced by Harris Branch 4769.18	5,000 area plan is changing	2,690 no developer activity, to Table 3	988 replace by Pearce LS upgrade 3168.037	2,450 changed to MUD funding	40,020 moved to future, Table 3	785 plan change to developer only facility	1,657 master plan reevaluation underway	2,050 master plan reevaluation underway	1,000 master plan reevaluation underway	1,450 master plan reevaluation underway	950 master plan reevaluation underway
Cost to			•	ω,	٦,	τ,		56,	9	Ψ,		ć,	1,	10,		Ψ.			3		10,		15,	4,	τ,	΄,	,2		,,	40,		Ĺ,	2,	Ť.	Ļ,	
Completion	Date	1993	2014	2014	2007	2007	2006	2024	2008	2013	2006	2006	2013	2020	2004	1995			Completion Date		2010	2007	2020	2007	2007	2009	2007	2000	2013	2015	2006	2014	2014	2012	2012	2012
	Pressure Zone	Northwest B	Northwest B	Northwest A	North	North	Central	North Central	South Central	South Central	South	South	South	South	Southwest A	Entire System			Drainage Basin		Brushy Creek	Lake Creek	Harris Branch	Harris-Gilleland	Harris Branch	Gilleland	Colorado River	Dry Creek	Dry Creek South	Williamson	Onion-Marble	Entire System	Entire System	Entire System	Entire System	Entire System
	Size	16"	36"	48"	24"	24"	misc.	72"	36"	24"	24"	36"	48"	3 mg	serr 16/24"	16/24"			Size		0.3 mgd exp.	4200 gpm exp.	24"/30"	24/30"	0.6 mgd	site for 15 mgd	2500 gpm LS	900 gpm LS	0.3 mgd	99	24"	15dt/day exp	15dt/day exp	15dt/day exp	15dt/day exp	15dt/day exp
Removed Water Impact Fee Projects (All costs in 1000s of dollars)	Project Description	Millwood NWB Transmission Main	Four Points/NWB TM	Forest Ridge/NWA TM	Pioneer Crossing Amended PUD (North)	Morse Tract/TND	SH130 Crossings	Davis Medium Service TM	Johnson Ridge Tract Water SER #2257	U S 183 South/McKinney Falls Pkwy TM	Colton Bluff Subdivision Water	Riddell/Adams Extract Tracts Water	Pilot Knob/Thaxton Road TM	South I-35 Elevated Tank and Site	Pickard Tract (old Barker Pickard) Developer Reimburserr 16/24"	Approach Main Oversize	Removed Wastewater Impact Fee Projects	(All costs in 1000s of dollars)	Project Description	Brushy 10-year payments on WWTP and Int. Capital	Imps from proforma	Lake Creek LS Capacity Increase	Upper Harris Branch Interceptor	Pioneer Crossing Amended PUD N	Harris Branch Pkg WWTP expansion to 0.6 mgd	Northeast Subregional WWTP Site	Watersedge PUD	Berdoll Farms LS & FM Reimburse. (Pearce Ln LS)	Garfield Tract 0.3 mgd WWTP	Williamson Creek Tunnel and Gravity Interceptor	Colton Bluff Subdivision	Hornsby Bend Inlet Screens (55 to 70 dry ton/day)	Hornsby Bend Sidestream Trmt Plant Rebuild	Hornsby Bend SAR Digester House Rebuild	Hornsby Bend 2 Add" GBTs	Hornsby Bend Additional Inlet Screens
	Subproject #	2919.001	6683.005	6683.003	3353.060	3353.043	6935.010	6935.001	3353.063	6935.004	3353.053	3353.066	3368.002	6937.002	3353.030	3798,001			Subproject #		A		4769.011	3353.060	7265.003	7265.006	3353.073	3353.041	7025.001	448.002	3353.053	3164.016	3164.034	3164.033	3164.023	3164.024

III. IMPACT FEE FACILITIES AND FEE CALCULATION METHODOLOGY

The facilities that provide the bulk of water and wastewater capacity for new growth in Austin's service area are listed in Table 1 and Table 2 (and again in Tables 8 and 9 in Section VI). They were selected from the complete list of planned projects, including the major facilities built with contract bonds and developer contract reimbursements, according to the following criteria:

- Has the predominant function of serving new growth rather than existing growth;
- Does not provide repair, operation, or maintenance of existing facilities;
- Does not upgrade, expand or replace existing facilities serving existing development in order to meet stricter safety, environmental or regulatory standards.

These impact fee projects represent the individual projects that provide capacity necessitated by new development projected to occur within the next ten years. As shown in Table 1 and Table 2, most are already built as part of the City's CIP program, with only a portion not yet constructed. Impact fee facilities are shown graphically in Map 1 and Map 2.

To determine the costs of projects attributable to new growth, the Texas Impact Fee Act outlines a conceptually simple 4-step process based on quantifying the demand versus capacity relationship for projects in service areas. The process can be stated as follows:

- 1. Determine capacity of project in service units, and cost per service unit;
- 2. Determine future demand (capacity used up) for project in service units for the ten-year planning period;
- 3. Determine the impact project cost attributable to new growth, which is the cost per service unit (step 1) multiplied by the planning period demand (step 2).
- 4. Determine the cost per service unit by dividing the summation of the costs of the capital improvements (step 3) by the total number of projected service units for the ten-year planning period from the Land Use Assumptions.

The complex part of this methodology is step 2, determining the capacity that will be used in an individual project during the planning period. One might be tempted to simply add up the cost per service unit of each project to come up with a fee. This would be invalid because each new user does not use a service unit of capacity in every new project, and would result in double counting. Instead, the spatial allocation of new users from the Land Use Assumptions must be used to estimate the actual usage of a given project. To carry out this approach in a manageable manner, the water and wastewater service areas were divided up into subareas, pressure zones for water and drainage areas for wastewater. Sets of projects are assigned to each subarea, and the capacity addition to the subarea system is then defined. The assumption is made that each new user in a subarea uses a service unit of the available capacity associated with the selected set of impact fee projects in that subarea. The structure of Tables 8 and 9 illustrates this "subarea" methodology.

Calculation of the impact fee is not sensitive to the length of the planning period or the number of new growth users as long as all projects have more than enough capacity for growth (in excess of capacity serving existing users) in the planning period, as is the case with the great majority of Austin's impact fee improvements, because the number of new service units occurs in both the numerator and the denominator of the fee calculation. The calculation is more sensitive to the location of new users. If a large proportion of new users are projected to locate in areas with high cost per service unit for impact fee facilities, the calculated impact fee is correspondingly higher. If instead, more are projected to locate in areas with few or inexpensive impact fee facilities, the calculated fee will be lower.

IV. SERVICE UNIT DEMAND AND CAPACITY RELATIONSHIPS

See Land Use Assumptions Section IV, SERVICE UNITS, page LUA-6 and LUA-7 for service unit calculation discussion.

Water Service Unit Equivalency:

For 2010 residential use, 388 gallons per day per service unit divided by an average flow per capita of 103.9 gallons per capita per day (2010 residential pumpage divided by 2010 population) yields 3.74 residents per service unit. 2010 non-residential service unit equivalency is estimated at 4.90 employees per service unit by dividing 388 gallons per day per service unit by an average flow per employee of 79.2 gpcd (2010 non-residential pumpage divided by the 2010 number of employees. The number of residential customers per average service unit in Austin appears to be very high because this calculation is skewed by the large percentage of customers living in multi-family housing and by municipal utility districts with master meters. These types of customers typically have large master meters with more efficient ratios between number of users and maximum capacity (on which the number of service units is determined) than do small residential meters. A summary of this information is provided in Table 5 below.

Table 5. LAND USE - SERVICE UNIT EQUIVALENCY MATRIX FOR THE WATER SYSTEM: CONVERSIONS FOR A TEN-YEAR PERIOD

Year	Service Units	Average Number of Residents / Service Unit	Average Number of Employees / Service Unit	Average Number of Gallons / Day Water Use
2010	1	3.74	4.90	388
2020	1	3.78	4.95	348

Meter size selection usually involves a count of water-using fixtures and an analysis of the number of fixtures that may be used at one time, calculated by a builder, engineer or architect. The result is a determination of the flow characteristics of a structure, or other facility relating the land use, to continuous and maximum flow requirements, which in turn are compared against meter flow ratings to select a meter size. Thus, a given meter size reflects a user-defined level of use or consumption in terms of flow. The average daily flow of one service unit, defined above, was chosen as the basis of consumption in this analysis so that every customer charged an impact fee will be placed on a uniform, flow-based footing. This indicates that on an average, each meter purchaser would be expected to use about 388 gallons per day per service unit (gpd/su) (in year 2010) and 348 gpd/su (in year 2020) of meter capacity purchased. The corresponding maximum day and peak hour consumption (needed to determine the required capacity in facilities) are readily determined from the known relationships between these flows derived from flow measurements in the water pressure zones.

Service Unit Conversion Factors:

The foregoing basic service unit definitions are specific to particular terms for relating magnitude and duration of flow, average daily pumpage in the case of water service units and average daily flow for wastewater. Utility facilities are sized using varied design flow criteria. To calculate the capacity of a given facility in service units the basic service unit value must be converted to the necessary design flow basis for that type of facility using the appropriate peaking factor relationship. These relationships are shown on Tables 6 and 7 along with the capacity sizing basis for each type of facility. Note for example, that for wastewater lift stations and force mains, a peaking factor of 4 is used to convert the basic wastewater service unit (287 gpd/su) to a wet weather peak basis, so that an infiltration and inflow flow component is factored into the calculation of service unit capacity.

Table 6 Water Service Unit Conversion Factors for Facility Capacity

Water Facilities
Service Unit Flow Definition: Q/SU -- annual average flow basis
2012 analysis: 388 gpd/SU for 2010 and 348 gpd/SU for 2020. Average used for capacity calculation = 368 gpd/SU
2006 analysis: 445 gpd/SU all years
2001 analysis: 484 gpd/SU all years

Facility	Capacity Sizing Basis	2006 Peaking Factor	2006 Service Unit Flow gpd per SU	2012 Peaking Factor	2012 Service Unit Flow gpd per SU
Water Treatment Plant	max day flow = plant rated capacity	1.70	445×1.7 = 756	1.75 (Note 1)	368x1.75 = 644
Pump Station	1.25 x zone max day flow = pump station rated capacity				
NWC	=	2.488	445x2.488x1.25= 1384	2.04	368x2.04x1.25= 938
NWB	=	2.149	445x2.149x1.25= 1195	2.1	368x2.10x1.25= 966
NWA	-	2.149	445x2.149x1.25= 1195	1.95	368x1.95x1.25= 897
North	-	1.877	445x1.877x1.25= 1044	1.69	368x1.69x1.25= 777
Central	=	1.776	445x1.776x1.25= 988	1.4	368x1.40x1.25 = 644
South		1.923	445x1.923x1.25 = 1070	1.65	368x1.65x1.25= 759
SWA	-	2.126	445x2.126x1.25= 1183	2.29	368x2.29x1.25 = 1053
SWB	-	2.262	445x2.262x1.25 = 1258	2.45	368x2.45x1.25= 1127
SWC	=	2.488	445x2.488x1.25= 1384	2.61	368x2.61x1.25= 1201
Transmission Main	zone peak hour flow = pipe capacity at 5 fbs				
NWO	=======================================	4.647	445x4,647 = 2068	4.09	368x4.09= 1505
NWB	=	3.595	$445 \times 3.595 = 1600$	3.82	368x3.82= 1406
NWA	=	2.806	445x2.806= 1249	3.15	368x3.15= 1159
North		3.018	445x3.018= 1343	2.59	368x2.59= 953
Central		2.46	445x2.46= 1095	1.93	368x1.93= 710
South		3.025	$445 \times 3.025 = 1346$	2.48	368x2.48= 913
SWA		3.727	$445 \times 3.727 = 1659$	4.01	368×4.01= 1476
SWB	=	3.576	445x3.576= 1591	5.47	368x5.47= 2013
SWC	=	4.115	445x4.115= 1831	4.99	368x4.99= 1836
Storage Tank	city volumetric criteria 200 gal/capita	na	200gal/capita x 799,965 capita / 316,147 SU = 506 gal/SU	na	200gal/capita x 875,936 capita / 352,521 SU = 497 gal/SU

Note 1. The water plant peaking factor of 1.75 is the trended max day flow with 10% variation factor.

Table 7 Wastewater Service Unit Conversion Factors for Facility Capacity

Wastewater Facilities
Wastewater Service Unit Flow Definition: Q/SU -- annual average flow basis 2012 -- weather normalized flow based -- 287 gpd/SU 2006 -- at 61.73% return flow = 275 gpd/SU 2006 -- at 650, volve flow = 275 gpd/SU

0	2012 Service Unit Flow gpd per SU	287×1 = 287	287x4 = 1148	287x4 = 1148
0	ZU1Z Peaking Factor	-	4	4
C	ZUUD Service Unit Flow gpd per SU	275x1 = 275	275x4 = 1100	275x4 = 1100
0000	ZUUO Peaking Factor	←	4	4
= 318 gpd/SU	Capacity Sizing Basis	annual average flow = plant rated capacity	peak hour flow (5yr storm VI) = 80% pipe full capacity	peak hour flow (5yr storm I/I) = rated firm capacity
2001 at 65% return flow = 318 gpd/SU	Facility	Wastewater Treatment Plant	Interceptor	Lift Station

V. SERVICE UNIT DEMAND PROJECTIONS

The Land Use Assumptions provide the foundation for estimating the cost of capital improvements attributable to new growth by making it possible to quantify the demand for service from those improvements. The source data obtained from the Planning and Development Review Department gives population and employment data distributed by traffic serial zone within the City's extraterritorial jurisdiction. The serial zone distribution not only allows the Utility to allocate growth to the selected impact fee service area, but it also can be translated into demands at specific points in the water and wastewater pipe networks using the computer.

The translation of population and employment demand data to flow based service units was described in the previous section. Land use data expressed in service units by Planning Area was included in Table 5 of the Land Use Assumptions. The traffic serial zone information was allocated to water pressure zones and wastewater drainage areas to quantify demand by subarea. Demand sets for 2010 and 2020 were developed for the ten-year growth period.

Demand projections describing the impact fee project subareas are presented in Tables 8 and 9. All water pressure zones include impact projects; and since they do not overlap, the ten-year growth summed by zones equals the system-wide growth total. Accounting for the growth service units in wastewater project drainage areas is more complex, since the drainage area of one interceptor project may be a subset of a downstream interceptor project drainage area. For example, the Slaughter Creek project drainage area is a subset of the Onion Creek project drainage area. Service unit totals by wastewater treatment plant drainage areas are also presented to indicate a system-wide total.

VI. CAPACITY AND COST ATTRIBUTABLE TO NEW GROWTH

Water and Wastewater Capacity and Costs

Tables 8 and 9 present the capacity and cost attributable to new growth according to the impact fee methodology outlined in Section III. The cost used in the impact fee calculation is simply the cost per service unit multiplied by the ten-year growth in service units derived from the land use assumptions for the subarea served by each set of facilities.

The following outline illustrates the methodology used to calculate the maximum impact fees allowed by law. The letters of each item correspond to the lettered columns in Tables 8 and 9.

- A. The reference table to the Impact Fee project listing tables.
- B. Project description. Columns A and B are used to identify the Impact CIP projects.
- C. Unused (part of project description)
- D. Project size. This is the design size of the facility.
- E. Pressure zone or drainage area.
- F. Completion date
- G. Cost to build. The cost to build a given facility includes the cost to the City for land acquisition, engineering, and construction, along with related cost components. The cost is listed in thousands of dollars, and excludes interest.
- H. Interest cost. The law allows interest cost to be added into the cost of a project if the impact fee will be used to repay both principal and interest. The amount of debt service assigned to each project was calculated by the Utility using the following assumptions: all bonds for the selected impact fee capital improvements projects were sold at the same time, an interest rate of 5.5% was assumed and the term of the bonds was thirty years. The amount of interest cost is indicated in thousands of dollars.
- I. Total cost to build (G plus H). Tables 8 and 9 provide cost figures with and without interest to provide a cost comparison.

- J. Design capacity of impact fee new facility or expansion. Capacity of the impact fee projects are expressed in service units for the subarea as a whole. All of the projects in a subarea are evaluated as a group to determine the best estimate of capacity added to the subarea by the facilities acting together. Typically one project "size" best represents the capacity addition for the subarea as a whole. See Tables 6 and 7 for capacity equations.
- K. Cost to build per service unit without interest (G divided by J).
- L. Cost to build per service unit with interest (I divided by J).
- M. Year 2010 land use assumptions. The population and land use level in a particular pressure zone or drainage area in the year 2010, expressed in service units.
- N. Year 2020 land use assumptions. The population and land use level in a particular pressure zone or drainage area in the year 2020, expressed in service units.
- O. Growth users (N minus M). The number of service units of new growth entering a particular pressure zone or drainage area in the ten year growth period. Each service unit of new growth uses a service unit of capacity in the set of facilities making up the subarea.
- P. Impact costs without interest (K times O). The cost per service unit of the facilities multiplied by the number of growth users in the specific pressure zone or drainage area, excluding interest.
- Q. Impact costs with interest (L times O). The cost per service unit of the facilities multiplied by the number of growth users in the specific pressure zone or drainage area, including interest.
- R. Existing users. The number of existing users (expressed in service units) whose service is enhanced by the addition of the facilities in the subarea; therefore, capacity attributable to existing needs.
- S. Excess service units in the subarea (J minus R minus O). The number of service units remaining unused in the subarea impact fee facilities after the 10-year planning period.

Steps A through S define the costs of the impact fee projects attributable to new growth. The procedure for summing these costs to calculate the maximum allowable impact fee is presented in the next section.

Water Plant Flow Distribution and Available Capacity

For the planning horizons of both recent 5-year updates, three major changes to the city's water plants take place, with corresponding changes in how water is distributed throughout the system now and how it will be distributed when Water Treatment Plant 4 (WTP 4) comes on line in 2014. In terms of the maximum allowable impact fee calculation, the fee is based on the units of capacity required by new growth served by the Ullrich plant expansion and the new WTP 4 as a function of which plant generally serves the location of projected growth. The amount of growth associated with each plant is shown on Table 8 on the line item for each facility and on the summary table at the end.

The first plant change came in 2007 with completion of the 67 mgd expansion at Ullrich WTP. The plant expansion together with the Ullrich to Green TM and other recent transmission mains made it possible to move more Ullrich water into the system including through an eastern pathway north to the East Austin Reservoir and Pump Station facility and beyond.

In late 2008 Austin's oldest plant, Green WTP, originally completed in 1925, was retired. In general, areas previously served by Green are now served by Ullrich. Using the 2010 weather normalized flow from existing users served by Ullrich (and previously Green) of 125.1 mgd, the Ullrich capacity available for growth is 41.9 mgd (167 - 125.1) at the start of the planning period.

In 2014 the new 50 mgd WTP 4 is scheduled to come on line, increasing system capacity to 335 mgd. WTP 4 is expected to be operated at full capacity to take advantage of the lower operating cost of the new plant as compared to

the older plants, which are at a lower elevation. It is projected that when WTP 4 is completed, Davis WTP will generally be operated at lower flow rates than currently. In terms of the impact fee calculation, it is noted that growth in the north and northwest pressure zones in what has traditionally been Davis Desired Development Zone service area is made possible by available WTP 4 capacity taking on some of the existing Davis users. Therefore the growth in the traditional Davis service area is attributed to WTP 4 for fee calculation purposes, as shown on Table 8.

Table 8 Water Impact Fee Calculation by Pressure Zone Areas (All costs in 1000s of dollars unless preceded by "\$")

								-									
∢	В	Ω Ο	ш	ட	g	I	- <u>F</u>	Facility	X Y	Cost to	M 010	N 0000	0 10-Year	P mpact	o mpact	R 0710	S
Ref. Table	Project Description Orgn Name	Size	Pressure Zone	Completion Date	Cost to Build	Interest Cost	•			to	e ons A	Land Use Assumptions SU	Growth Users SU	Cost without interest	Cost with	Benefitting Existing Users	Excess SU Affer 10 years
							G+H			I/I			₩-N	× × V	L×O	SU	J-R-O
-	CANYON CREEK 30	30"	Northwest C	1987	1,231	1,311											
_	NWC PUMP STATION AND TANK group	11.2 MGD, 1.5	11.2 MGD, 1.5 M Northwest C	2013	12,191	11,566											
	ANDERSON MILL/RR 620 TM	24"/36"	Northwest C	2012	4,581	4,879											
	MEST BLILL OBEEK B STORY	orng F o D 40.4 C	Northwest C	1900	, - - - - - - - - - - -	2,027											
	WEST BULL CREEN P.S. OFGRADES Developer Reimbursements Northwest C = 2	24"	Northwest C	2007	1.269	1.382											
•	Facility Size That Determines Capacity Addition	11.2 mgd PS			25,362	25,623	50,985	11,940	2.12	4.27	4,226	5,161	935	1,986	3,993	3,170	7,836
,	JOLLYVILLE TIM group	"84	Northwest B	2001	9.273	9.876											
<u>_</u>	JOLLYVILLE PUMP STATION	45mad	Northwest B	1989	6,160	6,560											
_	ANDERSON MILL TRANSMISSION MN 24"	24"	Northwest B	2000	2,085												
Ψ,	ON MAIN 16	16"	Northwest B	2000	4,736												
_		total 3 mg	Northwest B	1989	4,148												
_	Developer Reimbursements Northwest B = 4	36"	Northwest B	2012	26,067												
•	Facility Size That Determines Capacity Addition	45 mgd PS			52,469	48,034	100,503	46,584	1.13	2.16	29,242	37,278	8,036	9,051	17,337	29,242	908'6
			:														
	NORTHWEST A PRES ZONE RES Martin total	% mg	Northwest A	3006	χ, 30-1	8,904											
_	HOWARD LANE EAST TM	36. 5	Northwest A	1998	4,765	5.075											
_	Developer Reimbursements Northwest A = 3	24"	Northwest A	2012	893	354											
•	Facility Size That Determines Capacity Addition	34 mg tank			14,822	14,333	29,155	68,410	0.22	0.43	60,496	71,395	10,899	2,361	4,645	36,298	21,214
_	HOWARD LANE PUMP STATION & TM group	43/65 mgd	Northwest A/B/C	2001	17,115	16,181											
·	MARTIN HILL TRANSMISSION MAIN	""	Northwest A/B/C	2016	19,752	21,036											
- 1"	JOLLYVILLE NWA TM (see also Plant 4)		Northwest A/B/C	2014	110,542	117,727		note 3	9		000	000	100		007.70		000
	Facility Size That Determines Capacity Addition	84° IM			147,409	154,944	302,353	193,021	0.76	1.57	93,963	113,834	19,871	15,175	31,126	50,511	122,639
_	DESSAU RD TRANSMISSION MAIN	16"	North	1990	934	995											
_	DECKER LAKE TM/JOHNNY MORRIS	16/24"	North	1999	462	492											
Ψ.	AUSTIN FILM SOCIETY	16"	North	2011	1,021	1,087											
	HOWARD LANE EXTENSION	16"	North	2017	2,200	2,343											
	BOYCE LANE IM	. 54	North	2015	7,130	7,593											
_	NORTHTOWN TRANS MAIN		North	1988	9,024	650											
<u>-</u>	HOWARD LIVINORTHTOWN TRANS MAIN	. #8	North	1989	3,593	3,827											
_	NORTH/EAST AREA WATER IMP. Samsung	148"	North	1999	1,718	1,830											
_	NE AUSTIN PUMPING STATION	55 mgd	North	1989	1,974	2,102											
_	NE AUSTIN TRANS MAIN	54/48"	North	1997	6,657	7,090											
_	WHISPER VALLEY - INDIAN HILLS CRA north 24"	th 124"	North	2018	0	3,060											
- I'	Developer Reimbursements North = 11	16/24/30/36 "	North	2012	21,487	20,699											

Table 8 Water Impact Fee Calculation by Pressure Zone Areas (All costs in 1000s of dollars unless preceded by "\$")

				(All	costs in 10	00s of doll	ars unless	(All costs in 1000s of dollars unless preceded by "\$")	("&")								
⋖	В	С	ш	ш	O	I	- }				Σ	z	0		σ	~	S
Ref	Project Description		Pressure	Completion	Cost to	Interest	Cost to	Facility Design	Cost to Build	Cost to Build	2010 Land Use	2020 Land Use	10-Year Growth	Impact Cost	Impact	2	2020 Excess
Table		Size		Date	Build	Cost	Build				Assumptions Assumptions	Assumptions	Users	without			SU After
							G+H	OS.	5	w interest I/J	OS.	OS.	o M-N	interest K x O	Interest L x O	Users SU	10 years J-R-O
•	מוס/עם דס דם דס איר סמיר פון	6	1	4007	4.4	000											
_	US 290 EAST RESERVOIR	gm ZI	Central	1881	2,144	2,283											
_	FM969 DECKER TO SH 130	24"	Central	2016	3200	3,941											
-	EAST AUSTIN TRANS MAIN	99	Central	1989	8,203	8,736											
_	SPRINGDALE ROAD 48" TM	"84	Central	1998	6,118	6,516											
_	ULLRICH TO GREEN TM group	72"	Central	2001	30,448	32,427											
_	WHISPER VALLEY - INDIAN HILLS CRA centra 48"	ntra 48"	Central	2018	2,000	20,477											
-	Developer Reimbursements North Central =2	16/24"	Central	2008	2,471	2,632											
	Facility Size That Determines Capacity Addition	n 72" TM			55,084	77,011	132,095	132,095 128,629	0.43	1.03	107,320	123,518	16,198	6,937	16,634	42,928	69,503
_	GREEN WTP TRANS MAIN SOUTH group	09	Central South	1989	5,621	5,986											
_	BLUFF SPRINGS TRANS MAIN II	36"	Central South	1988	1,913	2,037											
-	BLUFF SPRINGS RESERVOIR PILOT KNOB	10 mg	Central South	1989	2,139	2,278											
-	PILOT KNOB TRANS MAIN group	. "48	Central South	1992	9,749	10,383											
-	SOUTH CENTRAL TRANS MAIN	"48"	Central South	1987	4,578	4,876											
-	E BEN WHITE BLVD TRANS MAIN	24"	Central South	1993	3,506	3,734											
-	ELROY TRANSMISSION MAIN	36"		2013	4,996	5,321											
-	MOORE'S CRSG RESERVOIR & TRANS	36"		1990	2,402	2,558											
-	Developer Reimbursements South Central =5	36"		2013	14,575	15,522											
	Facility Size That Determines Capacity Addition	MT "09 n			49,479	52,695	102,174	89,325	0.55	1.14	42,928	49,407	6,479	3,589	7,411	10,732	72,114
-	SOLITH IH 35 TRANSMISSION MAIN		the second	1988	2 812	2 995											
	SLAUGHTER LN TRANSMISSION MAIN	36/30/24"	South	1992	2.673												
_	DAVIS LANE RESERVOIR SO-MUD add 10	add 10 tc 10 mg	South	1988	1.819												
-		36"/42"/48"	36"/42"/48", 24 m South	2012	60,515												
-	Developer Reimbursements South = 4		South	2015	7,717	8,219											
	Facility Size That Determines Capacity Addition	n 48" TM			75,536	l	155,982	44,457	1.70	3.51	45,280	54,107	8,827	14,998	30,970	6,792	28,838
~	SOUTHWEST A SITE DEVELOPMENT CC#3-MU na	√U na	Southwest A/B/C	1988	266	283											
-	DAVIS LANE TM (PS discharge) SO-MUD	"84	Southwest A/B/C	1987	220	234											
_	DAVIS LANE PUMP STATION VWO-MUD	e0 mgd	Southwest A/B/C	1988	5,758	6,132											
-	SWA 48" INTERCONNECTOR MR-MUD	48-inch	Southwest A/B/C	1987	1,016	1,082											
-	SWA TM PHASES 1,1A,2,3,4A,4B MR-MUD	48-inch	Southwest A/B/C	1987	4,501	4,794											
-	SWA STORAGE TANK (Slaughter Lane) MR-MUI6 mg	/UI6 mg	Southwest A/B/C	1988	1,256	1,338											
	Facility Size That Determines Capacity Addition 48" TM	1 48" TM			13,017	13,863	26,880	22,867	0.57	1.18	37,941	44,680	6,739	3,836	7,922	11,382	4,746
_	Lantana Ser. Ext. Developer Reimbursement SWE14 mgd PS	WE14 mgd PS	Southwest B&C	2002	3,254	0											

Maximum Allowable Impact Fee (\$380,627,000 / 70,292 service units)

Table 8 Water Impact Fee Calculation by Pressure Zone Areas (All costs in 1000s of dollars unless preceded by "\$")

<	В	О С	ш	ш	O	I	- ;			ا ــ	Σ	z	0	₫.	σ	œ	တ
Ref. Table	Project Description Orgn Name	Size	Pressure Zone	Completion Date	Cost to Build	Interest Cost	Total Cost to Build	√ ~ ≥			2010 2020 Land Use Land Use Assumptions Assumptions	2020 Land Use Assumptions	10-Year Growth Users	Impact Cost without	Impact Cost with	D	2020 Excess SU After
							G+H	SU	w [/9	w/ interest I/J	SU	SN	SN-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-N-	interest K x O	interest L x O	Users	10 years J-R-O
Ö	Circle C CCR 103 Developer Reimbursements SW 16"	V 16"	Southwest B	2018	2,946	2,230											
S	SWB CAMP BEN MC CULLOUGH REALL	16"	Southwest B	1992	504												
>	WINDMILL RUN SW B TRANS MAIN	36"	Southwest B	1990	1,962	2,090											
ĭ	SOUTHWEST B PUMP STATION CC#3 MUD	22 mgd	Southwest B	1988	2,290												
ŏ	SOUTHWEST B 36" TRANSMISSION MAIN CC#336-inch	336-inch	Southwest B	1988	1,130												
<u>й</u>	SOUTHWEST B 16" TRANS MAIN CC#3-MUD	16-inch	Southwest B	1988	197												
ഗ്	SOUTHWEST B RESERVOIR #1 CC#3-MUD	2 mg	Southwest B	1988	1,903												
ш	acility Size That Determines Capacity Addition	36" TM			10,932	,	21,668	11,342	96.0	1.91	8,037	10,124	2,087	2,012	3,987	6,831	2,424
S	SWC PRESSURE ZONE PUMP STATION	8.2 mgd	Southwest C	2006	5,862	6,318											
ਹ	CIRCLEVILLE RESERVOIR total>>	1.25 mg	Southwest C	2001	2,347	0											
S	SWC PRESSURE ZONE TM PHASE 1	30"	Southwest C	2007	5,546												
S	SWC PRESSURE ZONE TM PHASE 2	30"	Southwest C	2007	2,104	2,241											
Ė	TRAVIS COUNTRY WEST Reimbursement	2.1 mgd PS,	Southwest C	2015	1,680												
шĭ	Facility Size That Determines Capacity Addition	30" TM			17,539	16,254	33,793	8,622	2.03	3.92	2,458	3,211	753	1,532	2,951	1,475	6,394
i i	ULLRICH WTP 100 to 167 mgd group	67 mgd exp	Ullrich Service	2007	111,703	118,964											
		dxə pbu 29			111,703	111,703 118,964	230,667	104,037	1.07	2.22	see notes 1 and 2	1 and 2	34,434	36,971	76,346	see note	see notes 1 and 2
>	WTP #4 group (see also Jollyville NWA TM)	50 mgd	Plant 4 Service	2014	378,896	373,147	Note 4										
l		50 mgd			378,896	373,147	752,043	77,640	4.88	69.6	see notes 1 and 2	1 and 2	35,858	174,993	347,331	see note	see notes 1 and 2
Š	Shaw Lane Sludge Facility Improvements 60 acre, 34 years	60 acre, 34 ye	60 acre, 34 years Entire System	2013	4043	4,306											
ш	acility Size That Determines Capacity Addition	60 acre, 34 yt	aars		4,043	4,306 TOTAL	8,349 2,057,353	238,993	0.02	0.03	352,521	422,813	70,292	1,189	2,456	0	168,701
							-,	Service Un	it and Sys	tem-wide I	Service Unit and System-wide Impact Cost Totals	otals	70,292	293,271	591,088		
						ız	tesultant an	Calculated	d rate reve	anue credit calculating	per state law y maximum a	Calculated rate revenue credit per state law (See Appendix A) Resultant amount to be used for calculating maximum allowable impact fee	dix A) act fee		-210,461 380,627		

Table 8 Water Impact Fee Calculation by Pressure Zone Areas Notes and Plant Flow Distribution Table

Note 1 Plant service to growth in the traditional Davis service area is made possible by Plant 4 taking on some Davis existing users. Thus, 86% of Davis area north zone growth is attributable to Plant 4 for fee calculation above. 14% of north zone growth is attributed to Ullifoh. This is reflected in the plant flow distribution table to the right.

Note 2 Beyond 2020 Plant 4 capacity will continue to provide service units for growth along with the Ullirich expansion, at whatever distribution between existing and growth users for all 3 plants that fits the system bydraulic demand silvation that occurs. Recognizing that the flow per service unit may continue to change over time, the 2020 system excess capacity is 77.5 mgd and 127,270 SU in the present analysis. See flow distribution table at right.

Note 3 Capacity of the new Jollyville and Martin Hill TMs is calculated based on the maximum day peaking factor in the same flow regime as the plants, since these major TMs operate in the same flow regime as the plant that

Note 4 WTP 4 cost is adjusted for upsized components. See Table 1 for WTP total cost and upsized component adjustment.

					note 1	note 1	note 1	note 2
2010-2020	10-year	growth	by plant SU	attribution	35,858	0	34,434	70,292
2010-2020	10-year	area	growth t	S	19,871	18,658	31,763	70,292
2010-2020	10-year	area	growth	mgd	13.9	11.0	18.5	43.4
2020	existing	nser	flow	mgd	36.1	61.9	116.1	214.1
2020	future	flow	regime	pgm	20	72.9	134.6	257.5
2010	current	flow	regime	mgd	0	114.5	125.1	239.6
		plant	capacity	pgm	20	118	167	335
			Plant		Plant 4	Davis	Ullrich	All Plants
	2020 2020 2010-2020 20	2020 2020 2010-2020 20 future existing 10-year	2010 2020 2020 2010-2020 20 current future existing 10-year flow user area	2010 2020 2020 2010-2020 20 2010-2020 20 2010-2020 20 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-20200	2010 2020 2020 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 20 2010-2020 2010	2010 2020 2010-2	2010 2020 2020 2010-2020 2	2010 2020 2010-2

Table 9 Wastewater Impact Fee Calculation by Collection Drainage Areas (All costs in 1000's of dollars unless preceded by "\$")

Project Description Developer Reimbursements Bear Creek to Slaughter 2 850 gpm -21S Developer Reimbursements Bear Creek to Slaughter 2 850 gpm -21S Developer Reimbursements Bear Creek to Slaughter 2 850 gpm -21S Developer Reimbursements Bear Creek to Slaughter 2 130-inch South Branch Interceptor and Extension CC#4 MUD Slaughter Slaughter Carlint A&B CC#3 36-inch Slaughter Cock# MUD School Cock# MUD School Cock# MUD School Cock# MUD School Cock# MUD South MULL AMSON CREEK INTERCEPTOR Aboution Basin = 1 TRAVIS COUNTRY developer reimbursement 2 1 Williams on North Williams on North Williams on North Williams on North Williams on Cock# In & Easements VWO South Williams on Trunk Phases 1 and 2 VWO- Facility Size That Defines Capacity Addition South Williams on Cock# In & Easements VWO Williams on Cock# In & Easements VWO South Williams on Cock# In & Easements VWO Williams on Cock# In & Easements VWO Facility Size That Defines Capacity Addition South Williams on Cock# Mulliams on Trunk Phases 1 and 2 VWO- Facility Size That Defines Capacity Addition South Williams on Cock# Mulliams on Trunk Phases 1 and 2 VWO- Facility Size That Defines Capacity Addition South Williams On Cock# Mulliams on Trunk Phase South Williams on Trunk Phase South Williams on Cock# Mulliams on Trunk Phase South Williams on Cock# Mulliams on	age Completion in Date ity	n Cost to Build	Interest Cost	Cost to		2	Build	andlke	Land Use	Growth	Cost	1		0000
2 850 gpm -2LS 213 -30-inch 36-inch 48-54-inch 36-inch 36-inch 54-inch 54' at 0.15% 54' at 0.15% 54' at 0.15% 54' at 0.15% 54' at 0.15% 54' at 0.15% 64' at 0.15% 54' at 0.15% 72' at 0.18% 900 gpm exp 30' at 0.08% U	ja,			Build	Design Capacity p SU	_ `	st	s A		users SU	w/o interest KxO		Existing Users S	SU Affer 10 years J-R-O
18" 2130-inch 36-inch 36-inch 36-inch 36-inch 30-inch 30-inch 54-inch 54" at 0.17% 54" at 0.15% 54" 54" at 0.15% 54" at 0.15% 54" at 0.15% 54" at 0.15% 54" at 0.10% 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" 30" 30" 30" 30" 30" 30" 30" 30"														
18" 18" 36-inch 48-54-inch 48-inch 54-inch 54-inch 54" at 0.17% 36" 36" 54" 54" at 0.15% 42" 42" 42" 42" 42" 42" 42" 900 gpm exp 30" 30" 30" 21" 42-inch 42" 42" 42" 42" 900 gpm exp 30" 30" 30" 40" 40" 40" 40" 40" 40" 40" 40" 40" 4	Bear 2006	629	702											
21-30-inch 48-54-inch 48-inch 30-inch 54-inch 54' at 0.17% 54' at 0.15% 54' at 0.15% 54'' at 0.15% 54'' at 0.15% 54'' at 0.18% 54'' at 0.18% 54'' at 0.18% 90' gpm exp 30'' at 0.08% V		1220	0											
48-54-Inch 48-64-Inch 30-inch 54-inch 54' at 0.17% 54" 54" 54" 54" 54" 54" 54" 54"	Inter 1988	1,295	13/9											
48-inch 30-inch 54-inch 54" at 0.17% 54" at 0.15% 54" at 0.15% 54" at 0.15% 42" at 0.12% 42" at 0.18% 42" at 0.18% 900 gpm exp 30" at 0.06% Uh	19		9883											
48-inch 30-inch 54-inch 54' at 0.17% 36" 54" 15/18/24" 54" 54" 54" 42" 30" 30" 30" 42-inch 15-24-inch 15-24-inch 30-inch 42 at 0.18% 900 gpm exp 30" 30" 42 inch 15-34-inch 30-inch 30-inch 30-inch 42 at 0.189% V														
36-inch 54-inch 54-inch 54-inch 54-inch 15/18/24" 54" at 0.17% 54" at 0.15% 54" at 0.12% 42" 30" 30" 30" 30" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" 30" 42-inch 30-inch 30-inc		701	747											
36" 36" 54" at 0.17% 54" at 0.15% 54" at 0.12% 54" at 0.12% 42" 30" 30" 30" 30" 42-inch 15-24-inch 30-inch 42" at 0.189% V 42" 30" 30" 30" 30" 30" 30" 30" 30" 30" 30	Inter 1990 Inter 1988	3,442	3666											
36" 54" 15/18/24" 54" at 0.15% 54. 54.at 0.12% 42." 30" 30" 30." 42-inch 15-24-inch 30-inch 42" at 0.189% V 42" 30" 30" 30" 30" 42" 42-inch 30" 30" 42" 42-inch 30" 30" 42" 42" 42" 42" 42" 42" 42" 42" 42" 42		19,842	19,832	39,674	36,516	0.54	1.09	15,811	19,222	3,411	1,853	3,706	15,811	17,294
54" 15/18/24" 54" at 0.15% 54" inch 54' at 0.12% 42" 30" 42" 42" 42-inch 15-24-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" 40" at 0.06% U	ard 2010	8307	6387											
54" at 0.15% 54" at 0.15% 54-inch 54 at 0.12% 42" 30" 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30"		31972	33364											
54" at 0.15% 54"inch 54 at 0.12% 42" 30" 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 42" at 0.189% V 30" at 0.06% U	Onion 2014	2222												
54" 54" at 0.12% 42" 30" 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" 40" at 0.06% U	oer Onion	42501	42118	84619	34,286	1.24	2.47	0	2,611	2,611	3,237	6,444	0	31,675
54 at 0.12% 42" 30" 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" ut 0.06% U	Middle 1986	4,943	5264											
900 gpm exp		2,933		000	000		9	000	,00	1	1	007.0	000	
42" 30" 21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" 40" at 0.06% U	ve tunnel	7,878	8330	16,268	38,328	0.21	0.42	23,300	30,681	7,381	1,517	3, 133	23,300	Note 1
30" 221" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" at 0.06% U		820	873											
21" 42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" 30" at 0.06% Up	nson 1989	1,533	1633											
42-inch 15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" at 0.06% U		4	4											
15-24-inch 30-inch 42" at 0.189% V 900 gpm exp 30" at 0.06% U	nson 1989	3,097	3298											
30-inch 42" at 0.189% V 900 gpm exp 30" at 0.06% Up	nson 1989	919	626											
42" at 0.189% V 900 gpm exp 30" at 0.08% Up	nson 1989	200	533											
900 gpm exp 30" 30" at 0.06% Up	acility Area	6,910	7,359	14,269	24,652	0.28	0.58	21,076	23,913	2,837	795	1,642	21,076	Note 1
30" 30" Up		550	0											
dition 30" at 0.06% Up	y Creek 2012	8,127	0											
	pper Dry Creek Above Pearce LS	8,677	0	8,677	4,530	1.92	1.92	3,219	5,425	2,206	4,226	4,226	0	2,324
ONION CREEK INTERCEPTOR TUNNEL group 84" Onion Tunnel Area	inel Area 1986	22,144	23583											
Facility Size That Defines Capacity Addition 84" at 0.1% Onion Tunnel Area	nel Area	22,144	23583	45,727	91,010	0.24	0.50	65,563	84,632	19,070	4,640	9,582	65,563	6,377

Table 9 Wastewater Impact Fee Calculation by Collection Drainage Areas (All costs in 1000's of dollars unless preceded by "\$")

۵	٥	ш	ш	Ø	I	-	7	¥		Σ	z	0	۵	σ		Ø
						Total	Facility	Cost to	Cost to	2010	2010 2020	10-Year	Impact	Impact	2010	2020
Project Description		Drainage	Completion	Cost to	Interest	Cost to	Design	Build		Land Use	Land Use	Growth	Cost	Cost		Excess
Orgn Name	Size	Basin	Date	Build	Cost	Build	Capacity	per SU	per SU	Assumptions	Assumptions	Users	0/w	with		SU After
2 ACWP Pedernales (Line Y only)	36"	Boggy Central	2010	4,859	5,175											
Facility Size That Defines Capacity Addition	36" at 0.30%	Facility Area		4,859	5,175	10,034	16,446	0:30	0.61	12,344	13,570	1,227	363	749	12344	2,875
2 Metro Center Developer Reimbursement	24"	Carson	2000	151	0											
Facility Size That Defines Capacity Addition	24" at 0.48%	Facility Area		151	0	151	7,038	0.02	0.02	1,383	1,489	106	2	2	1,383	5,549
Robertson Hill Development	12"	Waller Creek to SAR	2008	693	738											
Facility Size That Defines Capacity Addition	12" at 0.36%	Facility Area		693	738	1,431	962	0.72	1.49	287	373	87	83	129	287	2,344
GOVALLE INTERCEPT AND DIVERSION group		Govalle Tunnel to SAR	1990	43,998	46,858											
Downtown Wastewater Tunnel group Facility Size That Defines Capacity Addition	96" 96"at 0.05%	Govalle Tunnel to SAR Govalle Tunnel to SAR	2011	61,591 105,589	56,745 103,603	209,192	91,847	1.15	2.28	79,260	89,059	9,800	11,266	22,321	79,260	2,787
RMMA developer reimburse, to WALNUT group	15/18/24"	Tannehill to WALNUT	2010	8,147	5,973											
Facility Size That Defines Capacity Addition	18" at 2.83%	Facility Area		8,147	5,973	14,120	7,951	1.02	1.78	2,328	5,534	3,207	3,286	5,695	2,328	2,416
2 Triangle - Infrastructure Incentives	18"	Waller Creek to WALNUT	2005	1,193	1,271											
Facility Size That Defines Capacity Addition	18" at 0.33%	Facility Area		1,193	1,271	2,464	2,718	0.44	0.91	1,523	1,836	312	137	283	1523	883
ACWP- Shoal Creek 29th to 34th	99	Shoal Creek - upper	2006	12,270	13068											
Facility Size That Defines Capacity Addition	66"at 0.36%	Shoal Creek above Crosstown Tunnel	own Tunnel	12,270	13,068	25,338	90.732	0.14	0.28	22.116	24,121	2,005	271	260	22,116	66,611

Table 9 Wastewater Impact Fee Calculation by Collection Drainage Areas (All costs in 1000's of dollars unless preceded by "\$")

			1800	00001 111 0	(A) (costs III 1000s of dollars diffess preceded by	ass blece	en no									
ш	C	ш	L	O	I	- F	L Socility	X to	L Coet to	M 0	Z 000	0 10-Vear	P toend	o <u>u</u>	2010	S
Project Description Orgn Name	Size	Drainage Basin Facility Area	Completion Date	Cost to Build	Cost C	0		. ≥ ⊗		Land Use Land Use Assumptions Assumptions SU SU	Land Use ssumptions SU	Growth Users SU	Cost w/o interest KxO		_	Excess SU After 10 years
UPPER WALNUT CREEK INTERCEPTOR group	36"	Upper Walnut	2002	8976	9068				!							
Waters Park Relief Main	36"	Upper Walnut	2015	4087	4353											
Developer Reimbursements Walnut Creek = 2	18"&48"	Walnut Creek	2007	3,058	0											
Austin Blue Sky developer reimbursement	1000 gpm LS,	Elm to Walnut	2006	089	724											
Lower Walnut Creek WW Imp Phases A, B&C NCA GC-MUD	/2-inch	Walnut	1987	12,221	13015											
Upper Walnut Creek Int Phases 3A,3B,4&5 NCA GC-MUD	60-inch	Walnut	1987	6,253	6999											
Wells Branch WW Trunk Line Phases, 1,1A, 2&3	18-24-inch	Walnut	1985	1,468	1563											
Upper Walnut Creek WW Trunk Line Phase 2 NCAGC-MUD	24"	Walnut	1985	1,325	1411											
Facility Size That Defines Capacity Addition	72" at 0.10%	Walnut Creek, part Elm		38,068	36,632	74,700	75,436	0.50	0.99	63,995	79,273	15,278	7,710	15,129	63,995	Note 1
ACWP-Little Walnut/Buttermilk group	09	Little Walnut	2009	23,485	18,885											
Facility Size That Defines Capacity Addition	60" at 0.35%	Little Walnut		23,485	18,885	42,370 tfe	69,408 OK cost inc	0.34 rease fron	0.61 n much mo	36,773 re growth	69,408 0.34 0.61 36,773 38,446 tte OK cost increase from much more growth same 60" pipe	1,673	266	1,021	36,773	30,962
Developer Reimbursements Lake Creek = 4	12/24/FM/ 3600 gpm LS a	12/24/FM/ 3600 gpm LS and 2-1100gpmLS	2016	6,112	4,937											
Lake Creek Collection, and Interceptor Contract		Lake Creek	1989	3,627	3863											
Parmer Lane Interceptor group	42"	Lake, Ratan	2017	27,081	514											
Facility Size That Defines Capacity Addition	42" at 0.2%	Lake, Ratan		36,820	9,314	46,134	20,906	1.76	2.21	14,510	19,261	4,752	8,369	10,487	14,510	1,644
Purchase of Dessau Utilities	.5 mgd plant,4100 gpm	Dessau/Harris	2006	2,061	0											
Dessau WWTP Expansion to 1.0 MGD	.5 mgd EXP	Dessau/Harris	2018	4500	4,793											
Facility Size That Defines Capacity Addition	1 mgd	Facility Area	2018	6,561	4,793	11,354	3,484	1.88	3.26	1,004	1,988	983	1,851	3,203	1,004	1,497
Wildhorse Northwest Interceptor Phase 2	21"/24"	Decker-Gilleland	2013	2,597	0											
Northeast Service Area North Int. (Wildhorse NW Int.)		Decker-Gilleland	2005	2,329	2,480											
Harris Branch Interceptor Lower A	30"	Harris-Gilleland	2016	6,626	7,057											
Harris Branch Interceptor Lower B	36"	Harris-Gilleland	2015	1,050	1,118											
Harns Branch Interceptor Lower B Wildhorse North Interceptor Ext. No. of 200		Harns-Gilleland	2015	3,772	0 2 877											
Wild Horse Ranch developer reimbursement	75 mgd	Decker	2005	4,075	4,340											
Wild Horse Addition developer reimbursement	18"	Decker	2009	793	845											
Scots Glen developer reimbursement	24"	Decker	2009	845												
Facility Size That Defines Capacity Addition	36" at 0.09%	Facility Area		27,727	19,716	47,443	20,139	1.38	2.36	2,329	7,516	5,156	7,099	12,146	2,359	12,624

& 30" at 0.39%

Table 9 Wastewater Impact Fee Calculation by Collection Drainage Areas (All costs in 1000's of dollars unless preceded by '8')

					(A)	in 1000's	(All costs in 1000's of dollars unisse preceded by "\$")	nless prec	ed by e	_								
∢	as a	o	Δ	ш	L	ø	I	- }	٦ أ	¥	;	ΣŞ	z	0	a }	ø		တင္လ
뙻	Project Description Orga Name		• <u>z</u>	Orelnege Beein Feellity	Completion C	5 p	Oost t		Ospecity SC v	Bulld Bulld Bulld W/o Interest W Interest		Lend Use Assumptions Assumptions Assumptions	Aeeumptione SU	Growth SU	00 12 0 12 12 12 12 12 12 12 12 12 12 12 12 12	with with		Excess SU After 10 years
6	Whiteer Vallavindian Hills ORA	<u>8</u>	"/36"/LS/TP	Area Q	2015	1500	14804			76	2				Š	2		0 12 3
	Facility Size That Defines Capacity Addition	8	30" at 0.25%	Facility Area		11500	14804	26304	9,240	1.24	2.85	6	1,707,1	1,707	2,125	4,859	0	7,533
8	Purchase of Brushy system capacity from LCRA, now 0.84 msd		0.5 mgd Increase	Brushy Oresk	2010	12063	12,847											
	Facility Size That Defines Capacity Addition	9.0	0.5 mgd Increses	Facility Area		12,063	12847	24,910	1,742	6.92	14.30	990	1,857	967	969'9	13,828	0	32
~	SAR WWTP 50 to 75 MGD EXPANSION group	8	25 mgd exp	SAR service	2006	94,064	97,168	191,232	97,108	90:	2.20	144,822	173,692	28,869	31,174	63,378	126,71	40,918
8	2 WALNUT CREEK WWTP60 TO 75 MGD group	Ю	15 mgd exp	WALNUT service	2005	63,568	63,568 47,728	111,296	52,265	1.22	2.13	186,395	216,679	30,284	36,833	64,489	21,199	782
					Total Cost to Build w/ Interest	Buld w/ Int	terest	1 050 393										

70,288	B) vable impact fee
Service Unit and System-wide impact Cost Totals	Calculated rate revenue credit per state law (9ee Appendix B) Regultent amount to be ueed for calculating maximum allowab
Note 1 The main interceptor in this group will reach capacity in the 10-year planning pariod according to the	standard oritaria. By allowing the pipe to go beyond 80% full, it will provide capacity for growth during the remaining few years of the financing pariod, after which time it will move off the impact fee

-87,843 160,522	\$ 2,284
Calculated rate revenue credit per state law (See Appendix B) Resultant amount to be used for calculating maximum allowable impact fee	Maximum Allowable impact Fee (\$150,522,000 / 70,288 service units)

70,288 134,735

VII. MAXIMUM ALLOWABLE FEE CALCULATION AND RATE REVENUE CREDIT

Once the portion of facilities cost associated with the 10-year growth users is calculated for water pressure zone and wastewater drainage basin analysis areas, the next step is summing these area costs to produce the total system growth cost -- the impact cost total. Then, in compliance with Section 395.014 (a) (7) of the law, a credit must be applied to take into account the amount of money the new growth users will pay in rate payments that go towards financing the growth CIP projects listed on the tables.

Previously, an amount equal to 50% of the impact cost total of the growth projects was credited as provided in the law for the case where a city-specific rate revenue credit has not been calculated. In this update, the Austin-specific rate revenue credits are calculated for water and wastewater, based on the idea that in any future year the study period growth users make rate payments in proportion to their number as a percent of total rate payers. And by extension, the growth user contribution to any particular component of the rate requirements (in this case the set of growth projects) can be estimated using this percentage. Applying this percentage to the amortized cost of the growth projects each year, and summing over all of the years costs are incurred, gives the rate revenue credit for the new users' share of the growth project rate payments. Note that the rate revenue credit calculation uses the same interest cost basis (30-year financing and 5.5% interest rate) that yields the individual project interest costs presented in Tables 1 and 2. The rate revenue credit spreadsheets are shown in Appendix A for water and in Appendix B for wastewater.

Using this method the rate revenue credit for water is \$210,461,000 and for wastewater it is \$87,843,000. To complete the maximum allowable fee calculation, the rate revenue credits are subtracted from the impact cost totals and the result is divided by the total number of 10-year growth service units to arrive at system wide maximum allowable fees.

As shown on Table 8 the water maximum allowable fee is \$5,415 per service unit.

As shown on Table 9 the wastewater maximum allowable fee is \$2,284 per service unit.

The Texas Impact Fee State Law provides for the timing of assessing fees for a given tract of land. Additionally, the local political subdivision is allowed to set the collected fees up to the maximum allowable amount. Refer to the ASSESSED AND COLLECTED FEES report for these aspects of the Impact Fee.

Update Report Preparation and/or Analysis:

City of Austin

Austin Water Utility

Tom Ellison, P.E.

Randall Alexis

Tom Albin

Janet Atkinson, P.E.

Nolan Barborak, E.I.T.

Bob Butler, C.P.A.

Michael Castillo

Katie Clayton, E.I.T.

Cara Cooke

Jeremy English, P.E.

Kristi Fenton

Kimberlee Harvey

Brian Long, P.E.

Teresa Lutes, P.E.

Gareth Nicely, P.E.

David Shannon

Joe Smith, P.E.

Margaret Thompson, E.I.T.

City of Austin

Planning and Development Review Department

Ryan Robinson, City Demographer

Appendix A Water Rate Revenue Credit Calculation

Method

Section 395.014 (a)(7) of the Impact Fee law requires that calculation of the maximum allowable fee include a rate revenue credit to account for the money new growth users will pay in rate payments that go towards financing the CIP growth projects. Previously, an amount equal to 50% of the impact cost of the growth projects was credited as provided in the law for the case where a CIP plan-specific rate revenue credit has not been calculated. The 5-year update is the first to calculate the rate revenue credit for Austin's impact fee CIP and the conditions of the 10-year planning period being analyzed.

The calculation method is based on the idea that in any future year the study period growth users make rate payments in proportion to their number as a percent of total rate payers. And by extension, the growth user contribution to any particular component of the rate requirements (the set of impact fee projects in this case) can be estimated using this percentage. Applying the year by year percentage of new growth users to the total amortized cost of the growth projects each year, and then summing all years gives the rate revenue credit for the new users' share of the growth project rate payments. This method is employed in developing the accompanying table. It has 3 basic steps:

1. Estimate the total cost of growth projects being financed each year during the financing life of the projects.

This is done in the top part of the table. Yearly totals are arrived at by adding together the amortized cost of the individual projects, beginning from the completion date of the earliest-built water project (1987) and carrying out to the end of the financing period for last-built project (2047). The amortization uses the same financing basis for project interest costs presented in CIP Tables 1 and 2 (30-year financing period and 5.5% interest rate). The resulting cost totals are shown in the row labeled Amortized Cost by Year. These totals estimate the rate revenue requirements for the impact fee growth projects for each year. Only the amortized cost totals for year 2013 and beyond are shown for clarity since these are the only years during which the study period new growth users will make rate payments.

2. Determine the percentage that the new growth users are of the total rate payers for each year in the future.

As shown in the lower part of the table, the study period new growth users (expressed in service units from the Land Use Assumptions) begin arriving in 2013, and are tallied by year as they come on line. At the end of the 10-year planning period, year 2022, the results row labeled Study Period Total Service Units shows the same 70,292 cumulative total of 10-year new growth water service units used in calculating the project impact costs in Table 8. Beyond 2022 the number of new growth service units that are the subject of the rate revenue credit for the 10-year planning period remains constant, but their percentage of total service units continues to change.

The total system service units are tallied by year starting with the existing 2012 water service unit total (365,576) adding in the subject 10-year new growth users for the planning period of 2012 – 2022 as they come on line, and then continuing to the end of the financing period in 2047 with the addition of future growth projected to occur in the period beyond 2022. The resulting year by year number of total system service units is shown in the table in the row labeled Total Service Units. The percentage that the study period new growth users are of the total service units for each particular year in the future is readily calculated by dividing the Study Period Total Service Units by the Total Service Units. The resulting percentages are shown in the row labeled Growth Percent of Total Service Units. The study period growth users as a percent of total users rises to a maximum of 16.1% in 2022 and then declines to 10.6% at the end of the financing period of the last project in 2047.

3. Calculate the amount the new growth users will pay towards the growth projects for each particular year. The sum of all years is the rate revenue credit.

Applying the Growth Percent of Total Service Units to the growth project Amortized Cost by Year gives the results labeled New Service Units Amount of Amortized Cost for each year (bottom row of table). Summing across for all years gives the Rate Revenue Credit Amount shown at the lower right hand corner of the table.

Using this method the water rate revenue credit is \$210,461,000. It is subtracted from the water impact project cost of \$591,088,000 developed in Table 8 in calculating the water maximum allowable fee. Note that the calculated rate

revenue credit equates to 36% of the water impact project cost which compares to 50% used previously. It may be said that of the \$591 M in impact project costs (including interest), that are associated with serving new growth users in the 10-year planning period, \$210 M of that amount will come from new growth user rate payments, so only the remainder, \$381 M, goes into calculating the maximum allowable fee.

Annual Projected	lota							2010	2000	_	5	,,,,,	2024	2025	2026	2027	2028	2029	0000
Cost	Cost	2013	2014	2015	2016	2017	2018	+	+	7 1707	7707	2023	#7N7	4040	Ī			2101	2030
1987 Total	\$36,166	\$1,206	\$1,206	\$1,206	\$1,206														
1988 Total	\$69,196	\$2,307	\$2,307	\$2,307	\$2,307	\$2,307													
1989 Total	\$65,745	\$2,192	\$2,192	\$2,192	\$2,192	\$2,192													
1990 Total	\$10,940	\$365	\$365	\$365	\$365	\$365													
1991 Total	\$0	\$0	\$0	\$0	\$0	S S													
1992 Total	\$26,692	\$890	\$890	\$890	\$890	\$890													
1993 Total	\$7,240	\$241	\$241	\$241	\$241	\$241					\$241								
1994 Total	\$0	\$0	\$0	\$0	\$0	S					\$0	S							
1995 Total	\$0	\$0	\$0	\$0	\$0	S					\$0	8	\$0						
1996 Total	\$2,371	\$79	\$79	\$79	\$79	\$79					879	\$79	\$79	\$79					
1997 Total	\$14,688	\$490	\$490	\$490	\$490	\$490					\$490	\$490	\$490	\$490					
1998 Total	\$24 242	8088	808	808	8088	808					808	808	8088	808		8088			
1999 Total	27.1,1.10	\$150	\$150	\$150	\$150	6150					\$150	\$150	\$150	\$150		\$150			
1999 TOTAL	200,40	9130	0010	001	9130	9 6					0 1	9 130	9 130	9130		9 130		•	
Z000 lotal	\$14,305	7/44	4477	744	749	447					7.44	744	749	7.44		7/44		744	
2001 Total	\$117,948	\$3,932	\$3,932	\$3,932	\$3,932	\$3,932					\$3,932	\$3,932	\$3,932	\$3,932		\$3,932		\$3,932	\$3,932
2002 Total	\$7,665	\$256	\$256	\$256	\$256	\$256					\$256	\$256	\$256	\$256		\$256		\$256	\$256
2003 Total	\$3,469	\$116	\$116	\$116	\$116	\$116					\$116	\$116	\$116	\$116		\$116		\$116	\$116
2004 Total	\$7,932	\$264	\$264	\$264	\$264	\$264					\$264	\$264	\$264	\$264		\$264		\$264	\$264
2005 Total	\$1.574	\$52	\$52	\$52	\$52	\$52					\$52	\$52	\$52	\$52		\$52		\$52	\$52
2006 Total	\$18,284	\$609	\$609	\$609	\$609	\$609					\$609	\$609	\$609	\$609		\$609		\$609	\$609
2007 Total	\$249.478	\$8316	\$8.316	\$8.316	\$8316	\$8.316					\$8.316	\$8.316	\$8.316	\$8.316		\$8316		\$8.316	\$8.316
200: 100: 100: 100: 100: 100: 100: 100:	\$13,937	\$465	\$465	\$465	\$465	\$465					\$465	\$465	\$465	\$465		\$465		\$465	\$465
2009 Total	\$3300	\$110	\$110	\$110	\$110	\$110					\$110	\$110	\$110	\$110		\$110		\$110	\$110
2003 Fotal	\$26,560 \$26,560	- a	- a	0 00	0 4 0 0 0 0	200					0 00	9 6	9 8	2 0 0		0 4 0 8 0 8		- a	200
2011 Total	488 638	\$2.05F	0000	\$000 \$000	\$2.05F	\$000 \$000					\$000 \$005	\$2000 \$2005	\$2000 \$2005	\$000 000		\$2000 62005		\$2.05F	\$000 \$005
2011 10tal	6442 524	000,00	00,00	42,300	00,000	\$2,300 \$2,704					000,20	42,333	000,00	006,20		42,933		62,30	42,300 40,704
2012 Otal	945 440	60,70	10,00	10,00	5 6	5,76					10,00	5	5 6 6	10,00		40,70		60,70	94,70
2012 Total	011,110	- - -	0,-0	t 0, -0,	0,00	0,14		-	·	-	1 0,00	0,-0	0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	0,-9	Ī	0,000	Ī	655,54	10,100
2014 lotal	000,7000		972,26	972,26	932,370	932,370					32,378	932,370	932,370	932,376		432,370	•	\$32,376	932,370
2015 lotal	\$22,521			\$751	\$751	\$751	\$751	\$751	\$751	\$751	\$751	\$7.51	\$751	\$751	1979	\$751	\$751	\$/51	\$751
ZU16 lotal	948,428				41,014	41.0,14					41,01.4	410,14	410,14	410,14		41,014		41,014	410,14
2017 lotal	\$4,543					\$151					\$151	\$151	\$151	\$151		\$151		\$151	\$151
2018 Total	\$30,713										\$1,024	\$1,024	\$1,024	\$1,024		\$1,024		\$1,024	\$1,024
A montine of the North	60 057 040	000 400		PCE 700	¢ C2 400	070 000		9 075	CO E40	\$ 50 E40	000 00	020 020	024 070	024 970	000 000	000000	600,000	\$E0.0E0	PEO 97E
	\$4,007,349	\$35,40U	\$50,03¢	902, / 69¢	\$01,403	\$00,349	agn'cae	\$ 6/9,70	¢ 01.0,200		070,10	8/5,10¢	8/5,10¢	\$15,10¢	901,300	\$00,81U	700,00¢	\$28,62¢	\$39,573
2013 Forward Cumulative Total		\$32,460	\$97,498 \$163,28	22		\$297,039	\$362,106 \$4		\$487,490 \$5		11,621	\$673,000		\$795,758	\$857,057	\$917,868	\$977,870	\$1,037,722	\$1,097,098
1987 Forward Culumative Total		\$358,780	\$358,780 \$423,818 \$489,60	⊵	_	_			\$813,810 \$8		\$937,941	\$ 025,666\$	\$1,060,699	\$1,122,078	\$1,183,378	\$1,244,188	ક	\$1,364,042	\$1,423,418
C POC		265 576									26 676			200 576	265 576	265 576		200 576	200 070
ZOTZ EXISTINGSEI VICE OINIS		070,000	070,000			0/0,000		0,000			070,00	0/0,000	0/0,000	070,000	070,000	070,000	303,00	070,000	070,000
ZU13 New Service Units		0,408		0,400	0,400						0,400	0,400	0,408	0,408	0,408	0,408	0,408	0,408	0,408
2014 New Service Units					0,587		786,0	_			/80,0	0,587	0,587	/80,0	6,587	0,587	0,587	6,587	186,0
2015 New Service Units					6,707		6,707				/0/9	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707
2016 New Service Units					6,831	6,831	6,831				6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831
2017 New Service Units							6,956	6,956	6,956		6,956	6,956	6,956	6,956	6,956	6,956	6,956	6,956	6,956
2010 New Service Units							, v				400,7	4,00,7	400,7	7,004	7,064	7,004	400,7	400,7	400,7
2019 New Service Units											412,7	412,7	412,7	412,7	7,214	412,7	412,7	412,7	412,7
2020 New Service Units										7.400	7,346	7 480	7 480	7.400	7,346	7,346	7 480	7,346	7,346
202 New Service Units											7,400	7,510	7.510	7.619	7.610	7.610	7.619	7,619	7.610
EUEE INCM COUNTY COUNTY		0070									0.00	0.00	0.00	010,1	610,7	610,1	2,0,0	000.00	0.00
Study Period Total Service Units		07.00	13,055	201,81	20,033	33,549	40,633	47,847	25, 193	07,073	767,07	70,292	70,292	70,292	762,07	70,292	70,292	70,292	767,07
Total Service Office		21,044								_	000,00	2 '2	100,004	111,004	400,000	100,001	401,023	403,710	451,320
Growth Percent of Total Service Units	Jnits	1.7%	3.4%	5.1%	%8.9	8.4%	10.0%	11.6%	13.1%	14.6%	16.1%	15.9%	15.6%	15.3%	15.1%	14.8%	14.6%	14.4%	14.1%
New Service Units Amount of Amortized Cost	ortized Cost	\$564	\$2,242	\$3,374	\$4,571	\$5,577	\$6,509	\$7,277	\$8,200	\$9,148	\$9,937	\$9,735	\$9,575	\$9,417	\$9,249	\$9,024	\$8,757	\$8,591	\$8,382

Annual Projected	Total																		
Cost	Cost	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048
S	\$56,166 \$50,196 \$10,940 \$7,240 \$7,240 \$7,240 \$7,240 \$7,240 \$7,240 \$7,371 \$7,371 \$7,305	\$256 \$116 \$224 \$22 \$609 \$83.378 \$1.024 \$1.024 \$1.024 \$1.024	\$116 \$224 \$609 \$810 \$110 \$1514 \$1514 \$1514 \$1514 \$1514 \$1514 \$1514 \$1514	\$264 \$22 \$609 \$83 36 \$110 \$865 \$2,955 \$751 \$1514 \$1514 \$1514 \$1514	\$52 \$609 \$83 360 \$465 \$110 \$885 \$2,955 \$751 \$1514 \$1514 \$1514 \$1517	\$609 \$8.3.16 \$465 \$1.00 \$1.024 \$1.024 \$1.024 \$1.024 \$1.024	\$8.316 \$465 \$110 \$885 \$2.865 \$7.74 \$1.574 \$15.14 \$15.14 \$15.14 \$1.024	\$465 \$110 \$885 \$2,955 \$1,514 \$1514 \$1517 \$1518 \$1518	\$110 \$885 \$2,955 \$3,784 \$1,514 \$1,514 \$1,024	\$885 \$2,965 \$3,764 \$1,514 \$1514 \$1514 \$1514 \$1514 \$1514	\$2,965 \$3,784 \$1,514 \$32,578 \$751 \$1614 \$11024	\$3.784 \$1.514 \$32.578 \$751 \$161 \$1024	\$1.514 \$32.578 \$751 \$161 \$11024	\$32,578 \$751 \$1614 \$1514 \$1524	\$751 \$161 \$1024	\$1614 \$1024 \$1024	\$161 \$1,024	\$1,024	
Amortized Cost by Year \$2,	\$2,057,349	\$55,444	\$55,188	\$55,073	\$54,808	\$54,756	\$54,146	\$45,830	\$45,366	\$45,256	\$44,370	\$41,416	\$37,632	\$36,118	\$3,540	\$2,789	\$1,175	\$1,024	\$0
2013 Forward Cumulative Total 1987 Forward Culumative Total		\$1,152,541 \$1,478,862	\$1,207,730 \$1,262,802 \$1,534,050 \$1,589,122		\$1,317,611 \$1,643,931	\$1,372,366 \$1,426,513 \$1,698,686 \$1,752,833		\$1,472,343 \$1,798,663	\$1,472,343 \$1,517,709 \$1,562,965 \$1,798,663 \$1,844,029 \$1,889,285		\$1,607,335 \$1,933,655	\$1,648,751 \$	\$1,686,383 \$2,012,703	\$1,722,501 \$	\$1,726,041 \$2,052,361	\$1,728,831 \$1,730,006 \$1,731,029 \$2,055,151 \$2,056,326 \$2,057,349	1,730,006 \$	1,731,029 2,057,349	\$1,731,029 \$2,057,349
2012 ExistingService Units																365,576	365,576	365,576	365,576
2013 New Service Units		6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468	6,468
2015 New Service Units		6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707	6,707
2016 New Service Units 2017 New Service Units		6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831	6,831
2018 New Service Units		7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084	7,084
2019 New Service Units 2020 New Service Units		7,214 7,346	7,214	7,214	7,214	7,214	7,214	7,214	7,214	7,214	7,214	7,214 7,346	7,214	7,214	7,214	7,214	7,214	7,214	7,214
2021 New Service Units		7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480	7,480
2022 New Service Units Study Period Total Service Units		7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619	7,619
Total Service Units		506,281	514,775	523,412	532,195	541,124	550,203	559,435	568,821	578,365	588,069	597,936	896'209	618,169	628,541	639,087	649,810	660,713	671,798
Growth Percent of Total Service Units	S	13.9%	13.7%	13.4%	13.2%	13.0%	12.8%	12.6%	12.4%	12.2%	12.0%	11.8%	11.6%	11.4%	11.2%	11.0%	10.8%	10.6%	10.5%
New Service Units Amount of Amortized Cost	zed Cost	\$7,698	\$7,536	\$7,396	\$7,239	\$7,113	\$6,918	\$5,759	\$5,606	\$5,500	\$5,304	\$4,869	\$4,351	\$4,107	\$396	\$307	\$127	\$109	\$210,461
															R	Rate Revenue Credit Amount	e Credit A	nount	\$210,461

Appendix B Wastewater Rate Revenue Credit Calculation

Method

Section 395.014 (a)(7) of the Impact Fee law requires that calculation of the maximum allowable fee include a rate revenue credit to account for the money new growth users will pay in rate payments that go towards financing the CIP growth projects. Previously, an amount equal to 50% of the impact cost of the growth projects was credited as provided in the law for the case where a CIP plan-specific rate revenue credit has not been calculated. The 5-year update is the first to calculate the rate revenue credit for Austin's impact fee CIP and the conditions of the 10-year planning period being analyzed.

The calculation method is based on the idea that in any future year the study period growth users make rate payments in proportion to their number as a percent of total rate payers. And by extension, the growth user contribution to any particular component of the rate requirements (the set of impact fee projects in this case) can be estimated using this percentage. Applying the year by year percentage of new growth users to the total amortized cost of the growth projects each year, and then summing all years gives the rate revenue credit for the new users' share of the growth project rate payments. This method is employed in developing the accompanying table. It has 3 basic steps:

1. Estimate the total cost of growth projects being financed each year during the financing life of the projects.

This is done in the top part of the table. Yearly totals are arrived at by adding together the amortized cost of the individual projects, beginning from the completion date of the earliest-built wastewater project (1985) and carrying out to the end of the financing period for last-built project (2047). The amortization uses the same financing basis for project interest costs presented in CIP Tables 1 and 2 (30-year financing period and 5.5% interest rate). The resulting cost totals are shown in the row labeled Amortized Cost by Year. These totals estimate the rate revenue requirements for the impact fee growth projects for each year. Only the amortized cost totals for year 2013 and beyond are shown for clarity since these are the only years during which the study period new growth users will make rate payments.

2. Determine the percentage that the new growth users are of the total rate payers for each year in the future.

As shown in the lower part of the table, the study period new growth users (expressed in service units from the Land Use Assumptions) begin arriving in 2013, and are tallied by year as they come on line. At the end of the 10-year planning period, year 2022, the results row labeled Study Period Total Service Units shows the same 70,288 cumulative total of 10-year new growth wastewater service units used in calculating the project impact costs in Table 9. Beyond 2022 the number of new growth service units that are the subject of the rate revenue credit for the 10-year planning period remains constant, but their percentage of total service units continues to change.

The total system service units are tallied by year starting with the existing 2012 wastewater service unit total (352,899) adding in the subject 10-year new growth users for the planning period of 2012 – 2022 as they come on line, and then continuing to the end of the financing period in 2047 with the addition of future growth projected to occur in the period beyond 2022. The resulting year by year number of total system service units is shown in the table in the row labeled Total Service Units. The percentage that the study period new growth users are of the total service units for each particular year in the future is readily calculated by dividing the Study Period Total Service Units by the Total Service Units. The resulting percentages are shown in the row labeled Growth Percent of Total Service Units. The study period growth users as a percent of total users rises to a maximum of 16.6% in 2022 and then declines to 11.0% at the end of the financing period of the last project in 2047.

3. Calculate the amount the new growth users will pay towards the growth projects for each particular year. The sum of all years is the rate revenue credit.

Applying the Growth Percent of Total Service Units to the growth project Amortized Cost by Year gives the results labeled New Service Units Amount of Amortized Cost for each year (bottom row of table). Summing across for all years gives the Rate Revenue Credit Amount shown at the lower right hand corner of the table.

Using this method the wastewater rate revenue credit is \$87,843,000. It is subtracted from the wastewater impact project cost of \$248,365,000 developed in Table 9 in calculating the wastewater maximum allowable fee. Note that the

calculated rate revenue credit equates to 35% of the wastewater impact project cost which compares to 50% used previously. It may be said that of the \$248 M in impact project costs (including interest), that are associated with serving new growth users in the 10-year planning period, \$88 M of that amount will come from new growth user rate payments, so only the remainder, \$160 M, goes into calculating the maximum allowable fee.

Annual Projected	Total																		
Cost	Cost	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
1985 Total	\$5,768	\$192	\$192																
1986 Total	\$51,080	\$1,703	\$1,703	\$1,703															
1987 Total	\$38,149	\$1,272	\$1,272	\$1,272	\$1,272														
	\$19.250	\$642	\$642	\$642	\$642	\$642													
1989 Total	\$26 52Q	4888	888	2884	888	\$884	\$884												
1990 Total	420,020 405,507	43 187	43 187	43 187	43 187	43 187	43 187	43 187											
1990 Total	60,000	9, 9	ξ, ξ	5	, e	9	, è	, c	Ü										
	\$10.163	000	\$630	000	000	\$630	\$630	8630	000	\$630									
	90.	0\$	0\$	€ •	0 49	S &	9	0\$	0\$	9	9								
1994 Total	0	0 \$	0\$	₽) (\$	Ç.) G	9	9	9 6	Q.							
1995 Total	0	0 \$	0\$	₽) (\$	Ç.) G	9	9	9 6	Ç	9						
1996 Total	\$1 476	849	849	\$49	\$49	\$40	\$40	\$40	\$49	\$49	\$40	649	849	\$40					
1997 Total	\$846	200	228	828	200	200	228	22 6	25	828	200	228	80	228	\$28				
1998 Total	\$2 406	0 0	088	02.8	028	088	020	028	020	02.8	028	039	04 &	02 6	088	088			
1000 Tetal	00+,14	9	9	9	9 6	Ş €	9	9 6	9 6	9	9 6	9 6	9	9 6	9 6	9	é		
1999 Total	000	0,0	9	04	04	9	0, 0	04	Q# (9 6	0 0	0,4	04	9	<u>چ</u>	9	9	•	
Z000 Total	292, 14	\$4.2	\$42	\$4.7	242	\$47	\$47	\$47	245	\$47	\$47	\$47	\$47	\$47	\$47	\$4.2	\$42	\$47	
	\$0	\$0	\$0	\$0	\$0	\$	0\$	\$0	\$0	\$0	\$0	œ	\$0	\$0	œ	\$0	\$0	0\$	\$0
2002 Total	\$21,136	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705	\$705
	9	0\$	0\$	0\$	0\$	9	0\$	0\$	0\$	Ç.	0\$	0\$	0\$	0\$	0\$	Ç.	0\$	Ç.	Ş
	\$111 296	\$3.710	\$3.710	\$3 710	\$3.710	\$3.710	\$3 710	\$3.710	\$3710	\$3.710	\$3.710	\$3710	\$3.710	\$3.710	\$3.710	\$3710	\$3.710	\$3 710	\$3 710
	67079	0.7.0	6242	6242	67.73	62.42	62,73	62.42	67.73	67.73	6242	07.73	62.43	62.42	67.73	0 273	67.73	62,73	0,70
	000,000	2470	2420	424	4242	4242	2474	4242	4242	4242	4242	4242	2476	2472	2420	7470	2476	2420	2420
	\$192,699	\$6,423	\$6,423	\$0,423	\$6,423	\$0,423	\$6,423	\$6,423	\$6,423	\$6,423	\$6,423	\$6,423	\$6,473	\$6,423	\$0,423	\$6,423	\$6,423	\$0,423	\$6,423
	\$7,725	4926	\$350	9764	9284	\$320	\$350	9260	9260	\$326	9260	9764	9764	9260	\$350	9264	9260	\$370	\$870
	\$44,879	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496	\$1,496
	\$17,572	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$586	\$286	\$286	\$586	\$286	\$286	\$586
2010 Total	\$59,605	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987	\$1,987
	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	8	8
	\$199.866	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6,662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662	\$6.662
	\$4 662	\$155	\$155	\$155	\$155	\$155	\$155	\$155	\$155	\$ 155	\$155	\$155	\$155	\$155	\$155	\$155	\$155	6155	\$155
2014 Total	44,500) -	6153	6453	9 4	6153	9 6	9 6	6153	6153	64.6	9 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	44	9 6	6153	6153	9100	9 6	9 6
	000,44		00.0	400	94 400	4 100	9 4 50	94 400	94 400	4 100	4 400	94 400	4 4 50	200	200	9 4 50	20.00	200	200
	947,000			624,16	01,423	624,14	61,423	\$1,425	01,423	01,423	67,460	01,423	524,16	67,46	01,423	01,423	01,423	6,460	074,10
	417,937				2264	\$288	\$288	2000	226	\$288	8864	\$288	\$288	\$28g	\$298	\$288	2288	2000	\$2.8g
2017 Total	\$27,595					\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920	\$920
2018 Total	\$9,293						\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310	\$310
			-					, 00 004			20, 004	20, 004		-0, 004				200 000	-
Amortized Cost by Year \$1,	\$1,050,393	\$31,610	\$31,763	\$32,993	\$31,889	\$31,537	\$31,205	\$30,321	\$27,134	\$27,134	\$26,495	\$26,495	\$26,495	\$26,495	\$26,446	\$26,418	\$26,338	\$26,338	\$26,296
2012 Forward Cumulative Total		\$63.06A	\$04 827	\$427 824	¢159 709	\$101 24E				\$307 D30	¢222 525	\$360 030		\$443.000	4430 466	CAGE 88A	¢402 222	\$518 550	CEAA REE
4005 Formand Culturative Total		400,004	494,021	120,1216		9131,240	9540 404	9535,111	\$27.900 \$575.040	600,7004	000,000		\$200°000	070,0144	9403,400 670E 400	\$400,000 \$704 000	9437,224 6700 00E	\$010,000 \$044 F72	000,440,000
1985 Forward Culumative Total		\$70,65\$	\$390,841	\$423,834		\$487,239				\$60,500\$				\$709,034	\$735,480	\$/61,898	\$/88,230	\$814,573	\$840,869
Control of the Contro		000	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000	000
2012 Existingservice Units		952,639	322,639	322,839	322,039	352,699	322,639	352,639	322,899	322,039	352,689	352,699	322,639	322,039	322,839	322,839	322,039	992,200	322,688
2013 New Service Units		0,449	9,4,0	0,449	0,449	0,449	944	0,44	0,449	6,44	0,44	0,44,0	0,4	9 4 5	9,4	9,4,0	9 4 5	9 4 5	9 4 5
2014 New Service Units			7/6,0	2/0,0	776,0	7/0,0	2/0,0	276,0	276,0	276,0	770,0	2/000	7/000	2/000	2/0,0	7/0,0	2/0,0	7/0,0	7/0,0
2015 New Sel vice Ullis				060,0	060'0	060,0	060,0	060,0	060,0	060,0	060,0	060,0	060,0	060'0	060,0	060,0	060,0	060,0	060,0
2010 INEW SELVICE OFFICE					0,020	0,023	0,023	0,000	0,023	0,023	0,000	0,023	0,000	0,023	0,023	0,023	0,023	0,00	0,000
2017 New Service Units						508,0	0,600	0,80	0,953	506,0	0,60	0,833	0,833	0,833	0,603	0,603	0,433	0,93	0,60
2018 New Service Units							c90',	7,085	7,085	7,085	7,085	7,080	7,083	7,080	7,085	0,000	7,085	7,085	7,083
2019 New Service Units								6 LZ' /	912,1	6LZ'/	9 LZ' /	912,7	912,7	612,7	617'/	912,7	617,	8LZ'/	617/
2020 New Service Units									995,7	998,7	966,7	958,7	968'/	955,	968,7	968'/	966,7	926,7	956,
2021 New Service Units										7,496	7,496	7,496	7,496	7,496	7,496	7,496	7,496	7,496	7,496
2022 New Service Units		077.0	70007	TAT 04	77.00	70700	023.07	002.27	747.44	010	000,02	70.00	0000,7	000,02	0,030	000,02	000,02	0,030	7,036
Study Period Total Service Units		6,449	13,021	19,717	26,541	33,494	40,579	47,798	55,154	62,650	/0,288	70,288	/0,288	/0,288	/0,288	/0,288	/0,288	/0,288	/0,288
Total Service Units		359,348	365,920	372,616	379,440	386,393	393,477	400,697	408,053	415,549	423,187	430,287	437,507	444,848	452,311	459,901	467,617	475,463	483,440
1						-													
Growth Percent of Total Service Units	ts	1.8%	3.6%	2.3%	%0.7	8.7%	10.3%	11.9%	13.5%	15.1%	16.6%	16.3%	16.1%	15.8%	15.5%	15.3%	15.0%	14.8%	14.5%
New Service Units Amount of Amortized Cost	zed Cost	299	\$1,130	\$1,746	\$2,231	\$2,734	\$3,218	\$3,617	\$3,668	\$4,091	\$4,401	\$4,328	\$4,257	\$4,186	\$4,110	\$4,038	\$3,959	\$3,894	\$3,823

CIP-B-3 DRAFT SUBJECT TO CHANGE

Annual Projected	Total																		
Cost	Cost	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048
1986 Total 1986 Total 1989 Total 1989 Total 1999 Total 1993 Total 1995 Total 1995 Total 1995 Total 1995 Total 1997 Total 2000 Total 2005 Total 2005 Total 2005 Total 2005 Total 2005 Total 2005 Total 2007 Total 2017 Total 2018 Total	\$5,68 \$26,090 \$28,1090 \$28,597 \$5,9163 \$1,476 \$2,406 \$2,406 \$2,136 \$1,1296 \$27,785 \$1,273 \$1,273 \$1,273 \$1,269 \$2,736 \$1,269 \$2,736 \$1,273 \$1,	\$705 \$3,710 \$3,710 \$6,423 \$926 \$1,987 \$1,987 \$6,662 \$1,987 \$1,423	\$0 \$3,710 \$3,710 \$4,23 \$6,423 \$926 \$1,987 \$1,987 \$1,586 \$1,587 \$1	\$3710 \$342 \$6423 \$6423 \$31496 \$1,987 \$155 \$155 \$155 \$155 \$155 \$155 \$155 \$15	\$242 \$6423 \$926 \$1,496 \$1,987 \$1,587 \$1,587 \$1,53 \$1,5	\$6.423 \$926 \$1.496 \$1.987 \$1.886 \$1.587 \$1.423 \$1.53 \$1.423 \$1.436 \$1.43	\$926 \$1.496 \$1.397 \$1.567 \$1.425 \$1.4	\$1496 \$586 \$1387 \$155 \$1423 \$1	\$598 \$1,987 \$0 \$155 \$155 \$155 \$1423 \$1423 \$310	\$1,987 \$0 \$6662 \$155 \$153 \$1423 \$1423 \$1423 \$1423 \$1423 \$163 \$163 \$163 \$163 \$163 \$163 \$163 \$16	\$6,662 \$6,662 \$155 \$1,423 \$1,423 \$5,88 \$5,88 \$5,88 \$5,88 \$5,88	\$6,662 \$155 \$1423 \$588 \$588 \$320 \$310	\$155 \$1423 \$598 \$920 \$310	\$153 \$1,423 \$598 \$920 \$310		\$5.88 \$320 \$310	0.282	\$310	
Amortized Cost by Year \$	\$1,050,393	\$26,296	\$25,591	\$25,591	\$21,881	\$21,639	\$15,215	\$14,289	\$12,793	\$12,208	\$10,221	\$10,221	\$3,559	\$3,403	\$3,250	\$1,827	\$1,230	\$310	0\$
2012 Forward Cumulative Total 1985 Forward Culumative Total		\$571,151 \$867,164	\$596,742 \$892,755	\$622,333 \$918,346	\$644,214 \$940,227	\$665,853 \$961,866	\$681,068 \$977,082	\$695,357 \$991,371	\$708,151 \$1,004,164	\$720,358 \$1,016,372	\$730,579 \$1,026,593	\$740,800 \$1,036,814	\$744,359 \$1,040,372	\$747,762 \$1,043,775	\$751,012 \$1,047,026	\$752,840 \$1,048,853	\$754,069 \$1,050,083	\$754,379 \$1,050,393	\$754,379 \$1,050,393
2012 ExistingService Units 2013 New Service Units 2014 New Service Units 2015 New Service Units		352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696	352,899 6,449 6,572 6,696
2016 New Service Units 2017 New Service Units 2018 New Service Units 2018 New Service Units		6,823 6,953 7,085	6,953 7,085		6,823 6,953 7,085	6,823 6,953 7,085	6,823 6,953 7,085	6,823 6,953 7,085	6,953 7,085 7,249	6,823 6,953 7,085	6,953 6,953 7,085	6,823 6,953 7,085	6,823 6,953 7,085	6,953 7,085 7,240	6,953 7,085 7,249	6,823 6,953 7,085	6,953 7,085	6,823 6,953 7,085	6,823 6,953 7,085
2020 New Service Units 2021 New Service Units 2022 New Service Units		7,356 7,496 7,638	7,356 7,496 7,638		7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356	7,356	7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356 7,496 7,638	7,356	7,356 7,496 7,638	7,356 7,496 7,638
Study Period Total Service Units Total Service Units		70,288 491,552	70,288 499,799		70,288 516,712	70,288 525,381	70,288 534,196	70,288 543,159	70,288 552,273	70,288 561,539	70,288 570,961	70,288 580,540	70,288 590,281	70,288 600,185	70,288 610,255	70,288 620,494	70,288	70,288 641,491	70,288 652,254
Growth Percent of Total Service Units	Inits	14.3%	14.1%	13.8%	13.6%	13.4%	13.2%	12.9%	12.7%	12.5%	12.3%	12.1%	11.9%	11.7%	11.5%	11.3%	11.1%	11.0%	10.8%
New Service Units Amount of Amortized Cost	ortized Cost	\$3,760	\$3,599	\$3,540	\$2,976	\$2,895	\$2,002	\$1,849	\$1,628	\$1,528	\$1,258	\$1,237	\$424	\$399	\$374	\$207	\$137	\$34	\$87,843
																Rate Revenue Credit Amount	Credit Amo	ııı	\$87,843

CIP-B-4 DRAFT SUBJECT TO CHANGE

Appendix C CIP Projects Targeted to Meet Existing Needs 2012-2016–Wastewater

(in 1000's of dollars)

		` <i>'</i>	Current	ITD
DEPT	SUBPROJECT ID	SUBPROJECT NAME	Appropriation	Expenditures
2307	757.007 757.008	Walter Creek Center Improvement	\$485,175	\$382,522
2307 2307	757.008 757.009	Webberville Improvements GLEN BELL SERVICE CTR IMPROVEMENTS	\$559,335 \$0	\$482,720 \$0
2307	757.00 9 757.010	East Service Center	\$160,000	\$0 \$0
2307	757.010	Old North Service Center (ONSC) Improvements	\$100,000	\$0 \$0
2307	757.012	Glen Bell Solar	\$50,500	\$49,797
2307	757.014	Waller Creek Roof Replacement	\$287,283	\$284,690
2307	757.019	Disaster Recovery System	\$318,000	\$310,445
2307	757.021	Webberville Svc Ctr Reroof	\$208,000	\$72,700
2307	2231.065	Misc. WW Rehabilitation	\$16,000	\$11,252
2307	2231.092	Onion Creek Tunnel Corrosion Protection Installation	\$0	\$0
2307	2231.104	WW Relay and Spot Rehabilitation	\$14,956,331	\$12,712,385
2307	2231.122	Airport at Chesterfield WW Improvs	\$8,428,675	\$5,875,598
2307	2231.125	Odor Control Assessment and Construction	\$70,000	\$68,817
2307	2231.128	Willowbrook at 40th St. Water and WW Improvements	\$341,183	\$176,417
2307	2231.131	Fletcher Euclid Reroute	\$701,562	\$671,657
2307	2231.134	Palma Plaza Reroute	\$0	\$0
2307	2231.135	Fort Branch Creek Stabilization	\$0	\$0
2307	2231.138	Private Lateral Loan and Grant Program	\$250,000	\$0
2307	2231.143	CBD Alleys W & WW Rehab	\$900,000	\$526,886
2307	2231.146	Pemberton Heights Water Rehab Ph 3	\$128,000	\$0
2307	2231.149	South Congress 12	\$1,665,167	\$1,528,911
2307	2231.179	Misc Water/WW Rehab FY09-10 Ph 3	\$5,000	\$5,000
2307	2231.181	East Austin SSO-Ongoing Rehab	\$358,448	\$290,018
2307	2231.182	North Austin Wastewater Overflow Abatement Project	\$1,358,600	\$1,296,004
2307	2231.183	South Austin SSO-Ongoing Rehab	\$235,634	\$141,978
2307	2231.184	West Austin SSO-Ongoing Rehab	\$1,690,450	\$1,639,803
2307	2231.188	CBD Alley Water Lines 2010-Ph 1-4th to 10th & San Antonio	\$40,000	\$33,042
2307	2231.197	Nueces Water Rehab for W 8th to MLK Buttermilk Creek WW Reroute	\$114,880	\$27,134 \$185,873
2307 2307	2231.199 2231.211	Real Estate Svcs-Existing WW Pipelines	\$203,000 \$28,200	\$105,673 \$17,439
2307	2231.211	WW Manhole Rehabilitation	\$3,164,500	\$2,952,238
2307	2231.212	WW Cured-in-Place Pipe (CIPP)	\$8,827,690	\$6,163,705
2307	2231.215	Robert Dedman St. Reconstruction Utility Improvs	\$325,000	\$0,103,763
2307	2231.216	Nelray and Evans Utility Improvements	\$0	\$0
2307	2231.217	UT Campus Area Utility Improvements	\$0	\$0
2307	2231.221	Future Wastewater Pipeline Replace/Rehab	\$0	\$0
2307	2231.222	Future Wastewater Pipeline Replace/Rehab-Service Contracts	\$0	\$0
2307	2231.223	Future Wastewater Pipeline Replace/Rehab-AWU Crews	\$0	\$0
2307	2231.224	Little Walnut Creek Tunnel Odor Control Unit	\$66,690	\$18,836
2307	2981.001	Subdivision Engineering & Inspection	\$11,577,093	\$10,138,259
2307	3007.005	Govalle WWTP roofing	\$240,000	\$229,278
2307	3023.006	Walnut Creek WWTP Electrical Distribution Imp Phase II	\$28,675,384	\$21,968,252
2307	3023.019	Walnut Creek WWTP Headworks Improvements	\$0	\$0
2307	3023.021	Walnut Creek WWTP Plant Control System Upgrade	\$0	\$0
2307	3023.022	Walnut Creek Pumping System Improvements	\$0	\$0
2307	3023.025	Walnut Creek WWTP Tertiary Filter Rehabilitation	\$482,000	\$404,807
2307	3023.026	Walnut Creek Outfall Bank Erosion Ph II	\$1,923,663	\$378,913
2307	3023.027	Walnut Creek Influent Flow Improvement and Equipment Replacement/Rehab	\$4,947,691	\$647,879
2307	3023.029	Walnut Creek WWTP Buildings Reroof	\$754,220	\$719,108
2307	3023.033	Walnut Creek WWTP Sludge Transfer Line	\$0	\$0
2307	3023.034	ADP-Walnut Crk WWTP-Parent	\$0	\$0
2307	3023.036	Walnut Creek Prim & Second Clarifier Rehab	\$0	\$0
2307	3023.038	ADP-Walnut Creek WWTP WAS Pump Replacement	\$45,000	\$0 \$0
2307	3023.039	Walnut Creek WWTP Secondary Process Improvements	\$0	\$0 \$0
2307	3023.040	Walnut Creek Influent Bank Erosion Walnut Creek WWTD Lab and Admin Bldg HVAC Behab - Phase I	\$5,000 \$0	\$0 \$0
2307 2307	3023.041 3023.043	Walnut Creek WWTP Lab and Admin Bldg HVAC Rehab - Phase I	\$0 \$0	\$0 \$0
2307	3023.044	Walnut Creek Alkalinity Delivery ADP-Walnut Crk WWTP Effluent Flow Meter Replacement	\$0 \$26,000	\$0 \$0
2307	3023.044	ADP-Walnut Crek WWTP Efficient Flow Meter Replacement ADP-Walnut Creek WWTP Bar Rack Replacement	\$26,000 \$55,000	\$0 \$0
2307	3023.045	Walnut Creek WWTP 100 MGD Expansion	\$55,000 \$0	\$0 \$0
2307	3159.003	Laboratory Information Management System	\$591,000	\$232,621
2307	3159.010	CMMS Hansen	\$500,000	\$232,021
2507	3133.010	enino nendell	7500,000	Ų

CIP-C-1 DRAFT SUBJECT TO CHANGE

Appendix C CIP Projects Targeted to Meet Existing Needs 2012-2016--Wastewater

(in 1000's of dollars)

DEPT	SUBPROJECT ID	SUBPROJECT NAME	Current Appropriation	ITD Expenditures
2307	3159.011	CMMS MP5	\$176,000	\$0
2307	3159.012	GIS	\$367,000	\$14,826
2307 2307	3159.013 3159.014	Data Management / Integration Tools SCADA-Data Integration	\$992,795 \$479,000	\$855,945 \$165,740
2307	3159.014	SAN & Server Replacement	\$487,262	\$465,550
2307	3159.017	Router, Switch Replacement & Disaster Recovery	\$469,473	\$384,775
2307	3159.019	AWU Phone Switch replacement-GAATN/Vol	\$341,119	\$233,427
2307	3159.021	Mobile Workforce	\$100,000	\$0
2307	3163.001	WW House Connections	\$150,000	\$100,000
2307	3164.010	Hornsby Bend Master Plan	\$1,267,000	\$707,587
2307	3164.021	HB Biosolids Storage Facility	\$0	\$0
2307	3164.030	ARRA Loan Hornsby Bend Compost Pad Expansion	\$1,204,974	\$1,086,767
2307	3164.036	HB Hazardous Gas Detection & Ventilation	\$404,718	\$392,286
2307	3164.038	ARRA Loan HB Digester Domes Rehab	\$33,697,102	\$25,655,837
2307	3164.040	ADP-HB Digester Feed Pump Replacement	\$90,000	\$0
2307	3164.041	Hornsby Bend Biogas Energy Project	\$5,812,000	\$919,493
2307	3164.047	Hornsby Bend Plantwide Electrical Replacent	\$0	\$0
2307	3164.048	Hornsby Bend SSTP Relief	\$0	\$0 \$0
2307 2307	3164.052 3164.053	Hornsby Bend Odor Control Hornsby Bend SCADA Improvements	\$0 \$1,117,000	\$0 \$265,296
2307	3164.054	Hornsby Bend SCADA Improvements Hornsby Bend SCADA Control Room	\$1,117,000	\$203,290 \$0
2307	3164.059	Hornsby Bend Plant Road repairs	\$0	\$0 \$0
2307	3164.060	ADP-Hornsby Bend-Parent	\$0	\$0 \$0
2307	3164.061	Hornsby Bend Admin Building Repair	\$650,000	\$514,507
2307	3164.062	Hornsby Bend/SAR digester Complex	\$0	\$0
2307	3164.063	HB SAR Complex Pumps & Heat Exchangers Replacement	\$0	\$0
2307	3164.065	Hornsby Bend WWTP Lab and Admin Bldg HVAC Rehab - Phase I	\$0	\$0
2307	3164.067	ADP-HB Dewatering Building Enclosure	\$100,000	\$0
2307	3164.068	ADP-HB Thickener Lift Station Rehab	\$95,000	\$0
2307	3168.014	LS & FM Rehab & Relief	\$1,259,913	\$449,218
2307	3168.032	Four Points Force Main	\$172,185	\$171,234
2307	3168.038	Lift Station Telemetry System Improvements	\$1,558,000	\$972,295
2307	3168.043	Boggy Creek LS Upgrade	\$3,567,270	\$2,023,502
2307	3168.046	Lake Creek LS Capacity Increase	\$500,000	\$486,835
2307	3168.048	Lift Station Abandonment	\$0	\$0
2307 2307	3168.052 3168.054	West Bank LS Rehab	\$282,150 \$1,250,000	\$95,504 \$4,285
2307	3168.055	Linger Lane Lift Station Lake Creek LS Force Main Rehabilitation	\$1,250,000	\$4,285 \$0
2307	3168.057	Rock Harbour LS Improvements	\$0	\$0 \$0
2307	3168.058	Northwest Lift Station LRP Engineering Study	\$0	\$0
2307	3168.062	Lindshire LS Relief	\$18,375	\$1,251
2307	3168.063	Lockheed LS Relief	\$18,625	\$1,094
2307	3170.001	Bee Cave Woods LS Improvements	\$0	\$0
2307	3185.002	Capital Equipment - Vehicles	\$3,855,779	\$1,131,215
2307	3212.006	MISCELLANEOUS PAVING IMPROVEMENTS	\$65,000	\$35,682
2307	3212.025	Manhole and Valve Casting Adjustments	\$349,107	\$349,106
2307	3212.055	US 183 Water Relocations from Sprindale to MLK	\$128,426	\$122,078
2307	3212.056	W US 290-71 from Joe Tanner to Scenic Brook	\$433,691	\$392,822
2307	3212.065	US 183 - MLK Blvd. to Boggy Crk.	\$121,033	\$115,970
2307	3212.075	TXDOT-FM2222@Lakewood(Bull Creek)	\$160,386	\$160,089
2307	3212.079	SH 71 at Thornberry	\$135,000	\$76,192
2307	3212.116	Hwy 290 & Airport Blvd WWL Relocation	\$423,000	\$162,538
2307 2307	3212.125 3212.127	Future WW Pipeline Relocation-External Future WW Pipeline Relocations-Internal	\$0 \$0	\$0 \$0
2307	3333.010	SAR WWTP Plant Control System Upgrade	\$0 \$0	\$0 \$0
2307	3333.010	SAR Roof Replacement	\$432,065	\$424,170
2307	3333.013	SAR Scum Facilities	\$432,003	\$424,170
2307	3333.015	SAR Tertiary Filter Improvements	\$417,571	\$316,314
2307	3333.016	SAR Thickener Improvements	\$300,000	\$0
2307	3333.017	SAR Replace Drives on A & B Clarifiers	\$0	\$0
2307	3333.022	SAR Plant A Pri/Sec Clarifier Repair	\$0	\$0
2307	3333.025	SAR Admin Bldg Improvements	\$341,578	\$341,573
2307	3333.028	SAR Replace Plant A&B Blowers	\$0	\$0

CIP-C-2 DRAFT SUBJECT TO CHANGE

Appendix C CIP Projects Targeted to Meet Existing Needs 2012-2016--Wastewater

(in 1000's of dollars)

			Current	ITD
DEPT	SUBPROJECT ID	SUBPROJECT NAME	Appropriation	Expenditures
2307	3333.032	SAR Future Elect Sub-station (Sub 1 replacement)	\$0	\$0
2307	3333.033	SAR Train A Preliminary Treatment Building HVAC Rehabilitation	\$345,667	\$339,018
2307 2307	3333.034 3333.037	SAR Lift Station 2 Debris Removal SAR WWTP Sludge Transfer Line	\$500,000 \$0	\$95,406 \$0
2307	3333.038	SAR WWTP-Studge Transfer Line SAR WWTP-Valve and Gate Replacement	\$0 \$0	\$0 \$0
2307	3333.038	ADP-SAR WWTP	\$0 \$0	\$0 \$0
2307	3333.040	ADP-SAR Train B RAS/Inlet Channel Restoration	\$250,000	\$0
2307	3333.041	SAR Chlorine Release Recovery Project	\$1,556,000	\$1,235,429
2307	3333.042	ADP-SAR Final Clarifier 4A Replacement	\$100,000	\$2,563
2307	3333.043	SAR Train A/B Secondary Treatment and Disinfection Improvs-Assessment	\$250,000	\$0
2307	3333.044	SAR Train A/B Secondary Treatment and Disinfection Imps-Design/Bid/Build	\$0	\$0
2307	3333.045	ADP-SAR Train A/B Aeration Basin Crack Repair	\$150,000	\$3,830
2307	3353.095	Whisper Valley-Indian Hills CRA	\$7,900,000	\$0
2307	3353.096	Formula One United States	\$8,126,619	\$4,431
2307	3353.098	Marriott Hotel Downtown	\$500,000	\$0
2307	4769.001	Northeast Area Regional Service Plan	\$186,000	\$177,140
2307	4769.011	Upper Harris Branch Wastewater Improvements	\$270,355	\$162,709
2307	4769.017	Upper Gilleland Interceptors-18 inch	\$99,410	\$99,409
2307	4769.019	Upper Gilleland Interceptor -24 inch	\$65,001	\$65,001
2307	4769.021	Northeast Regional WWTP	\$250,000	\$0
2307	4800.028	West Campus System Improvements	\$150,000	\$87,157
2307	4800.033	West Campus Water & WW Improvements Area 5	\$856,192	\$469,502
2307	4857.010	Anderson Mill Estates STAA-Phase I	\$3,886,836	\$2,925,253
2307	4857.016	Anderson Mill Water / us 183 Wastewater Improvements	\$416,000	\$332,354
2307	4857.017	North Acres	\$690,000	\$345,742
2307	4857.019	STAA - Springwoods non-MUD and Kruger (wastewater)	\$250,000	\$0
2307 2307	4857.021 4857.022	STAA - Ferguson Cut-off (wastewater)	\$432,963 \$422,963	\$259,594 \$381,597
2307	4857.023	STAA - Pond Springs Road (wastewater) STAA - 2222 Frontage (W&WW)	\$266,722	\$248,078
2307	4857.024	North Acres - Water and Wastewater Improvements-North	\$2,950,988	\$1,347,242
2307	4857.025	North Acres - Final Conveyance	\$971,992	\$507,800
2307	4857.026	North Acres - Wastewater Tunnel	\$1,254,600	\$493,052
2307	4857.027	North Acres - Water and Wastewater Improvements - South	\$1,668,653	\$4,764
2307	4857.028	Anderson Mill Estates STAA Phase II	\$858,787	\$131,336
2307	4857.029	Annexation Telemetry-River Place MUD & Lost Creek MUD	\$0	\$0
2307	4926.081	ACWP - Barton Creek Lift Station Relief Tunnel	\$3,894,024	\$3,860,497
2307	4926.090	ACWP-Govalle 1-So. 2nd St. WW Improvements	\$18,391,519	\$18,353,109
2307	4926.115	ACWP-Tree Replacement Svc Agreement	\$999,000	\$720,285
2307	4926.129	ACWP-Joint Proj with PARD	\$720,618	\$697,709
2307	4927.007	Canterbury, Hwy, and Bergstrom Shafts and Lateral Rehab	\$5,482,179	\$4,964,390
2307	4927.008	Canterbury LS Demolition	\$1,531,932	\$1,484,724
2307	4927.011	Govalle Tunnel Centralized Odor Control	\$5,135,000	\$714,195
2307	4954.007	Bluffington L.S. Upgrades	\$780,851	\$649,704
2307	5261.002	Southern Walnut Creek Hike and Bike Trail	\$162,000	\$0
2307	5403.001	Rio Grande: from MLK to 24th St. Street Reconstruction & Utility Adjustment	\$175,001	\$133,981
2307	5408.002	West 34th Street from Shoal Creek Bridge to West Avenue Street Reconstruction	\$478,068	\$228,195
2307 2307	5754.026 5771.060	Bull Creek-Lakewood Dr. Low Water Crossing Improvements Bike Blvd. Rio Grande and Nueces from 3rd to MLK	\$178,178	\$177,435 \$25,000
2307	5789.019	Blunn Creek - Long Bow Storm Drain Improvements	\$25,000 \$130,000	\$124,088
2307	5789.020	Shoal Creek - Allandale Storm Drain Improvements	\$66,591	\$53,385
2307	5789.022	Shoal Creek - Ridgelea Storm Drain Improvements	\$451,864	\$139,323
2307	5789.086	Shoal Creek - Rosedale Storm Drain Improvements Phase 2	\$374,000	\$232,157
2307	5789.096	Little Shoal Creek Tunnel Realignment and Utility Relocations - Phase I	\$153,242	\$127,619
2307	5873.010	Wm Cannon Railroad Overpass	\$12,000	\$641
2307	5873.012	Red Bud Trail Bridges at Lake Austin	\$114,803	\$57,437
2307	5980.010	Congress Alley and Sixth Street Alley Reconstruction	\$71,000	\$13,852
2307	6055.004	E. 7th Street Improvments - Northwestern to Pleasant Valley	\$786,301	\$676,404
2307	6055.012	E. 7th Street Improvements - Navasota to Northwestern	\$994,802	\$978,777
2307	6621.007	Walnut Creek Security Access System Upgrade	\$0	\$0
2307	6621.008	Hornsby Bend Security Access System Upgrade	\$0	\$0
2307	6621.009	SAR Security Access System Upgrade	\$0	\$0
2307	6621.010	SCADA Cyber Security Remediation	\$0	\$0
2307	6621.011	Admin Buildings Security Access System Upgrade	\$837,000	\$491,814

CIP-C-3 DRAFT SUBJECT TO CHANGE

Appendix C CIP Projects Targeted to Meet Existing Needs 2012-2016--Wastewater

(in 1000's of dollars)

		(1000 0 0. 4014.0)		
			Current	ITD
DEPT	SUBPROJECT ID	SUBPROJECT NAME	Appropriation	Expenditures
2307	6621.014	Govalle WWTP Security Access System Upgrade	\$0	\$0
2307	6659.002	Cost of Service Rate Study 2007	\$221,508	\$221,507
2307	6659.004	Facility Condition Assessment	\$1,026,000	\$904,757
2307	6659.006	WWTP Nutrient Removal Desktop Evaluation	\$0	\$0
2307	6686.001	Group 32-32nd St. Reconstruct.& utility adjustment from Duval to Red River	\$264,216	\$237,334
2307	6710.002	Thoroughbred Farms WWTP Rehab	\$50,000	\$0
2307	6755.002	Todd (Pleasant Valley) from Ben White to St. Elmo	\$0	\$0
2307	6943.016	Wastewater System Flow Monitoring and Analysis	\$0	\$0
2307	6943.020	WWTP Flow Transfer	\$0	\$0
2307	6960.001	Brazos St/Cesar Chavez-11th St E	\$367,796	\$366,105
2307	6961.001	Colorado Street Reconstruction and Utility Adjustment from 3rd to 7th St W	\$362,001	\$72,626
2307	6961.003	Colorado from 10th to 11th (Governor's Mansion)	\$95,782	\$3,848
2307	7265.001	Dessau WWTP Rehab - Lift Station	\$680,715	\$671,930
2307	7265.005	Pkg WWTP Rehab	\$300,000	\$174,641
2307	7265.007	Onion Creek WWTP Rehab	\$0	\$0
2307	7265.009	Lost Creek Package Plant Rehab	\$0	\$0
2307	7265.011	Package Plant Hypochlorite Systems	\$350,000	\$201,153
2307	7265.012	Harris Branch WWTP Decommissioning	\$0	\$0
2307	7267.001	Lab Casework Cabinets Rehab(3 sites)	\$355,000	\$167,574
2307	7467.001	Walnut Creek Basin Odor and Corrosion Improvements	\$1,569,200	\$1,084,807
2307	7531.003	Gp 22 - Oakland & Highland frm 6th to 9th, Tremont & W6.5 frm Oak to High	\$31,431	\$22,763
2307	7531.006	Gp 8-A - Forest Trail & Stamford Way St Reconstruction/Utility Adjustment	\$40,068	\$32,117
2307	7531.007	Gp 8-B - Elton Lane & Griswold Lane Street Recon/Utility Adjustment	\$371,001	\$339,572
2307	7531.008	Gp 8-C Vista Ln & Stamford Ln Street Reconstruciton & Utility Adjustment	\$0	\$0
2307	7532.001	Group 3 - Northeast Residential/Collector Streets	\$70,000	\$16,868
2307	7532.005	Group 19 Ph1 Recon & Utility Adj - Residential/Collector Streets Northeast	\$343,900	\$80,755
2307	7532.006	Group 19 Ph2 Recon & Utility Adj - Residential/Collector Streets Northeast	\$1,258,859	\$1,084,644
2307	7533.003	Group 12 - Justin Lane and Foster Lane Area - Street Reconstruction	\$345	\$344
2307	7534.001	5th Street from I35 to Onion Street Reconstruction and Utility Ad (Group 7)	\$231,657	\$23,612
2307	7534.002	Group 7 University Hills East	\$203,653	\$72,720
2307	7534.004	Pedernales ST Recon and Util Adjust from 6th to Webberville (Group 7)	\$115,000	\$10,344
2307	7534.006	Group 21 - Residential and Collector Streets Central East (North)	\$0	\$0
2307	7535.005	Group 11 Phase 2 - Southeast Residential/Collector streets	\$350,001	\$344,559
2307	7535.006	Group 4A - Montana St and Felix Ave	\$29,350	\$25,206
2307	7536.003	Group 10 - Collector/Residential Streets SW	\$1,021,460	\$297,707
2307	8098.001	Group 17 - 8th Street from Congress to West Ave.	\$231,250	\$79,899
2307	9084.001	Facilities IDIQ	\$18,000	\$0
2307	9324.001	6th Street, Congress to IH35, Streetscape Improvements	\$0	\$0

Appendix D CIP Projects Targeted to Meet Existing Needs 2012-2016–Water

(in 1000's of dollars) Current ITD DEPT **SUBPROJECT ID** SUBPROJECT NAME Appropriation **Expenditures** 2207 757.007 Waller Creek Center Improvement \$587,548 \$473,077 757 008 \$676.098 \$602,936 2207 Webberville Improvements 2207 757.009 GLEN BELL SERVICE CTR IMPROVEMENTS \$0 \$0 2207 757.010 East Service Center \$160,000 \$0 Old North Service Center (ONSC) Improvements Ś0 2207 757.012 \$0 2207 757.014 \$46,000 \$44,739 2207 757.016 Waller Creek Roof Replacement \$273,616 \$270,993 2207 757.019 \$318,000 \$305,295 Disaster Recovery System 2207 757.020 South Svc Center \$0 2207 757.021 Webberville Svc Ctr Reroof \$222,000 \$102.507 2207 2006.001 **Pump Station Improvements** \$0 Ġ0 2207 2006.005 Spicewood Springs Pump Station Improvements \$5,696,334 \$4,821,170 2207 2006.006 \$486,440 Water Distribuition Control System Improvements \$1,175,000 2006.007 2207 Retired Facility Decommissioning - PS \$650,000 \$556.884 2207 2006.010 Guildford Cove PS back-up power generator \$100,000 ŚΩ 2207 2006.011 JOLLYVILLE PUMP STATION \$456,119 \$457,000 2207 2006.012 \$100,000 North Austin Pump Station Improvements \$0 2207 2006.014 Spicewood Springs PS Util Improvements-TM \$1.814.095 \$14.336 2207 2006.016 **Guildford Cove Property Purchase** \$50,000 \$1,100 2207 2009.010 **Green Decommission Plant** \$11,199,856 \$10,985,563 2207 2009.011 Green WTP Decommissioning TM Relocation \$1,620,473 \$1.551.855 2207 2015.006 \$1,468,201 Davis WTP Power Distribution Upgrade \$20,350,000 2207 2015.010 Davis WTP Treated Water Discharge System - Prelim Eng.+ First Priority Imp. \$4.042.191 \$2,678,994 Davis WTP Flocculator Imp. 2207 2015.011 \$4,959,000 \$4,899,992 2207 2015.013 Davis WTP Process Improvements & Equipment Replacements/Rehab \$20,979,400 \$20,623,074 2207 2015.015 Davis Basin Hand Rail Replacements \$0 \$0 2207 2015.016 Davis Bldg Roof Replacement \$1,135,000 \$1,131,089 2207 2015.017 Davis and Ullrich Hydraulic Efficiency Improvements \$515,000 \$60,590 2207 2015.019 Davis SCADA System \$0 \$0 2207 2015.026 Davis WTP Main Power Feed Replacement \$0 \$0 2207 2015.027 Davis WTP On-Site Generation Chlorine ŚΩ ŚΩ 2207 2015.028 **Davis Sludge Processing Improvements** \$449,060 \$441,319 2015.029 Davis WTP Filter Improvs Phase 2 2207 \$0 \$0 2015.030 \$650,000 \$317,371 2207 **Davis Chemical Feed System Improvements** 2207 2015.031 Davis Freight Elevator \$224,950 \$222,285 2207 2015.034 Davis WTP Maintenance Building \$0 ŚΩ \$0 \$0 2207 2015.035 Air Handler Replacement-Davis 2207 2015.037 Dehumidifier (SS) Ducting Replacement-Davis \$0 \$0 2207 2015 039 **Davis WTP Site Improvements** \$21,369 \$21,369 2207 2015.040 ADP-Davis WTP \$0 \$0 2207 2015.041 Davis WTP TWDS-Medium Service PS \$2,228,631 \$429,443 2015.042 \$250,000 2207 ADP-Davis WTP Chlorine System Improvements \$23,009 2207 2015.043 Davis WTP Liquid Ammonia Sulfate Impvs Ġ0 2207 2015.044 ADP-Davis Facility Improvements 2012 \$150,000 ŚΩ 2056.004 \$369,680 \$235,056 2207 WDCS/SCADA Ph 2 (Priority 1) 2207 2127.001 Reservoir Improvements - Parent \$2,006,639 \$1,321,466 2207 2127.003 Forest Ridge Reservoir Access Road ŚΩ ŚΩ 2207 2127.012 North Austin Reservoir Replacement \$100,000 \$0 2207 2127.015 East Austin Reservoir Recoating \$2,878,283 \$2,875,988 2207 2127.018 Capital of Texas Reservoir Recoating \$703,963 \$687,398 2207 2127.019 Pilot Knob Reservoir Improvements \$2,093,970 \$2,050,067 2207 2127.020 Highland Park Reservoir Improvements \$28,949 \$28,380 2207 2127.021 \$30,000 \$22,418 Spicewood Springs Reservoir Improvements 2207 2127.023 Reservoir Evaluations \$400,000 \$241,027 2127.024 2207 Forest Ridge Reservoir Improvements \$115,000 \$49,975 2207 2231.091 Small Diameter Main Replacement \$1,202,144 \$904,009 2207 2231.113 Pemberton Heights Phase II Water Rehab \$919,636 \$919,632 2207 2231.122 \$110,000 Airport at Chesterfield WW Improvs \$0 2207 2231.128 Willowbrook at 40th St. Water and WW Improvements \$50,000 \$2,860 2207 2231.134 Palma Plaza Reroute \$0 \$0 2207 2231.140 WRI-Duncan Ave Ext \$245,062 \$234,336 2207 2231.141 Misc. Water Rehab. 08/09 \$1,070,005 \$975,593

> CIP-D-1 DRAFT SUBJECT TO CHANGE

\$1,180,425

\$1.172.163

2231.142

North Shields Water Rehab

2207

Appendix D CIP Projects Targeted to Meet Existing Needs 2012-2016--Water (in 1000's of dollars)

		(in 1000's of dollars)		
			Current	ITD
DEPT	SUBPROJECT ID	SUBPROJECT NAME	Appropriation	Expenditures
2207	2231.143	CBD Alleys W & WW Rehab	\$2,512,722	\$1,057,613
2207	2231.146	Pemberton Heights Water Rehab Ph 3	\$897,667	\$776,254
2207	2231.150	Line and Fire Hydrant Replacement	\$5,677,268	\$4,476,750
2207	2231.155	Elroy Rd Water Rehabilitation Ph 2	\$300,000	\$247,750
2207 2207	2231.157 2231.158	Elroy Rd Water Rehabilitation Ph 3 Condition Assessment of Transmission Lines	\$0 \$0	\$0 \$0
2207	2231.158	Plaza Saltillo Water Rehab Ph 1	\$500,000	\$392,652
2207	2231.159		\$500,000	\$180,119
2207	2231.104	Polygon 337 Water Rehab Except 32nd Red River to Duval Meadowview Ln WL Improvements	\$75,450	\$11,099
2207	2231.171	Northwood Rd WL Improvements	\$73,800	\$11,290
2207	2231.172	Barton Hills Trenchless Water Improvements	\$60,676	\$60,676
2207	2231.175	Carsonhill Water Rehabilitation	\$533,000	\$520,110
2207	2231.176	Large Diameter Waterline On-Call Services ID/IQ	\$4,647,335	\$1,729,169
2207	2231.178	Misc Water Rehab Project 2009-10 Ph 2	\$2,612,000	\$899,115
2207	2231.179	Misc Water/WW Rehab FY09-10 Ph 3	\$190,000	\$140,497
2207	2231.181	East Austin SSO-Ongoing Rehab	\$41,836	\$41,835
2207	2231.185	Plaza Saltillo Water Rehab Phase 2	\$510,393	\$431,041
2207	2231.186	Misc Water Rehab 2009-10 Phase 1 WL Improvs	\$268,800	\$55,756
2207	2231.187	Mildred and Willow Street Rehab	\$210,000	\$84,430
2207	2231.188	CBD Alley Water Lines 2010-Ph 1-4th to 10th & San Antonio	\$321,000	\$255,841
2207	2231.190	ID/IQ contract for Small Diameter Water Lines	\$1,278,511	\$11,340
2207	2231.197	Nueces Water Rehab for W 8th to MLK	\$235,869	\$138,138
2207	2231.198	Misc Water Rehab 2009-10 Phase A WL Improvs	\$275,400	\$39,714
2207	2231.201	Misc Water Rehab 09-10 Phase B WL Improvements	\$410,600	\$52,358
2207	2231.204	3101 Shoreline Dr. Meter Improvs	\$75,000	\$0
2207	2231.207	MIsc Water Rehab 2010-11 Phase A	\$60,300	\$38,758
2207	2231.208	MIsc Water Rehab 2010-11 Phase B	\$44,267	\$27,222
2207	2231.209	Misc Water Rehab Phase C	\$66,385	\$42,966
2207	2231.210	MIsc Water Rehab 2010-11 Phase D	\$81,207	\$52,589
2207	2231.214	Boggy Creek Water Line Replacement	\$650,000	\$41,709
2207	2231.215	Robert Dedman St. Reconstruction Utility Improvs	\$75,000	\$0
2207	2231.216	Nelray and Evans Utility Improvements	\$0	\$0
2207	2231.218	Future Water Pipeline Replace/Rehab	\$0	\$0
2207	2231.220	Future Water Pipeline Replace/Rehab-AWU Crews	\$0	\$0
2207	2981.001	Subdivision Engineering & Inspection	\$13,185,021	\$10,445,803
2207	2982.001	Water Services & Meters	\$1,435,925	\$1,225,460
2207	3156.003	Water Resource Planning Study	\$716,034	\$688,669
2207	3159.003	Laboratory Information Management System	\$591,000	\$232,621
2207	3159.010	CMMS Hansen	\$401,000	\$0
2207	3159.011	CMMS MP5	\$176,000	\$0
2207	3159.012	GIS	\$444,000	\$14,826
2207	3159.013	Data Management / Integration Tools	\$1,138,977	\$995,127
2207	3159.014	SCADA-Data Integration	\$404,000	\$234,681
2207	3159.016	SAN & Server Replacement	\$498,240	\$473,656
2207	3159.017	Router, Switch Replacement & Disaster Recovery	\$472,839 \$369,974	\$388,141
2207 2207	3159.019	AWU Phone Switch replacement-GAATN/Vol Mobile Workforce		\$232,537
2207	3159.021 3185.002	Capital Equipment - Vehicles	\$100,049 \$1,502,046	\$0 \$581,034
2207	3212.006	MISCELLANEOUS PAVING IMPROVEMENTS	\$1,302,040	\$18,916
2207	3212.055	US 183 Water Relocations from Sprindale to MLK	\$809,120	\$778,824
2207	3212.056	W US 290-71 from Joe Tanner to Scenic Brook	\$235,330	\$231,774
2207	3212.065	US 183 - MLK Blvd. to Boggy Crk.	\$669,901	\$653,830
2207	3212.075	TXDOT-FM2222@Lakewood(Bull Creek)	\$1,870,028	\$1,859,828
2207	3212.079	SH 71 at Thornberry	\$720,000	\$315,186
2207	3212.081	FM 973 Projects	\$498,304	\$210,456
2207	3212.085	US290 E. projects	\$14,535	\$13,992
2207	3212.092	Westgate from Cameron Lp to Cohaba	\$333,066	\$328,065
2207	3212.093	Howard Lane Projects	\$1,026,840	\$1,026,840
2207	3212.104	Manchaca Rd-Ravenscroft to FM 1626	\$2,297,500	\$2,277,048
2207	3212.109	Howard Ln/Metric Blvd Pressure Reducing Valve	\$92,483	\$78,630
2207	3212.113	SH 71 (W) WL Relocation: Upland ridge Dr to No. of SW Pkwy	\$822,764	\$818,852
2207	3212.114	RM 2769 (Volente Rd) WL Relocation: RM 620 to Wet	\$662,607	\$643,766
2207	3212.117	FM 734 Parmer Ln & Amherst Drive	\$179,599	\$174,396

Appendix D CIP Projects Targeted to Meet Existing Needs 2012-2016--Water (in 1000's of dollars)

DEPT	SUBPROJECT ID	SUBPROJECT NAME	Current Appropriation	ITD Expenditures
2207	3212.118	US 290(W Ben White) @SB Loop 1	\$78,031	\$66,626
2207	3212.120	SH71 (W) WL Reloc-Arroyo Canyon to S. of SW Pkwy	\$701,314	\$572,676
2207 2207	3212.121	Old Manor Bridge at Tannehill Branch SH71 @ Riverside	\$373,200	\$355,453
2207	3212.122 3212.123	~	\$3,000,000 \$790,000	\$1,793,212 \$64,841
2207	3212.123	US290E Manor Expressway Future Water Pipeline Relocations-External	\$790,000 \$0	\$64,841 \$0
2207	3212.124	Future Water Pipeline Relocations-External	\$0 \$0	\$0
2207	3212.128	Cameron Rd Waterline Relocations	\$0	\$0
2207	3257.001	Water Laboratory	\$59,423	\$0
2207	3353.079	Ridgeview Subdivision	\$165,082	\$0
2207	3353.081	Bellingham Meadows	\$2,060,700	\$0
2207	3353.096	Formula One United States	\$5,373,734	\$1,389,058
2207	3353.097	Glenlake Water System	\$2,000,000	\$1,996,142
2207	4798.013	Valve Replacement Program - Combined	\$1,286,000	\$251,372
2207	4800.001	Westlake/West Rim Water System Improvements	\$0	\$0
2207	4800.023	McAllen Pass PRV	\$0	\$0
2207	4800.025	Northwest A & B Zone Boundary Projects	\$0	\$0
2207	4800.028	West Campus System Improvements	\$3,222,500	\$3,165,792
2207	4800.029	HWY 290 / 183 Low Pressure Project	\$0	\$0
2207	4800.030	IH 35 / Oltorf Low Pressure Project	\$0	\$0
2207	4800.033	West Campus Water & WW Improvements Area 5	\$4,917,001	\$4,453,018
2207	4857.010	Anderson Mill Estates STAA-Phase I	\$2,235,471	\$1,994,340
2207 2207	4857.017	North Acres	\$537,363	\$449,218 \$354,714
2207	4857.023 4857.024	STAA - 2222 Frontage (W&WW) North Acres - Water and Wastewater Improvements-North	\$378,247 \$564,347	\$255,849
2207	4857.025	North Acres - Final Conveyance	\$125,568	\$24,596
2207	4857.027	North Acres - Water and Wastewater Improvements - South	\$160,085	\$5,102
2207	4953.002	Real Estate Admin Costs	\$3,298,898	\$3,228,386
2207	4953.003	Property Improvements	\$148,554	\$63,258
2207	4953.011	Tabor Dam Repair	\$0	\$0
2207	4953.013	Hays County Ranch Boundary Fencing Section w and Spike Strip	\$66,100	\$53,739
2207	4953.015	Various Fencing	\$125,000	\$0
2207	4953.020	Rutherford Ranch Road	\$0	\$0
2207	4953.021	WFAD - Walk for a Day	\$250,000	\$95,352
2207	4953.022	Reicher Ranch Road Repair	\$287,000	\$261,617
2207	4953.023	Reicher Ranch-Emmaus House repairs	\$90,000	\$0
2207	4953.025	BCP Shop & Barn	\$225,000	\$0
2207	5028.006	RMMA Redevelpoment North WPZ Imp Phase 3 (SER 2278)	\$5,692,284	\$5,610,157
2207	5071.001	Loop 360 Water System Improvements	\$1,188,091	\$1,183,647
2207 2207	5071.002	Loop 360 Water Imp - Allen Road Pump Station	\$5,834,000	\$5,270,708
2207	5071.003 5071.004	Loop 360 Water Impr - Barclay Drive Pump Station and Ground Storage Allen-Barclay Transmission Main	\$5,049,000 \$1,490,000	\$4,721,573
2207	5071.004	Loop 360 Water Impr - Misc Distribution Improvements	\$2,068,382	\$1,469,728 \$1,820,551
2207	5267.027	Walnut WRI Tank and Pump Station Rehab	\$1,040,000	\$345,604
2207	5267.039	Hancock GC Irrigation System and Reimbursement	\$510,000	\$0
2207	5309.005	South Central Area PB Service Replacements	\$2,215,864	\$84,970
2207	5335.003	Ullrich WTP Contract II Raw Water Pipeline Construction	\$0	\$0
2207	5335.005	Ullrich DACS obsolescence	\$70,000	\$2,265
2207	5335.008	Ullrich WTP On-Site Generation of Chlorine	\$0	\$0
2207	5335.009	Ullrich Roof Replacement	\$800,000	\$792,701
2207	5335.010	ADP-Ullrich Repl Obsolete & Failed Equipment	\$140,000	\$84,530
2207	5335.011	Ullrich WTP Basin Coatings	\$500,000	\$390,553
2207	5335.012	Ullrich Basin Structural Repairs	\$320,000	\$268,138
2207	5335.013	Ullrich Grit Removal	\$500,000	\$362,233
2207	5335.014	Ullrich Chlorine Scrubber Caustic Replacement	\$0	\$0
2207	5335.015	Ullrich Lime Residual Process Valve Replacement	\$100,000	\$0
2207	5335.016	Ullrich 15kv SWGR Replacement	\$0	\$0
2207	5335.017	Air Handler Replacement-Ullrich	\$0	\$0
2207	5335.019	Maintenance Shop a/c Replacement-Ullrich	\$0	\$0
2207	5335.020 5335.021	ADP-Ullrich RWPS Raw Water Header Corrosion Rehab	\$650,000	\$434,141
2207 2207	5335.021 5335.022	ADP-Ullrich-parent Ullrich WTP Insulation Repair	\$0 \$100,000	\$0 \$44,518
2207	5335.022	Ullrich WTP Liquid Ammonia Sulfate Impvs	\$100,000	\$44,518 \$0
,	3333.023	ZZ. Tri Equis i minoria sanate mpro	υÇ	γU

Appendix D CIP Projects Targeted to Meet Existing Needs 2012-2016--Water (in 1000's of dollars)

DEPT	SUBPROJECT ID	SUBPROJECT NAME	Current Appropriation	ITD Expenditures
2207	5385.002	Davis Lane from Leo Street to West Gate Blvd.	\$154,000	\$33,245
2207	5385.003	Davis/Deer from Brodie to Corran Ferry	\$36,000	\$0
2207	5403.001	Rio Grande: from MLK to 24th St. Street Reconstruction & Utility Adjustment	\$1,092,000	\$1,004,848
2207	5403.003	Rio Grande Street Reconstruction and Utility Adjustment from 24th to 29th	\$80,000	\$12,362
2207 2207	5408.002	West 34th Street from Shoal Creek Bridge to West Avenue Street Reconstructi	\$1,196,451	\$544,400
2207	5645.003 5754.048	Davis & Ullrich O&M Manual Digital Archiving Hoeke-Posten Lane Roadway and Drainage Improvments	\$0 \$10,032	\$0 \$3,600
2207	5771.060	Bike Blvd. Rio Grande and Nueces from 3rd to MLK	\$85,000	\$63,585
2207	5789.020	Shoal Creek - Allandale Storm Drain Improvements	\$758,504	\$616,285
2207	5789.022	Shoal Creek - Ridgelea Storm Drain Improvements	\$85,000	\$45,371
2207	5789.028	Lady Bird Lake -East 4th Street Storm Drain Improvements	\$353,000	\$343,134
2207	5789.033	Fort Branch - Oak Lawn Subdivision Storm Drain Improvements	\$275,666	\$269,222
2207	5789.086	Shoal Creek - Rosedale Storm Drain Improvements Phase 2	\$50,000	\$29,690
2207	5789.096	Little Shoal Creek Tunnel Realignment and Utility Relocations - Phase I	\$825,091	\$342,969
2207	5873.009	Riverside Dr Bridges over Country Club Creek	\$261,301	\$244,242
2207	5873.012	Red Bud Trail Bridges at Lake Austin	\$253,000	\$57,440
2207	5980.008	Downtown Alleys 5i and 5g	\$347,714	\$344,436
2207	6055.004	E. 7th Street Improvments - Northwestern to Pleasant Valley	\$807,001	\$723,969
2207	6055.012	E. 7th Street Improvements - Navasota to Northwestern	\$1,148,256	\$1,120,236
2207	6055.015	Second Street Phase 2, Colorado to Congress	\$56,055	\$56,054
2207	6055.024	Second Street District Streetscape Street Recon. & Utility Adj. Phase 3	\$679,142	\$62,000
2207	6062.005	Onion Creek 24-inch South Zone WTM 36-inch Central Zone WTM Relocation	\$2,575,213	\$2,512,881
2207	6598.037	US 290 at FM 1826 and Convict Hill Road	\$496,745	\$38,975
2207	6621.005	SCADA Cyber Security Enhancements	\$660,000	\$640,704
2207	6621.006	Davis WTP Security Access System Upgrade	\$750,000	\$0
2207	6621.010	SCADA Cyber Security Remediation	\$0	\$0
2207 2207	6621.011 6621.012	Admin Buildings Security Access System Upgrade Pump Stations/Reservoirs Security Access System Upgrade	\$877,000 \$413,594	\$532,149 \$12,103
2207	6621.014	Govalle WWTP Security Access System Upgrade	\$413,394	\$12,103
2207	6659.002	Cost of Service Rate Study 2007	\$271,433	\$271,432
2207	6659.004	Facility Condition Assessment	\$1,026,000	\$904,904
2207	6686.001	Group 32-32nd St. Reconstruct. & utility adjustment from Duval to Red River	\$653,014	\$625,639
2207	6755.001	Pleasant Valley from St. Elmo to Button Bend	\$329,351	\$100,940
2207	6755.002	Todd (Pleasant Valley) from Ben White to St. Elmo	\$171,550	\$117,517
2207	6934.001	Motorola Oak Hill - Conversion	\$0	\$0
2207	6935.013	Forest Ridge/NWA Transmission Main	\$1,122,586	\$1,041,442
2207	6935.022	Springdale/290 Improvements	\$0	\$0
2207	6935.032	Tanglebriar System Improvements	\$0	\$0
2207	6935.033	Johnny Morris/Hwy 290 Area Grid Extension	\$0	\$0
2207	6935.034	Riverside & Pleasant Valley Transmission Main Interconnect	\$0	\$0
2207	6935.036	Riverplace Glenlake Interconnect	\$0	\$0
2207	6935.038	Parmer at US 290E TM	\$0	\$0
2207	6935.039	Cameron Rd Distribution Waterline(s)	\$0	\$0
2207	6939.003	Loop 360 Westlake to Waymaker	\$0	\$0
2207	6959.001	Group 30: Oltorf St E/Congress Ave-IH35	\$1,017,001	\$508,876
2207 2207	6960.001	Brazos St/Cesar Chavez-11th St E	\$1,645,320 \$698,769	\$1,445,402 \$55,696
2207	6961.001 6961.002	Colorado Street Reconstruction and Utility Adjustment from 3rd to 7th St W Colorado Street Reconstruction and Utility Adjustments from 7th to 10th St	\$098,769	\$0
2207	6961.003	Colorado from 10th to 11th (Governor's Mansion)	\$112,276	\$4,481
2207	6998.001	Rundberg Ln. Extension from Metric to Burnet	\$0	\$0
2207	7485.001	Wells Branch Parkway from Heatherwilde to near I35	\$213,037	\$196,944
2207	7531.003	Gp 22 - Oakland & Highland frm 6th to 9th, Tremont & W6.5 frm Oak to High	\$50,289	\$46,162
2207	7531.006	Gp 8-A - Forest Trail & Stamford Way St Reconstruction/Utility Adjustment	\$35,374	\$32,246
2207	7531.007	Gp 8-B - Elton Lane & Griswold Lane Street Recon/Utility Adjustment	\$375,045	\$342,541
2207	7532.001	Group 3 - Northeast Residential/Collector Streets	\$663,600	\$610,707
2207	7532.002	Group 9 Reconstruction & Utility Adj - NE Collector/Residential Streets	\$634,000	\$409,361
2207	7532.005	Group 19 Ph1 Recon & Utility Adj - Residential/Collector Streets Northeast	\$964,160	\$315,138
2207	7532.006	Group 19 Ph2 Recon & Utility Adj - Residential/Collector Streets Northeast	\$676,184	\$604,576
2207	7533.003	Group 12 - Justin Lane and Foster Lane Area - Street Reconstruction	\$57,711	\$57,711
2207	7534.001	5th Street from I35 to Onion Street Reconstruction and Utility Ad (Group 7)	\$300,000	\$83,424
2207	7534.002	Group 7 University Hills East	\$462,000	\$128,619
2207	7534.004	Pedernales ST Recon and Util Adjust from 6th to Webberville (Group 7)	\$52,000	\$40,497
2207	7534.006	Group 21 - Residential and Collector Streets Central East (North)	\$60,000	\$55,628

Appendix D CIP Projects Targeted to Meet Existing Needs 2012-2016--Water

(in 1000's of dollars)

			Current	ITD
DEPT	SUBPROJECT ID	SUBPROJECT NAME	Appropriation	Expenditures
2207	7535.003	Group 11 Phase 1 - Southeast Residential/Collector streets	\$726,682	\$704,509
2207	7535.005	Group 11 Phase 2 - Southeast Residential/Collector streets	\$629,622	\$613,378
2207	7535.006	Group 4A - Montana St and Felix Ave	\$362,230	\$344,680
2207	7535.007	Group 45 - Residential/Collector Streets SE	\$10,000	\$0
2207	7536.003	Group 10 - Collector/Residential Streets SW	\$1,623,307	\$519,093
2207	8098.001	Group 17 - 8th Street from Congress to West Ave.	\$135,850	\$95,418
2207	8158.001	3rd St from Nueces to Congress	\$23,913	\$9,456
2207	8158.002	3rd Street Reconstruction from Congress to Brazos & San Jacinto to Trinity	\$63,324	\$17,744
2207	8158.003	3rd Street Reconstruction from Brazos to San Jacinto (CFA Brazos LP)	\$134,000	\$0
2207	8702.002	Lime Creek Quary	\$103,094	\$93,094
2207	9084.001	Facilities IDIQ	\$18,000	\$848
2307	757.007	Waller Creek Center Improvement	\$485.175	\$382,522

Appendix E Descriptions of the Zones for the Current Fees

Descriptions of the zones for the current fees are found in the Land Development Code Chapter 25-1-21(26) and (30), Chapter 25-8-2(D), Chapter 25-2-311, and Ordinance 990805-31 excerpted below. The boundaries are subject to change based on field work and plan review by Watershed Management Department.

Land Development Code Chapter 25-1-21 (30) DRINKING WATER PROTECTION ZONE means the areas within the Barton Springs Zone, the Barton Creek watershed, all water supply rural watersheds, and all water supply suburban watersheds, as described in Section 25-8-2 (*Descriptions Of Regulated Areas*), that are in the planning jurisdiction.

LDC 25-8-2(D): BARTON SPRINGS ZONE means all watersheds that contribute recharge to Barton Springs, including those portions of the Barton, Williamson, Slaughter, Onion, Bear and Little Bear Creek watershed located in the Edwards Aquifer recharge or contributing zones.

BARTON CREEK WATERSHED means the land area that drains to Barton Creek.

EDWARDS AQUIFER is the water-bearing substrata also known as the Edwards and Associated Limestones Aquifer and includes the stratigraphic rock units known as the Edwards Formation and Georgetown Formation.

EDWARDS AQUIFER CONTRIBUTING ZONE means all land generally to the west and upstream of the Edwards Aquifer recharge zone that provides drainage into the Edwards Aquifer recharge zone.

EDWARDS AQUIFER RECHARGE ZONE means all land over the Edwards Aquifer that recharges the aquifer, as determined by the surface exposure of the geologic units comprising the Edwards Aquifer, including the areas overlain with quaternary terrace deposits.

SOUTH EDWARDS AQUIFER RECHARGE ZONE means the portion of the Edwards Aquifer recharge zone that is located south of the Colorado River and north of the Blanco River.

WATER SUPPLY RURAL WATERSHEDS include the Lake Travis watershed and Lake Austin watershed, excluding the Bull Creek watershed and the area to the south of Bull Creek and the east of Lake Austin.

WATER SUPPLY SUBURBAN WATERSHEDS include:

the Bull, Eanes, Dry Creek North, Taylor Slough North, Taylor Slough South, and West Bull creek watersheds; the Town Lake watershed on the south side of Town Lake from Barton Creek to Tom Miller Dam; the Town Lake watershed on the north side of Town Lake from Johnson Creek to Tom Miller Dam; and the Town Lake watershed on the east side of Lake Austin from Tom Miller Dam to Bull Creek.

Land Development Code Chapter 25-1-21 (26) DESIRED DEVELOPMENT ZONE means the area not within the drinking water protection zone.

LDC 25-8-2(D): SUBURBAN WATERSHEDS include all watersheds not otherwise classified as urban, water supply suburban, or water supply rural watersheds, and include:

the Brushy, Carson, Cedar, Cottonmouth, Country Club East, Country Club West, Decker, Dry Creek NE, Dry Creek East, Elm Creek, Elm Creek South, Gilleland, Harris Branch, Lake, Maha, Marble, North Fork, Plum Creek, Rattan, Rinard, South Boggy, Walnut, and Wilbarger creek watersheds; the Colorado River watershed downstream of U.S. 183; and; those portions of the Onion, Bear, Little Bear, Slaughter, and Williamson creek watersheds not located in the Edwards Aquifer recharge or contributing zones.

LDC 25-8-2(D): *URBAN WATERSHEDS* include:

the Blunn, Buttermilk, East Boggy, East Bouldin, Fort, Harper Branch, Johnson, Little Walnut, Shoal, Tannehill, Waller, and West Bouldin creek watersheds; the north side of the Colorado River watershed from Johnson Creek to U.S. 183; and; the south side of the Colorado River watershed from Barton Creek to U.S. 183.

LDC 25-2-311(A): *CURE* means central urban redevelopment (CURE) combining district which is property located in the central urban area shown on the map adopted by Ordinance No. 001130-110, which is on file with the Planning and Development Review Department. This definition is used in the impact fee ordinance 990805-31 with an addition phrase expanding the fee zone to include the area bounded by Town Lake, Lamar Boulevard, 15th Street, and IH-35. (For the Impact Fee, Ordinance 9908-05-31 added "and area bounded by Town Lake, Lamar Blvd., 15th Street and IH-35")