

Owner's Signature

Application for Certificate of Appropriateness for a City Landmark or Local Historic District

Adopted December 2012


Perr	nit Information			
	BP-	PR-	C14H/LHD	
Only	Property Name or LHD:		Contributing/Non-contributing	
r Office Use	□ RELEASE PERMIT □ [OO NOT RELEASE PERMIT	FEE PAID: \$	
For	HISTORIC PRESERVATION	OFFICE	DATE:	
Prop	erty Information			
Addre	ess: DOWNTOWN A	VSTIN		
	e of Work			
Don	HTOWN AREA AND	WILL BE IMPLEMENTING ENVIOLNS OF AUSTINI. NCD BIKE SHARE STATIONS.	BIKE SHAKE STATIONS IN THE IS SEEKING REVIEW AND APPROVE	
Арр	licant			
Addre	ess: 505 BARTO	1 Spangs Ro., Sur		
		CANSTINTEXAS. GOV		
Owr		ALIZE C. AUSTIN JEXAS. GIN		
	CITT OF AV	etial		
	ess:			
	Zip:			
Phon				
Emai				
Arcl	itect or Contractor Info	mation		
Comp	eany:			
Addre				
City/				
Phon	3:			
			du and I wente hours	

Applicant's Signature

Date

SINGLE-SIDED STATION FOOTPRINT

Single-sided station . As shown: 3 bases, 5 docks, 1 kiosk Height 134.75" Two docks fit on one base The kiosk takes the place of one dock To reduce glare, the screen should preferably face north – or east as a second choice. · Solar mast optional Height 85" Height 78" Map/Sponsorship display module 25'5" x 28'5" End cap 6" wide 18" deep. 5'8" From front tire to back. 9'8" Recommended 4' back-up zone. Each base 5'4" wide.



DOUBLE-SIDED STATION FOOTPRINT

Double-sided station

max 6 bases = 23 docks

- . As shown: 3 bases, 11 docks, 1 kiosk
- · Four docks fit on one base
- . The kiosk is able to replace any dock

