

CASE:

C814-2012-0055.02

P.C. DATE:

March 11, 2014

Covered Bridge Planned Unit Development (PUD) Amendment #2

ADDRESS:

6714 Covered Bridge Drive

AREA:

38.13 acres

OWNERS:

PPF AMLI Covered Bridge Drive, LLC (Tract 1); CBAL Whitecrowe LLC (Tracts 2 & 4);

Covered Bridge Section 8, LLC (Tract 3)

APPLICANT: City of Austin Planning and Development Review Department (Jerry Rusthoven)

NEIGHBORHOOD PLAN AREA: Oak Hill Combined, (West Oak Hill)

WATERSHED: Williamson Creek (Barton Springs Zone and Drinking Water Protection Zone)

SUMMARY STAFF RECOMMENDATION:

Staff recommendation is to amend the approved PUD to reduce the amount of multifamily units permitted on Tract 1 from 240 to 230, increase the amount of multifamily units allowed on Tracts 2 & 4 from 0 to 130, and increase the maximum allowable building height for Tracts 2 & 4 from 40 feet to 55 feet.

ISSUES:

The Covered Bridge PUD was approved by City Council on March 7, 2013, and a typographic error was corrected with Amendment #1 on October 3, 2013.

PLANNING COMMISSION RECOMMENDATION:

March 11, 2014:

DEPARTMENT COMMENTS:

The Applicant has requested the proposed amendment based on changes in proposed site development on Tracts 1, 2, & 4. Tract 1 is currently being developed with a mix of multifamily and commercial land uses, and the developers recognize that the site will be developed with 230 multifamily units, not 240. On Tracts 2 & 4, the previous plans to develop a congregate living facility were canceled, and a new proposal to develop up to 130 multifamily units would be possible with this PUD amendment. The multifamily units would require 55-foot height, instead of the 40-foot height of the congregate living facility.

Multifamily is a permitted land use on these tracts, but a maximum number of units was not established with the original PUD. Again, the proposed PUD amendment does not alter impervious cover or any other environmental elements. The PUD also still complies with the requirements of the Traffic Impact Analysis (TIA).

A copy of the zoning ordinance is attached, including the Land Use Plan. These are marked-up with the proposed changes. Also attached are detail areas showing the tables and notes being corrected on the Land Use Plan.

CITY COUNCIL DATE: April 10, 2014

ACTION:

ORDINANCE READINGS: 1st


2nd 3rd

ORDINANCE NUMBER:

CASE MANAGER: Heather Chaffin

PHONE: 974-2122

e-mail: heather.chaffin@austintexas.gov





SUBJECT TRACT

PLANNED UNIT DEVELOPMENT




ZONING CASE#: C814-2012-0055.02

This product is for informational purposes and may not trave been prepared for or be suitable for legal engineering, or ourveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.



This product has been produced by CTM for the sale purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or completeness.







he Covered Brides PUD, or on a lot by

ing bridge crossing the cresk which is

serty outside the PUO.

s no reasonable attemptive exists.

s an option for development.


inco for additional TIA information. or landscape irrigation.

and not located in the 100-year floor)

SERVING CHURCH COMEN

id Firsting Commission on Taxoung Mente

| USE & PEAELOPHENIS | AMUANUE B |
|----------------------------------|--|
| TOACT 4 HOR AND BOWE ACOUS | MY OTAMATO TA |
| TRACT 1 - UCT AND BITY TARY | |
| NO OND WIND THE | The second secon |
| AREA | 14.869 ACRES |
| MARINUM F.A.R. | 9.660 :1 P.A.R. |
| TOTAL 8.F. | 421,000 S.F. |
| MINIOUM LOT BIZE | 0.980 ACRE |
| BUILDING KEIGHT | 56 FT. |
| SETEACIOS | |
| PRONT YARD STREET SIDE YARD | See Notes |
| INTERIOR SIDE YARD | 9 FT. |
| REAR YARD | OPT. |
| MANUAL INFERNOVE COVER | 323,000 B.F |
| RESIDENTIAL UNITS PER ACRE | 102 UPA |
| MAJORIUM PROPERTINAL UNITS | 730 200 DHITS |
| OPEN SPACE | 203 |
| | |
| TRACT 2 & 4- USE AND DEVELOR | |
| USE AS SKEWIN IN PERMITTE | D USE TAILE |
| [AZ | |
| AREA | 73 110.007 ACRES |
| MAJONUM F.A.R. | COMBIAR |
| TOTAL S.F. | U.SEA ACRE |
| MINIMUM LOT SIZE BUILDING HEIGHT | 55 AU FT. |
| SETBACKS | _ (.55 /// |
| FRONT YARD | 25 FT. |
| STREET COR YARD | 25 FT. |
| INTERIOR SIDE YARD | - FT. |
| REAR YARD | - FT. |
| MAXIMUM IMPERVIOUS COVER | 120,000 8,5 |
| RESIDENTIAL UNITS PER ACRE | A 6.51X UPA |
| OPEN SPACE | 00.5% |
| MAKIMUM RESIDENTIAL UNITS | 130 UNITS & |
| TRACT 9 - USE AND DEVELOPME | THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER. |
| USE AS SKOWN (III) PERMITTE | OUGE TABLE |
| AREA | 3,255 ACRES |
| MAXIMUM F.A.R. | 0.000 :1 F.A.R. |
| TOTAL S.F. | - S.F. |
| MINIMUM LOT SIZE | 1.000 ACRE |
| DURLDING HEIGHT | • FT. |
| SETEACIES | e opide e |
| FRONT YARD | 10 FT. |
| STREET SIDE YARD | 10 FT. |
| | |



OTES:

The Covered Delder PUD will comply with the Level Development Code concept as medified with the PUD Greinence or Level Use Flow.

This Covered Setting FUD is setting to Chapter 25-6 of the Lend Dovelsament Cods and the Einfrenmental Crimins Market as of March 7, 291 alto Plano shott be subsetted for review and approved for any improvements to the alle. These also plans can be deno individually bound on t Hel bonds.

temperatures cover in Hantland to the expected imperatures cover finite observative last teach treat in the experience FUD ordinance.

There are not any Orline Bridge enterested Postures found on the Covered Orline FAD.

The Corner of Treat 1 alcol continue to except and treat the abuilding % CM 74 alcost flow randiff entering the property with a biofiltration pend The Dumor of Tracia 2 & 4 shell continue to convey all offsite runoff through the property.

All corners chell enter into an integrated Post Management Plan with the City of Austin at the time of cita development permit.

All the ecoups drives must be a minimum of 26 exchairvated width with unchairvated turning radii of 60 outside and 22 incide for all turns. destigned at 217 width, no noted on the plane.

Institut on a fire excess receiving must not exceed 16%.

All development within Covered Bridge PUD will comply with Compatibility Disaderds when triggered by basel was or making an property with Minimum tendescribes requirement of the City of Austin Land Development Cade will be assessed by at laset 16%. Notice and drought tolare Galed readways are problemed.

Covered Bridge PUD with exceptly with Chapter 25-8, Subshapter E, of the City of Austin Lead Development Code. The application of Alternati All buildings will comply with the Austin Energy Green Building (ABBE) Planned Unit Development Progress current at the time of ABBE app The Covered Bridge PUD is limited to 4,000 unadjusted vehicle trips unless a Trailie tapped Attalysis is provided in conjunction with any old Returnater harvesting shall be provided for Treat 1 with 5,000 gallows capacity and for Treats 2 & 4 with 5,000 gallons capacity. Collected rela-The Critical White Quality Zones (CRISE) shows on the Land Use Plan supercudes any provious depiction of a CWCE on any proceding does Water quality intention areas are permitted in the CWGE and WQTZ of Treats 2 & 4 provided the irrigation areas are collect a minimum of 8:

Vegetated filter circles to carve effects development is allowed within the CARR and WRITZ on Tract 3 provided the VPS is not incuted in the Citallization ponds are allowed in the CWQZ of Treat i so shown on the Lead Use Plan.

Owen cross etter can be used for unlar quality integlies and span space installes everything except impervious cover.

360 Units elepenent of the FUS Property to entries to the target of both the FUS to

the little mity dovelopment in the PUD shall not exceed

Treat 1 is limited to 40,000 o.f. of commercial space trains the limited of Gride point was chown on the Land Upo Pica.

Congressing Living and Convolucement Serves about not exceed 200 bods total.

The shared access encoment that provides excess to the City of Austin Celt Hill Regional Detertion Pend shall be maintained within the PUA with another consecut.

Settlembe for new coefficients development on Treat 1 are as follows:

| | Mary Same | Postern Settlers | Giber Directores |
|----------------------|-----------|-----------------------------|------------------|
| Highway 75 | 5 | 10 | 10* |
| Covered Bridge Drive | 80' | 10' minimum, avorago of 16' | 18" |

Core News ED 84-D4

Ammoved 402, 42 L

latibache for ear gemmorcial development en Treat 1 are as folisers:

| Bendan | Professor Freshous | Enddon Probent | Other Mountain |
|----------------------|--------------------|----------------|----------------|
| Hintoury 75 | 22 | 107 | 10" |
| Covered Bridge Brivo | 60" | 16" | 10" |



C

ORDINANCE NO. 20131003-080

AN ORDINANCE AMENDING ORDINANCE NO. 20130307-056 FOR THE PROJECT KNOWN AS COVERED BRIDGE PLANNED UNIT DEVELOPMENT LOCATED AT 6714 COVERED BRIDGE DRIVE IN THE WEST OAK HILL NEIGHBORHOOD PLAN AREA FROM PLANNED UNIT DEVELOPMENT-NEIGHBORHOOD PLAN (PUD-NP) COMBINING DISTRICT TO PLANNED UNIT DEVELOPMENT-NEIGHBORHOOD PLAN (PUD-NP) COMBINING DISTRICT.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

- PART 1. Covered Bridge Planned Unit Development (the "Covered Bridge PUD") is comprised of approximately 6.09 acres of land located generally at 6714 Covered Bridge Drive and more particularly described by metes and bounds in Exhibit "A" incorporated into this Ordinance.
- PART 2. Covered Bridge PUD was approved on March 7, 2013, under Ordinance No. 20130307-056 (the "Original Ordinance").
- PART 3. The zoning map established by Section 25-2-191 of the City Code is amended to change the base district from planned unit development-neighborhood plan (PUD-NP) combining district to planned unit development-neighborhood plan (PUD-NP) combining district on the property described in Zoning Case No. C814-2012-0055.01, on file at the Planning and Development Review Department and locally known as 6714 Covered Bridge Drive, in the City of Austin, Travis County, Texas, and generally identified in the map attached as Exhibit "B".
- PART 4. This ordinance amends the Land Use Plan, attached as Exhibit "C", to change the building coverage for Tracts 2 and 4 from 100,000 to 150,000. The attached Land Use Plan replaces the Land Use Plan in Ordinance No. 20130307-056. Except as otherwise specifically provided in Ordinance No. 20130307-056, as amended, all other rules, regulations and ordinances of the City, including Ordinance No. 20081211-097, apply to the PUD.
- PART 5. The Property is subject to Ordinance No. 20081211-097 that established the West Oak Hill neighborhood plan combining district.

PART 6. This ordinance takes effect on October 14, 2013.

3/1

PASSED AND APPROVED

October 3 , 2013 §

Lee Leffingwell Mayor

APPROVED: MAL

Karen M. Kennard City Attorney Jannette S. Goodall
City Clerk

(3/4

Exhibit "A"

Tract 1

Lots 1A-7A, Block A, Amended Plat of the Amended Plat of Lots 53-55, Block D, Covered Bridge Subdivision Section 2, and Lots 1-4, Block A, Covered Bridge Subdivision Section 7, a subdivision in the City of Austin, Travis County, Texas, according to the map or plat of record in Document No. 201000036 of the Official Public Records of Travis County, Texas.

Tracts 2 and 4

Lot 1, Block A, Covered Bridge Subdivision Section 8, a subdivision in the City of Austin, Travis County, Texas according to the map or plat of record in Document No. 200400100 of the Official Public Records of Travis County, Texas.

Lot 2, Block A, Covered Bridge Subdivision Section 8, a subdivision in the City of Austin, Travis County, Texas, according to the map or plat of record in Document No. 200400100 of the Official Public Records of Travis County, Texas.

A 6.097 acre tract of land, more or less, being a portion of Lot A, Whitecrowe Addition Subdivision, the tract of land being more particularly described by metes and bounds in Exhibit "A-1".

Tract 3

Lot 3, Block A, Covered Bridge Subdivision Section 8, a subdivision in the City of Austin, Travis County, Texas, according to the map or plat of record in Document No. 200400100 of the Official Public Records of Travis County, Texas.

Lot 4, Block A, Covered Bridge Subdivision Section 8, a subdivision in the City of Austin, Travis County, Texas, according to the map or plat of record in Document No. 200400100 of the Official Public Records of Travis County, Texas.



6.097 ACRES TRAVIS COUNTY, TEXAS

A DESCRIPTION OF 6.097 ACRES (APPROXIMATELY 265,595 SQ. FT.), BEING A PORTION OF LOT A, WHITECROWE ADDITION, A SUBDIVISON OF RECORD IN VOLUME 87, PAGES 15A-15B OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, SAID 6.097 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING at a 1/2" rebar found in the southeast line of said Lot A, being the westernmost corner of Lot 1, Block A, Covered Bridge Subdivision Section 8, a subdivision of record in Document No. 200400100 of the Official Public Records of Travis County, Texas, being also the northernmost corner of a 15.741 acre tract described in Volume 13117, Page 759 of the Real Property Records of Travis County, Texas;

THENCE with the southeast line of said Lot A and the northwest line of the said 15.741 acre tract, the following two (2) courses and distances:

- 1. South 29°33'02" West, a distance of 240.05 feet to a 1/2" rebar found;
- 2. South 29°19'49" West, a distance of 319.87 feet to a 1/2" rebar with "Chaparral" cap set, from which a 1/2" rebar found for a common corner of said Lot A and the said 15.741 acre tract, bears South 51°52'11" East, a distance of 302.90 feet;

THENCE over and across said Lot A, the following three (3) courses and distances:

- North 51°52'11" West, a distance of 30.36 feet to a 1/2" rebar with "Chaparrai" cap set:
- 2. North 29°19'49" East, a distance of 222,30 feet to a 1/2" rebar with "Chaparral" cap set;
- 3. North 63°42'47" West, a distance of 170.09 feet to a 1" iron pipe found for a common corner of said Lot A and a 53.28 acre tract described in Volume 9504, Page 847 of the Real Property Records of Travis County, Texas;

THENCE North 31°25'13" East with the northwest line of said Lot A and the southeast line of the said 53.28 acre tract, a distance of 1257.25 feet to a 1" iron pipe found for the westernmost corner of a 6.88 acre tract described in Volume 13087, Page 536 of the Real Property Records of Travis County, Texas;



THENCE with the common line of said Lot A and the said 6.88 acre tract, the following five (5) courses and distances:

- 1. South 60°42'19" East, a distance of 190.69 feet to a 1" iron pipe found;
- 2. South 74°07'03" East, a distance of 94.17 feet to a 1" iron pipe found;
- South 76°20'49" East, a distance of 138.36 feet to a calculated point in the rock rip rap of a drainage structure;
- 4. North 32°10'11" East, a distance of 30.85 feet to a 1/2" rebar with "Chaparral" cap set;
- 5. North 28°28'11" East, a distance of 683.82 feet to a calculated point in the southwest right-of-way line of State Highway 71 (150' right-of-way width) as shown on TxDOT map CSJ No. 700-03, from which a 3/4" iron pipe found, bears South 84°20'35" West, a distance of 0.31 feet and a 1/2" rebar found, bears North 28°28'11" East, a distance of 1.82 feet;

THENCE South 61°58'52" East with the southwest right-of-way line of Slate Highway 71 and over and across said Lot A, a distance of 60.10 feet to a 1/2" rebar with "Chaparra!" cap found in the southeast line of said Lot A, being the northernmost corner of Lot 2, Block A, of said Covered Bridge Subdivision Section 8, from which a 1/2" rebar found, bears North 28°28'09" East, a distance of 1.19 feet;

THENCE with the common line of said Lot A and sald Covered Bridge Subdivision Section 8, the following thirteen (13) courses and distances:

- 1. South 28°28'09" West, a distance of 685.78 feet to a 1/2" rebar with "Chaparral" cap set;
- 2. South 28"08'31" West, a distance of 95.64 feet to a 1/2" rebar found;
- North 55°17'31" West, a distance of 62.17 feet to a 1/2" rebar with "Landmark" cap found;
- 4. North 77°20'11" West, a distance of 125.22 feet to a 1/2" rebar found;
- 5. North 73°50'19" West, a distance of 102.53 feet to a 1/2" rebar found;
- 6. North 60°54'36" West, a distance of 119.75 feet to a 1/2" rebar found;
- 7. South 75"33'19" West, a distance of 28.94 feet to a 1/2" rebar found;
- 8. South 30°28'57" West, a distance of 43.56 feet to a 1/2" rebar found;




- 9. South 29°50'49" West, a distance of 51.07 feet to a cotton spindle found:
- 10. South 31°27'09" West, a distance of 50.15 feet to a 1/2" rebar found;
- 11. South 01°59'33" West, a distance of 164.96 feet to a 1/2" rebar found;
- 12. South 14°18'24" West, a distance of 106.24 feet to a 1/2" rebar found:
- 13. South 29"35'16" West, a distance of 440.59 feet to the POINT OF BEGINNING, containing 6.097 acres of land, more or less.

Surveyed on the ground September 13, 2011. Bearing basis is Grid Azimuth for the Texas Central Zone, NAD 1983/93 HARN from the LCRA survey control network. Attachments: Drawing 040-038-WHITECROWE-6AC

Joe Ben Early, Jr.

Registered Professional Land Surveyor

State of Texas No. 6018



FILED AND RECORDED OFFICIAL PUBLIC RECORDS

A melberry

DANA DEBEAUVOIR, COUNTY CLERK TRAVIS COUNTY, TEXAS October 31 2011 01:60 PM

FEE: \$ 58.00 2011158827

