ZONING DISTRICT: OLD ENFIELD (SFR) SF-3

HISTORIC DISTRICT: OLD WEST AUSTIN

GENERAL NOTES

THE CONTRACTOR SHALL THOROUGHLY REVIEW ALL CONSTRUCTION DOCUMENTS INCLUDING, BUT NOT LIMITED TO, DRAWINGS, NOTES, DIMENSIONS AND SCHEDULES. THE CONTRACTOR SHALL MAKE A DETAILED SITE VISIT, AND SHALL IMMEDIATELY SRING ANY INCONSISTENCY, SITE LAYOUT PROBLEM, OR ANY OTHER REQUEST FOR CLARIFICATION TO THE ARCHITECT FOR RESOLUTION PRIOR TO THE DELIVERY OF ANY BID OR INITIATION OF WORK. FALLURE TO DO SO SHALL CAUSE THE CONTRACTOR TO BE INELIGIBLE FOR EXTRAS

RELATING TO SUCH MATTERS.
2. THESE DRAWINGS ARE, IN GENERAL, DIAGRAMMATIC. EXACT LOCATIONS SHALL BE DETERMINED BY THE CONTRACTOR FROM FIELD MEASUREMENTS TAKEN BY CONTRACTORS PERSONNEL ACTUAL
ARRANGEMENT OF THE WORK SHALL FOLLOW LOCATIONS SHOWN ON THE DRAWINGS WITHIN THE
CONSTRAINTS OF EXISTING EQUIPMENT AND CONSTRUCTION. DRAWINGS AND NOTES TO DRAWINGS ARE
CORRELATIVE AND HAVE EQUAL AUTHORITY AND PRIORITY. SHOULD THERE BE DISCREPANCIES IN
THEMSELVES OR BETWEEN THEM, CONTRACTOR SHALL BASE BID PRICING ON THE MOST EXPENSIVE
COMBINATION OF GUALITY AND/OR QUANTITY OF THE WORK INDICATED. IN THE EVENT OF DISCREPANCIES,
OBTAIN CLARIFICATION FROM ARCHITECT BEFORE CONTROLING WORK.
3. DO NOT SCALE THESE DRAWINGS. IMMEDIATELY NOTIFY THE ARCHITECT OF ANY DISCREPANCIES OR
ANY OTHER REQUEST FOR CLARIFICATION.
4. VERIFY ALL DIMENSIONS BEFORE ORDERING MATERIALS AND PROCEEDING WITH THE WORK.
5. MINIMUM CLEARANCE GIMENSIONS INDICATED SHALL BE MAINTAINED PARTICULARLY AT STAIRS,
CORREDORS AND RESTROOMS. THE CONTRACTOR FROM FIELD MEASUREMENTS TAKEN BY CONTRACTOR'S PERSO

CORRIDORS AND RESTROOMS.

CONTRACTOR TO ACQUIRE ALL NECESSARY PERMITS PRIOR TO WORK.

7. CONTRACTOR TO ACQUIRE ALL NECESSARY PERMITS PRIOR TO WORK.

7. CONTRACTOR IS RESPONSIBLE FOR THE SAFETY, ACTIONS AND CONDUCT OF HIS EMPLOYEES AND HIS SUBCONTRACTORS SHM_LOYER WHILE IN THE PROJECT AREA, AD LACENT AREAS AND IN THE BUILDING AND ITS VICINITY. UPON COMPLETION OF WORK, CONTRACTOR SHALL REMOVE ALL DEBRIS FROM THE SITE.

8. CONTRACTOR SHALL SUBMIT REPRODUCIBLE SHOP DRAWINGS TO ARCHITECT FOR OWNER'S, ARCHITECTS, AND ENGINEER'S APPROVAL.

9. ALL MATERIALS, FINISHES, MANUFACTURED ITEMS, AND EQUIPMENT SHALL BE INSTALLED IN FULL ACCORDANCE WITH THE SUPPLIER'S OR MANUFACTURER'S WRITTEN RECOMMENDATIONS OR THESE DOCUMENTS, WHICHEVER IS MORE STRINGSTN. NOTIFY THE ARCHITECT OF ANY VARIATION REQUIRED IN THE DIMENSION NOTED FOR VERIFICATION FOR INSTALLATION OF EQUIPMENT BEFORE CONTINUING THE WORK.

WORK.

10. EVERY EFFORT HAS BEEN MADE ON THE PART OF THE ARCHITECT TO ENSURE LOCAL CODE 10. EVENT EH-DURL HAS BEEN MADE ON THE PART OF THE ARCHITECT TO ENSURE LOCAL CODE
COMPLIANCE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO VERIFE THAT THE WORK CONFORMS WITH ALL
APPLICABLE CODES, AND IF DISCREPANCIES ARE NOTED, TO NOTIFY THE ARCHITECT PRIOR TO WORK.

11. MINOR DETAILS NOT USUALLY SHOWN OR SPECIFIED BUT NECESSARY FOR PROPER CONSTRUCTION OF
ANY PART OF THE WORK SHALL BE INCLUCED AS IF THEY WERE INDICATED ON THE DRAWINGS.

12. PROVIDE BLOCKING AS REQUIRED FOR PROPER SUPPORT OF WALL AND CEILING MOUNTED
FOILIPMENT

EQUIPMENT.

13. INSTALL PEX PIPE SYSTEM PLUMBING; INSULATE AS REQUIRED.

14. FOR ALL "MATCH EXISTING" NOTES, ARCHITECTS INTENT IS FOR CONTRACTOR TO MATCH EXISTING PROFILE AND SINISH AS CLOSE AS POSSIBLE USING AVAILABLE STOCK MATERIALS. IF UNABLE TO MATCH EXISTING, PROVIDE SAMPLES FOR AL TERNATE MATERIALS OR METHODS FOR ARCHITECT'S APPROVAL.

15. DISSIMILAR METALS TO REMAIN SEPARATED TO AVIOL BOLVANIC CORROSION.

16. ALL EXTERIOR WALLS AND ROOFS TO HAVE CLOSED CELL SPRAY FOAM INSULATION.
17. ALL EXTERIOR WALLS TO BE STUD GRADE 2 X 6 NO. 2 SYP WITH STUDS AT 24" OC UNLESS OTHERWISE NOTED.


NOTED.

18. ALL INTERIOR WALLS TO BE STUD GRADE 2 X 6 OR NO. 2 SYP WITH STUDS AT 16" OC WITHS/8" GYPSUM BOARD SHEATHING ON BOTH SIDES UNLESS OTHERWISE NOTED. ALL CAVITIES IN WALL ASSEMBLY TO BE FILLED WITH R-11 SOUND BATT INSULATION.

19. ALL CEILINGS TO BE SHEATHED WITH 5/8" GYPSUM BOARD UNLESS OTHERWISE NOTED.

20. ALL INTERIOR PAINTS, STAINS AND SEALANTS TO BE NON-TOXIC.

TREE PROTECTION



IT IS THE ARCHITECT'S AND OWNER'S INTENT TO PROTECT ALL TREES IN PROXIMITY TO CONSTRUCTION AREA FROM DAMAGE OR INJURY DUE TO CONSTRUCTION. THE SUGGESTIONS FOR TREE PROTECTION PROVIDED ABOVE ARE EXPLICITLY NOT GUARANTEED TO FULLY PROTECT THE TREES. IT IS HIGHLY RECOMMENDED THAT A TREE SPECIALIST BE HIRED AND THAT SUCH COST BE REVIEWED WITH OWNER FOR APPROVAL PRIOR TO PROCURE HEAT OF THE SPECIALIST SERVICES. IF CONTRACTOR DOES NOT REVIEW WITH OWNER HIS OR HER WILLINGNESS OR NON-WILLINGNESS TO HIRE SUCH SPECIALIST. THEN IT WILL BE CONSTRUED AS CONTRACTORS WILLINGNESS TO ACCEPT LIABILITY FOR PROTECTING THE TREES FROM ANY DAMAGE THROUGHOUT THE CONSTRUCTION PROCESS.

PROJECT TEAM MEMBERS


ARCHITECT OF RECORD

David Webber, Webber + Studio 1220 Lavaca Street Austin, TX 78701 512.236.1032


CONTRACTOR

Kerr Construction 900 RR 620 South Suite C101 #31 Austin Texas 78734 512.563.8112

REPRESENTATION



SYMBOLS















KEYNOTE, REF KEYNOTES IDENTICAL ON EA SHEET

LOUVER

EQUIPMENT NOTE

WHERE SHOWN

ABBREVIATIONS


A		М	
AB	ANCHOR BOLT		MAINTENANCE MASONRY
ABV ACOUS	ABOVE ACOUSTICAL	MATL	MATERIAL
ADJUST. ADJ	ADJUSTABLE ADJACENT	MAX MECH	MAXIMUM MECHANICAL
AD	AREA DRAIN	MEP	MECHANICAL / ELECTRICAL / PLUMBING
AFF AGG	ABOVE FINISH FLOOR AGGREGATE	MFR	MANUFACTURER
ALT ALUM	ALTERNATE ALUMINUM	MH MIN	MANHOLE MINIMUM
ANCH	ANCHOR / ANCHORAGE	MISC MO	MISCELLANEOUS MASONRY OPENING
APPROX ARCH	ARCHITECT / ARCHITECTURAL	MTL	METAL
AUTO AUX	AUTOMATIC AUXILIARY	MULL N	MULLION
AVG	AVERAGE	NIC	NOT IN CONTRACT
a/v B	AUDIO VISUAL	NO or # NTS	NUMBER NOT TO SCALE
BD	BOARD	0	NOT TO SCALE
B/F BLDG	BOTH FACES BUILDING	OA	OVERALL
BLKG	BLOCKING	OC OD	ON CENTER OUTSIDE DIAMETER
BLK BM	BLOCK BEAM	OFCI	OWNER FURNISHED /
BOT	воттом	OFOI	OWNER FURNISHED /
BOC BRK	BOTTOM OF CURB BRICK	ОН	OWNER INSTALLED OVERHEAD
BS BSMT	BOTH SIDES BASEMENT	OPNG	OPENING
BTW	BETWEEN	OPP ORD	OPPOSITE OVERFLOW ROOF DRAIN
BW C	BOTH WAYS	0S 0/A	OVERFLOW SCUPPER OUTSIDE AIR
CAB	CABINET	P	OUTSIDE MIK
CIP CJ	CAST IN PLACE CONTROL JOINT	PERF	PERFORATED
CLG	CEILING	PL PLF	PLATE POUNDS PER LINEAR FOOT
CLG HT CLR	CEILING HEIGHT CLEAR(ANCE)	PI UMB	PLUMBING PLYWOOD
CL	CLOSET	PLYWD PNL	PANEL
CMU COL	CONCRETE MASONRY UNIT COLUMN	POL PRKG	POLISHED PARKING
CONC	CONCRETE CONDITION	PR	PAIR
CONST	CONSTRUCTION	PSF PSI	POUNDS PER SQUARE FOOT POUNDS PER SQUARE INCH
CONTR	CONTRACTOR CONTINUOUS	PTD P.L.	PAINTED PROPERTY LINE
CORRU	CORRUGATED	R.L.	PROPERTY LINE
CG CSMT	CORNER GUARD CASEMENT	RCP	REFLECTED CEILING PLAN
CTR CU FT	CENTER CUBIC FOOT (FEET)	RD RECOM	ROOF DRAIN RECOMMENDATION
CU YD	CUBIC YARD	REC	RECESSED
D		REF REINF	REFRIGERATOR REINFORCED
DIAG DIA	DIAGONAL DIAMETER	REM REQ'D	REMAINDER REQUIRED
DIM DN	DIMENSION DOWN	RET	RETURN
DS	DOWNSPOUT		REVISION REFER TO
DTL DWG	DETAIL DRAWING	RFG	ROOFING RISER
DWR	DRAWER	RM	ROOM
E FA	EACH	RO ROW	ROUGH OPENING RIGHT OF WAY
EJ	EXPANSION JOINT	RAD	RADIUS
ELEV	ELECTRICAL ELEVATION	R/A S	RETURN AIR
EQUIP EQ	EQUIPMENT EQUAL	SCHED	SCHEDULE
EW	EACH WAY	SC SD	SOLID CORE STORM DRAIN
EXH EXST	EXHAUST EXISTING	SECT	SECTION
EXPAN EXP	EXPANSION EXPOSED	SF SH	SQUARE FOOT / FEET SINGLE-HUNG
EXT	EXTERIOR	SHVL SHTHG	SHELVES / SHELVING SHEATHING
F FD	FLOOR DRAIN	SHT	SHEET
FH	FIRE HYDRANT	SHWR SIM	SHOWER SIMILAR
FIN	FINISH / FINISHED FIXTURE	SPEC SPKR	SPECIFICATION SPEAKER
FLRG	FLOORING	SQ	SQUARE
FLR FLASH	FLOOR FLASHING	S. STL. SS	STAINLESS STEEL SANITARY SEWER
FLUOR	FLUORESCENT FOUNDATION	STAB	STABILIZE(D)
FTG	FOOTING	STA STD	STATION STANDARD
FT FURN	FOOT / FEET FURNISH	STL STOR	STEEL STORAGE
G		STRUCT	STRUCTURE / STRUCTURAL
GALV GAL	GALVANIZED GALLON	SYM	SUSPENDED SYMMETRICAL
GA	GAUGE	SYS S/A	SYSTEM SUPPLY AIR
GEN GYP	GENERAL GYPSUM	T	SOFFLI AIR
Н		TB	TOWEL BAR
HB	HOSE BIBB HARDWARE HOLLOW METAL	TEL TH	TELEPHONE THICK(NESS)
HDWR HM		THRES	THRESHOLD
HORIZ HP	HORIZONTAL HORSEPOWER	TOC TOL	TOP OF CURB / CONCRETE TOLERANCE
HR	HOUR	TOS TOW	TOP OF STEEL / SLAB TOP OF WALL
HVAC	HEIGHT HEATING / VENTILATING / AIR CONDITIONING	T	TREAD
HW	AIR CONDITIONING HOT WATER	T&G TS	TONGE & GROOVE TUBE STEEL
HYD	HYDRANT	TYP	TYPICAL
INCL	INCLUDE(D)	U UL	UNDERWRITERS LABORATORY
INF0	INCLUDE(D) INFORMATION	UNO	UNLESS NOTED OTHERWISE
INSUL INT	INSULATION INTERIOR	V	
IN	INCH(ES)	VCT	VINYL COMPOSITION TILE
J	IOICT	VERT VIF	VERTICAL VERIFY IN FIELD
JST JT.	JOIST JOINT		
L		WC	WATER CLOSET
LAV	LAVATORY	WDW	WINDOW
LGTH LH	LENGTH LEFT-HAND	WD WF	WOOD WIDE FLANGE
LIN	LINEAR	WR WT	WATER RESISTENT
LT	LIGHT	WT	WEIGHT

TWO STORY ADDITION

1611 WOODLAWN BLVD, AUSTIN TEXAS, 78703

SHEET INDEX

A.00	COVER SHEET
A.01	EXISTING SITE/PLOT PLAN
A.02	DEMOLITION PLANS: LEVEL 1
A.03	FLOOR PLAN: LEVEL 1 & 2
A.04	BUILDING ELEVATIONS
A.05	BUILDING ELEVATIONS
A.06	SLAB PLAN: LEVEL 1
A.07	FRAMING & ROOF PLAN:



WLN11

ARCHITECTURE

Webber + Studio, Inc.

512.236.1032


1220 Lavaca Street Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

> A0 **COVER SHEET**

Scale: 1" = 10'

Vartive Projects/WOOD) AWN 11/W N11 ACTIVE/W N 140803 MDL PERMIT SET on Ner 17 002 | Tuesday Sentember 16 2014 | 4:29





ARCHITECTURE


Webber + Studio, Inc.

512.236.1032

1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

A2 EXISTING PLAN



PORTION OF EXISTING WOOD DECK TO BE REBUILT IN NEW LOCATION PROPOSED DOORS PROPOSED PROPOSED 104.01 F.F. + EXISTING 104.01 F.F. EXISTING WINDOW TO REMAIN EXISTING FAMILY RM EXISTING W.I.C. 01 EXISTING BATH 01 EXISTING 103.76 F.F. EXISTING DINING RM EXISTING BED RM 01 (NO WORK THIS AREA) (NO WORK THIS AREA) EXISTING WINDOW TO REMAIN EXISTING BATH 01 (NO WORK THIS AREA) EXISTING WINDOW TO REMAIN BED RM 02 (NO WORK THIS AREA)



WLN11

ARCHITECTURE

Webber + Studio, Inc.

512.236.1032

1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039


Tuesday, September 16, 2014 PERMIT


A3 PROPOSED PLAN

PROPOSED 1ST FLOOR PLAN

Scale: 1/8" = 1'-0"

PROPOSED 2ND FLOOR PLAN Scale: 1/8" = 1'-0"





EXT. ELEVATION

Scale: 1/8" = 1'-0"



WLN11

ARCHITECTURE

Webber + Studio, Inc.


512.236.1032

1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

A4
EXTERIOR ELEVATIONS







WLN11

ARCHITECTURE

Webber + Studio, Inc.

512.236.1032


1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

Α5 EXTERIOR ELEVATIONS

EXT. ELEVATIONS

Scale: 1/8" = 1'-0"





WLN11

ARCHITECTURE


Webber + Studio, Inc.


512.236.1032

1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

Α6 **FOUNDATION PLAN**





ROOF FRAMING PLAN

Scale: 1/8" = 1'-0"

2

FRAMING PLAN

Scale: 1/8" = 1'-0"

16441 SO

WLN11

ARCHITECTURE

Webber + Studio, Inc.

vebber i Stadio, inc.

512.236.1032

1220 Lavaca Street Austin, Texas 78701 Fax 512.236.1039

Tuesday, September 16, 2014 PERMIT

A7
FRAMING PLAN