


Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED DEMO DRAWING

Jules Kniolek - Pecan St. Co. - Designer, Project Manager
Bruce Morrison - Embrasure Designs, Architect of Record
Cathy Miller - Compass Meiter, Designer
Amanda Elliott, Designer & Drafter

A1.2



CARPORT, SHED, AND FOUNDATION TO BE DEMOLISHED.

# CARPORT FLOOR PLAN - EXISTING

SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)


### NOTES:

EXISTING STRUCTURE OR FIXTURE TO REMAIN.

EXISTING STRUCTURE OR FIXTURE TO BE DEMOLISHED.

> ALL EXISTING EXTERIOR DOORS AND WINDOWS TO BE REPLACED.

ALL DIMENSIONS AND SIZES SHOWN THIS PAGE ARE EXISTING.






# LOWER FLOOR PLAN - EXISTING

SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)


Harris Blvd Renovation for Christy Robe	rts [
3005 Harris Blvd, Austin,	TX
Harris Blvd Renovation for Christy Robe 3005 Harris Blvd, Austin, Pecan Street Company, 512.750.79	03

**EXISTING** FLOOR PLAN



**GARAGE LOWER** 2 FLOOR PLAN - NEW


SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)



### **GENERAL NOTES**

- N1. Smoke detectors to be hardwired, interconnected with battery backup and located per R313.2. Location of smoke detectors shown as (SD)
- N2. Stairs to meet R311.7. Interior stairs to have 15 risers at 7.41"H and 14 treads at 10"D. Railing to be 36"H, style T.B.D. Uncovered stairs at Garage to have 16 risers at 7.75"H and 15 treads at 10"D. All railing constructed or selected and installed shall comply with R311.7.8 and detail #3/A2.2.
- N3. Glazing in new doors to be safety glazing per R308.4.3.
- N4. All glazing in new windows and doors within 18" of the floor or within 24" to another door to be tempered safety glazing per R308.4.3.
- N5. Dimensions of any new emergency escape windows in each bedroom are to comply with R310.1.2 and R310.1.3
- N6. Ensure all new hallways hold 3'-0" as the minimum finished surface to finished surface per R311.3.
- N7. Ensure built condition is 15" min from centerline of new toilets to adjacent vertical surface per R307.
- N8. By design the door to new Garage bathroom is a 34"W door and the cased opening to new Master Bath is a 48"w opening. These are greater than the 30"minimum clear opening per City of Austin Accessibility Ordinance Ch. 25-12 Article 11. Section R322. R322.2.





E OF TE

02-23-15

# LOWER FLOOR PLAN - NEW

SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)

#### GENERAL NOTES (cont.):

N9. Blocking to be provided in walls of new bathrooms per City of Austin Accessibility Ordinance Ch. 25-12 Article 11, Section R322, R322.3.


N10. All exterior doors and windows are new. Interior doors new as noted.

N11. All plumbing fixtures and appliances new unless noted otherwise.

N12. New walls shown hatched.

Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED FLOOR PLAN





N1. Smoke detectors to be hardwired, interconnected with battery backup and located per R313.2. Location of smoke detectors shown as (SD)

N2. Stairs to meet R311.7. Interior stairs to have 15 risers at 7.41"H and 14 treads at 10"D. Railing to be 36"H, style T.B.D. Uncovered stairs at Garage to have 16 risers at 7.75"H and 15 treads at 10"D. All railing constructed or selected and installed shall comply with R311.7.8 and detail #3/A2.2.

N3. Glazing in new doors to be safety glazing per R308.4.3.

N4. All glazing in new windows and doors within 18" of the floor or within 24" to another door to be tempered safety glazing per R308.4.3.


N5. Dimensions of any new emergency escape windows in each bedroom are to comply with R310.1.2 and R310.1.3

N6. Ensure all new hallways hold 3'-0" as the minimum finished surface to finished surface per R311.3.

N7. Ensure built condition is 15" min from centerline of new toilets to adjacent vertical surface per R307.

N8. By design the door to new Garage bathroom is a 34"W door and the cased opening to new Master Bath is a 48"w opening. These are greater than the 30"minimum clear opening per City of Austin Accessibility Ordinance Ch. 25-12 Article 11, Section R322, R322.2.





1/A3.1

# (WHEN PRINTED ON 11x17 FORMAT)

TOP OF RAILING

TREAD NOSING

## UPPER FLOOR PLAN - NEW SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)

### GENERAL NOTES (cont.):

N9. Blocking to be provided in walls of new bathrooms per City of Austin Accessibility Ordinance Ch. 25-12 Article 11, Section R322, R322.3.

N10. All exterior doors and windows are new. Interior doors new as noted.


N11. All plumbing fixtures and appliances new unless noted otherwise.

N12. New walls shown hatched.

## Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

**FLOOR** PLAN

PROPOSED



NEW HORIZONTAL 10" HARDI SIDING AT ALL EXTERIOR WALLS U.N.O

ALL ROOF NEW ASPHALT SHINGLE U.N.O.

ALL EXTERIOR DOORS & WINDOWS TO BE NEW. MANUF. T.B.D.

STAIR NOTE: STAIRS TO MEET R311.7.
UNCOVERED STAIRS AT GARAGE TO HAVE 16
RISERS AT 7.75"H AND 15 TREADS AT 10"D.
RAILING TO BE 36"H, ALL RAILING
CONSTRUCTED OR SELECTED AND INSTALLED
SHALL COMPLY WITH R311.7.8 AND DETAIL
#3/A2.1.

# FRONT ELEVATION

SCALE: 1/8"=1'-0"
(WHEN PRINTED ON 11x17 FORMAT)




Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED ELEVATION DRAWINGS

Jules Kniolek - Pecan St. Co. - Designer, Project Manager
Bruce Morrison - Embrasure Designs, Architect of Record
Cathy Miller - Compass Meiter, Designer
Amanda Elliott, Designer & Drafter

A3.0



NEW HORIZONTAL 10" HARDI SIDING AT ALL EXTERIOR WALLS U.N.O

ALL ROOF NEW ASPHALT SHINGLE U.N.O.

ALL EXTERIOR DOORS & WINDOWS TO BE NEW. MANUF. T.B.D.

STAIR NOTE: STAIRS TO MEET R311.7. UNCOVERED STAIRS AT GARAGE TO HAVE 16 RISERS AT 7.75"H AND 15 TREADS AT 10"D. RAILING TO BE 36"H, ALL RAILING CONSTRUCTED OR SELECTED AND INSTALLED SHALL COMPLY WITH R311.7.8 AND DETAIL


# RIGHT ELEVATION W/ GARAGE SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11x17 FORMAT)



## Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED **ELEVATION** DRAWINGS

Jules Kniolek - Pecan St. Co. - Designer, Project Manager Bruce Morrison - Embrasure Designs, Architect of Record Cathy Miller - Compass Meiter, Designer Amanda Elliott, Designer & Drafter



NEW HORIZONTAL 10" HARDI SIDING AT ALL EXTERIOR WALLS U.N.O

ALL ROOF NEW ASPHALT SHINGLE U.N.O.

ALL EXTERIOR DOORS & WINDOWS TO BE NEW. MANUF. T.B.D.

STAIR NOTE: STAIRS TO MEET R311.7. UNCOVERED STAIRS AT GARAGE TO HAVE 16 RISERS AT 7.75"H AND 15 TREADS AT 10"D. RAILING TO BE 36"H, ALL RAILING CONSTRUCTED OR SELECTED AND INSTALLED SHALL COMPLY WITH R311.7.8 AND DETAIL #3/A2.1.


# REAR ELEVATION

SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11x17 FORMAT)



## Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED **ELEVATION DRAWINGS** 



NEW HORIZONTAL 10" HARDI SIDING AT ALL EXTERIOR WALLS U.N.O

ALL ROOF NEW ASPHALT SHINGLE U.N.O.

ALL EXTERIOR DOORS & WINDOWS TO BE NEW. MANUF. T.B.D.

STAIR NOTE: STAIRS TO MEET R311.7. UNCOVERED STAIRS AT GARAGE TO HAVE 16 RISERS AT 7.75"H AND 15 TREADS AT 10"D. RAILING TO BE 36"H, ALL RAILING CONSTRUCTED OR SELECTED AND INSTALLED SHALL COMPLY WITH R311.7.8 AND DETAIL


# LEFT ELEVATION SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11x17 FORMAT)



Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED **ELEVATION** DRAWINGS

Jules Kniolek - Pecan St. Co. - Designer, Project Manager Bruce Morrison - Embrasure Designs, Architect of Record Cathy Miller - Compass Meiter, Designer Amanda Elliott, Designer & Drafter



# (WHEN PRINTED ON 11x17 FORMAT) (WHEN PRINTED ON 11x17 FORMAT) **BUILDABLE AREA** METAL ROOF @ AWNING w/ MTL BRACKETS L2 PLATE 23'-5" COA BLDG HT SETBACK PLANE L2 FLOOR

98.7' T.O. POOL COPING

L1 PLATE

L1 FLOOR

NOTES.

SEE STAIR NOTE UNDER GENERAL (WHEN PRINTED ON 11x17 FORMAT)

#### **GENERAL NOTES:**

NEW HORIZONTAL 10" HARDI SIDING AT ALL EXTERIOR WALLS U.N.O

ALL ROOF NEW ASPHALT SHINGLE U.N.O.

ALL EXTERIOR DOORS & WINDOWS TO BE NEW. MANUF. T.B.D.

STAIR NOTE: STAIRS TO MEET R311.7. UNCOVERED STAIRS AT GARAGE TO HAVE 16 RISERS AT 7.75"H AND 15 TREADS AT 10"D. RAILING TO BE 36"H, ALL RAILING CONSTRUCTED OR SELECTED AND INSTALLED SHALL COMPLY WITH R311.7.8 AND DETAIL #3/A2.1.

## Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

PROPOSED **ELEVATION DRAWINGS** 


Jules Kniolek - Pecan St. Co. - Designer, Project Manager Bruce Morrison - Embrasure Designs, Architect of Record Cathy Miller - Compass Meiter, Designer Amanda Elliott, Designer & Drafter

FEB 23, 2015

GARAGE REAR ELEVATION

SCALE: 1/8'=1'-0" (WHEN PRINTED ON 11x17 FORMAT)

97.25' AAG



SETBACK PLANE EXHIBIT - SITE


SCALE: 1"=10'-0"

Pecan Street Company, 512.750.7903

**EXHIBIT** 

Jules Kniolek - Pecan St. Co. - Designer, Project Manager Bruce Morrison - Embrasure Designs, Architect of Record Cathy Miller - Compass Meiter, Designer Amanda Elliott, Designer & Drafter






# **ROOF PLAN - GARAGE**

SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)

NOTE: ALL ROOF IS NEW ASPHALT SHINGLE U.N.O. STYLE TO BE DETERMINED.








SCALE: 1/8"=1'-0" (WHEN PRINTED ON 11"x17" FORMAT)

NOTE: ALL ROOF IS NEW ASPHALT SHINGLE U.N.O. STYLE TO BE DETERMINED.



1/A3.2

## Harris Blvd Renovation for Christy Roberts 3005 Harris Blvd, Austin, TX Pecan Street Company, 512.750.7903

Jules Kniolek - Pecan St. Co. - Designer, Project Manager Bruce Morrison - Embrasure Designs, Architect of Record Cathy Miller - Compass Meiter, Designer

A5.0

PROPOSED

ROOF

PLAN

Amanda Elliott, Designer & Drafter FEB 23, 2015