
TURNER REMODEL

4004 AVENUE G AUSTIN TEXAS USA

ARCHITECTURAL SHEETS	
ID	Name
A.01	COVER AND GENERAL INFORMATION
A.02	SPECIFICATIONS AND SCHEDULES
A.03	SITE INFORMATION
A.04	HOUSE FIRST FLOOR PLANS
A.05	HOUSE SECOND FLOOR PLANS
A.06	HOUSE EXTERIOR ELEVATIONS
A.07	HOUSE EXTERIOR/INTERIOR ELEVATIONS
A.08	HISTORIC PRESERVATION EXHIBITS



HYDE PARK NP 1ST FLOOR CONDITIONED AREA 2ND FLOOR CONDITIONED AREA 2ND FLOOR APARTMENT 3RD FLOOR CONDITIONED AREA OTHER (ADJACENT PARKING LOT) TOTAL SITE COVERAGE TOTAL AQUATIC COVERAGE BUILDING COVERAGE TOTAL SITE AREA BUILDING COVERAGE PERCENTA TOTAL IMPERVIOUS COVERAGE TOTAL SITE AREA IMPERVIOUS COVERAGE PERCENTAGE IMPERVIOUS COVERAGE SURPLUS **GROSS FLOOR AREA** 1ST FLOOR CONDITIONED AREA 1768 728 2ND FLOOR CONDITIONED AREA 2ND FLOOR APARTMENT 3RD FLOOR CONDITIONED AREA BASEMENT GARAGE (ATTACHED) GARAGE (DETACHED) CARPORT (ATTACHED)

4004 AVENUE G

SF-3-HD-NP ZONING

BUILDING AND SITE AREA

ACCESSORY BUILDING (DETACHED)

TOTAL BUILDING COVERAGE

TOTAL GROSS FLOOR AREA TOTAL SITE AREA FLOOR -TO-AREA RATIO

F.A.R. SURPLUS (IN S.F.)

VISITABLITY STANDARDS LIGHT SWITCHES/ VISITABLE EXTERIOR VISITABLE RECEPTACLES AND VISITABLE RUTE ENTRANCE ENVIRONMENTAL CONTROLS VISITABLE **ENTRANCE TO** % PATH OF TRAVEL ► BE NO-STEP WITH A BEVELEDD THRESHOLD VISITABLE VISITABLE 2X6 OR LARGER MAXIMUM MINIMUM A VISITABLE ENTRANCE MUST OF ONEHALF BATHROOM HEIGHT FOR **HEIGHT FOR ENTRANCE** HAVE AT LEST ONE VISITABLE WD BLOCKING NCH OR LESS DOOR. INSTALLED FLUSH **LIGHT** UTLETS AND DOOR. ROUTE WITH A CROSS SLOPE CLEAR **RECEPTACLES** CLEAR WITH STUD **SWITCHES** OF NO GREATER THAN 2% THAT **DIMENSIONS EDGES OF** , EXCEPT **DIMENSIONS** AND ORIGINATES FROM A GARAGE, BATHROOM FLOOR **ENVIRONMENT** DRIVEWAY, PUBLIC STREET, OR WALLS, EXPCT AL CONTROLS OUTLETS AND PUBLIC SIDEWALK. A RAMP **RECEPTACLES** FOR THE PORTION INCLUDED IN AN EXTERIOR F THE WALL VISITABLE ROUTE MUST COMLY LOCATED WITH THE RESIDENTIAL CODE DIRECTLY BEHIND THE LAVATORY


ATX

TURNE

REMODEL

p.o. box 81002, austin, tx 78708

512.809.0406 www.atxarchitects.com



04.08.15 OWNER

MYLES AND KATIE TURNER

4004 AVENUE G AUSTIN TEXAS USA

> GENERAL CONTRACTOR

(NAME)
(ADDRESS)
(CITY, STATE ZIP)
(CONTACT)

STRUCTURAL ENGINEER

(NAME) (ADDRESS) (CITY, STATE ZIP) (CONTACT)

SURVEYOR

6500 **39.23%**

> (NAME) (ADDRESS) (CITY, STATE ZIP) (CONTACT)

GEOTECHNICAL ENGINEER


> (NAME) (ADDRESS) (CITY, STATE ZIP) (CONTACT)


MEP ENGINEER


(NAME) (ADDRESS) (CITY, STATE ZIP) (CONTACT)


CIVIL ENGINEER

(NAME) (ADDRESS) (CITY, STATE ZIP) (CONTACT)









1. GENERAL

1. CONTRACT DOCUMENTS - THE DRAWINGS AND SPECIFICATIONS ISSUED BY THE ARCHITECT DATED 04.08.15, AND AS MAY BE AMENDED BY THE ARCHITECT IN SUBSEQUENT ISSUANCES.

2. EXISTING CONDITIONS - BEFORE BEGINNING WORK EXAMINE THE SITE FOR COMPLIANCE WITH THE DRAWINGS. NO EXTRA CHARGE OR COMPENSATION WILL BE ALLOWED FOR REASONS OF ERROR OR OMISSION.

3. STANDARDS, CODES AND ORDINANCES - REFER TO INDUSTRY STANDARDS AND MANUFACTURER'S INSTRUCTIONS. WHERE THE CONTRACT DOCUMENTS CONFLICT WITH INDUSTRY STANDARDS OR MANUFACTURER'S INSTRUCTIONS INFORM THE OWNER AND DO NOT PROCEED WITHOUT PRIOR APPROVAL

4. ALL WORK WILL COMPLY WITH ALL PRESIDING CODES AND ORDINANCES. WHERE THE CONTRACT DOCUMENTS CONFLICT WITH PRESIDING CODES AND ORDINANCES INFORM THE OWNER AND DO NOT PROCEED WITHOUT PRIOR APPROVAL.

5. PURPOSE OF THE CONTRACT DOCUMENTS IS TO PROVIDE THE INFORMATION REQUIRED TO ACHIEVE THE ARCHITECTURAL INTENT. WHERE DETAILS OR PROCEDURES ARE IN CONFLICT WITH ANY OF THE TERMS OF THESE SPECIFICATIONS INFORM THE OWNER AND DO NOT PROCEED WITHOUT PRIOR APPROVAL

6. SAFETY - ERECT SUCH SAFETY EQUIPMENT AND SIGNAGE AS REQUIRED AND MAINTAIN THESE ELEMENTS FOR THE DURATION OF THE PROJECT.

7. SUPPORT FACILITIES - CONTRACTOR IS RESPONSIBLE FOR PAYING FOR ALL TEMPORARY FEATURES SUCH AS UTILITIES, TRASH AND RECYCLING, AND SANITARY FACILITIES. ALL TEMPORARY FEATURES MUST BE REMOVED BEFORE FINAL CLEANING.

8. INSURANCE - PROVIDE AND COORDINATE ALL INSURANCE REQUIREMENTS AS PRESCRIBED BY THE CONSTRUCTION CONTRACT. 9. WARRANTY - ALL WORK SHALL BE WARRANTED AS COMPLYING WITH THE CONTRACT DOCUMENTS AND AGAINST DEFECTS FOR THE PERIOD REQUIRED BY LAW AND THE CONSTRUCTION CONTRACT. REPAIRS REQUIRED DURING THE WARRANTY PERIOD WILL BE PROVIDED BY THE CONTRACTOR AT NO EXPENSE TO THE OWNER.

10. PROTECTION OF EXISTING CONDITIONS - PROTECT ALL EXISTING CONDITIONS TO REMAIN OR TO BE REUSED DURING CONSTRUCTION. FINAL CLEANING WILL INCLUDE ALL EXTERIOR AND INTERIOR SURFACES. PATCHING AND REPAIRING WILL BE PERFORMED SUCH THAT NEW AND EXISTING ELEMENTS MAY NOT BE DIFFERENTIATED. 11. SUBSTITUTIONS - WHERE A PARTICULAR MATERIAL, COLOR OR PRODUCT IS SPECIFIED AN ALTERNATE MAY ONLY BE SUBSTITUTED WITH THE EXPRESS PERMISSION OF THE OWNER.

12. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING "AS-BUILT" DRAWINGS TO BE PROVIDED TO THE OWNER AT THE COMPLETION OF THE PROJECT.

13. CONTRACTOR WILL RETAIN THE SERVICES OF RELEVANT ENGINEERS WHERE REQUIRED TO COMPLETE THE WORK. 14. ALL PARTITION TYPES INDICATED ON THIS DRAWING MAY NOT

NECESSARILY BE USED ON THIS SPECIFIC PHASE OF THE PROJECT. 15. VERIFY THE THE REQUIREMENTS OF ALL OWNER SUPPLIED APPLIANCES AND PRODUCTS BEFORE BEGINNING THE WORK. NO EXTRA CHARGE OR COMPENSATION WILL BE ALLOWED FOR REASONS OF ERROR OR OMISSION.

2. SITE WORK

1. PROTECTION

1. SEE SURVEY FOR EXISTING CONDITIONS AND PROTECTED TREES. 2. MINIMIZE IMPACT ON EXISTING SITE TO THE EXTENT POSSIBLE 3. CONTRACTOR IS RESPONSIBLE FOR IDENTIFYING LOCATION OF

ON SITE UTILITIES. 4. PROTECT SITE ELEMENTS TO REMAIN DURING CONSTRUCTION. 2. DRAINAGE - NO WORK WILL INTERFERE WITH EXISTING DRAINAGE SYSTEMS WITHOUT CREATING EQUALLY EFFECTIVE SYSTEMS.

3. ROOF DRAINS AND FRENCH DRAINS WILL TIE INTO EXISTING DRAINAGE SYSTEMS WHERE POSSIBLE.

3. WOOD

1. ROUGH FRAMING

RESERVED.

2. FRAMING TO BE INSTALLED TO RECEIVE INTERIOR FINISHES.

3. CONTRACTOR RESPONSIBLE FOR COORDINATION OF LUMBER TAKE OFFS, TRUSS SUBMITTALS, AND SHOP DRAWINGS. 4. STUD SPACING TO BE 16" O.C. U.N.O. THE PROJECT MANDATORY MAXIMUM ALLOWABLE DEFLECTION DESIGN CRITERIA RATIO IS L/

240 USING STUDS @ 16" O.C. 5. WHERE "BRITTLE" FINISHES WILL BE APPLIED SUCH AS PLASTER OR CERAMIC TILE, MAX. ALLOWABLE DEFLECTION CRITERIA RATIO IS L/

2. EXTERIOR CARPENTRY

RESERVED

3. INTERIOR FINISH CARPENTRY - ALL WORK TO COMPLY WITH MOST RECENT QUALITY STANDARDS OF THE ARCHITECTURAL WOODWORK

1. ALL FASTENERS TO BE COUNTERSUNK AND FILLED, SANDED SMOOTH AND PAINTED.

2. CORNERS TO BE MITERED UNLESS NOTED OTHERWISE.

3. INSTALL BLOCKING AS REQUIRED.

4. CABINETRY AND MILLWORK FINISHES TO BE COORDINATED WITH

4. ALL PARTITION TYPES INCLUDED IN THE DRAWINGS MAY NOT NECESSARILY BE USED ON THIS SPECIFIC PHASE OF THE PROJECT. 4. THERMAL AND MOISTURE PROTECTION

1. BUILDING WRAP - DUPONT TYVEK HOMEWRAP OR ALTERNATE APPROVED BY OWNER

2. FENESTRATION FLASHING - SELF ADHERED FLASHING TAPES WITH CORNER DETAILING SYSTEMS TO CREATE CONTINUOUS WATERPROOFED DETAILS. INSTALL WINDOW AND DOOR FLASHING

PER FLASHING TAPE MANUFACTURER'S INSTRUCTIONS. 3. INSULATION - CAVITY INSULATION AT ROOF AND WALLS TO BE SPRAY-IN FOAM INSULATION. MINIMUN R-VALUES PER CITY

REQUIREMENTS AND OWNER'S PREFERENCE. 4. RADIANT ROOF DECK AS REQUIRED BY FINAL ROOF TYPE APPROVED

BY OWNER AND CITY ORDINANCE. 5. JOINT SEALANTS - ELASTOMERIC SEALANTS AT

1. DISIMILAR MATERIAL JOINTS 2. BETWEEN DOORS AND WINDOWS

3. SEALANT COLORS TO BE COMPATIBLE WITH ADJACENT FINISHES 6. SIDING TO BE REAL WOOD GRAIN CEMENTITIOUS FIBERBOARD,

PAINTED. SEE ALSO ASSEMBLIES. 7. EXTERIOR ACCENT BANDS TO BE SMOOTH FINISH CEMENTITIOUS FIBERBOARD, PAINTED.

8. WHERE NOT DETAILED EXTERIOR SIDING CORNERS TO BE TRIMMED IN EITHER SMOOTH FINISH CEMENTITIOUS FIBERBOARD, PAINTED, OR MITERED.

9. ALL FLASHING DETAILS PER SMACNA

5. FINISHES

1. GYPSUM BOARD ASSEMBLIES

1. WALLS IN DRY LOCATIONS TO BE STANDARD 1/2 INCH GYPSUM

2. WALLS IN WET LOCATIONS TO BE 1/2 INCH CEMENTITIOUS

3. CEILINGS TO BE 5/8" GYPSUM BOARD 4. CEILINGS IN WET AREAS TO BE 5/8" WATER RESISTANT GYPSUM

5. ALL OUTSIDE CORNERS TO HAVE CORNER BEADS

1. USE COMPATIBLE WATERPROOFING AND THIN SET CEMENT 2. TILE FLOORS TO BE THIN SET TILE OVER PLIABLE, SHEET-APPLIED, BONDED WATERPROOF MEMBRANE AND VAPOR RETARDER WITH CRACK-BRIDGING CAPABILITIES

3. TILE WALLS TO BE THIN SET TILE OVER SHEET-APPLIED, BONDED WATERPROOF MEMBRANE AND VAPOR RETARDER WITH CRACK-BRIDGING CAPABILITIES, OR APPROVED ALTERNATE, OVER CEMENTITIOUS BOARD

4. COORDINATE TILE AND GROUT COLOUR SELECTIONS WITH

5. TILE TRANSITIONS TO BE BULL-NOSE FINISH, O.A.A.

3. PAINT

1. COORDINATE PAINT COLOURS WITH OWNER. 2. EXTERIOR PAINTED WOOD TO MATCH EXISTING COLOR AND QUALITY.

3. PAINTED GYPSUM BOARD TO MATCH EXISTING COLOR AND QUALITY.

4. FILL ALL HOLES, LEVEL ALL SURFACES, SEAL ALL JOINTS, CRACKS AND INTERSECTIONS AND SAND SURFACES SMOOTH 5. REMOVE HARDWARE PRIOR TO PAINTING.

6. PROVIDE MINIMUM ONE COAT OF PRIMER AND TWO COLOR

7. COORDINATE PAINT COLOUR SELECTIONS WITH OWNER.

6. DOORS AND WINDOWS

1. NEW WINDOWS TO MATCH EXISTING TYPE, QUALITY, INSTALLATION AND TRIMS.

2. NEW DOORS TO MATCH EXISTING TYPE, QUALITY, INSTALLATION AND TRIMS.

3. PROVIDE TEMPERED GLASS WHERE REQUIRED BY CODE.

7. MECHANICAL - HVAC AND PLUMBING

1. U.N.O. CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND INTEGRATION OF NEW AND EXISTING HVAC SYSTEMS AND PRODUCTS.

2. DUCT WORK, GRILLS AND TERMINATIONS 1. PROVIDE SHEET METAL PRIMARY TRUNKS WITH FLEX DUCT SECONDARY DUCTS.

2. PROVIDED DUCTED RETURNS AT BEDROOM.

3. ROOF TERMINATIONS TO MATCH EXISTING.

4. NO VISIBLE EQUIPMENT, PENETRATIONS, GRILLS, METERS OR OTHER EQUIPMENT WITHOUT OWNER'S CONSENT.

RESERVED. 4. U.N.O. CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND INTEGRATION OF NEW AND EXISTING PLUMBING SYSTEMS AND

5. CONTRACTOR RESPONSIBLE FOR COORDINATION OF ROOF PENETRATIONS AND ROOFING.

6. PROVIDE AND INSTALL PLUMBING FIXTURES PER CONTRACT DOCUMENTS.

7. CONTRACTOR TO COORDINATE FIXTURE SELECTIONS WITH OWNER. 8. ENSURE PROPER CONNECTION OF NEW AND EXISTING PLUMBING SYSTEMS TO CITY SUPPLY AND SEWER.

8. ELECTRICAL

1. CONTRACTOR IS RESPONSIBLE FOR THE DESIGN AND INTEGRATION OF NEW AND EXISTING ELECTRICAL SYSTEMS AND PRODUCTS. 2. SMOKE DETECTORS INSTALLED PER CODE REQUIREMENTS 3. INTEGRATE NEW DOORS AND WINDOWS WITH EXISTING SECURITY

SYSTEMS 4. ALL RECEPTICALS IN WET AREAS TO BE GFCI OR WATERPROOF GFCI

AS REQUIRED BY CODE 5. WHERE NO ELECTRICAL DIAGRAM IS SHOWN IT IS ASSUMED THE EXISTING SERVICES IS ADEQUATE.

9. SPECIALTY PRODUCTS

RESERVED

10. DEMOLITION 1. PROTECT ALL EXISTING, STRUCTURES, FENCING, LANDSCAPING, TREES, WALKS, ASPHALT PAVING TO REMAIN DURING CONSTRUCTION.

2. PROTECT ALL TREES AND LANDSCAPING TO REMAIN. 3. ANY EXISTING ELEMENTS TO REMAIN THAT ARE DAMAGED DURING CONSTRUCTION WILL BE REPLACE BY THE CONTRACTOR.

4. LOCATION AND PROTECTION OF UTILITIES TO REMAIN IS THE RESPONSIBILITY OF THE CONTRACTOR. 5. ALL AREAS OF DISTURBED LANDSCAPE WILL BE REPLANTED WITH

NEW GRASS SEED. 6. RE: FLOOR PLAN FOR LOCATION OF WINDOWS TO BE REMOVED AND PATCHED AND WINDOWS TO BE REMOVED AND REPLACED.

7. ALL EXTERIOR SIDING TO BE REMOVED AND REPLACED. RE: ELEVATIONS 8. ALL ROOFS TO BE REMOVED AND REPLACED. RE: ROOF PLAN,

10. EXTERIOR SPECIALTIES

RESERVED

11. ALTERNATES RESERVED

12 ACCESSIBILITY AND VISITABILITY

ELEVATIONS AND STRUCTURE.

1. FOR ALL NEW SINGLE-FAMILY AND DUPLEX CONSTRUCTION WITHIN THE CITY OF AUSTIN THE FOLLOWING WILL APPLY.

2. AT LEAST ONE BATHROOM OR HALF BATH ON THE FIRST FLOOR MUST MEET THE FOLLOWING REQUIREMENTS:

1. MINIMUM CLEAR OPENING OF 30 INCHES

2. LATERAL TWO-INCH BY SIX-INCH OR LARGER NOMINAL WOOD BLOCKING INSTALLED FLUSH WITH THE STUD EDGES OF BATHROOM WALLS; AND 3. THE CENTERLINE OF THE BLOCKING MUST BE 3/4" FROM AND

PARALLEL TO THE INTERIOR FLOOR LEVEL, EXCEPT FOR THE PORTION OF THE WALL LOCATED DIRECTLY BEHIND THE LAVATORY 3. SWITCHES, RECEPTACLES AND ENVIRONMENTAL CONTROLS ON THE

FIRST FLOOR MUST MEET THE FOLLOWING REQUIREMENTS: 1. LIGHT SWITCHES AND ENVIRONMENTAL CONTROLS MUST BE NO HIGHER THAN 48 INCHES ABOVE THE INTERIOR FLOOR LEVEL; AND 2. OUTLETS AND RECEPTACLES MUST BE A MINIMUM OF 15 INCHES

ABOVE THE INTERIOR FLOOR LEVEL, EXCEPT FOR FLOOR OUTLETS AND RECEPTACLES 4. THE ROUTE TO A DESIGNATED VISITABLE BATH OR HALF BATH MUST BE ACCESSIBLE BY A ROUTE WITH A MINIMUM CLEAR OPENING OF 32 INCHES BEGINNING AT THE DESIGNATED VISITABLE ENTRANCE AND CONTINUING THROUGH THE LIVING ROOM, DINING ROOM, AND

DOOR THRESHOLDS 5. THE DESIGNATED VISITABLE ENTRANCE MUST BE A NO-STEP ENTRANCE WITH A BEVEYED THRESHOLD OF ONE-HALF INCH OR LESS AND A DOOR WITH A CLEAR WIDTH OF AT LEAST 32 INCHES. THE ENTRANCE MAY BE LOCATED AT THE FRONT, REAR, OR SIDE, OR IN THE

KITCHEN AND BE LEVEL WITH RAMPED OR BEVELED CHANGES AT

GARAGE OR CARPORT OF THE DWELLING 6. THE EXTERIOR VISITABLE ROUTE MUST HAVE A CROSS SLOPE LESS THAN TWO PERCENT THAT ORIGINATES FROM A GARAGE, PUBLIC STREET, OR PUBLIC SIDEWALK. A RAMP INCLUDED IN AN EXTERIOR VISITABLE ROUTE MUST COMPLY WITH THE RESIDENTIAL CODE 7. EXCEPTIONS FOR EXTERIOR VISITABLE ROUTES

1. LOTS WITH 10% OR GREATER SLOPE PRIOR TO DEVELOPMENT 2. PROPERTIES FOR WHICH COMPLIANCE CANNOT BE ACHIEVED

WITHOUT THE USE OF SWITCHBACKS


ATX **ARCHITECTS**

0

N N

 \square

p.o. box 81002, austin, tx 78708 512.809.0406 www.atxarchitects.com



ISSUED FOR PERMITTING

CIFICATIONS , SCHEDULES


140115


04.08.15


EMP

EMP


Sheet Number














REMODEL TURNER ATX **ARCHITECTS** p.o. box 81002, austin, tx 78708 512.809.0406 www.atxarchitects.com 04.08.15 ISSUED FOR PERMITTING REVISION HISTORY Project #: 140115

Sheet Number


WALL SECTIONS

04.08.15


Drawn: **EMP**

Chkd: **EMP**


Chkd: **EMP**




EXIST. VIEW FROM NW



EXIST. VIEW FROM NE



EXIST. VIEW FROM SW



PROPOSED VIEW FROM SE

EXIST. VIEW FROM SE




PROPOSED VIEW FROM NW



PROPOSED VIEW FROM NE



PROPOSED VIEW FROM SW



PROPOSED EAST ELEVATION



PROPOSED EAST ELEVATION