

GAVA Park Improvement Requests										
Park	Project Description	Installation Category	Requester Comments	Top 2 Priority	#	PARD Site Visit Comments	Next Steps	Probable Cost	Funding Source(s)	Date Completed
Armadillo Park	Trail Maintenance	Trail		Yes	1	Minor erosion occurring a numerous locations as is inherent to gravel trails.	Monitor erosion and provide regular maintenance and repair. This will be an ongoing issue.			
Armadillo Park	Drainage/Water detention	Misc		Yes	2	Explore rain garden install with Watershed Protection	Check with Watershed about resources and capacity to assist			
Armadillo Park	Old Infrastrcuture removal	Misc	remove drain infrastrcuture			Explore removing drain on new property recently aquired by PARD	Check with Austin Water and PARD Planning to see if drain is still needed			
Armadillo Park	Fitness Equipment	Fitness Equipment				Opportunity for limited number of static fitness equipment stations. Natural tone color to match existing site furnishings	Explore oportunties to implement fitness equipment installation under comprehensive program. Meet with Armadillo Team to review possible equipment package and layout			
Garrison	Fitness Equipment	Fitness Equipment				Opportunity for a range of equipment types, static and dynamic. Locate with views to other site features (ie. play area)	Explore oportunties to implement fitness equipment installation under comprehensive program. Meet with Garrison Team to review possible equipment package and layout			
Garrison	Restore DG Trails	DG Trails	Clear and level trail			Did not review in field	Will require follow-up field visit to verify location			
Garrison	Add Bike/Skate Feature	Bike/Skate				Did not review in field	Will require long-range planning			
Garrison	Light restrooms and Bball court	Lighting	improve lighting around park including restrooms and bballl court			Opportunities to explore lighting options that might be done under comprehensive program for energy savings, both replacement of old and addition of new.	Explore oportunties to implement fitness lighting installation under comprehensive program. Meet with Garrison Team to identify critical lighting areas.			
Garrison	Restroom	Restroom				Did not review in field	Complete building assessment to confirm scope (building renovation?)			
Garrison	Off leash area	Off leash area				Did not review in field	Will require long-range planning			
St. Elmo School Park	Create a soccer field	Field restoration		Yes		Will irrigation and turf management/maintenance plan	Coordinate with AISD regarding sportsfield development standards (turf, irrigation, maintenance).			
St. Elmo School Park	Improve school track	School Tracks				Explore trail realignment and moving chain link fence to allow for larger field	Coordinate with AISD regarding trail/track development standards (materials, maintenance).			
St. Elmo School Park	4 new lights requested	Lighting				Confirm intent of lighting in order to develop appropriate recommendations	Coordinate with AISD regarding elecrical/lighting standards (materials, maintenance).			
St. Elmo School Park	Repair or Add new public restroom	Restroom				Follow-Up required	Investiagte restroom ownership and status.			
St. Elmo School Park	Drinking Fountain	Irrigation/Plumbing				If there is water acceess or if water added for field explore drinking fountain near field	Coordinate with AISD regarding plumbing standards (materials, maintenance).			
St. Elmo School Park	Add picnic tables, benches & trash cans	Furnishings				Coordinate with other site improvements for proper placement	Coordinate with AISD regarding site equipment standards (materials, maintenance).			
Williamson Creek Greenbelt	Fitness equipment	Fitness Equipment				Opportunity for limited number of static fitness equipment stations. Probably not a good site for kinetic fitness pieces	Explore oportunties to implement fitness equipment installation under comprehensive program. Meet with Greenbelt Team to review possible equipment package and layout			
Williamson Creek Greenbelt	Water tap for community garden	Irrigation/Plumbing				Completed	Monitor/Maintain			X
Williamson Creek Greenbelt	Nature trail install	Nature Trails				Underway as part of NPP grant with PARD coordination	Monitor/Maintain			

Williamson Creek Greenbelt	Add kiosk, picnic table, benches, trash can, bike	Furnishings				Coordinate with other site improvements for proper placement	Develop shopping list for site furnishings in order to develop overall cost. Some of this equipment is in PARD inventory and can be provided upon request.			
Cunningham School Park	Fitness equipment	Fitness Equipment				Did not discuss in great detail in field.	Coordinate with AISD. Good opportunity to coordinate with new playscape and trail work.			
Cunningham School Park	Improve playscape	Playscape				Did not discuss in great detail in field. Multiple playscapes on site.	Coordinate with AISD. Confirm scope and intent.			
Cunningham School Park	Improve track	School Tracks		Yes		The existing trail is constructed of highly errodible crushed limestone. A good opportunity to collaborate with AISD on restoring with alternative materials.	Coordinate with AISD regarding trail/track development standards (materials, maintenance).			
Cunningham School Park	6 new lights, 1 light repair	Lighting	playscape is not lit			Discussed opportunity in field to add light to existing pole	Coordinate with AISD			
Cunningham School Park	2 drinking fountains	Irrigation/Plumbing				Brief discussion in field.	Verify intent and location of existing site utilities to support			
Cunningham School Park	Picnic pavillion and tables	Pavillion	by picnic tables			Brief discussion in field.	Coordinate with AISD. May require overall site planning for a comprehensive approach to adding these site features.			
Odom School Park	Improve Basketball Court	Sport Courts				Did not review in field	Coordinate with AISD regarding athletic court standards			
Odom School Park	Improve playscape	Playscape		Yes		Neigh requests one swing adaptive	Include in Block Funding Recommendations. Proceed with Design and Coordination with AISD.			
Odom School Park	Swing Replacement	Playscape		Yes		Explore as part of playscape renovation	Include in Block Funding Recommendations. Proceed with Design and Coordination with AISD.			
Odom School Park	Add/fix field backstop	Field restoration				Not a high priority for neighborhood	Follow up with AISD about possible future removal, relocation or replacement.			
Odom School Park	Fitness equipment	Fitness Equipment				Explore as part of playscape renovation. Explore removing pool and adding patio with fitness equipment as part of playscape project	May be opportunity to incorporate into design of new playscape. May be oppourtuny to locate in area currently occupied by outdated pool if demolition costs can be attained.			
Odom School Park	Improve school track	School Tracks		Yes	1	The existing trail is constructed of highly errodible crushed limestone. A good opportunity to collaborate with AISD on restoring with alternative materials.	Coordinate with AISD regarding trail/track development standards (materials, maintenance).			
Odom School Park	3 new lights	Lighting				Explore as part of comprehensive lighting feasibility analysis in GAVA parks. Explore feasibility and cost of electrical service.	Coordinate with AISD regarding elecrical/lighting standards (materials, maintenance).			
Odom School Park	Bke racks, picnic table,	Furnishings				Add as part of playscape renovation	include in playscape design			
Odom School Park	Drainage improvements	Landscaping	Entire park has a drainage problem	Yes	2	Not discussed in field	correct localized drainage problems within playscape area with renovation			
Dove Springs Park	Improve Soccer fields	Field restoration		Yes		one field underway, PARD pursuing funding for 2nd field	Continue to seek funding for 3rd field			
Dove Springs Park	Fitness equipment	Fitness Equipment				Completed	Monitor and Maintain			X

Dove Springs Park	sidewalks from North for access to park	Sidewalk				Explore possbile safe route to school	Check with Public Works under Safe Routes to School program.			
Dove Springs Park	4 new lights	Lighting	walking track and soccer field			Explore as part of comprehensive lighting feasibility analysis in GAVA parks. Explore feasibility and cost of electrical service.	Develop long-range comprehensive lighting plan for Dove Springs District Park in order to implement wisely.			
Dove Springs Park	3 drinking fountains	Irrigation/Plumbing	at soccer field and bball court			Not discussed in field	Develop long-range water distribution plan for Dove Springs District Park in order to implement in a coordinated fashion. Identify highest priority and implement.			
Dove Springs Park	2 restrooms	Restroom				Not discussed in field	Stand-Alone Restroom Building has been discussed for Dove Springs District Park. Will require further analysis (utilities) and planning.			
Dove Springs Park	Stage for performances	Pavillion	Long-term: Not a 2016 Priority			Not discussed in field	Add to long term site plan for future consideration .			
Dove Springs Park	Picnic pavillion and tables	Pavillion	Long-term: Not a 2016 Priority			Explore adding smaller picnic pavilion for smaller single family gatherings	Add to long term site plan for future consideration .			
Dove Springs Park	Concession stand	Building	Long-term: Not a 2016 Priority			did not discuss in field	Coordinate with discussion of stand-alone restroom building			
Franklin Park	Fitness equipment	Fitness Equipment				Opportunity for a range of equipment types, static and dynamic. Locate with views to other site features (ie. play area)	Explore oportunties to implement fitness equipment installation under comprehensive program. Meet with Franklin Team to review possible equipment package and layout			
Franklin Park	Repair pavilion lights	Lighting	Lighting by gazebo needs to be replaced			Completed	Monitor/Maintain			X
Franklin Park	Reapir light pole near basketball court	Lighting	Lighting near basketball court needs to be restored			Completed	Monitor/Maintain			X
Franklin Park	Install lighting at baseball field	Lighting	Light pole by the baseball field needs to be restored			Follow-Up	PARD to verify with prior contractor as to why this light was not replaced with others.			
Franklin Park	Install lighting at playscape	Lighting	Light pole by the playground needs to be restored			Completed	Monitor/Maintain			X
Franklin Park	Add drinking fountain	Irrigation/Plumbing				Discussed options in field	PARD to verify existing site plumbing layout to determine appropriate location and length of plumbing run.			
Houston School Park	Add sidewalks	Sidewalk				Did not review in field	Verify intent and location			
Houston School Park	Add basketball court	Sport Court	Desired at school park, one existing on AISD property.			3 Confirm Location	Coordinate with AISD regarding plumbing standards (materials, maintenance).			
Houston School Park	Improve school track	School Tracks		Yes		1 Explore possible partnership with AISD to pilot DG trail	PARD/AISD Meeting to discuss coordination in School Parks			
Houston School Park	Light soccer field	Lighting				Completed by AISD	Monitor/Maintain			X
Houston School Park	Picnic pavillion and tables	Pavillion				2 need to verify jurisdictional boundaries, where PARD equipment might be located. Need to coordinate with AISD	Develop site plan for location and size equipment may be available in PARD inventory. Check for applicability to this site.			
Houston School Park	Add benches/picnic tables	Furnishings				4 need to verify jurisdictional boundaries, where PARD equipment might be located.				
Kendra Page Park	ADA sidewalk from street to park	Sidewalk				combine with comprehensive trail plan	Coordinate with trail plan			
Kendra Page Park	Create wildlife habitat	Landscaping				Did not discuss in field	refer to PARD habitat conservation program.			
Kendra Page Park	Improve Playscape	Playscape				Complete	Monitor/Maintain			X

Kendra Page Park	Add walking trail	Nature Trails		Yes		Explore a new trail system with concrete to street, dirt trail through forested area and/or look at possible hard surface trail as connectivity/safe route to school through forested area as well	Prepare trails plan for park with an eye toward acessibility and public safety.			
Kendra Page Park	10 new ligths	Lighting				Explore as part of comprehensive lighting feasibility analysis in GAVA parks. Explore feasibility and cost of electrical service.	Evaluate as broader project. Do assessment of site electrical services to determine need for up-front electrical infrastructure.			
Kendra Page Park	Picnic pavillion and tables	Pavillion				Explore adding pavilion in open space behind swings	Take site measurements to deterimine location and size of pavilion, develop cost estimate.			
Kendra Page Park	Add shade structure for playscape	Shade Structure				playscape is new, modest amount of shade provided by existing trees	Evaluate recently renovated playscape for applicability for supplemental shade			
Kendra Page Park	Add benches	Furnishings				benches, picnic tables, grills, trash cans recently installed	Verify that additional site furnishings may be needed			X
Onion Creek Greenbelt	ADA sidewalk near restroom	Sidewalk				Project seems feasible and desirable. 2 Would extend ADA path to restroom	Include in Block Funding Recommendations. Proceed with Design and Coordination with PARD in-house construction team.			
Onion Creek Greenbelt	Add drinking fountain	Irrigation/Plumbing				Project seems appropriate. Location should be based on ability to bring 3 water to site.	Check on permit feasibility for new drinking fountain in flood plain			
Onion Creek Greenbelt	Transplant trees from buyout property to PARD ID sign garden					Ensure location is good long-term in 1 case garden is ever removed	Check with PARD forestry about transplanting			
Ponciana Park	Shade Structure			Yes		Explore adding shade to cover 1 playscape area during park design	Refer to existing plans to check on applicability to current design.			
Ponciana Park	Traffic Calming					2 ATD	refer to ATD			
Ponciana Park	Playscape/Picnic Areas	Playscape		Yes		4 Plans in Permit Phase	Construct, Monitor and Maintain			
Ponciana Park	Pavilion/Multi purpose Field	Field restoration		Yes		5 Plans in Permit Phase	Construct, Monitor and Maintain			
Ponciana Park	3 new lights	Lighting				Explore as part of comprehensive lighting feasibility analysis in GAVA parks. Explore feasibility and cost of 3 electrical service.	Evaluate as broader project. Do assessment of site electrical services to determine need for up-front electrical infrastructure.			
Joslin Park	nature based play	Playscape		Yes		Explore adding nature based play to 3 the park	Include in Block Funding Recommendations. Proceed with Design and Coordination with AISD and PARD.			
Joslin Park	Fitness Equipment	Fitness Equipment		Yes		Explore equipment with moving parts in hub/patio area plus more stationary fitness equipment along 1 trail	Prepare design for this facility in coordination with play equipment planning/design			
Joslin Park	Bike Racks	Furnishings				2 explore install	This equipment may be in PARD inventory for quick installation.			
Joslin Park	Renovate Trail	Trail				The existing trail is constructed of highly errodible crushed limestone. A good opportunity to collaborate with AISD on restoring with alternative materials.	Coordinate with AISD regarding trail/track development standards (materials, maintenance).			
Joslin Park	Raise Oaks	Forestry				Explore raising oaks	PARD Forestry to conduct an evaluation of these trees			