### ORDINANCE NO. 96 0613-J

AN ORDINANCE GRANTING A SPECIAL EXCEPTION FOR DEVELOPMENT OF FIVE (5) TRACTS OF LAND: TRACT 1: BEING 153.75 ACRES, MORE OR LESS, OUT OF JAMES JETT SURVEY NO. 1, BEING MORE PARTICULARLY DESCRIBED IN CITY APPLICATION NO. C-81-87-020; TRACT 2: BEING A 20.59 ACRES, MORE OR LESS, OUT OF JAMES JETT SURVEY NO. 1, MORE PARTICULARLY DESCRIBED IN CITY APPLICATION NO. C-81-87-021; TRACT 3: BEING 49.70 ACRES, MORE OR LESS, OUT OF JAMES JETT SURVEY NO. 1, MORE PARTICULARLY DESCRIBED IN CITY APPLICATION NO. C-81-87-022; TRACT 4: BEING 9 ACRES, MORE OR LESS, OUT OF T.J. CHAMBERS SURVEY, MORE PARTICULARLY DESCRIBED IN CITY APPLICATION NO. C-81-87-023; AND TRACT 5: BEING 26 ACRES, MORE OR LESS, OUT OF THE JAMES JETT SURVEY NO. 1 AND THOMAS JEFFERSON CHAMBERS GRANT, MORE PARTICULARLY DESCRIBED IN CITY APPLICATION NO. C-81-87-024; GRANTING A SPECIAL EXCEPTION UNDER DIVISION 3 OF ARTICLE V OF CHAPTER 13-1, ARTICLE 1 OF CHAPTER 13-7, AND ARTICLE V OF CHAPTER 13-2 OF THE AUSTIN CITY CODE OF 1992, AS AMENDED; IMPOSING WATER QUALITY PROTECTIONS ON DEVELOPMENT OF THE PROPERTY; WAIVING THE REQUIREMENTS OF SECTIONS 2-2-3, 2-2-5, 2-2-7, 13-1-301 AND 13-1-302 OF THE AUSTIN CITY CODE OF 1992, AS AMENDED; ESTABLISHING AN EXPIRATION DATE; AND ESTABLISHING AN EFFECTIVE DATE.

### BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

- <u>PART 1.</u> That a special exception from the Austin City Code of 1992, as amended, is granted for development on the Champion property, (the "Property") more particularly described in Exhibit "A" attached hereto and incorporated herein for all purposes; provided that the following conditions are met:
- (1) The development of the Property must comply with the provisions of the Austin City Code in effect on December 8, 1993 including (the Lake Austin Watershed Ordinance) with the exception that development of the Property shall provide additional water quality control as set forth in (2) below.
- (2) For any development of the Property, applicant shall construct properly engineered water-quality controls, including at minimum, water-quality filtration ponds with full sedimentation chambers as described in the City of Austin Environmental Criteria Manual. The ponds shall be sized to capture the first one-half (.50) inch of stormwater plus one-tenth (.10) of an inch for each additional 10% of impervious cover above 20% from the contributing drainage areas of the project which include impervious cover. In the event that any cut and fill variances necessary for the construction of these ponds are not granted the applicant shall not be required to comply with this paragraph (2). Detention of the 2-year storm will not be required.

- (3) Any agreements, restrictions, covenants, or other legal documentation necessary to construct and maintain the water quality controls required by conditions (1) and (2) above shall be reviewed by the City Law Department prior to execution, and shall include a provision requiring written City approval prior to termination or assignment.
- (4) Prior to the issuance of a certificate of occupancy or return of fiscal security for development on all or part of the Property, construction of the water-quality controls required by conditions (1) and (2) above shall be completed, as determined by City of Austin inspection, for the portion of the Property for which a Certificate of Occupancy or return of fiscal security is requested.
- (5) The set-backs from Loop 360 and RR 2222 required by the Hill Country Roadways Ordinance (No. 860116-J) shall be reduced from 100 feet to 25 feet.
- <u>PART 2.</u> Tracts 4 and 5 (excluding that portion of Tract 5 not made subject to zoning ordinance No. 930513-R). The exception granted herein shall apply to any "project" as that term is defined in Section 481.142, Texas Government Code, commenced on Tracts 4 and 5 (excluding that portion of Tract 5 not made subject to zoning ordinance No. 930513-R) within ten years by the filing and approval of an application for preliminary subdivision (if applicable) and by the filing and approval of a site plan. In the event that said subdivision and site plan approval are not obtained within the ten year period, all subsequent permits for a "project" shall be governed by the Austin City Code in effect at the time of the filing of the development application.
- Tracts 1, 2, 3, and that portion of Tract 5 not made subject to zoning ordinance 930513-R. The exceptions granted herein shall apply to any "project" as that term is defined in Section 481.142, Texas Government Code, commenced on Tracts 1, 2, and 3, and that portion of Tract 5 not made subject to zoning ordinance 930513-R within six years by the filing of an application for preliminary subdivision plan or any other development permit. Provided, however, that any application filed within six years will be subject to expirations contained in the Austin City Code in effect as of December 8, 1993. In the event that said development permit is not filed within the six year period, all subsequent permits for a "project" shall be governed by the Austin City Code in effect at the time of the filing of the development application.

Notwithstanding the foregoing, should the owners elect, applications filed during the first six years from the effective date of this Ordinance may be governed by the provisions of state law and the Austin City Code in effect at the time of the filing of said applications.

PART 3. Unless otherwise specifically provided in this Agreement, during the term of Part 2 above, all applications relating to development of the Property will be governed solely by the Lake Austin Watershed Ordinance and other applicable ordinances, rules or other regulations in effect on December 8, 1993 immediately prior to the enactment of City of Austin Ordinance No. 931209-H, (the "Bull Creek Ordinance"). Such development applications shall include, but not be limited to, all applications for subdivisions preliminary plans and final plats, resubdivisions or replats, site plans, site development permits, and zoning and rezoning (only to the extent that zoning and rezoning ordinances affect size, lot dimensions, lot coverage or building size), relating to the Subject Property, and all revisions and amendments thereto (other than applications for building or construction permits for structures intended for human occupancy or habitation, which applications will be governed by the laws, ordinances, rules or regulations adopting solely the

provisions of uniform building, fire, plumbing or mechanical codes promulgated by a nationally recognized code organization or local amendments to such codes enacted solely to address imminent threats of destruction of property or injury to persons in effect as of the date of the application for the applicable building or construction permit).

During the term of Part 2 above it is expressly agreed that the Property may be subdivided and resubdivided under the requirements of the Lake Austin Watershed Ordinance so that each Tract may be comprised of one or more separate tracts without compliance with any ordinance, rule, regulation or other permitting or approval requirement adopted after December 8, 1993, including specifically, but without limitation, the Comprehensive Watersheds Ordinance (Ordinance No. 860508-V) as the same has been codified and amended, which ordinance was not applicable by exemption to the Property on December 8, 1993, and that further resubdivisions or replatting of the Property during the term of Part 2 will not trigger the necessity of compliance with the Comprehensive Watersheds Ordinance or any other ordinance, regulation or rule in effect after December 8, 1993, except with respect to all applications for building or construction permits for structures intended for human occupancy or habitation, which applications will be governed by the laws, ordinances, rules or regulations adopting solely the provisions of uniform building, fire, plumbing or mechanical codes promulgated by a nationally recognized code organization or local amendments to such codes enacted solely to address imminent threats of destruction of property or injury to persons in effect as of the date of the application for the applicable building or construction permit.

During the term of Part 2 above, the total amount of impervious cover that may be constructed within Tracts 1, 2, and 3, and that portion of Tract 5 not made subject to Zoning Ordinance No. 930513-R will be the maximum impervious cover permitted by the Lake Austin Watershed Ordinance and other ordinances governing such tracts prior to the enactment of the Bull Creek Ordinance, and the amount of impervious cover will not be restricted to an amount less than that permitted by those ordinances.

- <u>PART 4.</u> That the approval of this special exception does not constitute approval of any development permit nor does it constitute a commitment to any specified land use, intensity of land use, or utility services.
- <u>PART 5.</u> That the requirements imposed by Sections 13-1-301 and 13-1-302 of the Austin City Code of 1992, as amended, (Land Development Code) regarding notice and hearing requirements and procedures for a Special Exception are hereby waived.
- <u>PART 6.</u> That the requirement imposed by Sections 2-2-3, 2-2-5 and 2-2-7 of the Austin City Code of 1992, as amended, regarding the presentation and adoption of ordinances are hereby waived by the affirmative vote of at least five members of the Austin City Council.

**PART 7.** That this ordinance shall become effective upon the expiration of ten days following the date of its final passage, as provided by the City Charter of the City of Austin.

<b>PASSED</b>	AND A	<b>\PPR</b>	OVED:
---------------	-------	-------------	-------

8

June 13

, 1996.

Bruce Todd Mayor

APPROVED:

Andrew Martin City Attorney James E. Aldridge

City Clerk

HCN/alc/H:\COUNCIL\CHAMPION.ORD

Item C-01 5 of 25

### EXHIBIT "A"

To Ordinance	e No.
--------------	-------

The Tracts made the subject of this ordinance are those tracts having the metes and bounds set forth in the attached survey notes, as follows:

TRACT 1: The property described in the attached as "PARCEL A"

TRACT 2: The property described in the attached as "PARCEL B"

TRACT 3: The property described in the attached as "PARCEL C"

TRACT 4: The property described in the attached as "PARCEL D"

TRACT 5: The property described in the attached as "PARCEL E"

940013-5

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

A FIELD NOTE DESCRIPTION OF 252.06 ACRES OF LAND OUT OF THE JAMES JETT SURVEY NO. 1 AND THE THOMAS JEFFERSON CHAMBERS GRANT IN TRAVIS COUNTY, TEXAS; BEING COMPRISED OF A 153.75 ACRE PARCEL (A), A 20.59 ACRE PARCEL (B), A 49.70 ACRE PARCEL (C), A 9.20 ACRE PARCEL (D), AND AN 18.82 ACRE PARCEL (E); THE SAID 252.06 ACRES BEING THE REMAINDER PORTION OF TWO TRACTS OF LAND, DESCRIBED AS 260 ACRES AND 43.32 ACRES, GRANTED TO C. C. CHAMPION BY A DEED OF PARTITION WITH MRS. JOSIE CHAMPION HILL EXECUTED ON SEPTEMBER 12, 1932 AND RECORDED IN VOLUME 482, PAGE 627 OF THE DEED RECORDS OF THE SAID TRAVIS COUNTY, TEXAS; THE SAID 252.06 ACRES, AS SHOWN ON EH&A PLAT NO. 14970-5371-2, BEING MORE PARTICULARLY DESCRIBED BY THE SAID FIVE (5) SEPARATE PARCELS, AS FOLLOWS:

### PARCEL A

BEGINNING at an iron pipe found, being the most northerly corner of the said 260 acre tract, also being a point on the southwest line of Lot 33, Block A, of The Jester Estate, Section 1, Phase 1, a subdivision recorded in Plat Book 78, Page 385-389 of the Plat Records of Travis County, same also being the most easterly corner of that certain 3.81 acre tract of land conveyed to Howard L. Burris, Jr., Agent, referred to as Tract Two, by warranty deed recorded in Volume 7948, Page 824 of the said Deed Records of Travis County, said iron pipe also being the most northerly corner of the herein described parcel;

THENCE, with the northeast line of the said 260 acre tract, being the said southwest line of Lot 33, Block A of The Jester Estate, Section 1, Phase 1, S 59° 48' 01" E, a distance of 651.65 feet to an iron rod found in concrete, being the most southerly corner of the said Lot 33, Block A, of The Jester Estate, Section 1, Phase 1, also being the most southerly southwest corner of Lot 6, Block B of Jester Point 2, Section 2, Phase A, a subdivision recorded in Plat Book 84, Page 2A-2B of the said Plat Records of Travis County;

THENCE, leaving the said southwest line of Lot 33, Block A of The Jester Estate, Section 1, Phase 1, continuing with the said northeast line of the 260 acre tract, being the southwest line of the said Lot 6, Block B of Jester Point 2, Section 2, Phase A, S 59° 51' 19" E, a distance of 99.99 feet to an iron rod found, being the most southerly corner of the said Lot 6, Block B of Jester Point 2, Section 2, Phase A, also being the most westerly corner of that certain 18.213 acre tract of land conveyed to Alvin J. Golden, Trustee, by deed of trust recorded in Volume 8286, Page 255 of the said Deed Records of Travis County;

THENCE, leaving the said southwest line of Lot 6, Block B of Jester Point 2, Section 2, Phase A, continuing with the said northeast line of the 260 acre tract, being the southwest line of the said Golden 18.213 acre tract, the following two (2) courses and distances:

- 1. S 59° 58' 51" E, a distance of 728.97 feet to an iron rod found in a rock mound, and
- 2. S 60° 13' 14" E, a distance of 1321.87 feet to an iron rod found, being the most southerly southeast corner of the said Golden 18.213 acre tract, same being the intersection of the said northeast line of the 260 acre tract and the west right-of-way line of State Highway Loop 360;

9606135

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

THENCE, leaving the said northeast line of the 260 acre tract and leaving the said southwest line of the Golden 18.213 acre tract, with the said west right-of-way line of State Highway Loop 360, over and across the said 260 acre tract, the following twelve (12) courses and distances:

- 1. S 37° 07' 34" W, a distance of 303.59 feet to a concrete monument found,
- 2. S 16° 02' 28" W, a distance of 441.39 feet to a concrete monument found, being 290 feet right of the State Highway Loop 360 centerline station 329+85.8,
- 3. S 05° 06' 38" W, a distance of 314.45 feet to a concrete monument found,
- 4. S 01° 06' 51" E, a distance of 603.26 feet to a concrete monument found, being 225 feet right of the State Highway Loop 360 centerline station 339+00.0,
- 5. \$ 050 05' 53" W, a distance of 406.78 feet to a concrete monument found,
- 6. S 17° 38' 07" W, a distance of 370.27 feet to a concrete monument found,
- 7. S 31° 58' 24" W, a distance of 200.55 feet to a concrete monument found,
- 8. S 17° 43' 46" W, a distance of 282.13 feet to a concrete monument found,
- 9. S 550 14' 05" W, a distance of 136.29 feet to a concrete monument found,
- 10. N 470 01' 53" W, a distance of 164.83 feet to a calculated point,
- 11. N 260 59' 56" W, a distance of 232.25 feet to a concrete monument found, and
- 12. S 63° 13' 18" W, a distance of 149.55 feet to a concrete monument found, being the intersection of the said west right-of-way line of State Highway Loop 360 and the curving north right-of-way line of RM Highway 2222;

THENCE, leaving the said west right-of-way line of State Highway Loop 360, continuing over and across the said 260 acre tract, with the said north right-of-way line of RM Highway 2222, the following nine (9) courses and distances:

- with a curve to the left having a radius of 1190.85 feet, a central angle of 29° 30′ 28″ and an arc length of 613.30 feet, along the chord bearing N 41° 29′ 46″ W, a chord distance of 606.54 feet to a calculated point at a point of tangency,
- 2. N 56° 15' 00" W, a distance of 121.14 feet to a calculated point at a point of curvature,

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

- 3. with a curve to the right having a radius of 666.20 feet, a central angle of 35° 34' 00" and an arc length of 413.55 feet, along the chord bearing N 38° 28' 00" W, a chord distance of 406.94 feet to a calculated point at a point of tangency,
- 4. N 20° 41' 00" W, a distance of 52.74 feet to a calculated point at a point of curvature,
- 5. with a curve to the right having a radius of 1379.29 feet, a central angle of 16° 43' 45" and an arc length of 402.72 feet, along the chord bearing N 12° 19' 07" W, a chord distance of 401.29 feet to an iron rod found in concrete at a point of tangency, being 50 feet left of the RM Highway 2222 centerline station 252+90.0,
- 6. N 03° 57' 15" W, a distance of 302.32 feet to an iron rod found in concrete at a point of curvature,
- 7. with a curve to the left having a radius of 622.93 feet, a central angle of 69° 27' 44" and an arc length of 755.21 feet, along the chord bearing N 38° 41' 08" W, a chord distance of 709.80 feet to a calculated point at a point of tangency,
- 8. N 73° 25' 00" W, a distance of 347.37 feet to an iron rod found in concrete at a point of curvature, being 50 feet left of the RM Highway 2222 centerline station 239+52.4, and
- 9. with a curve to the right having a radius of 665.04 feet, a central angle of 11° 58' 09" and an arc length of 138.93 feet, along the chord bearing N 67° 25' 55" W, a chord distance of 138.68 feet to a calculated point, being the intersection of the said north right-of-way line of RM Highway 2222 and the southeast line of that certain 1 acre tract of land conveyed to D. W. Williams by warranty deed recorded in Volume 2507, Page 17 of the said Deed Records of Travis County;

THENCE, leaving the said north right-of-way line of RM Highway 2222, continuing over and across the said 260 acre tract, with the east and north lines of the said Williams 1 acre tract, the following three (3) courses and distances:

- 1. N 29° 48' 54" E, a distance of 194.70 feet to a calculated point, being the most easterly corner of said Williams 1 acre tract,
- N 58° 11' 06" W, a distance of 208.70 feet to a calculated point, being the most northerly corner of said Williams 1 acre tract, and
- 3. S 29° 48' 54" W, a distance of 198.07 feet to a calculated point, being the intersection of the northwest line of the said Williams l acre tract and the said north right-of-way line of RM Highway 2222;

THENCE, leaving the said northwest line of the Williams 1 acre tract, with the said north right-of-way line of RM Highway 2222, N 58° 56′ 06″ W, a distance of 10.00 feet to a calculated point, being the intersection of the said north right-of-way line of RM Highway 2222 and the southeast line of that certain 1 acre tract of land conveyed to L. W. Taylor and wife by deed recorded in Volume 1946, Page 255 of the said Deed Records of Travis County;

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

THENCE, leaving the said north right-of-way line of RM Highway 2222, continuing over and across the said 260 acre tract, with the east line of the said Taylor 1 acre tract, the following two (2) courses and distances:

- 1. N 290 48' 54" E, a distance of 198.20 feet to a calculated point, being the most easterly corner of the said Taylor 1 acre tract, and
- 2. N 58° 11′ 06" W, a distance of 208.70 feet to a calculated point, being the most northerly corner of the said Taylor 1 acre tract, same being a point on the northwest line of the said 260 acre tract, same also being a point on the southeast line of that certain 2.641 acre tract of land conveyed to Jim B. Beard and wife by deed recorded in Volume 6448, Page 64 of the said Deed Records of Travis County, and from the said calculated point an iron rod found, being the most westerly corner of the said Taylor 1 acre tract, same being the most southerly corner of the said Beard 2.641 acre tract, bears S 29° 48' 54" W, a distance of 200.18 feet;

THENCE, leaving the said east line of the Taylor 1 acre tract, with said northwest line of the 260 acre tract, being the said southeast line of the Beard 2.641 acre tract, N 29° 48′ 54″ E, a distance of 918.44 feet to an iron rod found, being the most easterly northeast corner of the said Beard 2.641 acre tract, same being the most southerly corner of the said Burris 3.81 acre tract;

THENCE, leaving the said southeast line of the Beard 2.641 acre tract, continuing with the said northwest line of the 260 acre tract, being the southeast line of the said Burris 3.81 acre tract, the following two (2) courses and distances:

- 1. N 29° 47' 28" E, a distance of 596.25 feet to an iron rod found, and
- 2. N 33° 52' 19" E, a distance of 7.60 feet to the POINT OF BEGINNING, containing 153.75 acres of land.

### PARCEL B

BEGINNING at a 3/8-inch iron rod found in a rock mound, being a point on the northwest line of the said 260 acre tract, same being a point on the southeast line of that certain 12.51 acre tract of land conveyed to Henry R. Schotz and wife by deed recorded in Volume 2681, Page 136 of the said Deed Records of Travis County, same also being the most northerly corner of that certain 1.92 acre tract of land conveyed to Grover C. Phinney and wife by deed recorded in Volume 700, Page 57 of the said Deed Records of Travis County, said iron rod found being the most westerly corner of the herein described parcel, from which a 7/8-inch iron pipe found in a rock mound, being the most westerly corner of the said 260 acre tract, same being the most southerly corner of the said Schotz 12.51 acre tract, same also being the most westerly corner of the said Phiney 1.92 acre tract, bears S 29° 26' 47" W, a distance of 207.59 feet;

THENCE, with said northwest line of the 260 acre tract, being the said southeast line of the Schotz 12.51 acre tract, N 29° 24' 45" E, passing at a distance of 809.89 feet a nail set in a fence corner post, a total distance of 853.45 feet to a calculated point, being an interior corner on the said southeast line of the Schotz 12.51 acre tract;

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

THENCE, leaving the said northwest line of the 260 acre tract, continuing with the said southeast line of the Schotz 12.51 acre tract, over and across the said 260 acre tract, S 58° 34′ 40″ E, a distance of 105.53 feet to a calculated point, being the most southerly northeast corner of the said Schotz 12.51 acre tract;

THENCE, with the east line of the said Schotz 12.51 acre tract, N 30° 25' 20" E, passing at a distance of 59.00 feet a 1 1/4-inch iron pipe found, a total distance of 456.51 feet to a calculated point, being the intersection of the said east line of the Schotz 12.51 acre tract and the south right-of-way line of RM Highway 2222;

THENCE, leaving the said east line of the Schotz 12.51 acre tract, continuing over and across the said 260 acre tract, with the said south right-of-way line of RM Highway 2222, the following four (4) courses and distances:

- 1. S 58° 56' 06" E, a distance of 280.28 feet to an iron rod found in concrete at a point of curvature, being 50 feet right of the RM Highway 2222 centerline station 237+71.6,
- with a curve to the left having a radius of 765.04 feet, a central angle of 14° 28′ 54″ and an arc length of 193.36 feet, along the chord bearing S 66° 10′ 33″ E, a chord distance of 192.85 feet to an iron rod found in concrete at a point of tangency, being 50 feet right of the RM Highway 2222 centerline station 239+52.4,
- 3. S 73° 25' 00" E, a distance of 347.37 feet to a calculated point at a point of curvature, and
- 4. with a curve to the right having a radius of 522.93 feet, a central angle of 05° 56' 17" and an arc length of 54.20 feet, along the chord bearing S 70° 26' 51" E, a chord distance of 54.17 feet to a calculated point, being the intersection of the said south right-of-way line of RM Highway 2222 and the west line of that certain 2 acre tract of land conveyed from C. C. Champion to Roy W. Cowan by deed recorded in Volume 556, Page 439 of the said Deed Records of Travis County, same being the west line of that certain tract of land conveyed from the said Roy W. Cowan to Thomas R. Williams by deed recorded in Volume 936, Page 279 of the said Deed Records of Travis County;

THENCE, leaving the said south right-of-way line of RM Highway 2222, continuing over and across the said 260 acre tract, with the said west line of the Cowan 2 acre tract, being the stone ledge at the brow of a cliff, same being, consecutively, the said west line of the Williams tract, the west line of the remainder portion of the said Cowan 2 acre tract, and the west line of that certain 0.27 acre tract of land conveyed to George Randall Baird by deed recorded in Volume 5959, Page 1987 of the said Deed Records of Travis County, the following five (5) courses and distances:

- 1. S 53° 58' 33" W, a distance of 35.84 feet to an angle point in the said stone ledge,
- 2. S 42° 49' 12" W, a distance of 47.98 feet to a 3/8-inch iron rod found at an angle point in the said stone ledge,
- 3. S 28° 04' 39" W, a distance of 71.27 feet to an angle point in the said stone ledge,
- 4. S 110 54' 43" W, a distance of 97.00 feet to an iron rod found at an angle point in the said stone ledge, and

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

5. S 350 09' 03" W, a distance of 101.18 feet to a 3/8-inch iron rod found, being the most westerly corner of the said Baird 0.27 acre tract;

THENCE, leaving the said stone ledge, with the southwest line of the said Cowan 2 acre tract, being the southwest line of the said Baird 0.27 acre tract, S 33° 31' 40" E, a distance of 85.48 feet to a calculated point, being the intersection of the said southwest line of the Cowan 2 acre tract, same being the said southwest line of the Baird 0.27 acre tract, and a calculated line for the southeast line of the herein described parcel, being a 30-foot perpendicular offset from, and parallel and concentric with, the approximate centerline of the existing pavement of a county road known as City Park Road, and from the said calculated point, a 3/8-inch iron rod found, being the southwest corner of the said Baird 0.27 acre tract, bears S 33° 31' 40" E, a distance of 10.91 feet;

THENCE, leaving the said southwest line of the Cowan 2 acre tract and southwest line of the Baird 0.27 acre tract, continuing over and across the said 260 acre tract, with the said calculated line for the southeast line hereof, the following seven (7) courses and distances:

- 1. \$ 73° 57' 57" W, a distance of 151.64 feet to a calculated point at a point of curvature,
- 2. with a curve to the right having a radius of 950.00 feet, a central angle of 07° 19' 48" and an arc length of 121.54 feet, along the chord bearing S 77° 37' 51" W, a chord distance of 121.45 feet to a calculated point at a point of tangency,
- 3. S 81° 17' 44" W, a distance of 93.74 feet to a calculated point at a point of curvature,
- 4. with a curve to the left having a radius of 582.77 feet, a central angle of 20° 44′ 03″ and an arc length of 210.89 feet, along the chord bearing S 70° 55′ 43″ W, a chord distance of 209.74 feet to a calculated point at a point of compound curvature,
- 5. with a curve to the left having a radius of 1604.11 feet, a central angle of 09° 12' 00" and an arc length of 257.57 feet, along the chord bearing \$55° 57' 43" W, a chord distance of 257.29 feet to a calculated point at a point of compound curvature,
- 6. with a curve to the left having a radius of 1286.75 feet, a central angle of 12° 50′ 14″ and an arc length of 288.30 feet, along the chord bearing S 44° 56′ 36″ W, a chord distance of 287.69 feet to a calculated point at a point of tangency, and
- 7. S 38° 31' 29" W, a distance of 106.35 feet to a calculated point, being the intersection of the said calculated line for the southeast line hereof and the northeast line of the said Phinney 1.92 acre tract, from which a 3/8-inch iron rod found, being the most easterly corner of the said Phinney 1.92 acre tract, bears S 61° 10' 58" E, a distance of 0.36 feet;
- THENCE, leaving the said calculated line for the southeast line hereof, continuing over and across the said 260 acre tract, with the said northeast line of the Phinney 1.92 acre tract, being the southwest line of the herein described parcel, N 61° 10' 58" W, a distance of 429.93 feet to the POINT OF BEGINNING, containing 20.59 acres of land.

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

### PARCEL C

BEGINNING at a nail set in a fence post, being a point on the southwest line of the said 260 acre tract, same being an angle point on the west right-of-way line of State Highway Loop 360, same also being the most northerly northeast corner of the remainder portion of Lot 2 of Shepherd Mountain, Phase One, a subdivision recorded in Plat Book 83, Page 200A-200B of the Plat Records of Travis County, said nail in a fence post also being the most southerly southeast corner of the herein described parcel, from which a concrete monument found, being an angle point on the said west right-of-way line of State Highway Loop 360, also being 461.43 feet right of the State Highway Loop 360 centerline station 359+67.82, bears S 30° 16' 45" E, a distance of 329.77 feet;

THENCE, with the said southwest line of the 260 acre tract, being, consecutively, the northeast line of the said remainder portion of Lot 2 of Shepherd Mountain, Ise One, the northeast line of that certain 19.947 acre tract of land out of the said Shepherd Mountain, Phase One conveyed to Shepherd Mountain Venture by warranty deed recorded in Volume 8394, Page 75 of the said Deed Records of Travis County, the northeast line of that certain 40.38 acre tract of land conveyed to the said Shepherd Mountain Venture by warranty deed recorded in Volume 8394, Page 72 of the said Deed Records of Travis County, and the northeast line of that certain 33.88 acre tract of land conveyed to the said Shepherd Mountain Venture by warranty deed recorded in Volume 8394, Page 227 of the said Deed Records of Travis County, N 60° 48' 45° W, a distance of 2858.70 feet to a 3/8-inch iron rod found, being the most northerly northeast corner of the said Shepherd Mountain Venture 33.88 acre tract;

THENCE, leaving the said northeast line of Shepherd Mountain Venture 33.88 acre tract, continuing with said southwest line of the 260 acre tract, N 60° 38' 58" W, a distance of 5.61 feet to a calculated point, being the intersection of the said southwest line of the 260 acre tract and a calculated line for the northwest line of the herein described parcel, being a 30-foot perpendicular offset from, and parallel and concentric with, the approximate centerline of the existing pavement of a county road known as City Park Road, and from the said calculated point a 7/8-inch iron pipe found in a rock mound, being the most westerly corner of the said 260 acre tract, bears N 60° 38' 58" W, a distance of 64.36 feet and N 60° 45' 39" W, a distance of 392.21 feet;

THENCE, leaving the said southwest line of the 260 acre tract, with the said calculated line for the northwest line hereof, over and across the said 260 acre tract, the following eleven (11) courses and distances:

- 1. with a curve to the left having a radius of 410.00 feet, a central angle of 02° 33' 00" and an arc length of 18.25 feet, along the chord bearing N 39° 47' 59" E, a chord distance of 18.25 feet to a calculated point at a point of tangency,
- 2. N 38° 31' 29" E, a distance of 292.05 feet to a calculated point at a point of curvature,
- 3. with a curve to the right having a radius of 1226.75 feet, a central angle of 120 50' 14" and an arc length of 274.85 feet, along the chord bearing N 440 56' 36" E, a chord distance of 274.28 feet to a calculated point at a point of compound curvature,

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

- 4. with a curve to the right having a radius of 1544.11 feet, a central angle of 09° 12' 00" and an arc length of 247.94 feet, along the chord bearing N 55° 57' 43" E, a chord distance of 247.67 feet to a calculated point at a point of compound curvature,
- 5. with a curve to the right having a radius of 522.77 feet, a central angle of 20° 44′ 03" and an arc length of 189.18 feet, along the chord bearing N 70° 55′ 43" E, a chord distance of 188.15 feet to a calculated point at a point of tangency,
- 6. N 81° 17' 44" E, a distance of 93.74 feet to a calculated point at a point of curvature,
- 7. with a curve to the left having a radius of 1010.00 feet, a central angle of 07° 19' 48" and an arc length of 129.21 feet, along the chord bearing N 77° 37' 51" E, a chord distance of 129.12 feet to a calculated point at a point of tangency,
- 8. N 73° 57' 57" E, a distance of 156.63 feet to a calculated point at a point of curvature,
- 9. with a curve to the right having a radius of 688.40 feet, a central angle of 16° 44' 01" and an arc length of 201.05 feet, along the chord bearing N 82° 19' 57" E, a chord distance of 200.34 feet to a calculated point at a point of reverse curvature,
- 10. with a curve to the left having a radius of 4944.96 feet, a central angle of 02° 20' 35" and an arc length of 202.22 feet, along the chord bearing N 89° 31' 40" E, a chord distance of 202.21 feet to a calculated point at a point of tangency, and
- 11. N 88° 21' 23" E, a distance of 19.31 feet to a calculated point, being the intersection of the said calculated line for the northwest line hereof, and the curving southwest right-of-way line of RM Highway 2222;

THENCE, leaving the said calculated line for the northwest line hereof, continuing over and across the said 260 acre tract, with the said southwest right-of-way line of RM Highway 2222, being the northeast line of the herein described parcel, the following seven (7) courses and distances:

- 1. with a curve to the right having a radius of 522.93 feet, a central angle of 05° 41′ 51" and an arc length of 52.00 feet, along the chord bearing S 06° 48′ 11" E, a chord distance of 51.98 feet to an iron rod found in concrete at a point of tangency,
- S 03° 57' 15" E, a distance of 302.32 feet to an iron rod found in concrete at a point of curvature, being 50 feet right of the RM Highway 2222 centerline station 252+90.0,
- 3. with a curve to the left having a radius of 1479.29 feet, a central angle of 16° 43' 45" and an arc length of 431.92 feet, along the chord bearing S 12° 19' 07" E, a chord distance of 430.39 feet to a calculated point at a point of tangency,
- 4. S 200 41' 00" E, a distance of 52.74 feet to a calculated point at a point of curvature,

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

- 5. with a curve to the left having a radius of 766.20 feet, a central angle of 35° 34' 00" and an arc length of 475.62 feet, along the chord bearing S 38° 28' 00" E, a chord distance of 468.02 feet to a calculated point at a point of tangency,
- 6. S 56° 15' 00" E, a distance of 121.14 feet to an iron rod found in concrete at a point of curvature, being 50 feet right of the RM Highway 2222 centerline station 263+26.2, and
- 7. with a curve to the right having a radius of 1090.85 feet, a central angle of 15° 54′ 41″ and an arc length of 302.93 feet, along the chord bearing S 48° 17′ 40″ E, a chord distance of 301.96 feet to a calculated point, being the intersection of the said curving southwest right-of-way line of RM Highway 2222 and the northwest line of that certain 0.956 acre tract of land conveyed to Jones-Reynolds Joint Venture by warranty deed recorded in Volume 7764, Page 826 of the said Deed Records of Travis County;

THENCE, leaving the said southwest right-of-way line of RM Highway 2222, continuing over and across said 260 acre tract, with, consecutively, the northwest, the southwest and the southeast lines of the said Jones-Reynolds Joint Venture 0.956 acre tract, the following three (3) courses and distances:

- 1. S 550 13' 16" W, passing at a distance of 71.52 feet a 3/8-inch iron rod found, a total distance of 195.86 feet to a 3/8-inch iron rod found,
- 2. S 34° 46′ 44" E, a distance of 208.78 feet to a 3/8-inch iron rod found, and
- 3. N 55° 13' 16" E, a distance of 196.11 feet to a calculated point, being the intersection of the said southeast line of the Jones-Reynolds Joint Venture 0.956 acre tract and the said curving southwest right-of-way line of RM Highway 2222;

THENCE, leaving the said southeast line of the Jones-Reynolds Joint Venture 0.956 acre tract, continuing over and across the said 260 acre tract, with the said southwest right-of-way line of RM Highway 2222, with a curve to the right having a radius of 1090.85 feet, a central angle of 02° 37' 41" and an arc length of 50.04 feet, along the chord bearing S 28° 02' 32" E, a chord distance of 50.03 feet to a concrete monument found, being the intersection of the said curving southwest right-of-way line of RM Highway 2222 and the said west right-of-way line of State Highway Loop 360;

THENCE, leaving the said southwest right-of-way line of RM Highway 2222, continuing over and across the said 260 acre tract, with the said west right-of-way line of State Highway Loop 360, S 050 12' 45" E, a distance of 476.44 feet to the POINT OF BEGINNING, containing 49.70 acres of land.

### PARCEL D

BEGINNING at a concrete monument found, being the intersection of the east right-of-way line of State Highway Loop 360 and the southwest right-of-way line of RM Highway 2222, same being a point within the said 43.32 acre tract, same also being the most northerly corner of the herein described parcel, the said concrete monument also being 50 feet right of the RM Highway 2222 centerline station 287+10.7;

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

THENCE, with the said southwest right-of-way line of RM Highway 2222, over and across the said 43.32 acre tract, S 72° 53′ 58″ E, a distance of 105.98 feet to a calculated point, being the intersection of the said southwest right-of-way line of RM Highway 2222 and the southwest line of the said 43.32 acre tract, same being the northwest corner of the remainder portion of that certain 65.56 acre tract of land granted to the said Josie Champion Hill by the said deed of partition recorded in Volume 482, Page 627 of the said Deed Records of Travis County;

THENCE, leaving the said southwest right-of-way line of RM Highway 2222, with the said southwest line of the 43.32 acre tract, being the west line of the said remainder portion of the Hill 65.56 acre tract, also being approximately with an old fence line along the top of the west bank of Bull Creek, the following three (3) courses and distances:

- 1. S 19° 50' 00" E, passing at a distance of 1.81 feet a 3/8-inch iron rod found, a total distance of 319.98 feet to a calculated point,
- 2. S 03° 50' 00" E, a distance of 102.82 feet to a fence post found, being an angle point in the said old fence line, and
- 3. S 14° 20′ 00″ E, a distance of 182.79 feet to a calculated point, being the most southeasterly point on the said southwest line of the 43.32 acre tract, same being the southwest corner of the said remainder portion of the Hill 65.56 acre tract, same also being a point on the north line of Lot 52 of The Courtyard Phase 3-D, a subdivision recorded in Plat Book 82, Pages 90-91 of the Plat Records of Travis County, and from the said calculated point a 3/8-inch iron rod found, being a point on the south line of the said remainder portion of the Hill 65.56 acre tract, same being an angle point on the said north line of Lot 52 of The Courtyard Phase 3-D, bears S 86° 56′ 19″ E, a distance of 6.55 feet;

THENCE, leaving the said west line of the remainder portion of the Hill 65.56 acre tract, continuing with the said southwest line of the 43.32 acre tract, being the said north line of Lot 52 of The Courtyard Phase 3-D, the following eleven (11) courses and distances:

- 1. N 86° 56' 19" W, a distance of 98.13 feet to a calculated point,
- 2. N 83° 58' 18" W, a distance of 83.75 feet to a 3/8-inch iron rod found,
- 3. N 85° 33' 31" W, a distance of 94.02 feet to a 3/8-inch iron rod found,
- 4. N 81° 03' 32" W, a distance of 86.45 feet to a 3/8-inch iron rod found,
- 5. N 83° 58' 53" W, a distance of 174.73 feet to a 3/8-inch iron rod found,
- N 83° 06' 35" W, a distance of 78.21 feet to a 3/8-inch fron rod found,

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

- 7. N 73° 17' 32" W, a distance of 30.48 feet to a 3/8-inch iron rod found,
- 8. N 68° 38' 43" W, a distance of 68.97 feet to a 3/8-inch iron rod found,
- 9. N 60° 27' 31" W, a distance of 55.52 feet to a 3/8-inch iron rod found,
- 10. N 550 41' 26" W, a distance of 70.14 feet to a 3/8-inch iron rod found, and
- 11. N 49° 39' 52" W, a distance of 125.09 feet to a calculated point, being the most northerly northwest corner of said Lot 52 of The Courtyard Phase 3-D, same being the intersection of the said southwest line of the 43.32 acre tract and the said east right-of-way line of State Highway Loop 360, and from the said calculated point a concrete monument found, being an angle point in the said east right-of-way line of State Highway Loop 360, bears S 25° 34' 08" W, a distance of 462.07 feet;

THENCE, leaving the said north line of Lot 52 of The Courtyard Phase 3-D and leaving the said southwest line of the 43.32 acre tract, with the said east right-of-way line of State Highway Loop 360, over and across the said 43.32 acre tract, the following three (3) courses and distances:

- 1. N 25° 34′ 08" E, a distance of 289.82 feet to a concrete monument found, being 307.46 feet left of the State Highway Loop 360 centerline station 356+86.42,
- 2. N 72° 57' 37" E, a distance of 331.35 feet to a concrete monument found, and
- 3. N 87° 25' 43" E, a distance of 203.16 feet to the POINT OF BEGINNING, containing 9.20 acres of land.

### PARCEL E

BEGINNING at an iron rod found, being the intersection of the northeast line of the said 260 acre tract and the east right-of-way line of State Highway Loop 360, same being the most westerly corner of that certain 7.3795 acre tract of land conveyed to C. A. Davis, Trustee, by warranty deed recorded in Volume 7027, Page 2091 of the said Deed Records of Travis County, same also being the most northerly corner of the herein described parcel;

THENCE, with the said northeast line of the 260 acre tract, being the southwest line of the said Davis 7.3795 acre tract, the following four (4) courses and distances:

- 1. S 600 06' 22" E, a distance of 42.94 feet to an iron rod found,
- 2. S 60° 32' 39" E, a distance of 166.95 feet to a 3/8-inch iron rod found.
- 3. S 59° 28' 48" E, a distance of 265.74 feet to a 3/8-inch iron rod found, and

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

4. S 62° 34′ 14" E, a distance of 79.87 feet to a 3/8-inch iron rod found, being the most northerly corner of that certain 0.998 acre tract of land conveyed to Josie Ellen Champion by deed recorded in Volume 4189, Page 77 of the said Deed Records of Travis County;

THENCE, leaving the said southwest line of the Davis 7.3795 acre tract and leaving the said northeast line of the 260 acre tract, with the west line of the said Champion 0.998 acre tract, over and across the said 260 acre tract, the following two (2) courses and distances:

- S 30° 20' 12" W, passing at a distance of 50.15 feet a 3/8-inch iron rod found, a total distance of 186.62 feet to a 3/8-inch iron rod found, and
- 2. S 040 59' 51" E, a distance of 96.97 feet to a 1/4-inch iron rod found, being the southwest corner of the said Champion 0.998 acre tract, same being a point on the east line of the said 260 acre tract, same also being a point on the northwest line of that certain 3.35 acre tract of land conveyed to Joe T. Robertson, Jr., Daniel B. Robertson, and Thomas H. Robertson by deed recorded in Volume 5536, Page 303 of the said Deed Records of Travis County, the said iron rod also being on the approximate centerline of Bull Creek, from which an iron rod found, being an angle point on the south line of the said Champion 0.998 acre tract, also being an angle point on the said northwest line of the Robertson 3.35 acre tract, bears N 76° 41' 32" E, a distance of 102.46 feet;

THENCE, leaving the said west line of the Champion 0.998 acre tract, with the said east line of the 260 acre tract, being the said northwest line of the Robertson 3.35 acre tract, same being with the meanders of the approximate centerline of Bull Creek, the following seven (7) courses and distances:

- 1. S 76° 41' 32" W, a distance of 73.63 feet to a calculated point,
- 2. S 86° 55' 00" W, a distance of 103.20 feet to a calculated point,
- 3. S 47° 50' 00" W, a distance of 70.29 feet to a calculated point,
- 4. S 250 05' 00" W, a distance of 322.30 feet to a calculated point,
- 5. S 360 20' 00" W, a distance of 235.03 feet to a calculated point,
- 6. S 00° 10' 00" E, a distance of 241.83 feet to a calculated point, and
- 7. S 09° 52' 00° E, a distance of 5.80 feet to a calculated point, being the southwest corner of the said Robertson 3.35 acre tract, same being the northwest corner of Lot 75 of Lakewood Village, a subdivision recorded in Plat Book 8, Page 24 of the Plat Records of Travis County, and from the said calculated point a 3/8-inch iron rod found, being the northwest corner of Lot 20, Block B of the said Lakewood Village, same being the southwest corner of Lot 21, Block B of Lakewood Park, Section 1, a subdivision recorded in Plat Book 9, Page 107 of the said Plat Records of Travis County, same also being a point on the east right-of-way line of a 60-foot wide county road known as Lakewood Drive, bears N 87° 16' 00° E, a distance of 161.24 feet;

Item C-01 18 of 25

Champion Tract 252.06 Acres Travis County, Texas FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

THENCE, leaving the said northwest line of the Robertson 3.35 acre tract, continuing with the said east line of the 260 acre tract, being the west line of the said Lot 75 of Lakewood Village, same being with the said meanders of the approximate centerline of Bull Creek, the following two (2) courses and distances:

- 1. S 09° 52' 00" E, a distance of 572.31 feet to a calculated point, and
- 2. S 16° 27' 00" E, a distance of 412.47 feet to a calculated point, being the most easterly southeast corner of the said 260 acre tract:

THENCE, leaving the said west line of Lot 75 of Lakewood Village and leaving the said approximate centerline of Bull Creek, continuing with the said east line of the 260 acre tract, S 43° 57' 06" W, a distance of 566.26 feet to a calculated point, being the intersection of the said east line of the 260 acre tract and the north line of the said 43.32 acre tract, from which an old fence corner found, being the northeast corner of the said 43.32 acre tract, same being the southeast corner of the said Lakewood Village, same also being the northeast corner of Parkhill, a subdivision recorded in Plat Book 81, Pages 307-308 of the said Plat Records of Travis County, bears N 89° 51' 41" E, a distance of 1537.65 feet;

THENCE, leaving the said east line of the 260 acre tract, with the said north line of the 43.32 acre tract, N 89° 51' 41" E, a distance of 509.63 feet to a calculated point, being the intersection of the said north line of the 43.32 acre tract and the said west line of Lot 75 of Lakewood Village, same being on the approximate centerline of Bull Creek;

THENCE, leaving the said north line of the 43.32 acre tract, with the said west line of Lot 75 of Lakewood Village, being with the meanders of the approximate centerline of Bull Creek, over and across the said 43.32 acre tract, S 14° 30′ 31″ E, a distance of 12.87 feet to a calculated point, being the southwest corner of the said Lot 75 of Lakewood Village;

THENCE, leaving the said west line of Lot 75 of Lakewood Village and leaving the said approximate centerline of Bull Creek, with the said south line of Lot 75 of Lakewood Village, continuing over and across the said 43.32 acre tract, N 84° 47′ 00° E, a distance of 54.85 feet to a calculated point, being the southeast corner of said Lot 75 of Lakewood Village, same being a point on the west right-of-way line of the said Lakewood Drive, from which a 3/8-inch iron rod found, being a point of tangency on the east right-of-way line of the said Lakewood Drive, same being a point of tangency on the west line of Lot 4, Block A of the said Lakewood Village, bears N 14° 48′ 58° W, a distance of 354.98 feet and N 75° 11′ 02° W, a distance of 60.00 feet;

THENCE, leaving said south line of Lot 75 of Lakewood Village, continuing over and across the said 43.32 acre tract, with the said west right-of-way line of Lakewood Drive, the following three (3) courses and distances:

- 1. S 14° 48' 58" E, a distance of 20.19 feet to a calculated point at a point of curvature,
- 2. with a curve to the right having a radius of 603.82 feet, a central angle of 09° 59' 52" and an arc length of 105.36 feet, along the chord bearing S 09° 49' 02" E, a chord distance of 105.23 feet to a calculated point at a point of tangency, from which a 1 3/4-inch iron pipe found, being a point of tangency on the said east right-of-way line of Lakewood Drive, same being a point of tangency on the west line of Lot 3, Block A of the said Parkhill, bears N 85° 10' 54" E, a distance of 60.00 feet, and

Item C-01 19 of 25

Champion Tract 252.06 Acres Travis County, Texas FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

3. S 04° 49' 06" E, a distance of 345.92 feet to a calculated point, being the intersection of the said west right-of-way line of Lakewood Drive and the north right-of-way line of RM Highway 2222, from which an iron rod found in concrete, being the intersection of the said east right-of-way line of Lakewood Drive and the said north right-of-way line of RM Highway 2222, same being the southwest corner of Lot 6, Block A of the said Parkhill, bears S 72° 53' 58" E, a distance of 64.68 feet;

THENCE, leaving the said west right-of-way line of Lakewood Drive, continuing over and across the said 43.32 acre tract, with the said north right-of-way line of RM Highway 2222, N 72° 53′ 58″ W, a distance of 269.32 feet to a concrete monument found, being the intersection of the said north right-of-way line of RM Highway 2222 and the said east right-of-way line of State Highway Loop 360;

THENCE, leaving the said north right-of-way line of RM Highway 2222, over and across, consecutively, the said 43.32 acre tract and the said 260 acre tract, with the said east right-of-way line of State Highway Loop 360, the following seven (7) courses and distances:

- N 59° 26' 47" W, a distance of 427.04 feet to a concrete monument found,
- N 24° 18' 12" W, a distance of 89.75 feet to a concrete monument found,
- 3. N 150 08' 18" E, a distance of 462.64 feet to a concrete monument found,
- 4. N 01° 28' 16" E, a distance of 885.09 feet to a concrete monument found, being 190 feet left of the State Highway Loop 360 centerline station 339+00,
- 5. N 060 15' 33" W, a distance of 203.87 feet to a concrete monument found,
- 6. N 05° 04' 31" E, a distance of 713.98 feet to a concrete monument found at a point of curvature, being 150 feet left of the State Highway Loop 360 centerline station 329+85.8, and

Item C-01 20 of 25

Champion Tract 252.06 Acres Travis County, Texas

FN 2663 (JJM) June 25, 1985 EH& Job No. 5371-03 EH&A Plat No. 14970-5371-2

with a curve to the right having a radius of 1759.27 feet, a central angle of 18° 32′ 54" and an arc length of 569.52 feet, along the chord bearing N 14° 20′ 58" E, a chord distance of 567.04 feet to the POINT OF BEGINNING, containing 7. 18.82 acres of land.

THE STATE OF TEXAS I

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

That I, Patrick A. Smith, a Registered Public Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and that the property described herein was determined by a survey made on the ground under my direction and supervision.

WITNESS MY HAND AND SEAL at Austin, Travis County, Texas this the 27 day of \_\_\_\_\_\_\_\_, 1985, A.D.

ESPEY, HUSTON & ASSOCIATES, INC. Engineering & Environmental Consultants P.O. Box 519 Austin, Texas 78767

Patrick A. Smith

Registered Public Surve No. 4280 - State of

# Item C-01

PO#: 960625 Tof 25

Ad 10#: 72Q Z01400

Acct #: 4992499

# Austin American-Statesman

Acct. Name:

City Clerk

### AFFIDAVIT OF PUBLICATION

THE STATE OF TEXAS **COUNTY OF TRAVIS** 

Before me, the undersigned authority, a Notary Public in and for the County of Travis, State of Texas, on this day personally appeared:

### David De Vargas

Classified Advertising Agent of the Austin American-Statesman, a daily newspaper published in said County and State that is generally circulated in Travis, Hays, Burnet and Williamson Counties, who being duly sworn by me, states that the attached advertisement was published in said newspaper on the following dates, to wit:

July 3, 1996 1980 Lines: Date (s):

Class:

Lines: 46 Cost: \$113.16

and that the attached is a true copy of said advertisement.

SWORN AND SUBSCRIBED TO BEFORE ME, this the 3rd day of July 1996.

SHARON JANAK NOTARY PUBLIC State of Texas


Notary Public in and TRAVIS COUNTY, TEX

Sharon Janak

My Commission Expires: 11/10/99

(Type or Print Name of Notary)

305 South Congress Avenue, P.O. Box 670, Austin, Texas 78767-0670 • 512-445-3500



COUNTY OF TRANS ) KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

THAT CHAMPION LEGACY PARTINERS, L.P., ACTING HEREIN BY AND THROUGH CHAMPION HEBITAGE ENTERPRISES, L.C., IT'S GENERAL PARTINER, THROUGH MARY MARGARET CHAMPION ROBERSON, IT'S PRESIDENT AND CHAMPION—MER MARGARET CHAMPION REPER BY AND THROUGH CHAMPION—MER MANAGEMENT, TRUST, IT'S GENERAL PARTINER, THROUGH ALMA JUANITA CHAMPION MERER, IT'S TRUSTER AND CHAMPION ASSIST, L.TD., ACTING HEREIN BY AND THROUGH CHAMPION MANAGEMENT TRUST, IT'S GENERAL PARTINER, PHYROUGH JOSE ELLEN CHAMPION, IT'S TRUSTER, OWNERS OF THAT CERTAIN 45.347 ACRE TRACT OF LAND OUT OF THE JAMES JETT SURVEY NO. 7, STUTIATED IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, A PORTION OF SAID 45.347 ACRE TRACT OF LAND HAVING BEEN CONNEYED TO CHAMPION LEGACY PARTINERS, L.P. BY GEDED OR RECORD IN DOCUMENT NO. 2001143485 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, ETASS, A PORTION OF SAID 45.347 ACRE TRACT OF LAND HAVING BEEN CONNEYED TO CHAMPION TO 2001143485 OF THE OFFICIAL PRICE HAVING BEEN CONNEYED TO CHAMPION OF SAID 45.347 ACRE TRACT HAVING BEEN CONNEYED TO CHAMPION AND COUNTY OF SAID 45.347 ACRE TRACT HAVING BEEN CONNEYED TO CHAMPION TO 2001143485 OF THE OFFICIAL PRICE HAVING BEEN CONNEYED TO CHAMPION OF SAID 45.347 ACRE TO SAID OFFICIAL PUBLIC RECORDS AND A PORTION OF SAID 45.347 ACRE TO SAID OFFICIAL PUBLIC RECORDS AND A PORTION OF SAID 45.347 ACRE TO SAID OFFICIAL PUBLIC RECORDS ON AND A PORTION OF SAID 45.347 ACRE TO SAID OFFICIAL PUBLIC RECORDS ON THE OFFICIAL PUBLIC RECORDS ON THE OFFICIAL PUBLIC RECORDS ON THE OFFICIAL PUBLIC TO THE PUBLIC THE OUT OF THE STREETS AND EASEMENTS PERSON, MOT OTHERWISE LABELED WITH PROOF THE STREETS AND EASEMENTS HERRON, MOT OTHERWISE LABELED WITH PROOF THE STREETS AND EASEMENTS HERRON, MOT OTHERWISE LABELED WITH PROOF THE ESTEED SAID EASEMENTS HERRON, MOT OTHERWISE LABELED WITH PROOF THE ESTEED SAID EASEMENTS PERSONAL TO THE PUBLIC THE USE OF THE ETASS LICCAL GOVERNMENT CODE AND TITLE 25 OF THE AUSTIN CITY CODE.

CHAMPION ASSETS, LTD.

CHAMPION-MEIER ASSETS, LTD.

BY: Champion, Trustee of othe Champion Management Trusts, general Partner 6700 Lakewood Dr. Austin, Tx 78731

BY: JUANTE CHAMPON METER TRUSTEE OF THE CHAMPON-MESER MANAGEMENT TRUST, CENERAL PARTNER 405 ALBARTON AUSTIN, TX 78746

CHAMPION LEGACY PARTNERS, L.P. BY: CHAMPION HERITAGE ENTERPRISES, LLC. GENERAL PARTNER GENERAL PARTINER

CLASSIAN

BY JAMES TO HAMP ON ROBERSON

DESCRIPTION

THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE ME ON THE 28 DAY OF CHAMPION MANAGEMENT TRUST, GENERAL PARTNER OF CHAMPION ASSETS, LID., A TEXAS LAMED PARTNERSHIP, FOR AND ON BEHALF OF SAID TRUST AND SAID LIMITED PARTNERSHIP.

GMEN UNDER MY HAND AND SEAL OF OFFICE, THIS 28th DAY OF agas. ( ,

IMEIDA ELIZABETH COUVILION
NOTARY PUBLIC
STATE OF TEXAS
My Commit Exp. 06-28-2003

STATE OF TEXAS )
COUNTY OF TRAVIS THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE HE ON THE DAY OF CHAMPION MEER, TRUSTEE OF THE CHAMPION MEER, TRUSTEE OF THE CHAMPION MEER MANAGEMENT TRUST, GENERAL PARTINER OF CHAMPION MEER ASSETS, LID., A TEXAS LIMITED PARTINERSHIP, FOR AND ON BEHALF OF SAID TRUST AND SAID LIMITED PARTINERSHIP.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS 28 14 DAY OF

And E Coulden NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

STATE OF TEXAS )
COUNTY OF TRAVIS

THIS INSTRUMENT WAS ACKNOWLEDGED BEFORE ME ON THE SALE DAY OF MARY WARRART CHAMPION ROBERSON, PRESDENT OF CHAMPION HERTRAGE ENTERPRISES, LLC, A TEXAS LAMITED LABILITY COMPANY, CEMERAL PARTNER OF CHAMPION LEGACY PARTNERS, LLP, A TEXAS LAMITED PARTNERSHIP, FOR AND ON BEHALF OF SND LIMITED LABILITY COMPANY AND SND LIMITED PARTNERSHIP.

ONDY UNDER MY HAND AND SEAL OF OFFICE, THIS THE 5-40.

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS My Commission expires: Aug. 13, 2006

APPROVED FOR ACCEPTANCE:

MIKE HITZ, DIRECTOR MATERIAL PROTECTION AND DEVELOPMENT REVIEW DEPARTMENT

L DANA DEBEADADIR, CLERK OF TRANS COUNTY, TEXAS DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT OF WRITING AND ITS CERTIFICATE OF AUTHENTICATION WAS FLEED FORE RECORD IN MY OFFICE ON THE AUTHENTICATION WAS FLEED FORE RECORD IN MY OFFICE ON THE AUTHENTICATION WAS FLEED FOR THE MY OFFICE OF THE AUTHENTICATION STATE IN DOCUMENT NUMBER 2000 12 OFFICIAL PUBLIC RECORDS
OF TRAVS COUNTY.

WITNESS MY HAND AND SEAL OF OFFICE OF COUNTY CLERK, THIS

DANA DEBEALNOIR, COUNTY CLERK TRAYS COUNTY, JEXAS

.Dazan



ALL WATER AND WASTEMATER SYSTEMS SERVING THIS SUBDIVISION SHALL BE DESIGNED AND INSTALLED IN ACCORDINACE WITH THE CITY OF AUSTIN AND STATE HEALTH DEPARTMENT PLANS AND SYCEPICATIONS. PLANS AND SYSEPICATIONS SHALL BE SUBMITTED TO THE CITY OF AUSTIN, WATER

2. THIS LOT SHALL NOT BE OCCUPIED UNTIL CONNECTED TO THE CITY OF AUSTIN WATER AND WASTEWATER SYSTEM.

3. PRIOR TO CONSTRUCTION ON THIS LOT, DRANNGE PLANS WILL BE SUBMITTED TO THE CITY OF AUSTIN FOR REVIEW, PAMPALL RUNGET SHALL BE RELD TO THE ABOUNT DUSTING AT UNDEVELOPED STATE BY THE USE OF ONSITE PRONDING OR OTHER APPROVED BEHADOS.

THIS SUBDIVISION IS LOCATED IN THE WEST BULL CREEK WATERSHED, WHICH IS CLASSIFIED AS A SUBURBAN WATER SUPPLY WATERSHED.

5. PRIOR TO CONSTRUCTION ON THIS LOT, EXCEPT DETACHED SINGLE FAMILY, A SITE DEVELOPMENT PERMIT MUST BE OBTAINED FROM THE CITY OF AUSTIN.

6. EROSION/SEDIMENTATION CONTROLS ARE REQUIRED FOR ALL CONSTRUCTION ON THIS LOT, PURSUANT TO SECTION 25-8-181, and the environmental criteria manual.

7. BUILDING SETBACK LINES SHALL BE IN CONFORMANCE WITH CITY OF AUSTIN ZONING ORDINANCE

8. DEVELOPMENT OF THIS LOT IS HEREBY RESTRICTED TO USES OTHER THAN RESIDENTIAL

WATER QUALITY CONTROL REQUIREMENTS FOR THIS LOT ARE AS SPECIFIED IN THE COMPROMISE SETTLEMENT AGREEMENT IN CAUSE NO. 94-07160, DISTRICT COURT OF TRAVIS COUNTY, TEXAS, 353RO JUDICAL DISTRICT.

10. Austin energy has the right to prune and/or remove trees, shrubbery and other obstructions within electric casements to the extent necessary to keep the easiments clear of obstructions. Austin energy will perform all work in complaince with chapter 25–8 of the city of austin land development code.

11. THE OWNER/DEVELOPER OF THIS SUBDINSION/LOT SHALL PROVIDE AUSTIN ENERGY WITH ANY EASEMENT AND/OR ACCESS REQUIRED, IN ADDITION TO THOSE INDICATED, FOR THE INSTALLATION AND ONGOING MAINTENANCE OF OVERHEAD AND UNDERGROUND ELECTRIC FACILITIES TO SERVE THIS PROPERTY ONLY.

12. WHEN CONSTRUCTION IS LOCATED ADJACENT TO EXISTING ELECTRIC FACILITIES, THE OWNER SIMIL COMPLY WITH ALL PUBLISHED CITY OF AUSTIN SAPETY REGULATIONS, AS OUTLAND IN THE ELECTRIC CHITERA MANUAL FALLINE TO COMPLY WITH THESE SPETY REGULATIONS WILL RESULT IN THE INNBULTY OF AUSTIN EXPERTY PROPROME STANDARDS WILL GET OF THE OWNER'S FAILURE TO COMPLY WITH THE CITY OF AUSTIN PUBLISHED STANDARDS WILL BE CHARGED TO THE OWNER'S FAILURE TO COMPLY WITH THE CITY OF AUSTIN PUBLISHED STANDARDS WILL BE CHARGED TO THE OWNER'S PUBLISHED.

13. THE OWNER SHALL BE RESPONSIBLE FOR INSTALLATION OF TEMPORARY EROSION CONTROL, REVEGETATION AND TREE PROTECTION MESSURES FOR ELECTRIC UTILITY WORK REQUIRED TO PROVIDE ELECTRIC SERVICE TO THIS PROJECT ONLY. THIS ELECTRIC UTILITY WORK SHALL ALSO BE INCLUDED WITHIN THE LIMITS OF CONSTRUCTION FOR THIS PROJECT.

14. PUBLIC SIDEWALKS, BUILT TO CITY OF AUSTIN STANDARDS, ARE REQUIRED ALONG CITY PARK ROAD AS SHOWN BY A DOTTED LINE ON THE FACE OF THE PLAT, AFTER THE ROADWAY IS IMPROVED AND CONCRETE CURRES ARE IN PLACE, FAULKE TO CONSTRUCT THE REQUIRED SIDEWALKS MAY RESULT IN THE WITHHOLDING OF CERTIFICATES OF OCCUPANCY, BUILDING PERMITS, OR UTILITY CONNECTIONS BY THE GOVERNING BOOT OR UTILITY COMPARY.

15. ALL OCCUPIED FINISHED FLOOR ELEVATIONS SHALL BE 1.0 FOOT MINIMUM ABOVE ANY ADJACENT 100-YEAR FREQUENCY FLOOD LEVEL. NO FILL SHALL BE PLACED IN A 100-YEAR FLOOD PLAIN EXCEPT BY SEPARATE

16. NO BUILDINGS, FENCES, LANDSCAPING OR OTHER OBSTRUCTIONS ARE PERMITTED IN DRAINAGE EASEMENTS EXCEPT AS APPROVED BY THE CITY OF AUSTIN OR TRAVIS COUNTY.

17. FOR A MINIMUM TRAVEL DISTANCE OF 25' FROM THE ROADWAY EDGE, DRIVENAY GRADES MAY EXCEED 14% ONLY WITH SPECIFIC APPROVAL OF SURFACE AND GEOMETRIC DESIGN PROPOSALS BY THE CITY OF AUSTIN.

18. THE OWNER OF THIS SUBDIVISION AND HIS OR HER SUCCESSORS AND ASSIGNS, ASSUMES RESPONSIBILITIES FOR PLANS FOR CONSTRUCTION OF SUBDIVISION IMPROVEMENTS WHICH COMPLY WITH APPLICABLE CODES AND REQUIREMENT OF THE CITY OF AUSTIN. THE OWNER UNDERSTANDS AND ACKNOMEDRES THAT PLAT VACATION OF REPLATING MAY BE REQUIRED. AT THE OWNERS SOLE EXPENSE IF PLANS TO CONSTRUCT THIS SUBDIVISION DO NOT COMPLY WITH SUCH CODES AND REQUIREMENTS.

CODES AND REQUIREMENTS.

THIS SUBDIVISION PLAT WAS APPROVED AND RECORDED BEFORE THE CONSTRUCTION AND ACCEPTANCE OF STREETS AND OTHER SUBDIVISION IMPROVEMENTS. PURSUANT TO THE TERMS OF A NOTICE CONCERNING CONSTRUCTION OF SUBDIVISION IMPROVEMENTS BETWEEN THE SUBDIVIDED AND THE CITY OF AUSTIN, DATED \$\frac{1}{2} \infty \frac{1}{2} \infty

DOC, A COMPARE SEPARATINE OFFICIAL PUBLIC RECORDS OF TRANS COUNTY, TEXAS.

19. THE LECENTIC ESSEMBLY GRANIED BY THIS PLAT IS FOR THE PURPOSE OF THE CONSTRUCTION, OPERATION, INSPECTION, REPAIR, MANTENANCE AND REPLACEMENT OF OVERHEAD ELECTRIC DISTRIBUTION LINES AND SYSTEMS, AND ALL NECESSARY AND DESIRABLE OVERHEAD APPRITENANCES AND ECONAMENT AND DESIRABLE OVERHEAD APPRITENANCES AND ECONAMENT AND THE OWNER RETAINS THE RIGHTS TO USE THE EASEMENT AREA SO LONG AS SUCH USE DOES NOT UNIREADONALLY INTERFERE WITH SUCH ELECTRIC CASEMENTS. THE OWNER RESERVES AND SHALL HAVE THE RIGHT (I) TO CONSTRUCT AND MAINTAIN DRIVEWAYS, SIDEMALIS, PARKING AREAS, DRAIMAGE AND MAINTAIN UNDERSROUND UTILITY LINES AND SYSTEMS UNDER AND WITHIN, AND OTHER UTILITIES ACROSS, THE EASEMENT AREA, AND (II) TO GRANIT PUBLIC OR PRIVATE EASEMENTS.

20. ALL DRAINAGE EASEMENTS ON PRIVATE PROPERTY SHALL BE MAINTAINED BY THE PROPERTY OWNER OR ASSIGNS.

21. PROPERTY OWNER SHALL PROVIDE FOR ACCESS TO DRAINAGE EASEMENTS AS MAY BE NECESSARY AND SHALL NOT PROHIBIT ACCESS BY GOVERNIEDTIAL AUTHORITIES (LIDC 25-7-152).

22. THE RIGHT FOR DRIVEWAY ACCESS AND UTILITIES ACROSS THE PLATTED DRAINAGE EASEMENT FOR TRIBUTIARY 1 TO CITY PARK ROAD IS HEREBY RESERVED, PLANS FOR THE ACCESS MUST BE SUBMITTEI RENEW AND APPROVAL BY THE CITY OF AUSTIN AND TRANS COUNTY.

23. FOR RESTRICTIVE COVENANT PERTAINING TO THIS SUBDIVISION, REFER TO DOC. NO. 2003106206 GOFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS.

I, ROY D. SMITH, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HERBEY CERTIFY THAT THIS PLAT COMPLES WITH TITLE 13 OF THE AUSTRO CITY CODE OF 1981 AS AMENDED, IS TRUE AND CORRECT; AND WAS PREPARED FROM AN ACTUAL SURYEY OF THE PROPERTY MADE UNDER MY SUPPREPOSION ON THE GROUND. 4/25/03

PROFESSIONAL SURVEYOR NO. 40

THE 100-TEAR FLOOD PLAIN IS CONTAINED WITHIN THE DRAIMAGE EASEMENT AS SHOWN HEREON. A PORTION OF THIS TRACT IS WITHIN THE DESIGNATED FLOOD HAZARD AREA AS SHOWN ON THE FEDERAL EMERGENCY MANUFAULTH ACRES (FEMA) PRINCE NO. 484350 0200E FOR THE CITY OF AUSTIM, TRAVIS COUNTY, TEAK, DATED JUNE 16, 1993.

ROY D. SMITH

I, STEVEN BLAKE KING, AM AUTHORIZED UNDER THE LAIKS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF ENGINEETING AND HEREBY CERTIFY THAT THIS PLAT IS FEMBLE FROM AN ENGINEERING STAID POINT AND COMPLES WITH THE ENGINEERING RELIZED PORTIONS OF THIS 13 OF THE AUSTIN CITY CODE OF 1981, AS ABENDED, AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

STEVEN BLAKE KING.
REGISTERED PROFESSIONAL ENGINEER NO. 64039
CONSORT LOC.
315 BOWIE ST. AUSAIN, TX. 78703



## Item C-01

### 25 of 25 C14-2015-0160 - EXHIBIT I

### Haase, Victoria [Tori]

**Subject:** FW: Champions Tract III - C14-2015-0160

From: Amanda Morrow [mailto:]

Sent: Wednesday, April 20, 2016 12:23 PM

**To:** Haase, Victoria [Tori]

Subject: RE: Champions Tract III - C14-2015-0160

Hi Tori,

This email is confirm the proposed modification to zoning application C14-2015-0160. It is our clients desire to amend the application to remove the proposed office use and clinic use. As a result, my client no longer wishes to remove the office limitation of 30,000 square feet from the conditional overlay. In addition, I provide clarification that Part 2. Subsection 3. of Ordinance 000309-78 shall also remain in effect.

Please let me know if you have any questions.

#### Amanda Morrow

Armbrust & Brown, PLLC Land Development Consultant 100 Congress Ave. Suite 1300 Austin, Texas 78701 512-435-2368 Direct Line 512-435-2360 Fax

This electronic communication (including any attached document) may contain privileged and/or confidential information. This communication is intended only for the use of indicated e-mail addresses. If you are not an intended recipient of this communication, please be advised that any disclosure, dissemination, distribution, copying, or other use of this communication or any attached document is strictly prohibited. If you have received this communication in error, please notify the sender immediately by reply e-mail and promptly destroy all electronic and printed copies of this communication and any attached document.