



## ENVIRONMENTAL COMMISSION MOTION FORM 20160615 007a

**Date:** June 15, 2016

**Subject:** Wastewater Service Extension Request #3800 Austin Waldorf School

**Motion by:** Commissioner Richard Grayum

**Seconded by:** Commissioner Andrew Creel

### **RATIONALE:**

**Whereas**, the site is located in the Drinking Water Protection Zone, the Edwards Aquifer Contributing Zone, and the Barton Springs Zone watershed regulation area. The school development currently uses a privately-maintained septic system for on-site wastewater treatment; and

**Whereas**, the site was originally developed under the S.O.S Ordinance. Any future proposed development on site would be subject to S.O.S., including a limit of 25% impervious cover and S.O.S. compliant water quality controls. Replacing the existing septic system with centralized wastewater service may reduce potential negative water quality impacts associate with on-site septic treatment to the nearby surface water resources, seeps and springs.

**Therefore**, the Environmental Commission recommends approval of the request for Austin Waldorf School Wastewater Service Extension Request #3800.

### **VOTE 10-1**

Recuse: None

For: Neely, Thompson, B. Smith, Creel, Maceo, Moya, Grayum, Gooch, Perales, Guerrero

Against: None

Abstain: None

Absent: H. Smith

Approved By:

Marisa Perales, Environmental Commission Chair