

ITEM FOR ENVIRONMENTAL COMMISSION AGENDA

MEETING DATE

REQUESTED: October 5, 2016

NAME & NUMBER Austin Oaks Planned Unit Development

OF PROJECT: C814-2014-0120

OWNER: Twelve Lakes, LLC (Jon Ruff)

AGENT: Graves Dougherty Hearon & Moody (Michael Whellan)

LOCATION: Southwest corner of Mopac Expressway and Spicewood

Springs Road (3409, 3420, 3429, 3445, 3520, 3636, 3701, 3721, 3724, and 3737 Executive Center Drive and 7601,

7718, and 7719 Wood Hollow Drive)

COUNCIL DISTRICT: 10

PROJECT FILING DATE: July 16, 2014

WATERSHED PROTECTION Andrea Bates, 974-2291

DEPARTMENT STAFF: andrea.bates@austintexas.gov

PLANNING AND ZONING Andrew Moore, 974-7604

CASE MANAGER: andrew.moore@austintexas.gov

WATERSHED: Shoal Creek Watershed (Urban)

Desired Development Zone

ORDINANCE: Watershed Protection Ordinance (current Code)

REQUEST: Review and consider for recommendation the

environmental aspects of the proposed Planned Unit Development (PUD), including code modifications and

environmental superiority.

STAFF RECOMMENDATION: Recommended with conditions.



MEMORANDUM

TO: Marisa Perales, Chair, and Members of the Environmental Commission

FROM: Chuck Lesniak, Environmental Officer

Watershed Protection Department

DATE: September 2, 2016

SUBJECT: Austin Oaks Planned Unit Development – C814-2014-0120

This summary is being provided to the Environmental Commission as a supplement to the Planning and Zoning Department analysis for Austin Oaks Planned Unit Development (PUD). This memo provides an overview of the property's environmental features, the requested modifications to environmental code requirements, and the elements of the project that provide environmental superiority. Staff finds that the proposed development is environmentally superior to what could be built without the PUD.

Description of Property

Austin Oaks PUD consists of approximately 31.4 acres of land located in northwest Austin, at the intersection of Spicewood Springs Road and Mopac Expressway (see Attachment A – Location Map). The property is comprised of 13 parcels, which are currently zoned limited office (LO), neighborhood commercial (LR), and community commercial (GR). The site is developed with 12 office buildings and associated surface parking lots.

Austin Oaks PUD is located in the Shoal Creek Watershed, which is classified as Urban and is within the Desired Development Zone. The PUD is within the north Edwards Aquifer recharge zone. The property contains two creeks: Foster Branch, which flows west to east across the northeast corner of the PUD, and an unnamed tributary to Foster Branch, which flows south to north just east of Wood Hollow Drive (see Attachment B – Critical Water Quality Zone and Floodplain). ¹

_

¹ Per Land Development Code Section 25-8-91, waterways within an Urban Watershed are not classified. However, per Section 25-8-92, a critical water quality zone (CWQZ) is established along all waterways with a drainage area of at least 64 acres. The boundaries of the CWQZ coincide with the boundaries of the 100-year floodplain calculated under fully developed conditions, provided that the boundary is not less than 50 feet and not more than 400 feet from the centerline of the waterway.

Existing Topography/Soil Characteristics/Vegetation

The site's topography generally slopes from the southern property boundary toward Spicewood Springs Road and Foster Branch. Elevations range from approximately 712 to 818 feet above mean sea level. Slopes range between 0 and 15 percent on the majority of the property but increase to over 35 percent in some locations along the creeks and the Spicewood Springs Road frontage. The property has stony, clayey soils.

The property contains a large number of heritage and protected trees, including 63 heritage live oaks, three heritage cedar elms, two heritage Spanish oaks, and two heritage pecans. Most of the heritage and protected trees are located within the surface parking lots, but there are also groves of trees along the creek corridor. Predominant tree species on the site include live oak, cedar elm, and hackberry.

Critical Environmental Features

An Environmental Resource Inventory (ERI) was prepared for the project site by Horizon Environmental Services in August 2015. The ERI identified six critical environmental features (CEFs) within the PUD site: four wetlands, a seep, and a canyon rimrock (see Attachment D – Applicant's Environmental Resource Inventory). The PUD will comply with the current code requirement to provide a 150-foot buffer zone for CEFs; however, some development will be allowed to remain within the CEF buffers pursuant to Land Development Code Section 25-8-25, *Redevelopment Exception in Urban and Suburban Watersheds* ("the redevelopment exception"). See below for a discussion of the redevelopment exception.

Description of Project

The proposed project contains approximately 20.4 acres of mixed use development, including office, retail, restaurant, hotel, and multifamily residential uses, and 11 acres of parks and open space.

Requested Environmental Code Modifications

Austin Oaks PUD is subject to the Watershed Protection Ordinance, the City's current environmental regulations. Since the site is currently developed, the applicant has chosen to comply with Section 25-8-25, *Redevelopment Exception in Urban and Suburban Watersheds*. The purpose of the redevelopment exception is to provide an option for redevelopment of older sites that may not meet all of the requirements of Chapter 25-8(A). To comply with the redevelopment exception, a project must meet nine conditions, including providing water quality treatment, not increasing the amount of impervious cover on the site, and not increasing non-compliance with critical water quality zone (CWQZ) or CEF requirements. If the conditions for the redevelopment exception are met, the other requirements of Chapter 25-8(A) do not apply to the project.

The applicant has chosen to use the redevelopment exception for all development within the Austin Oaks PUD. The baseline for evaluating the PUD's environmental superiority is therefore the requirements of Section 25-8-25, rather than all of Chapter 25-8(A).

The proposed PUD includes multiple modifications to code requirements. Most of the proposed modifications change current code standards, which is typical for a PUD. However, the applicant

is also proposing to memorialize certain code requirements. That means the PUD is not proposing to change current requirements, but it is specifying that current requirements will continue to apply to the property even if the code changes in the future.

The following summarizes the proposed modifications to environmental requirements:

- **25-2-1008(A)**, *Irrigation Requirements* Section 25-2-1008(A) is modified to apply to the PUD overall rather than on a parcel-by-parcel basis.
- Environmental Criteria Manual (ECM) Section 2.4.3, *Buffering* The buffering requirements are modified to allow plants (excluding trees) used as buffering elements on Parcels 1 and 4 to be planted in a permeable landscape area at least three feet wide, rather than eight feet wide as currently required.
- **25-7-32,** *Director Authorized to Require Erosion Hazard Zone Analysis* An analysis was performed and the erosion hazard zone was identified with the PUD application. Additional analysis shall not be required for any future development applications.
- 25-7-61(A)(5), *Criteria for Approval of Development Applications*, and Drainage Criteria Manual 1.2.2.A and D, *General* The analysis of additional adverse flooding impact shall be based on the PUD boundaries rather than parcel boundaries.
- 25-8-25(B)(1) and (3), Redevelopment Exception in Urban and Suburban Watersheds Sections 25-8-25(B)(1) and (3) (impervious cover and trip limits) shall apply to the PUD overall rather than on a parcel-by-parcel basis.
- **25-8-641(B),** *Heritage Tree Removal Prohibited* Thirteen heritage trees identified on the applicant's Exhibit F Tree Plan may be removed without an administrative or land use commission variance as required by current code.
- **ECM Section 3.3.2.A,** *General Tree Survey Standards* The tree survey submitted with the PUD, dated November 22, 2013, may be used for 25 years instead of five years as currently required. Applications filed after November 22, 2038 will require a new tree survey.
- **ECM Section 3.5.4,** *Mitigation Measures* Tree mitigation credit shall be granted for removing existing impervious cover from the critical root zone of preserved trees.
- The PUD will memorialize the following code requirements:
 - 25-8-25, Redevelopment Exception in Urban and Suburban Watersheds, except as modified above;
 - Impervious cover calculations exclude multi-use trails open to the public and located on public land or in a public easement, pursuant to 25-8-63(C)(2),
 Impervious Cover Calculations;
 - Hard surface trails, pedestrian bridges, and utility lines are allowed in the CWQZ pursuant to 25-8-261, Critical Water Quality Zone Development and 25-8-262, Critical Water Quality Zone Street Crossings;
 - Water quality facilities may be covered, decked, or buried (and landscaped) pursuant to **ECM Section 1.6.2.E**, *Subsurface Ponds*;

o Green water quality controls are allowed pursuant to **ECM Section 1.6.7**, *Green Storm Water Quality Infrastructure*.

Proposed Environmental Superiority Elements

The project is proposing to provide the following environmental superiority elements (please see the applicant's Exhibit D – Tier 1 and Tier 2 Compliance Summary for additional details):

- 1. The PUD will provide at least 11.01 acres of open space, which is 41% higher than the 7.81 acres required based on the proposed land uses.
- 2. The PUD will exceed the minimum code requirements for landscaping. The PUD will exceed the requirements related to street yard trees as follows:
 - a. 75% of planted street yard trees shall be from the Preferred Plant List, rather than 60%;
 - b. Planted trees shall be no less than eight feet in initial height and no less than three inch caliper, rather than six feet in height and 1.5 inch caliper.
 - c. No more than 30 percent of planted trees will be from the same genus or species, rather than 50 percent.

In addition, the PUD will require that a minimum of 75 percent of plant materials, excluding turf and plantings within dedicated parkland, be native to Central Texas or included in the Grow Green Native and Adapted Landscape Plants guide. The PUD will also prepare and implement an Integrated Pest Management plan for the property.

- 3. The PUD will preserve a minimum of 75 percent of all caliper inches of heritage and protected trees (calculated together) and a minimum of 75 percent of all native caliper inches (including trees one inch in diameter at breast height or larger).
- 4. The PUD will limit impervious cover to 58 percent across the entire property, which is eight percent below the maximum that would otherwise be allowed by code. Under the redevelopment exception, the project could maintain but not increase the amount of impervious cover on the site, which is currently 66 percent. The project is proposing to decreasing impervious cover from 66 percent to 58 percent. In addition, the project is limiting impervious cover to 50 percent within 300 feet of Spicewood Springs.
- 5. The PUD will provide superior flood mitigation by providing a minimum of 20,000 cubic feet of additional on-site flood detention. The detention will be provided by either laying back the west creek bank, as shown on the applicant's Exhibit J Creek Plan, or creating a non-structural, vegetated detention area along the east bank.
- 6. The PUD will restore riparian vegetation in degraded CWQZ and CEF buffer areas. The project shall remove approximately 1.65 acres of existing, non-compliant impervious cover from the CWQZ and CEF buffers. The areas shall be restored to "good" condition based on the functional assessment methodology in Appendix X of the ECM.
- 7. The PUD will improve the degraded riparian area by laying back the west creek bank on Parcels 4 and 5, as shown on the applicant's Exhibit J Creek Plan. The project will create an inundation area that will also be restored to "good" condition based on the functional assessment methodology in Appendix X of the ECM.

8. The PUD will provide a 40 percent increase in undeveloped CWQZ and a 33 percent increase in undeveloped CEF buffers. The project will remove approximately 1.65 acres of existing impervious cover from the CWQZ and CEF buffers, which would be allowed to remain under the redevelopment exception. This results in a 95 percent reduction in impervious cover within the CWQZ, a 58 percent reduction in impervious cover within the canyon rimrock/seep buffer, and a 74 percent reduction in impervious cover within the wetland buffers. ²

Determination

Based on the superiority elements described above, staff finds that the proposed development is environmentally superior to what could be built without the PUD.


Attachments


- A Location Map
- B Critical Water Quality Zone and Floodplain
- C Site Photos

D Applicant's Environmental Resource Inventory

_

 $^{^2}$ In Exhibit D – Tier 1 and Tier 2 Compliance Summary, the applicant states that five additional superiority elements – items a, i, j, p, and u – are also being met. Staff does not agree with the applicant's analysis, and these five items were not considered in staff's review for environmental superiority.






Feet

Attachment B
Austin Oaks PUD - Critical Water Quality Zone and Floodplain

Attachment C Austin Oaks PUD Site Photos



View of creek and parking lots within the CWQZ and CEF buffer



Portion of west creek bank area to be restored





Canyon rimrock CEF



Wetland CEF



Wetland CEF

| Case No.: | |
|-----------------|--|
| (City use only) | |

Environmental Resource Inventory

For the City of Austin

Relating to the Land Development Code (LDC) Section 25-8, Title 30-5, ECM 1.3.0 & 1.10.0

Effective October 28, 2013

| 1. | SITE/PROJECT NAME: Austin Oaks Property |
|----|--|
| 2. | COUNTY APPRAISAL DISTRICT PROPERTY ID (#'s): |
| 3. | ADDRESS/LOCATION OF PROJECT: Spicewood Springs Road and MOPAC |
| 4. | WATERSHED: Shoal Creek Watershed |
| 5. | THIS SITE IS WITHIN THE (Check all that apply): Edwards Aquifer Recharge Zone* (See note below) |
| | Note: If the property is over the Edwards Aquifer Recharge zone, the Hydrogeologic Report and karst surveys must be completed and signed by a Professional Geoscientist Licensed in the State of Texas. |
| 6. | If yes, then check all that apply: (1) The floodplain modifications proposed are necessary to protect the public health and safety; (2) The floodplain modifications proposed would provide a significant, demonstrable environmental benefit, as determined by a functional assessment of floodplain health as prescribed by the Environmental Criteria Manual, or (3) The floodplain modifications proposed are necessary for development allowed in the critical water quality zone under Section 25-8-261 or 25-8-262 of the LDC. (4) The floodplain modifications proposed are outside of the Critical Water Quality Zone in an area determined to be in poor or fair condition by a functional assessment of floodplain health. ** If yes, then a functional assessment must be completed and attached to the ERI (see Section 1.7 and Appendix X in the Environmental Criteria Manual for forms and guidance) unless conditions 1 or 3 above |
| 7. | apply. IF THE SITE IS WITHIN AN URBAN OR SUBURBAN WATERSHED, DOES THIS PROJECT PROPOSE A UTILITY LINE PARALLEL TO AND WITHIN THE CRITICAL WATER QUALITY ZONE? ***If yes, then riparian restoration is required by Section 25-8-261(E) of the LDC and a functional |
| | assessment must be completed and attached to the ERI (see Section 1.5 and Appendix X in the Environmental Criteria Manual for forms and guidance). |
| 8. | There is a total of <u>6</u> (#'s) Critical Environmental Feature(s)(CEFs) on or within150 feet of the project site. If CEF(s) are present, attach a detailed DESCRIPTION of the CEF(s), color PHOTOGRAPHS , the CEF WORKSHEET and provide DESCRIPTIONS of the proposed CEF buffer(s) and/or wetland mitigation. Provide the number of each type of CEFs on or within 150 feet of the site (<i>Please provide the number of CEFs</i>): |
| | 1 (#'s) Spring(s)/Seep(s) 0 (#'s) Point Recharge Feature(s) 0 (#'s) Bluff(s) 1 (#'s) Canyon Rimrock(s) 4 (#'s) Wetland(s) |

Note: Standard buffers for CEFs are 150 feet, with a maximum of 300 feet for point recharge features. Except for wetlands, if the standard buffer is <u>not provided</u>, you must provide a written request for an administrative variance from Section 25-8-281(C)(1) and provide written findings of fact to support your request. Request forms for administrative variances from requirements stated in LDC 25-8-281 are available from Watershed Protection Department.

9. The following site maps are attached at the end of this report (Check all that apply and provide):

All ERI reports must include:

- Site Specific Geologic Map with 2-ft Topography

Only if present on site (Maps can be combined):

- ☑ Edwards Aquifer Recharge Zone with the 1500-ft Verification Zone
 (Only if site is over or within 1500 feet the recharge zone)
 ☐ Edwards Aquifer Contributing Zone
 ☐ Water Quality Transition Zone (WQTZ)
 ☑ Critical Water Quality Zone (CWQZ)
- ☐ City of Austin Fully Developed Floodplains for all water courses with up to 64-acres of drainage
- 10. **HYDROGEOLOGIC REPORT –** Provide a description of site soils, topography, and site specific geology below (Attach additional sheets if needed):

Surface Soils on the project site is summarized in the table below and uses the SCS Hydrologic Soil Groups*. If there is more than one soil unit on the project site, show each soil unit on the site soils map.

| Soil Series Unit Nam Characteristics & | | on |
|---|--------|---------------------|
| Soil Series Unit Name & Subgroup** | Group* | Thickness (feet) |
| Tarrant soils and Urban land, 0 to 2 percent slopes, (TeA) | В | 0.3 to 1.2 |
| Tarrant soils and Urban land, 5 to 18 percent slopes, (TeE) | В | 0.3 to 1.2 |
| Volente soils and Urban land, 1 to 8 percent slopes, (VuD) | С | 0.2 to 4.6 |
| | | |
| | | |

- *Soil Hydrologic Groups Definitions (Abbreviated)
- A. Soils having a <u>high infiltration</u> rate when thoroughly wetted.
- B. Soils having a moderate infiltration rate when thoroughly wetted.
- C. Soils having a <u>slow infiltration</u> rate when thoroughly wetted.
- D. Soils having a <u>very slow</u> <u>infiltration</u> rate when thoroughly wetted.

**Subgroup Classification – See <u>Classification of Soil Series</u> Table in County Soil Survey.

WPD ERM ERI-2014-01 Page 2 of 8

Description of Site Topography and Drainage (Attach additional sheets if needed): Topographically, the site is approximately 700 feet above mean sea level (USGS, 1988). Drainage on the subject site occurs primarily by overland sheet flow in a west-to-east direction, towards Foster Branch of Shoal Creek.

List surface geologic units below:

| | Geologic Units Exposed at | : Surface |
|----------------------|---------------------------|-----------|
| Group | Formation | Member |
| Fredericksburg Group | Undivided (Kfr) | N/A |
| Fredericksburg Group | Edwards Limestone (Ked) | N/A |
| | | |
| | | |
| | | |

Brief description of site geology (Attach additional sheets if needed):

The subject site is underlain by Fredericksburg Group, undivided (Kfr) and Edwards Limestone (Ked) (UT-BEG, 1995).

The Fredericksburg Group is an undivided mixture of Edwards Limestone (Ked), Comanche Peak Limestone (Kc), Keys Valley Marl (Kkv), Cedar Park Limestone (Kcp), and Bee Cave Marl (Kbc).

The Edwards Limestone is a thinly to massively bedded, hard to soft, cherty, fossiliferous, fine-grained limestone and dolomite that commonly have red clay and calcite associated with solution features, such as caves and collapsed zones. The Edwards Limestone is known to form caves and voids.

Wells- Identify all recorded and unrecorded wells on site (test holes, monitoring, water, oil, unplugged, capped and/or abandoned wells, etc.):

There are _0 (#) wells present on the project site and the locations are shown and labeled

- 0 (#'s)The wells are not in use and have been properly abandoned.
- 0 (#s)The wells are not in use and will be properly abandoned.
- (#'s)The wells are in use and comply with 16 TAC Chapter 76.

There are _2 (#'s) wells that are off-site and within 150 feet of this site.

WPD ERM ERI-2014-01 Page 3 of 8

11. **THE VEGETATION REPORT** – Provide the information requested below:

| Γhe subject site is situated within (1975). | the Blackland Prairie vegetational area of T | exas (Gould |
|--|--|--------------|
| | | |
| | | |
| | | |
| There is woodland community of yes, list the dominant species | on site⊠YES □ | NO (Check |
| | odland species | |
| Common Name | Scientific Name | |
| plateau live oak | Quercus fusiformis | |
| prateau rive oak | | |
| hackberry | Celtis laevigata | |
| | | |
| hackberry | Celtis laevigata | |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check o |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site□YES ☒ | NO (Check o |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check o |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check o |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check of |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check of |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check of |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check of |
| hackberry cedar elm Chinese tallow There is grassland/prairie/savar yes, list the dominant species Grassland/p | Celtis laevigata Ulmus crassfolia Triadica sebifera nna on site | NO (Check of |


WPD ERM ERI-2014-01 Page 4 of 8

| | нус | drophytic plant species | |
|---|---|---|--------------------------------|
| | Common Name | Scientific Name | Wetland Indicator Status |
| blac | k willow | Salix nigra | FACW |
| com | mon spikerush | Eleocharis palustris | OBL |
| com | ımon rush | Juncus effusus | OBL |
| | | | |
| | | | |
| | | | |
| | | | |
| WASTE\ | S NO (Check one). NATER REPORT - Provide to the ewater for the site will be treated. | he information requested below. Ted by (Check of that Apply): | |
| WASTEN Wast | water for the site will be treat On-site system(s) City of Austin Centralized so | red by (Check of that Apply): ewage collection system system | umunt oomplu with |
| WASTEN Wast | water for the site will be treat On-site system(s) City of Austin Centralized se Other Centralized collection | red by (Check of that Apply): ewage collection system | / must comply with stin |
| WASTEN Wast Note: Chapt The s | ewater for the site will be treat On-site system(s) City of Austin Centralized se Other Centralized collection All sites that receive water or wastew er 15-12 of Austin City Code and wei | red by (Check of that Apply): ewage collection system system vater service from the Austin Water Utility Ils must be registered with the City of Austin designed and will be constructed. | stin |
| WASTEN Wast Note: Chapt The s all St YE Calcuthe e | ewater for the site will be treat On-site system(s) City of Austin Centralized se Other Centralized collection All sites that receive water or wastew er 15-12 of Austin City Code and wer site sewage collection system ate, County and City standard SI NO (Check one). | red by (Check of that Apply): ewage collection system system vater service from the Austin Water Utility Ils must be registered with the City of Autis is designed and will be constructed specifications. infield or wastewater irrigation at the site plan. | ed to in accordance t |

WPD ERM ERI-2014-01 Page 5 of 8

| Is the project site is over the Edwards Aqu \boxtimes YES \square NO (Check one). | uifer? |
|---|---|
| If yes, then describe the wastewater disposite level and effects on receiving watercourse | osal systems proposed for the site, its treatment es or the Edwards Aquifer. |
| City of Austin already supplies wastewater di | sposal for the site. |
| | |
| | |
| 13. One (1) hard copy and one (1) electronic c provided. | opy of the completed assessment have beer |
| Date(s) ERI Field Assessment was performed: | 7-25-2014 6-14-2015 |
| | Date(s) |
| My signature certifies that to the best of my knoreflect all information requested. | owledge, the responses on this form accurately |
| James Killian, PG | 512-328-2430 |
| Print Name | Telephone |
| Print Name Amus P. / When | james_killian@horizon-esi.com |
| Signature | Email Address |
| Hørizon Environmental Services, Inc. | August 3, 2015 |
| Name of Company | Date |

For project sites within the Edwards Aquifer Recharge Zone, my signature and seal also certifies that I am a licensed Professional Geoscientist in the State of Texas as defined by ECM 1.12.3(A).



WPD ERM ERI-2014-01 Page 6 of 8

City of Austin Environmental Resource Inventory - Critical Environmental Feature Worksheet

| L | | | | | | | | | | | | | | |
|---|---|----------------------|---|------|---|-----------------|--------|------------------------------|-----------------------------|---|-------------------------|------------------------|--------------------------|--------------|
| - | Project Name: | Austin Oaks Property | roperty | | | 2 | | Primary Co | Primary Contact Name: | Jon Kuff | | | | |
| 7 | Project Address: | | Spicewood Springs Road and MOPAC | | | 9 | | Phc | Phone Number: | | | | | |
| 3 | Site Visit Date: | 7-25-2014 | | | | 7 | | 1 | Prepared By: | Greg Sherrod | q | | | |
| 4 | Environmental Resource Inventory Date: | 7-29-2014 | | | | 8 | | Em | ail Address: | Email Address: gsherrod@horizon-esi.com | orizon-e | si.com | | |
| | FEATURE TYPE | FEATURE ID | FEATURE LONGITUDE | JDE | FEATURE LATITUDE | ш | WET | WETLAND | RIMRG | RIMROCK/BLUFF | REC | HARGE F | RECHARGE FEATURE | Springs Est. |
| 6 | {Wetland,Rimrock, Bluffs,Recharge Feature.Spring} | (eg S-1) | (WGS 1984 in Meters) | ers) | (WGS 1984 in Meters) | rs) notation | DIMENS | DIMENSIONS (ft) | DIMEN | DIMENSIONS (ft) | × | DIMENSIONS | ONS | Discharge |
| | Wetland 1 | CEF-1 | 620484.1 | m | 5 | m | 40 | 20 | | | | | | |
| | Wetland 2 | CEF-2 | 620470.5 | m | 3359465.7 | ш | 44 | 17 | | | | | | |
| | Wetland 3 | CEF-3 | 620367.4 | m | 3359390.9 | m | 47 | 30 | | | | | | |
| | Rim Rock 1 | CEF-4 | 620287.4 | m | 3359337.5 | m | | | 190 | 9 | | | | |
| | Wetland 4 | CEF-5 | 620290.6 | m | 3359372.0 | m | 340 | 30 | | | | | | |
| | Seep | CEF-6 | 620307.19 | m | 3359344.08 | m | | | | | | | | 0 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | Alan Collection A portation | , | | | | | | ; | ; | : | : | , | : | |
| | City of Austin Ose Only CASE NUMBER: | - ii - | | | | | | Please state precision an | the method d accuracy of | Please state the method of coordinate data collection and the approximate precision and accuracy of the points and the unit of measurement. | data colle d the uni | ection an t of meas | d the appro surement. | ximate |
| | | | | , | | | | Method | | Accuracy | | | | |
| | | 7 C | 04+ 04000- | Ľ | - | | | GPS Surveved | | sub-meter meter | | | | |
| | For rimrock, locate the midpoint of the segment that describes the feature. | approximate | rof wetands, locate the approximate centroid of the feature and the estimated area. | ZŽŽ | For a spring or seep, locate the source of groundwater that feeds a pool or stream. | | | Other | | > 1 meter | ı . | | | |
| | | | | | - | | | | Profession | Professional Geologists apply seal below | apply seg | al below | | |
| | 47 | | 5 | | | | | | | | | | | |
| | | / | ~~ | | | | | | | | | | | |
| | _ | / | _ | | / | | _ | | | | | | | |

Page 7 of 8 WPD ERM ERI-CEF-01

Attachments

WPD ERM ERI-2014-01 Page 8 of 8



