

MOTION SHEET

Part 2. The Property within the boundaries of the conditional overlay combining district established by the ordinance is subject to the following conditions:

A. Development of the Property shall not exceed 90 residential units.

B. Development of the Property is limited to 30% impervious coverage.

C. A building or parking facility may not be constructed within the 75-foot wide setback along the north, south, and west property lines; vegetative buffers shall be placed and maintained along these property lines.

<u>D.</u> Interior driveways and parking may not be constructed within a 50-foot wide setback along the north and west property lines.

E. No building or structure may be constructed within a 400-foot wide setback from the railroad easement as illustrated on Exhibit B.

<u>F.</u> The maximum height of a building or structure may not exceed 42 feet $\frac{75}{100}$ feet from the northern property line to within 150 feet from the southern property line if within the 42 foot height building footprint as described on Exhibit C.

<u>G.</u> The maximum height of a building or structure may not exceed 52 feet from the critical water quality line along the eastern side of the Property to within 100 feet from the western property line if within the 52 foot height building footprint as described on Exhibit D.

<u>H.</u> The maximum height of a building or structure on the remainder of the Property outside the building footprints described on Exhibits C and D may not exceed 35 feet.

<u>1.</u> Development of the Property shall comply with Chapter 25-2, Subchapter E, subsection 2.5.2.B 1-7 (*Fully Shielded or Full Cut-off Light Fixtures Required*) requiring that the following outdoor lighting applications be illuminated by fixtures that are either fully shielded or full cut-off:

1. Public street and pedestrian lighting;

2. Parking lots;


3. Pathways;

4. Recreational areas;

5. Billboards;

6. Product display area lighting; and

7. Building overhangs and open canopies.



N Contract N Pending Case Coning Boundary → Railroads 200 400 Feet

ZONING ZONING CASE#: C14-2016-0023.5H Exhibit A



This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

1" = 400 '

This product has been produced by CTM for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or completeness.




EXHIBIT C

EXHIBIT FIELD NOTES

BEING A 0.724 ACRE TRACT OF LAND OUT OF THE WILLIAM HORNSBY SURVEY NO. 22 AND THE FRANCISCO GARCIA SURVEY NO. 60, SITUATED IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, BEING A PORTION OF LOT 1, BLOCK A, HYDROLAB SUBDIVISION, A SUBDIVISION OF RECORD IN VOLUME 102, PAGE 98, OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS; SAID 0.724 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING, at a 1/2-inch iron rod found in the south line of Lot 2. Block "A". Plaza Granados, a subdivision of record in Volume 91, Pages 11-15 of the Plat Records of Travis County, Texas, being the northeast corner of Lot 22, Block A, Northwood V, a subdivision of record in Volume 78, Page 214 of the Plat records of Travis County, Texas, same being an angle point in the irregular west line of said Lot 1, Block A;

THENCE, S37°33'26"E, over and across said Lot I, Block A, a distance of 179.79 feet to a calculated point for the **POINT OF BEGINNING**, and northwesterly corner of the herein described tract;

THENCE, continuing over and across said Lot 1, Block A, the following four (4) courses and distances:

- S62°11'49"E. a distance of 252.63 feet to a calculated point for the northeasterly corner of the herein described tract, from which a 1/2-inch iron pipe found at the southeast corner of Lot 1, Block A, of said Plaza Granados, being an angle point in said irregular west line bears, N58°10'28"E, a distance of 86.93 feet;
- 2.) S27°48'11'W, a distance of 125.00 feet to a calculated point, for the southeasterly corner of the herein described tract;
- 3.) N62°11'49"W. a distance of 252.63 feet to a calculated point, for the southwesterly corner of the herein described tract, from which a cotton spindle found in the north right-of-way line of Oak Creek Drive (R.O.W. varies), being in the east line of Lot 27, Block A, of said Northwood V, same being the southwest corner of Lot 1, Block A of said Hydrolab Subdivision bears S31°24'41"W, a distance of 171.24 feet;

INTENTIONALLY LEFT BLANK

0.724 ACRES AUSTIN, TX

4.) N27°48'11"E, a distance of 125.00 feet to the **POINT OF BEGINNING**, and containing 0.724 acre (31,579 square feet) of land, more or less.

BEARING BASIS: TEXAS COORDINATE SYSTEM, NAD 83(2012A), CENTRAL ZONE, REFERENCING THE LEICA SMARTNET REFERENCE NETWORK.


1 HEREBY CERTIFY THAT THIS DESCRIPTION AND ANY ACCOMPANYING SKETCHES ARE THE RESULT OF AN ACTUAL ON-THE-GROUND SURVEY PERFORMED UNDER MY DIRECT SUPERVISION DURING THE MONTH OF JANUARY, 2016, AND ARE TRUE AND CORRECT TO THE BEST OF MY ABILITIES.

Witness my hand and seal February 15, 2017

2/15/2017 ark Antonio Mercado, R.I

PROJECT NO. 238-009





Z (1/51/20

0.698 ACRE AUSTIN, TX

EXHIBIT FIELD NOTES

BEING A 0.698 ACRE TRACT OF LAND OUT OF THE WILLIAM HORNSBY SURVEY NO. 22 AND THE FRANCISCO GARCIA SURVEY NO. 60, SITUATED IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, BEING A PORTION OF LOT 1, BLOCK A, HYDROLAB SUBDIVISION, A SUBDIVISION OF RECORD IN VOLUME 102, PAGE 98, OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS; SAID 0.698 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING, at a 1/2-inch iron pipe found at the southeast corner of Lot 1, Block A, Plaza Granados, a subdivision of record in Volume 91, Pgs. 11-15 of the Plat records of Travis County, Texas, being an angle point in the irregular west line of Lot 1, Block A, of said Hydrolab Subdivision;

THENCE, S58°10'28"W, over and across Lot 1, Block A, of said Hydrolab Subdivision, a distance of 86.93 feet to a calculated point for the **POINT OF BEGINNING**, and northwesterly corner of the herein described tract;

THENCE, continuing over and across Lot 1, Block A, of said Hydrolab Subdivision, the following four (4) courses and distances:

- 1.) S62°11'49"E, a distance of 118.89 feet to a calculated point for the northeasterly corner of the herein described tract;
- 2.) S27°4S°11"W, a distance of 255.59 feet to a calculated point for the southeasterly corner of the herein described tract, from which a 1/2-inch iron rod found in the north right-of-way line of Oak Creek Drive (R.O.W. varies), being in the west line of Lot 1, Oak Creek Plaza, a subdivision of record in Volume 85, Page 23D, of the Plat records of Travis County, Texas, same being the southeast corner of Lot 1, Block A, of said Hydrolab Subdivision bears, S52°17'20"E, a distance of 324.44 feet;
- 3.) N62°11'49"W, a distance of 118.89 feet to a calculated point for the southwesterly corner of the herein described tract, from which a 1/2-inch iron rod found in said north right-of-way line, being the south line of Lot 1, Block A, of said Hydrolab Subdivision bears, S12°10'27"W, a distance of 84.08 feet;

EXHIBIT D

0.698 ACRE AUSTIN, TX

FIELD NOTE FILE: 17.023 PROJECT NO.: 238-009 FEBRUARY 15, 2017

4.) N27°48'11"E, a distance of 255.59 feet to the **POINT OF BEGINNING**, and containing 0.698 acre (30,387 square feet) of land, more or less.

BEARING BASIS: TEXAS COORDINATE SYSTEM, NAD 83(2012A), CENTRAL ZONE. REFERENCING THE LEICA SMARTNET REFERENCE NETWORK.


I HEREBY CERTIFY THAT THIS DESCRIPTION AND ANY ACCOMPANYING SKETCHES ARE THE RESULT OF AN ACTUAL ON-THE-GROUND SURVEY PERFORMED UNDER MY DIRECT SUPERVISION DURING THE MONTH OF JANUARY, 2016, AND ARE TRUE AND CORRECT TO THE BEST OF MY ABILITIES.

Witness my hand and seal February 15, 2017

2/15/2017 Mark Antonio Mercado, R.P.L.

PROJECT NO. 238-009





\$2,238 - PROVIDE/009 - OK CREDV,238-009400-HEDORERUM PLOTED B1: WAR MERCUO PLUTED OK 02/1