

Residential Review – One Texas Center 505 Barton Springs Road, Austin, TX 78704; (512) 978-4000

Residential New Construction and Addition Permit Application

To complete this form electronically: Open with Internet Explorer, then <u>Click Here to Save</u> and continue.

Property Information	
Project Address: 1102 Blanco Street, Austin, Texas, 78703	Tax Parcel ID:
Legal Description: See approved Land Status Determination, 2013-0	004664 DA
Zoning District: SF-3-H-HD-NP	Lot Area (sq fi): 13,540.00
Neighborhood Plan Area (if applicable): Old West Austin	Historic District (if applicable): Old West Austin
Required Reviews	
Is project participating in S.M.A.R.T. Housing?	Does project have a Green Building requirement? Y N
(If yes, attach signed certification letter from NHCD, and signed conditional approval	If yes, attach signed conditional approval letter from Austin Energy Green Building)
	Does this site have a septic system? Y N
	If yes, submit a copy of approved septic permit)
Does the structure exceed 3,600 square feet total under roof?	N (If yes, Fire review is required)
Is this property within 200 feet of a hazardous pipeline? Y	N (If yes, Fire review is required)
Is this site located within an Erosion Hazard Zone? Y N Is this (If yes, EHZ review is required)	is property within 150 feet of the 100 year floodplain? Y N (Proximity to floodplain may require additional review time.)
Is there a protected sized tree on this lot or adjacent $lot(s)$?	N (If yes, click here for more information on the tree permit process.)
Is this site within the Residential Design and Compatibility Standards Or	
Does this site currently have: water availability? Wastewater availability? Y N	(If no, contact Austin Water Utility to apply for water/wastewater taps and/or service extension request.)
Are there existing water/wastewater infrastructure, appurtenances or exis (If yes, contact Austin Water Utility Pipeline Engineering for review and approval)	
Does this site have or will it have an auxiliary water source?	N (If yes, submit approved auxiliary and potable plumbing plans.)
(Auxiliary water supplies are wells, rainwater harvesting, river water, lake water, reclaimed Does this site require a cut or fill in excess of four (4) feet? Y N (If	yes, contact the Development Assistance Center for more information)
	within the Lake Austin Overlay? Y N
(LDC 25-2 Subchapter C Article 3) (LDC 25-2-18	
	adjacent to a paved alley? Y N s approval required to take access from a public alley.)
Does this site have a Board of Adjustment (BOA) variance?	N Case # (if applicable)
Does this site have a Residential Design and Compatibility Commission ((RDCC) waiver? Y ■ N
(If yes, provide a copy of decision sheet. Note: A permit cannot be approved within 10 day Description of Work	s of approval of a variance from BOA.)
	(If yes, construction material recycling is required per LDC 25-11-39) esidential two-family residential other:
Proposed Use: vacant single-family residential duplex re	
Project Type: new construction addition	addition/remodel other:
Will all or part of an existing exterior wall, structure, or roof be removed	
(Note: Removal of all or part of a structure requires a demolition permit application.) # existing bedrooms: 3 # bedrooms upon completion: 4	# baths existing: 2.0 # baths upon completion: 3.0
Project Description: (Note: Please provide thorough description of project. Attach addi	
Build a new detached three car garage and 550 s.f. second floor A	
bedroom. Existing primary House to remain unchanged.	WY DWEINING OTHE WILLT OTTE DATINGOTH AND ONE
Trades Permits Required (Circle as applicable): electric plumb	ing mechanical (HVAC) concrete (R.O.W.)

Job Valuation				STATE OF THE STATE			SCHOOL STORY
Total Job Valuation:	Amount of Total Job V	aluation d	edicated to all		Amount o	of Total Job V	aluation
\$100,000	and/or New Construction	on:	dedicated	dedicated to all Remodel/Repair:			
Note: The total job valuation should be	Amount for Primary St	Bldg:	\$				
the sum total of all valuations noted to the right. Labor and materials only,	Elec: Y N Plm	ibg: 🔲 Y	I	\$ \$			
rounded to nearest dollar. Permit fees	Amount for Accessory	Structure:	Mech:	\$			
are based on adopted fee schedule.	Elec: Y N Plm	bg: Y	□ N Mech:	■Y □N	TOTAL:	\$	0
Please utilize the Calculation following cale	n Aid on the last page culations and to provi	of the A	dditional International	formation, p prmation for	page 7, as a thorough r	guide to con	nplete the
Site Development Information		ST CONTRACTOR				nes (City of	(C C 00 17)
Area Description		Evice	ing Sq Ft	Now/Add	ad Ca Et	T 4 1	o. m.
Note: Provide a separate calculation for eadditional sheets as necessary. Measurem	ach distinct area. Attach ents are to the outside surface	Bldg 1	Bldg 2	New/Add Bldg 1	Bldg 2	Total:	
of the exterior wall.				Bidg I		Bldg 1	Bldg 2
a) 1 st Floor conditioned area b) 2 nd Floor conditioned area		1,549.0			0.00	1,549.00	0.00
c) 3 rd Floor conditioned area		1,281.0			550.00	1,281.00	550.00
d) Basement		0.0			0.00	0.00	0.00
e) Covered parking (garage or ca		0.0			0.00	0.00	0.00
f) Covered patio, deck, porch,		201.0			1,000.00	0.00	1,000.00
g) Other covered or roofed are		220.0		Control of the last of the las	180.00	201.00	180.00
h) Uncovered wood decks	<u> </u>	220.0		EASTER STATE	0.00	220.00	0.00
Total Building Area (total a	through h)	3,471.0		0.00		3,471.00	1,730.00
i) Pool	Livaga ii)	0.0		0.00	0.00	0.00	0.00
j) Spa		0.0		Control of the Control	0.00	0.00	0.00
k) Remodeled Floor Area, exc New Construction	luding Addition /	_	_	_	_	0.00	0.00
Building Coverage Information							
Note: Building Coverage means the area of	of a lot covered by buildings or	roofed areas	but excludes gro	und-level paving,	landscaping, ope	en recreational fa	cilities,
incidental projecting eaves, balconies, and Total Building Coverage (sq ft):		, and tountair flot size: _		l in this measuren	tent. (LDC 25-1-	21)	
Impervious Cover Information	· · · · · · · · · · · · · · · · · · ·						
Note: Impervious cover is the total horizon	ntal area of covered spaces, pay	ved areas, wa	lkways, and drive	ways. The term ex	xcludes pools, po	onds, fountains, a	nd areas with
gravel placed over pervious surfaces that a boards and that is located over a pervious	are used only for landscaping or	r by nedestria	ins. For an uncove	ered wood deck th	at has drainage s	macce hotwoon th	sa daole
Total Impervious Cover (sq ft): 4		flot size:		ed in the measure	anient of impervi	ous cover. (LDC	25-1-23)
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
Setbacks Are only evicting atmosphere on this					.0		
Are any existing structures on this Does any structure (or an element Is front yard setback averaging be	of a structure) extend ov	er or beyo	nd a required	yard? (LDC 25-	2-513)	5-2-492) Y ■ N Y ■ N	Y N
Height Information (LDC 25-1-21			rking (LDC 25				
Building Height: 25 ft 7			-		-	s provided: 5	:
Right-of-Way Information			of spaces requi	alreadie	_ " Or space	2 a c	
Is a sidewalk required for the prop *Sidewalks are to be installed on any new increases the building's gross floor area l	construction of a single family,	47-0-3331	_ A	1.4			
Will a Type I driveway approach	be installed, relocated, re	moved or	repaired as par	rt of this proje	ct? Y	■ N	
Width of approach (measured at p	roperty line):	ft	Distance from	n intersection	(for corner lo	ts only):	ft
Are storm sewer inlets located alo (If yes, drainage review is required)	ng the property or within	ten (10) f	eet of the bour	ndaries of the 1	property?	Y IN	

Subchapter F

Gross Floor Area

This section is only required for projects located within the Residential Design and Compatibility Standards Ordinance Boundaries as defined and illustrated in Title 25-2 Subchapter F of the Land Development Code. The Gross Floor Area of each floor is measured as the area contained within the outside edge of the exterior walls.

		Existing Sq Ft	New/Added Sq Ft	Proposed Exemption (check article utilized)	Applied Exemption Sq Ft	Total Sq Ft
1 st Floor		1,549.00	0.00			1,549.00
2 nd Floor		1,281.00	550.00			1,831.00
3 rd Floor		0.00	0.00			0.00
Area w/ ceil	ings > 15'	0.00	0.00	Must follow article 3.3.5		0.00
Ground Floc (check article		201.00	180.00	■ Full Porch sq ft (3.3.3 A) □ 200 sq ft (3.3.3 A 2)	381.00	0.00
Basement		0.00	0.00	Must follow article 3.3.3B, see note below		0.00
Attic		0.00	0.00	Must follow article 3.3.3C, see note below		0.00
Garage**: (check	Attached		0.00	☐ 200 sq ft (3.3.2 B 1)		0.00
article utilized)	Detached		1,000.00	■ 450 sq ft (3.3.2 ∧ 1 / 2a) □ 200 sq ft (3.3.2 B 2a / 2b)	450.00	550.00
Carport**: (check article	Attached		0.00	☐ 450 sq ft (3.3.2 A 3) ☐ 200 sq ft (3.3.2 B 1)***		0.00
utilized)	Detached	0.00		☐ 450 sq ft (3.3.2 A 1)		0.00
Accessory B (detached)	suilding(s)		0.00			0.00
Totals		3,031.00	1,730.00		\$15 (SAT) (SAT)	3,930.00

	TOTA	۸L GRO	OSS FLOOR AREA (add Total Sq Ft column) 3,930.00
(Total Gross Floor Area ÷ Lot Area) x 100 = 29			_ Floor-To-Area Ratio (FAR)
Is a sidewall articulation required for this project? (Yes, if: a wall, 15' tall or higher, within 9 feet of a side property)	Y line exte	■ N	or than 36 feet in length per article 2.7.1)
Does any portion of the structure extend beyond a set			
(If Yes, indicate applicable section of Subchapter F and length of	protrusio	on on the d	drawings.)

Basement exemption: A habitable portion of a building that is below grade may be exempted if the habitable portion does not extend beyond the first-story footprint and is below natural or finished grade, whichever is lower; and it is surrounded by natural grade for at least 50% of its perimeter wall area and the finished floor of the first story is not more than three feet above the average elevation at the intersections of the minimum front yard setback line and the side property lines.

Habitable Attic exemption: A habitable portion of an attic may be exempted if: 1) The roof above it is not a flat or mansard roof and has a slope of 3 to 12 or greater; 2) It is fully contained within the roof structure; 3) It has only one floor; 4) It does not extend beyond the footprint of the floors below; 5) It is the highest habitable portion of the building, or a section of the building, and adds no additional mass to the structure; and 6) Fifty percent or more of the area has a ceiling height of seven feet or less.

^{*}Ground Floor Porch exemption: A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and is not connected to a driveway; and the exemption may not exceed 200 square feet if a porch has habitable space or a balcony above it.

^{**}Garage and carport exemptions (in relation to primary structure): Exemptions must follow the code as outlined in Title 25-2 Subchapter F 3.3.2. Each amount listed (450 or 200) is the maximum exclusion allowed per the article designated. Note: Article 3.3.2 C, "An applicant may receive only one 450-square foot exemption per site under paragraph A. An applicant who receives a 450-square foot exemption may receive an additional 200-foot exemption for the same site under paragraph B, but only for an attached parking area used to meet minimum parking requirements."

^{***}Ordinance article 3.3.2 B 1 is the only 200 sq ft exemption that may be combined with a 450 sq ft exemption. Otherwise only one 450 exemption or one 200 sq ft exemption may be taken.

SITE INFORMATION

StTE ADDRESS:1102 Blanco Street, Austin, TX 78703 LEGAL DESCRIPTION: Legal tract per Land Status Determination, 2013-004664 DA, Survey of .311 Acres out of outlet No. 4, in division "Z" in the City of Austin, Travis County, Texas being the same tract recorded to Effie Guinn in Volume 688, PG, 67, Being the same tract recorded in Volume 5744, PG, 699 Deed Recordes in Travis County

ZONING: SF-3-H-HD-NP

NEIGHBORHOOD: Old West Austin LAND USE: Single Family Residence

PROPOSED LAND USE: Single Family Residence w/ Detached Accessory Dwelling Unit

Scope Of Work: Construction of a three car garage, w/ 1 bedroom, 1 bathroom accessory dwelling unit on the second floor, of 550 s.f.

SITE AREA:

13,540 s.f.

Existing First Floor Livable (House): 1,549 s.f. Existing Second Floor Livable: 1,281 s.f. Existing Storage Shed: 220 s.f. Existing Uncovered Wood Deck: 220 s.f.

Existing Driveway Existing Sidewalk Existing A/C Pads:

Existing Front Covered Porch:

1,063 s.f. 266 s.f. 18 s.f.

201 s.f.

New Three Car Garage: 1,000 s.f. New Covered Porch and Stair: 180 s.f. New Driveway from Alley: 467 s.f. New A/C Pad: 9 s.f. 550 s.f.

New Second Floor ADU:

3,150 s.f. (23.2%) 4,973 s.f. (36.7%)

TOTAL GFA: TOTAL ALLOWED: 3,930 s.f. (.27) 5,416 s.f. (.4)

PROVIDED PARKING

Total Building Cover:

Total Impervious Cover:

3 Spaces in Garage 2 Spaces in Driveway


GENERAL NOTES

1, THESE DRAWINGS ARE BASED UPON THE 2012 INTERNATIONAL BUILDING CODE, AND THE 2012 INTERNATIONAL RESIDENTIAL CODE. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR MEETING ALL REQUIREMENTS OF THIS CODE, THE GENERAL CONTRACTOR SHALL CONTACT THE ARCHITECT IMMEDIATELY WITH ANY DISCREPANCIES
BETWEEN CONSTRUCTION DOCUMENTS AND CODE REQUIREMENTS OR
DRAWINGS AND MANUFACTURERS' INSTALLATION REQUIREMENTS FOR CLARIFICATION. THESE DRAWINGS MAY NOT INDICATE OR DESCRIBE ALL THE WORK REQUIRED FOR FULL COMPLETION OF THE CONTRACT

DOCUMENTS.
THE ARCHITECT IS NOT RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES OR PROCEDURES RELATED TO THE PROJECT'S CONSTRUCTION.

- 2. THE GENERAL CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR CONSTRUCTION SITE SAFETY. THESE DRAWINGS DO NOT INDICATE THE NECESSARY ELEMENTS FOR CONSTRUCTION SAFETY.
- 3. ALL VERTICAL DIMENSIONS INDICATED ON EXTERIOR ELEVATIONS, BUILDING SECTIONS, DETAILS AND INTERIOR ELEVATIONS ARE NOMINAL ALL PLAN DIMENSIONS INDICATE EITHER FACE OF FRAMING, FACE OF MASONRY OR CENTERLINE OF ROUGH OPENING UNLESS NOTED OTHERWISE. DO NOT SCALE MEASUREMENTS FROM DRAWINGS. NOTIFY ARCHITECT WITH ANY DIMENSIONAL QUESTIONS. NOTIFY ARCHITECT OF ANY DISCREPANCIES PRIOR TO COMMENCING WITH THE
- S. COORDINATE LOCATION, SIZE AND CONFIGURATION OF PLUMBING
- 5. VERIFY AND PROVIDE FOR ALL LOCATIONS REQUIRING BLOCKING FOR ITEMS ATTACHED TO WALLS AND/OR CEILING.
- 6. FINAL SELECTIONS OF FINISH COLORS AND MATERIALS TO BE MADE BY OWNER.
- 7. ALL STAIRS SHALL BE BUILT WITH A MINIMUM CLEAR TREAD LENGTH OF 10" AND A MAXIMUM RISER HEIGHT OF 7.75", (EXCEPTING SPIROL STAIRS)
- 8. REFER TO STRUCTURAL DRAWINGS FOR EXACT LOCATIONS, CONFIGURATIONS AND SIZES OF ANY COLUMNS, BEAMS, LINTELS, TRUSSES AND JOISTS.


SITE PLAN



Studio Momentum

1415 Justin Lane Austin, Texas, 78757 512-452-7961






SHEET INDEX

Site Plan	Coversheet
Setback Compliance Plan	A1.2
Floor Plans	A1.3
Roof Plan and Door/Window Sched.	A1.4
South and West Elevations	A2.1
Building Sections	A3.1
3-d Views	A5.1
Electrical Plan	E1.1
Foundation Plan and Details	\$100
Framing Plans	S200
Wall Brace Plan	S201
Framing Details	S300









6/16/17 For Permit Review

Weintraub/ Shah Residence 1102 Blanco St. Austin, Texas, 78703

Sheet Title:

Setback Plane

Compliance Site Plan

A1.2


Drawing is 1/16" = 1'-0" at 22" x 34" Drawings is 1/32" = 1'-0" at 11" x 17"

Final Door selection to be made by Owner, Trim to match existing house, confirmed by Owner

					DOOR SO	CHEDULE			
ID	QTY	LOCATION	SIZE	ORIENT	WALL	MATERIAL	LOCKSET	GLAZING	NOTES
DI	2	Garage and ADU entry	3'-0' x 8'-0'	2 - RH	2x4	Insulated Metal	Lever w/ Dead balt	Yes	Door per Owner
D2	1	Garage	10'-0" x 8'-0"	OHD	2x4	Insulated Metal	Per Manufacturer	*3.2-	Provide automatic opener, w/ exterior keypo entry, and obstruction detection
D3	1	Garage	16'-0" x 8'-0"	ОНД	2x4	Insulated Metal	Per Manufacturer		Provide automatic opener, w/ exterior keyp entry, and obstruction detection
D4	1	Attic Access	2-8' x 5'-0"	1 - RH	2x4	Solid Core Wood faced	Lever w/ dendbolt		Custam Sized Door, attic access
D5	3	closet bed bath	2'-6" x 8'-0"	2 - LH 1 - RH	2x4	Solid Core Wood faced	Lever passage privacy at bath and bed		
D6	1	Closet	4-0" x 8-0"	bypass	2x4	Solid Care Wood faced	finger pull		
								*	
	Ĉ								

Welded White Vinyl, Low E glass, w/ SHGC of .3 or smaller, AND U-factor of .35 or smaller

WINDOW SCHEDULE									
ID	QTY	LOCATION	SIZE	OPPER.	WALL	MATERIAL	GLAZING	NOTES	
WI	8	Garage and Bedroom	2'-8" x 6'-0"	Single Hung sets mulled			Low E, Cardinal 366	4 sets of 2 mulled. Must meet Egress in bedroo	
W2	4	Various in ADU	3'-0" x 3'-0"	Single Hung			Low E, Cardinal 366	One must be tempered due to bothtub location	
W3	2	Living and Kitchen	3'-0" x 4'-0"	Single Hung			Low E, Cardinal 366		
W4	1	Dining	3'-0" x 5'-0"	Single Hung			Low E, Cardinal 366	One must be tempered due to front door proximity	



Drawings are 1/4" = 1'-0" at 22" x 34" Drawings are 1/8" = 1'-0" at 11" x 17"






6/16/17 For Permit Review

Weintraub/ Shah Residence 1102 Blanco St. Austin, Texas,

78703

Roof Plan and Door Wind. Schedule

A1.4









6/16/17 For Permit Review


Weintraub/ Shah Residence 1102 Blanco St. Austin, Texas, 78703


Building Elevations


A2.1


















6/16/17 For Permit Review

Weintraub/ Shah Residence 1102 Blanco St. Austin, Texas, 78703

3-d views

A5.1