

ZONING CHANGE REVIEW SHEET**CASE:** C14-2017-0150 – Leija Villa**P.C. DATE:** February 13, 2018**ADDRESS:** 3305 and 3309 Hidalgo Street**TOTAL AREA:** 0.62 Acres (26,789 s.f.)**DISTRICT:** 3**OWNER:** Lunaire Group, LP (Graciela Leija, MD)**AGENT:** Michael Moran**EXISTING ZONING:** SF-3-NP and SF-3-CO-NP**PROPOSED ZONING:** LO-MU-NP**NEIGHBORHOOD PLAN AREA:** Govalle-Johnston Terrace**TIA:** N/A**WATERSHED:** Boggy Creek**CAPITOL VIEW CORRIDOR:** No**DESIRED DEVELOPMENT ZONE:** Yes**SUMMARY STAFF RECOMMENDATION:**

Staff supports the Applicant's request of LO-MU-NP.

ISSUES:

The proposed rezoning tracts are located immediately adjacent to undeveloped property under the same ownership. The Property owner intends to develop the properties as a single project with Medical office land use.

PLANNING COMMISSION RECOMMENDATION:

February 13, 2018:

DEPARTMENT COMMENTS:

The subject property is located on the south side of Hidalgo Street, east of Allen Street. The property is zoned SF-3-NP and is currently developed with a single family residence. Immediately to the south of the property is another tract under the same ownership, which is zoned GR-MU-CO-NP and is undeveloped. Immediately west of the rezoning property are lots that front Allen Street. These lots are a mix of SF-3-NP and MF-2-NP and are developed with a mix of single family and multifamily land uses. Immediately east of the subject property is a warehouse zoned W/LO-NP. Across Hidalgo Street to the north is property zoned MF-2-NP that is used for multifamily. *Please refer to Exhibits A and B (Zoning Map and Aerial View).*

As stated in the Issues section of this report, the Owner intends to develop the rezoning tract with the tract immediately to the south, which is zoned GR-MU-CO-NP. In 2010 this this property and a portion of the current rezoning area was rezoned from GR-NP and SF-3-NP to GR-MU-CO-NP and SF-3-CO-NP. The conditional overlay (CO) associated with the 2010 rezoning was a limit of 2,000 vehicular trips per day. The SF-3-CO-NP portion of the previous request is now part of the proposed LO-MU-NP request; the GR-MU-CO-NP will remain.

Staff has received correspondence from interested groups and individuals regarding the rezoning request. Please refer to Exhibit C (Correspondence).

EXISTING ZONING AND LAND USES:

	ZONING	LAND USES
<i>Site</i>	SF-3-NP, SF-3-CO-NP	Single family residential, Undeveloped
<i>North</i>	MF-2-NP	Multifamily residential
<i>South</i>	GR-MU-CO-NP	Undeveloped
<i>East</i>	W/LO-NP	Limited warehousing and distribution
<i>West</i>	SF-3-NP, MF-2-NP	Single family residential, Multifamily residential

CASE HISTORIES:

NUMBER	REQUEST	PLANNING COMMISSION	CITY COUNCIL
C14-2010-0014 3305 E. 5 th St.	GR-NP, SF-3-NP to GR-MU-NP, SF-3 - NP	3/23/2010: Approved as recommended by Staff, with 2,000 vpd limit	4/29/2010: Approved 1 st reading as rec.; 5/23/2010: Approved 2 nd /3 rd reading as rec. ORD# 20101028-054

A Neighborhood Plan Amendment (NPA) is filed in conjunction with the proposed rezoning (NPA-2017-0016.06).

SCHOOLS:

Brooke Elementary School

Martin Middle School

Eastside Memorial HS at Johnston

ABUTTING STREETS:

Name	ROW	Pavement	Classification	Sidewalks	Bike Route	Capital Metro (within ¼ mile)
Hidalgo	50	33	Local	Y	Y	Route 4, 135

NEIGHBORHOOD ORGANIZATIONS:

East Austin Conservancy
African American Cultural Heritage District
Friends of Austin Neighborhoods
Claim Your Destiny Foundation
El Concilio Mexican-American Neighborhoods
Austin Neighborhoods Council
Govalle/Johnston Terrace Neighborhood Plan Team
Greater East Austin Neighborhood Association
Buena Vista Neighborhood Association
Tejano Town
Guadalupe Neighborhood Development Corporation
Austin Innercity Alliance

Neighbors United for Progress
Black Improvement Association
Homeless Neighborhood Association
Bike Austin
Neighbors United for Progress
SELTexas
Tejana Bilingual Community
United Austin for the Elderly
United East Austin Coalition
Preservation Austin
Sierra Club, Austin Regional Group
Del Valle Community Coalition

CITY COUNCIL DATE & ACTION:

March 22, 2018:

ORDINANCE READINGS: 1st 2nd 3rd

CASE MANAGER: Heather Chaffin
e-mail: heather.chaffin@austintexas.gov

ORDINANCE NUMBER:**PHONE:** 512-974-2122

SUMMARY STAFF RECOMMENDATION:

Staff supports the rezoning request to Limited office-Neighborhood Plan (LO-NP). LO-NP is a less permissive and less intense zoning classification than the existing W/LO-NP to the east and GR-MU-CO-NP to the south. It will provide a suitable transition between these properties and the SF-3-NP and MF-2-NP properties to the west. By rezoning these tracts to an Office classification, there would no longer be Single family residential zoning immediately adjacent to the limited warehousing and distribution use to the east. The rezoning tract would be subject to Compatibility Standards along the western property line. LO-NP zoning is congruent with the mixed zoning in the vicinity, which ranges from SF-3-NP to LI-CO-NP.

BASIS FOR LAND USE RECOMMENDATION (ZONING PRINCIPLES)

1. *The proposed zoning should be consistent with the purpose statement of the district sought.*
The proposed rezoning is consistent with the purpose statement of Limited office (LO) zoning, which is defined in City Code as:
“Limited office (LO) district is the designation for an office use that serves neighborhood or community needs and that is located in or adjacent to residential neighborhoods. An office in an LO district may contain one or more different uses. Site development regulations and performance standards applicable to an LO district use are designed to ensure that the use is compatible and complementary in scale and appearance with the residential environment.”
2. *Zoning changes should promote an orderly relationship among land uses.*
Currently, the subject property is zoned SF3-NP and SF-3-CO-NP, and is immediately adjacent to a W/LO-NP property. The proposed rezoning would establish a buffer between the W/LO-NP property and residential properties to the west.
3. *Zoning should promote a transition between adjacent and nearby zoning districts, land uses, and development intensities.*
LO-NP would provide a transition between the limited warehousing and distribution property to the east and the Single-family and Multifamily residential uses to the west.

Site Plan:

SP 1. The site is subject to compatibility standards. The following standards apply:

- ☐ No structure may be built within 25 feet of the property line.
- ☐ No structure in excess of two stories or 30 feet in height may be constructed within 50 feet of the property line.
- ☐ No structure in excess of three stories or 40 feet in height may be constructed within 100 feet of the property line.
- ☐ No parking or driveways are allowed within 25 feet of the property line.
- ☐ A landscape area at least 25 feet wide is required along the property line. In addition, a fence, berm, or dense vegetation must be provided to screen adjoining properties from views of parking, mechanical equipment, storage, and refuse collection.
- ☐ For a structure more than 100 feet but not more than 300 feet from property zoned SF-5 or more restrictive, height limitation is 40 feet plus one foot for each 10 feet of distance in excess of 100 feet from the property line.
- ☐ An intensive recreational use, including a swimming pool, tennis court, ball court, or playground, may not be constructed 50 feet or less from adjoining SF-3 property.
- ☐ A landscape area at least 25 feet in width is required along the property line if the tract is zoned LR, GO, GR, L, CS, CS-1, or CH.

SP 2. FYI – This site is located within the Austin-Bergstrom Airport Controlled Compatible Land Use Area Overlay. No use will be allowed that can create electrical interference with navigational signals or radio communications between airport and aircraft, make it difficult for pilots to distinguish between the airport lights and others, result in glare in the eyes of pilots using the airport, impair visibility in the vicinity of the airport, create bird strike hazards or otherwise in any way endanger or interfere with the landing, taking off, or maneuvering of aircraft intending to use the Austin-Bergstrom Airport. Height limitations and incompatible

uses with each Airport Overlay zone are established in the Airport Overlay Ordinance. Airport Hazard Zoning Committee review may be required prior to Planning Commission Hearing. Additional comments may be generated during the site plan review process.

Transportation:

TR1. Per Ordinance No. 20170302-077, off-site transportation improvements and mitigations may be required at the time of site plan application.

TR2. Additional right of way maybe required at the time of subdivision and/or site plan.

TR3. Existing Street Characteristics:


Name	ROW	Pavement	Classification	Sidewalks	Bike Route	Capital Metro (within ¼ mile)
Hidalgo	50	33	Local	Y	Y	Route 4, 135


Environmental:

1. The site is not located over the Edwards Aquifer Recharge Zone. The site is located in the Boggy Creek Watershed of the Colorado River Basin, which is classified as an Urban Watershed by Chapter 25-8 of the City's Land Development Code. It is in the Desired Development Zone.
2. Zoning district impervious cover limits apply in the Urban Watershed classification.
3. According to floodplain maps there is a floodplain adjacent to the project location. Based upon the location of the floodplain, offsite drainage should be calculated to determine whether a Critical Water Quality Zone exists within the project location.
4. Standard landscaping and tree protection will be required in accordance with LDC 25-2 and 25-8 for all development and/or redevelopment.
5. Numerous trees will likely be impacted with a proposed development associated with this rezoning case. Please be aware that an approved rezoning status does not eliminate a proposed development's requirements to meet the intent of the tree ordinances. If further explanation or specificity is needed, please contact the City Arborist at 974-1876. At this time, site specific information is unavailable regarding other vegetation, areas of steep slope, or other environmental features such as bluffs, springs, canyon rimrock, caves, sinkholes, and wetlands.
6. This site is required to provide on-site water quality controls (or payment in lieu of) for all development and/or redevelopment when 8,000 s.f. cumulative is exceeded, and on site control for the two-year storm.

Water/Wastewater:

FYI: The landowner intends to serve the site with City of Austin water and wastewater utilities. The landowner, at own expense, will be responsible for providing any water and wastewater utility improvements, offsite main extensions, utility relocations and or abandonments required by the proposed land use. Depending on the development plans submitted, water and or wastewater service extension requests may be required. Water and wastewater utility plans must be reviewed and approved by the Austin Water Utility for compliance with City criteria. All water and wastewater construction must be inspected by the City of Austin. The landowner must pay the City inspection fee with the utility construction. The landowner must pay the tap and impact fee once the landowner makes an application for a City of Austin water and wastewater utility tap permit.





This map has been produced by the Communications Technology Management Dept. on behalf of the Planning Development Review Dept. for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or completeness.

Chaffin, Heather

Subject: FW: zoning case c14-2017-0150**EXHIBIT
C**

From: Peter Gray
Sent: Friday, February 02, 2018 12:03 PM
To: Chaffin, Heather; Meredith, Maureen
Subject: RE: zoning case c14-2017-0150

Thank you, I agree with you that the new drainage facility will be an improvement. Thank you for your response

Peter Gray
Director of Quality
ITI International, LLC
5100 Westheimer, Ste 540
Houston, TX 77056
Tel. 713 771 0688
Mob. 713 822 0112

CONFIDENTIALITY NOTICE:

This e-mail is intended only for the addressee named above. As this e-mail may contain confidential or privileged information, please advise the sender immediately if you are not the named addressee or the person responsible for delivering the message to the named addressee and delete all copies from your system. The contents should not be disclosed to any other person nor copies taken. If the content of this email or attachment is personal or unconnected with our business, ITI accepts no liability or responsibility for it.

From: Chaffin, Heather [<mailto:Heather.Chaffin@austintexas.gov>]
Sent: Friday, February 2, 2018 12:01 PM
To: Peter Gray <>; Meredith, Maureen <Maureen.Meredith@austintexas.gov>
Subject: RE: zoning case c14-2017-0150

Peter,
Sorry for the delayed response. As I believe Maureen Meredith relayed to you, any redevelopment of the site would require construction of drainage improvements on-site which would have a full drainage engineering review at time of Site Plan. City Code requires that any redevelopment not increase any off-site drainage; the drainage improvements often helps alleviate existing drainage problems.
I suggest you contact Jennifer Back in our Development Assistance Center—she handles these kind of overall drainage questions. You can reach her at 512-974-6361 or the email address above.
I hope this information is useful,
Heather

From: Peter Gray
Sent: Tuesday, January 23, 2018 8:25 AM
To: Meredith, Maureen
Cc: Chaffin, Heather
Subject: zoning case c14-2017-0150

Hello, after attending the neighborhood meeting for this case last night. My principal concern is the drainage for the site. The entire proposed development plan sheds water to hidalgo street which already has problems draining the water from the surrounding area without any input from the proposed site. I have attached pictures of a flood from 2 years ago that was all Hidalgo street water that backed up into my properties. These drains are already overburdened

by the Yeti Cooler complex and surrounding streets. It seems the water should go toward the river and not north. The drainage plan seems to be flawed. My properties face Hidalgo and are 621 and 627 Allen st.

I followed up with a person (Leslie) from the city that I was referred to and it was a dead end.

Please provide details regarding the current capacity of the drains to the north of the site and proposed infrastructure.

Thank you

Peter Gray
Director of Quality
ITI International, LLC
5100 Westheimer, Ste 540
Houston, TX 77056
Tel. 713 771 0688
Mob. 713 822 0112

CONFIDENTIALITY NOTICE:

This e-mail is intended only for the addressee named above. As this e-mail may contain confidential or privileged information, please advise the sender immediately if you are not the named addressee or the person responsible for delivering the message to the named addressee and delete all copies from your system. The contents should not be disclosed to any other person nor copies taken. If the content of this email or attachment is personal or unconnected with our business, ITI accepts no liability or responsibility for it.

