

COMMODORE PERRY ESTATE - CHAPEL 100% CONSTRUCTION DOCUMENTS & GMP SET

4114 RED RIVER STREET
AUSTIN, TEXAS, 78751

PROJECT TEAM

OWNER:
RED RIVER HOLDINGS
MR. CLARK LYDA
4100 RED RIVER STREET
AUSTIN, TEXAS 78751

ARCHITECT:
CLAYTON & LITTLE ARCHITECTS
2201 N. LAMAR BLVD.
AUSTIN, TEXAS 78702

CONTACT:
HOLLY ARTHUR, ASSC. AIA
EMAIL: HOLLY@CLAYTONANDLITTLE.COM
PHONE: (512) 477.1727
FAX: (512) 477.9876

STRUCTURAL:
AEC ARCHITECTURAL ENGINEERS
COLLABORATIVE
3800 NORTH LAMAR BLVD., SUITE 330
AUSTIN, TEXAS 78756

CONTACT:
KARINA TRIBBLE, PE, LEED AP
EMAIL: KTRIBBLE@AECCLLAB.COM
PHONE: (512)472.2111

CIVIL ENGINEER:
BIG RED DOGS
2021 E. 5TH STREET, SUITE 200
AUSTIN, TEXAS 78702

CONTACT:
AMIR NAMAKFOROOSH, P.E.
EMAIL: AMIR.NAMAKFOROOSH@BIGREDDOG.COM
PHONE: (512)669.5560

MEP:
INTEGRAL GROUP
1711 E. CESAR CHAVEZ, SUITE C
AUSTIN, TEXAS 78702

CONTACT:
BUNGANE MEHLOMAKULU, PE, LEED AP
BD + C
EMAIL: BMEHLOMAKULU@INTEGRALGROUP.COM
PHONE: (512)598.1721

LIGHTING DESIGNER:
OHM LIGHT
660 4TH STREET #355
SAN FRANCISCO, CALIFORNIA 94107

CONTACT:
TERRY OHM
EMAIL: TERRY@OHMLIGHT.COM
PHONE: (415)215.1436

LANDSCAPE ARCHITECT:
TEN EYCK
1214 WEST 6TH ST., SUITE 100
AUSTIN, TEXAS 78703


CONTACT:
JEAN PIERRE CASILLAS, ASLA, RA
EMAIL: CASILLAS@TENEYCKLA.COM
PHONE: (512)813.9994

INTERIOR DESIGNER:
KEN FULK
310 7TH STREET,
SAN FRANCISCO, CALIFORNIA 94103

CONTACT:
BRITTANY BAQUE, NCIDQ, LEED AP
EMAIL: BRITTANY@KENFULK.COM
PHONE: (415)285.1164



EXTERIOR PERSPECTIVE



SYMBOL LEGEND

	ELEVATION SYMBOL
	SECTION DETAIL SYMBOL
	SECTION SYMBOL
	PARTITION TYPE SYMBOL
ROOM NAME	ROOM NAME & NUMBER SYMBOL
	DOOR NUMBER SYMBOL
	DETAIL SYMBOL
	WINDOW SYMBOL

PROJECT INFORMATION

SITE INFORMATION SITE INFORMATION TAKEN FROM SURVEY PROVIDED BY ERIC J. DANNHEIM, DATED 07/15/15
ZONING INFORMATION GR-MU-CO-H-NP

REV #	DESCRIPTION	DATE ISSUED
1	CHAPEL PLAN REVIEW RESPONSE	02/23/18
2	100% CD & GMP PRICING SET	03/23/18
3	MANSSION - BP - RESUBMITTAL	04/04/18
4	BLDG E - KITCHEN REVISIONS	04/11/18

INDEX OF DRAWINGS

GENERAL D-G0.0 CHAPEL - COVER SHEET D-G0.1 GENERAL INFORMATION	LIGHTING DESIGNER AL-001c CHAPEL FIXTURE SCHEDULE AL-103a CHAPEL LIGHTING PLAN AL-201e CHAPEL LIGHTING ELEVATIONS
CIVIL: REFERENCE SP-2017-0161CT - CIVIL DRAWINGS DATED 03/23/18 ISSUED SEPERATELY	AUDIO VISUAL D-T1.01 GENERAL INFORMATION D-T1.11 AUDIO VISUAL SPECIFICATIONS D-T1.12 AUDIO VISUAL FUNCTION SUMMARIES D-T1.21 COMMUNICATIONS AND SECURITY SPECIFICATIONS D-T2.01 SITE PLAN D-T3.01 LEVEL 1 FLOOR PLAN D-T4.01 ENLARGED FIRST FLOOR TECHNOLOGY CEILING PLAN D-T5.01 ENLARGED DATEA CLOSET PLANS D-T6.01 CONNECTIVITY DIAGRAM D-T7.01 TECHNOLOGY DETAILS D-T7.02 TECHNOLOGY DETAILS D-T7.03 TECHNOLOGY DETAILS D-T7.04 TECHNOLOGY DETAILS
LANDSCAPE: - REFER TO LANDSCAPE DRAWINGS DATED 03/23/18 ISSUED SEPERATELY	
CODE/EGRESS: A-LS1.0 BUILDING A LIFE SAFETY PLAN	
ARCHITECTURAL A0.1 SITE PLAN PROPOSED D-D1.0 DEMOLITION PLANS D-A1.1 FLOOR PLAN D-A1.2 REFLECTED CEILING PLAN D-A1.3 ROOF PLAN D-A2.0 EXTERIOR ELEVATIONS D-A2.1 EXTERIOR ELEVATIONS D-A3.0 BUILDING SECTIONS D-A3.1 BUILDING SECTIONS D-A4.0 BATHROOM PLANS & ELEVATIONS D-A5.0 ASSEMBLIES D-A6.0 SCHEDULES	
INTERIOR DESIGN D-I1.1 CHAPEL - FLOOR PLAN D-I1.2 CHAPEL - FINISH PLAN D-I1.3 CHAPEL - REFLECTED CEILING PLAN D-I4.1 CHAPEL - INTERIOR ELEVATIONS FOYER & CHANCEL D-I4.2 CHAPEL - INTERIOR ELEVATIONS SANCTUARY D-I4.3 CHAPEL - INTERIOR ELEVATIONS SANCTUARY D-I4.4 CHAPEL - INTERIOR ELEVATIONS CORRIDOR & GREEN ROOM D-I4.5 CHAPEL - INTERIOR ELEVATIONS RESTROOM D-I7.1 CHAPEL - FINISH SCHEDULE D-I7.2 CHAPEL - PLUMBING SCHEDULE	
STRUCTURAL D-S1.01 GENERAL NOTES D-S1.02 GENERAL NOTES D-S2.01 LEVEL 01 FRAMING PLAN D-S2.02 ROOF FRAMING PLAN D-S3.01 TYPICAL DETAILS D-S3.02 FRAMING DETAILS	
PLUMBING D-P0.1 SYMBOLS, NOTES AND ABBREVIATIONS D-P02.1 FIRST FLOOR PLUMBING DEMOLITION PLAN D-P02.2 ROOF PLUMBING DEMOLITION PLAN D-P2.1 FIRST FLOOR PLUMBING PLAN D-P2.2 ROOF PLUMBING PLAN D-P7.1 PLUMBING DETAILS D-P7.2 PLUMBING DETAILS D-P8.0 PLUMBING RISER DIAGRAM - DOMESTIC WATER D-P8.1 PLUMBING RISER DIAGRAM - STORM & GAS D-P9.1 PLUMBING SCHEDULES	
MECHANICAL D-M0.1 SYMBOLS, NOTES AND ABBREVIATIONS D-M02.1 FIRST FLOOR DUCT DEMOLITION PLAN D-MD2.2 ROOF DUCT DEMOLITION PLAN D-M2.1 FIRST FLOOR DUCT PLAN D-M2.2 ROOF DUCT PLAN D-M4.1 CHAPEL MECHANICAL SECTIONS D-M7.1 CHAPEL MECHANICAL DETAILS D-M8.1 MECHANICAL RISER DIAGRAMS D-M8.2 MECHANICAL CONTROLS DIAGRAM D-M8.3 MECHANICAL CONTROLS D-M9.1 MECHANICAL SCHEDULES D-M9.2 MECHANICAL ENERGY CODE COMPLIANCE D-M9.3 MECHANICAL ENERGY CODE COMPLIANCE	
ELECTRICAL D-E0.0 ELECTRICAL GENERAL NOTES & DRAWING LIST D-E0.1 ELECTRICAL SYMBOL LIST D-E0.2 ELECTRICAL SYMBOL LIST D-E1.0 OVERALL ELECTRICAL SITE PLAN D-E1.1 PARTIAL ELECTRICAL SITE PLAN - CHAPEL D-E2.1 CHAPEL - LEVEL 1 POWER PLAN D-E2.2 CHAPEL - ROOF ELECTRICAL PLAN D-E3.1 CHAPEL - LEVEL 1 LIGHTING PLAN D-E5.1 ELECTRICAL DETAILS - GROUNDING D-E5.2 ELECTRICAL DETAILS - EQUIPMENT D-E6.0 ELECTRICAL SINGLE LINE DIAGRAM - SCHEDULES D-E6.1 ELECTRICAL SINGLE LINE DIAGRAM - HOTEL D-E6.2 ELECTRICAL SINGLE LINE DIAGRAM - CHAPEL D-E6.3 ELECTRICAL SINGLE LINE DIAGRAM - GARDEN RESTAURANT D-E6.4 ELECTRICAL SINGLE LINE DIAGRAM - CARRIAGE HOUSE D-E6.5 ELECTRICAL SINGLE LINE DIAGRAM - MANSSION D-E7.0 CHAPEL - ELECTRICAL PANEL SCHEDULES D-E8.0 ELECTRICAL ENLARGED PLANS D-ED2.1 CHAPEL - LEVEL 1 ELECTRICAL DEMO PLAN	
FIRE PROTECTION PLAN LS-1.1 LIFE SAFETY PLAN D-FS0.1 FIRE PROTECTION NOTES D-FS1.1 FIRE PROTECTION PLANS D-FS2.0 FIRE PROTECTION INSTALLATION DETAILS D-FA0.1 FIRE ALARM NOTES D-FA1.1 FIRE ALARM PLAN D-FAZ.0 FIRE ALARM DETAILS	

ISSUED DATE 03/23/18
PROJECT NUMBER 1646

50% CD & GMP
PRICING SET

COMMODORE PERRY ESTATE REDEVELOPMENT

CHAPEL

4114 RED RIVER STREET, AUSTIN, TEXAS, 78751

D-G0.0

CHAPEL - COVER
SHEET

GENERAL SCOPE OF WORK NARRATIVE

GENERAL SCOPE OF WORK NARRATIVE:
THE SCOPE OF WORK INCLUDES THE RENOVATION/ALTERATION OF AN EXISTING ONE STORY STRUCTURE WITH A NEW RESTROOM WING ADDITION.

DETAILED SCOPE NARRATIVE FOR ITEMS NOT INCLUDED IN CONSTRUCTION DOCUMENTS:
1. REFER TO LANDSCAPE AND CIVIL DRAWINGS INCLUDED IN ANOTHER PACKAGE FOR CONNECTIONS.

MOCK-UPS:
1. REFERENCE SPECIFICATIONS FOR REQUIRED MOCK-UPS

ALTERNATES

TO BE DETERMINED

CODE ANALYSIS

BUILDING CODES: <div>Architectural & Structural: 2015 International Existing Building Code, City of Austin Amendments, Plumbing: 2015 Uniform Plumbing Code, w/ City of Austin Amendments Mechanical: 2015 Uniform Mechanical Code, w/ City of Austin Amendments Electrical: 2017 National Electric Code, w/ City of Austin Amendments Fire: 2015 International Fire Code, w/ City of Austin Amendments & 2016 NFPA 13, 2016 NFPA 72 TAS: 2012 Texas Accessibility Standards ENERGY: 2015 International Energy Code, w/ City of Austin Amendments</div>	
BUILDING DESCRIPTION:	RENOVATION/ALTERATION OF AN EXISTING ONE STORY STRUCTURE WITH A NEW RESTROOM ADDITION.
OCCUPANCY TYPE:	ASSEMBLY, A-2
CONSTRUCTION TYPE:	TYPE 5B
FIRE SPRINKLER:	NEW SPRINKLER SYSTEM, NFPA 13
LEGAL JURISDICTION:	CITY OF AUSTIN, TRAVIS COUNTY
LEGAL DESCRIPTION:	ACR 9.8624 OLT 14 DIVISION C
RENOVATION LEVEL:	IEBC LEVEL 2 ALTERATIONS W/ 450 S.F. OF NEW TYPE IV CONSTRUCTION

HISTORICAL NOTES

1. THIS IS A HISTORICALLY SIGNIFICANT BUILDING WHERE PRESERVATION IS EXTREMELY IMPORTANT. EXTREME CARE SHALL BE TAKEN TO PROTECT AND PRESERVE THIS STRUCTURE DURING SELECTIVE DEMOLITION AND CONSTRUCTION. IF ANY UNFORESEEN CONDITIONS ARISE, STOP WORK AND CONTACT THE ARCHITECT IMMEDIATELY.
2. DOCUMENT ALL AREAS TO BE SELECTIVELY DEMOLISHED PRIOR TO PERFORMING ANY WORK. DOCUMENTATION TO INCLUDE PHOTOGRAPHS AND MEASURED DRAWINGS. DOCUMENTATION TO BE CLEARLY LABELED AND DELIVERED TO ARCHITECT AND OWNER.
3. DEMOLITION PHASE. THIS STAGE IS CRITICAL TO THE SUCCESS OF THIS PROJECT AND MUST BE CONSIDERED A STAGE OF DISCOVERY. EXTREME CARE MUST BE TAKEN, ESPECIALLY IN AREAS OF QUESTION TO NOT DESTROY ORIGINAL MATERIALS. RECKLESS DESTRUCTION OF SALVAGEABLE, RE-USEABLE ORIGINAL MATERIALS WILL NOT BE ALLOWED AND CM/GC WILL BE RESPONSIBLE FOR REPLACEMENT OF DAMAGED MATERIALS.
4. ALL EXISTING COMPONENTS TO REMAIN ARE TO BE PROTECTED DURING DEMOLITION AND CONSTRUCTION BY THE GENERAL CONTRACTOR (G.C.). ANY DAMAGED MATERIAL IS TO BE REPAIRED, REPLACED OR REBUILT IN A MANNER ACCEPTABLE TO THE OWNER AND ARCHITECT.
5. THE CONTRACTOR IS RESPONSIBLE FOR ALL NECESSARY DEMOLITION OF THE BUILDING SYSTEMS, AND PATCHING OR REPAIR OF EXISTING BUILDING FINISHES/SITE FEATURES AFFECTED BY NEW CONSTRUCTION.
6. DAMAGES TO PROPERTY OF THE OWNER SHALL BE REPAIRED OR PAID FOR BY THE GENERAL CONTRACTOR. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO, DAMAGE TO THE BUILDING GROUNDS, PLANTINGS, WALLS, PAVEMENT, VEHICLES, UTILITIES, FINISHES, FURNISHINGS, ETC.
8. PATCH, REPAIR, AND PREPARE ALL SURFACES AS REQUIRED TO ACCOMMODATE FINISHES INDICATED.
9. THE CONTRACTOR SHALL TAKE GREAT CARE TO MINIMIZE DAMAGE TO EXISTING PLANTS TO REMAIN. SUSPENDED PLATFORMS AND EQUIPMENT THAT ARE LOWERED TO THE GROUND SHALL BE PLACED ON BLOCKS TO MINIMIZE THE DISTURBED FOOTPRINT AREA.

GENERAL NOTES


1. THE CONTRACTOR, IN ACCORDANCE WITH THE PROVISIONS SET FORTH IN THESE CONTRACT DOCUMENTS, SHALL PROVIDE ALL MATERIALS, EQUIPMENT, LABOR AND SUPERVISION REQUIRED TO COMPLETE ALL WORK DESCRIBED HEREIN AND WHICH CAN BE REASONABLY INFERRED TO BE REQUIRED, IN A GOOD WORKMANLIKE MANNER.
2. SUBMISSION OF A BID BY THE CONTRACTOR WILL SIGNIFY THAT THE SITE WAS INSPECTED BY THE APPROPRIATE PERSONNEL AND WORK ASSOCIATED WITH DEALING WITH THE EXISTING CONDITIONS HAS BEEN INCORPORATED INTO THE BID. FAILURE TO OBSERVE THE EXISTING CONDITIONS WILL NOT BE A BASIS FOR ADDITIONAL COMPENSATION. THE CONTRACTOR SHALL VISIT THE JOB SITE TO BECOME FAMILIAR WITH THE EXISTING CONDITIONS AND VERIFY ANY DISCREPANCIES.
3. CONTRACTOR TO VERIFY ALL DIMENSIONS, CONDITIONS, ETC., PRIOR TO BEGINNING CONSTRUCTION AND NOTIFY ARCHITECT IN WRITING OF ANY DISCREPANCIES. PROCEEDING WITH WORK SHALL CONSTITUTE ACCEPTANCE BY THE CONTRACTOR THAT ALL CONDITIONS ARE CORRECT AND THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY.
4. DO NOT SCALE DRAWINGS; IF DIMENSIONS ARE IN QUESTION, THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING CLARIFICATION FROM THE ARCHITECT BEFORE CONTINUING WITH CONSTRUCTION.
6. CONTRACTOR SHALL PERFORM ALL WORK IN ACCORDANCE WITH ALL APPLICABLE CODES, REGULATIONS, ACTS, COVENANTS, ETC. HAVING JURISDICTION.
7. THE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS, INSPECTION FEES, AND DEPOSITS REQUIRED FOR THE INSTALLATION OF ALL WORK. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO CALL FOR LOCAL INSPECTIONS AND OBTAIN APPROVAL FROM CITY INSPECTORS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL INSURANCE AND NECESSARY INCIDENTALS.
8. GENERAL CONTRACTOR TO VERIFY LOCATION OF ALL EXISTING PROPERTY UTILITIES PRIOR TO PERFORMING ANY WORK, AND GENERAL CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS WITH EXISTING UTILITIES DURING DEMOLITION & CONSTRUCTION PHASES.
9. A HAZARDOUS MATERIALS REPORT HAS BEEN PROVIDED BY OWNER, WHO WILL CONTRACT DIRECTLY WITH GC FOR REMOVAL. THE WORK INDICATED HEREIN AND IN RELATED SPECIFICATIONS (INCLUDING REQUIRED DEMOLITION WORK) DOES NOT ADDRESS THE PRESENCE OF HAZARDOUS MATERIALS. THE ARCHITECT IS NOT INVOLVED IN THE REMOVAL, TREATMENT, OR IDENTIFICATION OF ASBESTOS OR ANY OTHER HAZARDOUS MATERIAL IN ANY WAY.
10. CONTRACTOR IS RESPONSIBLE FOR DISPOSAL OF ALL DEMOLISHED MATERIALS. THE CONTRACTOR SHALL VERIFY ANY REGULATIONS, LAWS AND/OR ORDINANCES AFFECTING THE METHODS OF DEMOLITION AND THE DISPOSAL OF WASTE MATERIALS. THE OWNER ASSUMES NO LIABILITY FOR EXTRA WORK OR ADDITIONAL COMPENSATION DUE TO FAILURE OF THE CONTRACTOR OR SUBCONTRACTORS TO COMPLY WITH APPLICABLE REGULATIONS.
11. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MEANS AND METHODS OF CONSTRUCTION. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY TO PROTECT THE STRUCTURE AND PERSONNEL DURING CONSTRUCTION. SUCH MEASURES SHALL INCLUDE BUT NOT BE LIMITED TO BRACING, SHORING OF LOADS DUE TO CONSTRUCTION EQUIPMENT, EXCAVATION PROTECTION, SCAFFOLDING, JOB SITE SAFETY, ETC. OBSERVATION VISITS TO THE SITE BY ARCHITECT, OWNER, OWNERS REP. OR ENGINEER SHALL NOT INCLUDE INSPECTION OF ABOVE ITEMS.
12. IT IS THE INTENT OF THE OWNER AND ARCHITECT THAT THIS PROJECT COMPLY WITH THE ADA AND TEXAS ACCESSIBILITY STANDARDS.
13. THE GENERAL CONTRACTOR AND ALL SUBCONTRACTORS SHALL AGREE TO WARRANTY THE WORK, INCLUDING BOTH MATERIALS AND WORKMANSHIP, FOR A PERIOD OF ONE YEAR FROM THE DATE OF FINAL ACCEPTANCE BY THE OWNER. CONTRACTOR SHALL REMEDY, AT NO EXPENSE TO THE OWNER, ANY DEFECTS IN THE WORK WHICH BECOME APPARENT DURING THE WARRANTY PERIOD.
14. SEAL ALL CRACKS AROUND STRUCTURAL MEMBERS, BRACING, PIPES, CONDUITS, DUCTS AND BETWEEN WALLS AND ROOF DECK WHERE AIR INFILTRATION BETWEEN CONDITIONED AND NON-CONDITIONED (EXTERIOR) SPACES MAY OCCUR (I.E. SEAL THE BUILDING ENVELOPE).
15. CONCEAL ALL PIPING IN FINISHED WALLS. WHERE PIPING IS TOO LARGE, WALLS ARE TO BE FURRED-OUT THE MINIMUM DIMENSION REQUIRED TO CONCEAL PIPING. INFORM ARCHITECT PRIOR TO PROCEEDING WITH THE WORK.
16. FIRE EXTINGUISHERS SHALL BE PURCHASED AND INSTALLED BY THE CONTRACTOR PER LOCAL FIRE DEPARTMENT AND BUILDING CODE REQUIREMENTS.
17. ANY WOOD BLOCKING USED SHALL BE FIRE TREATED TO MEET BUILDING CODE.

AREA CALCULATIONS:

	LEVEL 1 - EXISTING	LEVEL 1 - NEW	TOTAL
CHAPEL	2,393 S.F.	431 S.F.	2,824 S.F.

OCCUPANCY:

	OCCUPANCY	FIRE PROTECTION	OCCUPANT LOAD
CHAPEL	GROUP A-2	NEW NFPA 13 SPRINKLER SYSTEM	119



DRAWING LEGEND	
	SCOPE OF WORK
	BY OTHERS
	TRACT DIVISIONS

BUILDING FLOOR LEVELS	
MANSSION	
BASEMENT:	606' - 10"
LEVEL 1:	617' - 9"
LEVEL 2:	632' - 0"
RESTAURANT	
BASEMENT:	603' - 7 5/16"
LEVEL 1:	612' - 7 3/32"
CARRIAGE HOUSE	
BASEMENT:	602' - 4"
LEVEL 1:	610' - 7 1/4"
LEVEL 2:	621' - 0"
CHAPEL	
LEVEL 1:	618' - 10 1/4"
KITCHEN PAVILION	
LEVEL 1:	618' - 0"

SITE INFORMATION:
SITE INFORMATION TAKEN FROM SURVEY PERFORMED ON 03/03/11 AND UPDATED ON 07/13/15 BY LICENSED SURVEYOR ERIC J. DANNHEIM WORKING FOR CHAPARRAL PROFESSIONAL LAND SURVEYING, INC.

SITE PERMIT NOTES:
1. PERMITTING FOR CONSTRUCTION OF BUILDING TO RUN CONCURRENT WITH SITE DEVELOPMENT PLAN: SP-2017-0161CT dated 3/23/18
2. SITE PLAN EXEMPTION APPROVED: DA-2017087347

ZONING INFORMATION
GR-MU-CO-H-NP
LEGAL JURISDICTION: CITY OF AUSTIN, TRAVIS COUNTY

LEGAL DESCRIPTION
ACR 9.8624 OLT 14 DIVISION C

SITE PLAN NOTES:
1. COORDINATE LAYOUT AND SERVICES WITH CIVIL AND LANDSCAPE DRAWINGS. VERIFY EXISTING BUILDING LOCATIONS IN FIELD.
2. MINIMIZE IMPACT/DISTURBANCE OF NEIGHBORS, FOLLOW CITY OF AUSTIN CONSTRUCTION WORK HOUR REQUIREMENTS.
3. MINIMIZING IMPACTS TO EXISTING TREES IS CRITICAL TO THE SUCCESS OF THIS PROJECT. COORDINATE ALL DISTURBANCES IN CRITICAL ROOT ZONES OR TREE CANOPY PRUNING WITH OWNER'S ARBORIST.
4. VERIFY KNOX BOX LOCATIONS ON SITE WITH FIRE MARSHAL PRIOR TO INSTALLATION.






TREE PROTECTION NOTES:
1. PROVIDE TREE PROTECTION FENCING PER CODE AND 8" MULCH GROUND COVER DURING CONSTRUCTION AROUND ALL TREES IN THE CONSTRUCTION AREA.
2. WRAP 2x4 BOARDS (PER COA DETAILS) AROUND TREE TRUNKS DURING CONSTRUCTION.

COMMODORE PERRY ESTATE REDEVELOPMENT
CHAPEL


4114 RED RIVER STREET, AUSTIN, TEXAS, 78751


4114 RED RIVER STREET, AUSTIN, TEXAS, 78751

FLOOR PLAN


	EXISTING CONSTRUCTION
	NEW CONSTRUCTION
	EXISTING PARQUET FLOORING
	FIRE DEPT. CONNECTION AT WALL
	FIRE DEPT. CONNECTION FREE STANDING

- ## RESTORATION NOTES
1. NEW HVAC THROUGHOUT
 2. NEW PLUMBING THROUGHOUT
 3. GAS LINES AND SUPPLY TO BE INSPECTED AND REPAIRED THROUGHOUT.
 4. NEW FIRE SPRINKLER SYSTEM TO BE INSTALLED THROUGHOUT. REFER TO FIRE PLAN.
 5. EXISTING BACK FLOORS TO REMAIN ARE TO BE REPOINTED AS REQUIRED AND RESEALED THROUGHOUT. RE-SPRCS
 6. DOOR HARDWARE TO BE REMOVED, CATALOGED, REPAIRED AND REPLACED IN SAME PLACE THROUGHOUT. IF HARDWARE CANNOT BE REPAIRED NEW HARDWARE TO BE FABRICATED TO MATCH EXISTING
 7. WOOD WINDOWS THROUGHOUT ARE TO BE EXAMINED FOR ROT AND PROPER SCALES. REPAIR AS REQUIRED FOLLOWING THE SECRETARY OF THE INTERIOR, PRESERVATION DIVISION REPAIR OF HISTORIC WOOD WINDOWS. PAINT TO MATCH ORIGINAL HISTORIC COLORS. ALL OPERABLE WINDOWS ARE TO BE SEALED SHUT UNLESS NOTED OTHERWISE.







- ROOF NOTES
1. VERIFY DOWNSPOUT LOCATIONS W/ ARCHITECT.
 2. CONTRACTOR TO PATCH ROOF AT NEW PENETRATIONS AND MATCH EXISTING



1 ROOF PLAN
1/4" = 1'-0"



1 NORTH ELEVATION - CHAPEL
1/4" = 1'-0"



2 EAST ELEVATION - CHAPEL
1/4" = 1'-0"

ELEVATION NOTES

1. INSTALL SEALANT BELOW ALL DOOR THRESHOLDS
PROVIDE SWEEPS AT ALL DOORS, RE: SPECS.
2. REPOINT JOINTS AT ALL CAST STONE.
3. REMOVE ANY LOOSE STUCCO AND BAD PATCHES,
PATCH STUCCO TO MATCH EXISTING.
4. CLEAN ALL STUCCO.
5. REPAIR & REFINISH ALL WINDOWS & DOORS,
MAINTAINING AS MUCH HISTORIC MATERIAL AS
POSSIBLE. RE: SPECS.
6. REPLACE ROTTEN WOOD TRIM, IN KIND,
MAINTAINING AS MUCH EXISTING HISTORIC
MATERIAL AS POSSIBLE, TYP.
7. NOTE: COMPLIANCE WITH BUILDING DESIGN
STANDARDS, ARTICLE 3 OF SUBCHAPTER E IS
REQUIRED AND IS TO BE REVIEWED FOR
COMPLIANCE DURING BUILDING CODE REVIEW

COMMODORE PERRY ESTATE REDEVELOPMENT
CHAPEL

4114 RED RIVER STREET, AUSTIN, TEXAS, 78751

ELEVATION NOTES

1. INSTALL SEALANT BELOW ALL DOOR THRESHOLDS
PROVIDE SWEEPS AT ALL DOORS, RE: SPECS.
2. REPOINT JOINTS AT ALL CAST STONE
3. REMOVE ANY LOOSE STUCCO AND BAD PATCHES,
PATCH STUCCO TO MATCH EXISTING.
4. CLEAN ALL STUCCO.
5. REPAIR & REFINISH ALL WINDOWS & DOORS,
MAINTAINING AS MUCH HISTORIC MATERIAL AS
POSSIBLE. RE: SPECS.
6. REPLACE ROTTEN WOOD TRIM, IN KIND,
MAINTAINING AS MUCH EXISTING HISTORIC
MATERIAL AS POSSIBLE, TYP.
NOTE: COMPLIANCE WITH BUILDING DESIGN
STANDARDS, ARTICLE 3 OF SUBCHAPTER E IS
REQUIRED AND IS TO BE REVIEWED FOR
COMPLIANCE DURING BUILDING CODE REVIEW
- 7.

