

**RULE NO.: R161-18.20****NOTICE OF PROPOSED RULE****POSTING DATE: October 5, 2018**

The Director of the Department of Public Works proposes to adopt the following rule after November 06, 2018.

Comments on the proposed rule are requested from the public. Comments should be submitted to Mr. Samuel West; Public Works, 4411-A Meinardus Drive, Austin, Texas 78744, 512-974-8775, or via email at [Samuel.West@austintexas.gov](mailto:Samuel.West@austintexas.gov). To be considered, comments must be submitted before November 06, 2018, the 32nd day after the date this notice is posted. A summary of the written comments received will be included in the notice of rule adoption that must be posted for the rule to become effective.

An affordability impact statement regarding the proposed rule has been obtained and is available for inspection or copying at the address noted in the preceding paragraph.

**EFFECTIVE DATE OF PROPOSED RULE**

A rule proposed in this notice may not become effective before the effective date established by a separate notice of rule adoption. A notice of rule adoption may not be posted before November 06, 2018 (the 32nd day after the date of this notice) or not after December 14, 2018 (the 70th day after the date of this notice).

If a proposed rule is not adopted on or before December 14, 2018, it is automatically withdrawn and cannot be adopted without first posting a new notice of a proposed rule.

**TEXT OF PROPOSED RULE**

A copy of the complete text of the proposed rule is available for public inspection and copying at the following locations. Copies may be purchased at the following locations at a cost of ten cents per page:

Public Works, located at 4411-A Meinardus Drive, Austin, Texas, 78744. See Mr. Samuel West and:

Office of the City Clerk, City Hall, located at 301 West 2nd Street, Austin, Texas.

## **BRIEF EXPLANATION OF PROPOSED RULE**

R161-18.20: Proposed New Detail to the Standard Manual Series 1300

- Series 1300 – Adding New Urban Trail Detail 1302S-1


## **AUTHORITY FOR ADOPTION OF PROPOSED RULE**

The authority and procedure for adoption of a rule to assist in the implementation, administration, or enforcement of a provision of the City Code is provided in Chapter 1-2 of the City Code. The authority to regulate construction requirements is established in Section 25-6-267 and Section 25-6-268 of the City Code.

CERTIFICATION BY CITY ATTORNEY

By signing this Notice of Proposed Rule R161-18.20, the City Attorney certifies the City Attorney has reviewed the rule and finds that adoption of the rule is a valid exercise of the Director's administrative authority.

**REVIEWED AND APPROVED**



Richard Mendoza, Director  
Public Works


Date: 10-3-18



Veronica Ocanas

Date: 10-3-16.

*Asst.* City Attorney



NOTES:

1. CONTRACTION JOINT PATTERN SHALL BE DETERMINED UPON FINAL CONFIGURATION OF TRAIL DESIGN. CONTRACTION JOINTS SHALL BE MADE USING EARLY-ENTRY SAW CUTTING OR A PRE-FORMED CONTRACTION JOINT MATERIAL (ZIP STRIP OR APPROVED EQUIVALENT)
2. RECOMMEND SLIP FORM PAVER FOR CONCRETE AND A RECLAIMER FOR THE SUB-GRADE MIXING.
3. LIME STABILIZED SUB-GRADE (C.O.A. ITEM NO. 203S) COULD BE USED IN-PLACE OF CEMENT STABILIZED SUB-GRADE, AS SHOWN ON THE DRAWINGS, AT THE DISCRETION OF THE ENGINEER OR THEIR DESIGNATED REPRESENTATIVE DEPENDING ON THE PROJECT LOCATION AND THE SOIL CONDITIONS. THE DEPTH OF THE SUB-GRADE CAN BE MODIFIED DEPENDING ON THE GEOTECHNICAL ENGINEERING REPORT, AT THE DISCRETION OF THE ENGINEER OR THEIR DESIGNATED REPRESENTATIVE.
4. IF USING A CUT SECTION WITH 3:1 MAXIMUM SIDE SLOPE, A SWALE (U-SHAPED) SHALL BE PROVIDED ON THE SIDE OF THE TRAIL TO PREVENT WATER FROM INUNDATING THE TRAIL.
5. ALL WORK IN CRITICAL WATER QUALITY ZONE TO COMPLY WITH CITY OF AUSTIN LDC § 25-8-261.

<p>CITY OF AUSTIN DEPARTMENT OF PUBLIC WORKS</p>	<p>TYPICAL CONCRETE URBAN TRAIL DETAIL</p>	
<p><i>[Signature]</i> ADOPTED</p>	<p>THE ARCHITECT/ENGINEER ASSUMES RESPONSIBILITY FOR APPROPRIATE USE OF THIS STANDARD.</p>	<p>STANDARD NO. <b>1302S-1</b> 1 OF 1</p>