

Residential Review – One Texas Center 505 Barton Springs Road, Austin, TX 78704; (512) 978-4000

Residential New Construction and Addition Permit Application

To complete this form electronically: Open with Internet Explorer, then <u>Click Here to Save</u> and continue.

Property Information	
Project Address: 1902 W 39th Street	Tax Parcel ID: 121632
Legal Description: Lot 2 Blk 13 Oakmont Heights Annex No 2	
Zoning District: SF3	Lot Area (sq ft): 6,997.00
Neighborhood Plan Area (if applicable): Rosedale	Historic District (if applicable): NA
Required Reviews	
Is project participating in S.M.A.R.T. Housing? Y ■ N	Does project have a Green Building requirement? Y ■ N
(If yes, attach signed certification letter from NHCD, and signed conditional approval letter from Austin Energy Green Building)	(If yes, attach signed conditional approval letter from Austin Energy Green Building)
Is this site within an Airport Overlay Zone? $Y \blacksquare N$	Does this site have a septic system? Y ■ N
(If yes, approval through Aviation is required)	(If yes, submit a copy of approved septic permit)
	Y N (If yes, Fire review is required)
Is this property within 200 feet of a hazardous pipeline?	Y N (If yes, Fire review is required)
Is this site located within an Erosion Hazard Zone? Y ■ N (If yes, EHZ review is required)	Is this property within 150 feet of the 100 year floodplain? Y N (Proximity to floodplain may require additional review time.)
Is there a protected sized tree on this lot or adjacent lot(s)? Y	N (If yes, <u>click here</u> for more information on the tree permit process.)
Is this site within the Residential Design and Compatibility Standard	s Ordinance Boundary Area? (LDC 25-2 Subchapter F) Y N
Does this site currently have: water availability? wastewater availability? Y	N (If no, contact Austin Water Utility to apply for N water/wastewater taps and/or service extension request.)
Are there existing water/wastewater infrastructure, appurtenances or (If yes, contact Austin Water Utility Pipeline Engineering for review and approval)	
Does this site have or will it have an auxiliary water source? X (Auxiliary water supplies are wells, rainwater harvesting, river water, lake water, recl	— () to, the man approved and many and posterior premising pressor)
Does this site require a cut or fill in excess of four (4) feet? $Y \blacksquare$	N (If yes, contact the Development Assistance Center for more information)
	site within the Lake Austin Overlay? Y ■ N 5-2-180, 25-2-647)
Does this site front a paved street? ■ Y N Is this	site adjacent to a paved alley? Y N Works approval required to take access from a public alley.)
Does this site have a Board of Adjustment (BOA) variance?	N Case #(if applicable)
Does this site have a Residential Design and Compatibility Commiss (If yes, provide a copy of decision sheet. Note: A permit cannot be approved within	
Description of Work	
Is Total New/Added Building Area > 5,000 Sq Ft? Y ■ N	(If yes, construction material recycling is required per LDC 25-11-39)
Existing Use: vacant single-family residential dup	ex residential two-family residential other:
Proposed Use: vacant single-family residential dupl	ex residential two-family residential other:
Project Type: new construction addition	addition/remodel other:
Will all or part of an existing exterior wall, structure, or roof be reme (Note: Removal of all or part of a structure requires a demolition permit application.)	oved as part of the project? Y N
# existing bedrooms: 2 # bedrooms upon completion: 4	# baths existing: 2.0 # baths upon completion: 3.5
Project Description: (Note: Please provide thorough description of project. Attac	h additional pages as necessary.)
1st floor addition and remodel, add 2nd floor 4 bedroom 3.5 ba	ath with gameroom and screen patio 4bedrooms, 3.5 baths
Trades Permits Required (Circle as applicable): ■ electric ■ p	umbing mechanical (HVAC) concrete (R.O.W.)

Job Valuation			1 1	#		7 		· · · · · · · · · · · · · · · · · · ·
Total Job Valuation:	Amount of Total Job V						of Total Job V	
\$ 175,000	and/or New Construction	on:	\$		95,000		to all Remod \$	lei/Repair: 55,000
Note: The total job valuation should be	Amount for Primary St	ructure:	\$	<u> </u>	95,000	1000 CONTRACTOR 1	\$ <u>`</u> \$	6,000
the sum total of all valuations noted to the right. Labor and materials only,	Elec: Y N Plm	bg: 📕 Y		l Mech:	Y □N	Plmbg:	\$	9,000
rounded to nearest dollar. Permit fees	Amount for Accessory	Structure	e: \$		W = 20	Mech:	\$	10,000
are based on adopted fee schedule.	Elec: Y N Plm	bg: □Y		Mech: [□Y □N	TOTAL:	\$_ <u></u> 8	30,000
Please utilize the Calculation following calculation	n Aid on the last page culations and to provi							nplete the
Site Development Information	n(···		£	
Area Description	1	Exi	isting	Sq Ft	New/Add	ed Sq Ft	Total	Sq Ft
Note: Provide a separate calculation for eadditional sheets as necessary. Measurem of the exterior wall.		Bldg	1	Bldg 2	Bldg 1	Bldg 2	Bldg 1	Bldg 2
a) 1 st Floor conditioned area		1,595	.00	s, 2	322.00		1,917.00	· · · 0.00
b) 2 nd Floor conditioned area				1000	860.00	B 100 100 100 100 100 100 100 100 100 10	860.00	0.00
c) 3 rd Floor conditioned area	e n	1	p/1		, , , , , , , , , , , , , , , , , , ,		0.00	0.00
d) Basement					200		0.00	0.00
e) Covered parking (garage or ca	rport)	162	2.00	177 · 178	ัก น้าง !	M	162.00	0.00
f) Covered patio, deck, porch,	and/or balcony area(s)	61	.00				61.00	0.00
g) Other covered or roofed are	a	173	.00	40 T C	9.00		182.00	0.00
h) Uncovered wood decks					~		0.00	0.00
Total Building Area (total a	through h)	1,991	.00	0.00	1,191.00	0.00	3,182.00	0.00
i) Pool							0.00	0.00
j) Spa		\$		n. Ta		3	0.00	0.00
k) Remodeled Floor Area, exc New Construction	luding Addition /	-		-	_	_		
Building Coverage Information		1.						
Note: Building Coverage means the area of incidental projecting eaves, balconies, and	of a lot covered by buildings or I similar features. Pools, ponds	roofed are	eas, but tains ar	t excludes grou e not included	ind-level paving, in this measuren	landscaping, op ent. (LDC 25-)	pen recreational f l-21)	acilities,
Total Building Coverage (sq ft):	1,842.00 % o	f lot size	: <u>26</u>					
Impervious Cover Information			*					
Note: Impervious cover is the total horizon gravel placed over pervious surfaces that boards and that is located over a pervious	are used only for landscaping of surface, 50 percent of the horiz	or by pedes zontal area	trians. of the	For an uncove deck is include	red wood deck ti	at has drainage	spaces between	the deck
Total Impervious Cover (sq ft): 3	3,088.00 % o	f lot size	: <u>44</u>					
Setbacks								
Are any existing structures on thi Does any structure (or an element Is front yard setback averaging be	t of a structure) extend o	ver or be	yond	a required y	yard? (LDC 25-	2-513)	25-2-492) Y ■ N Y ■ N	Y N
Height Information (LDC 25-1-21	or 25-2 Subchapter F, Section	3.4)	Park	ing (LDC 25-	6 Appendix A &	25-6-478)	1,000	
Building Height: 18 ft 6	in Number of Floors: 2	2	# of s	paces requi	red: 2	# of space	es provided:	2
Right-of-Way Information								
Is a sidewalk required for the pro *Sidewalks are to be installed on any new increases the building's gross floor area	construction of a single family	C 25-6-353; y, two-fam) ily or d	Y III		any addition to	an existing build	ing that
Will a Type I driveway approach	be installed, relocated, re	emoved (or rep	aired as par	rt of this proje	ct? Y	■ N	
Width of approach (measured at)	property line): 13.5	ft	D	istance fron	n intersection	(for corner l	lots only):	ft
Are storm sewer inlets located ale (If yes, drainage review is required)	ong the property or withi	n ten (10)) feet	of the bour	ndaries of the	property?	Y IN	

					20	
Subchapter	F					Section 11 to 10 section
defined and i	is only requi llustrated in		ter F of the Land	Residential Design and Compati d Development Code. The Gros lls,		
		Existing Sq Ft	New/Added Sq Ft	Proposed Exemption (check article utilized)	Applied Exemption Sq Ft	Total Sq Ft
1st Floor		1,595.00	322.00			1,917.00
2 nd Floor			860.00	u E	. स्टब्स्टर्डिंग स्टब्स्टर्डिंग वर्षे	860.00
3 rd Floor	1 10 10				98-07000000 (980) C980	0.00
Area w/ ceili	ngs > 15'		9.00	Must follow article 3.3.5		9.00
Ground Floo (check article		61.00		■ Full Porch sq ft (3.3.3 A) □ 200 sq ft (3.3.3 A 2)	61.00	0.00
Basement		1000		Must follow article 3.3.3B, see note below		0.00
Attic				Must follow article 3.3.3C, see note below		0.00
Garage**: (check	Attached			☐ 200 sq ft (3.3.2 B 1)		0.00
article utilized)	Detached		9 No. 200	☐ 450 sq ft (3.3.2 A 1 / 2a) ☐ 200 sq ft (3.3.2 B 2a / 2b)		0.00
Carport**: (check article	Attached	162.00		450 sq ft (3.3.2 A 3) 200 sq ft (3.3.2 B 1)***	162.00	0.00
utilized)	Detached			☐ 450 sq ft (3.3.2 A 1)		0.00
Accessory B (detached)	uilding(s)				* .	0.00

	TOTA	AL GRO	SS FLOOR AREA	A (add Total S	q Ft colu	ımn) 2,786.00
(Total Gross Floor Area ÷ Lot Area) x 100 = 40		Name of the last	_Floor-To-Area Ra	atio (FAR)		
Is a sidewall articulation required for this project? (Yes, if: a wall, 15' tall or higher, within 9 feet of a side property	Y line exter	■ N nds furthe	r than 36 feet in length p	per article 2.7.1)		
Does any portion of the structure extend beyond a se (If Yes, indicate applicable section of Subchapter F and length of	=			a "tent")?	■ Y	N

2,786.00

1,191.00

1,818.00

Totals

Basement exemption: A habitable portion of a building that is below grade may be exempted if the habitable portion does not extend beyond the first-story footprint and is below natural or finished grade, whichever is lower; and it is surrounded by natural grade for at least 50% of its perimeter wall area and the finished floor of the first story is not more than three feet above the average elevation at the intersections of the minimum front yard setback line and the side property lines.

Habitable Attic exemption: A habitable portion of an attic may be exempted if: 1) The roof above it is not a flat or mansard roof and has a slope of 3 to 12 or greater; 2) It is fully contained within the roof structure; 3) It has only one floor; 4) It does not extend beyond the footprint of the floors below; 5) It is the highest habitable portion of the building, or a section of the building, and adds no additional mass to the structure; and 6) Fifty percent or more of the area has a ceiling height of seven feet or less.

^{*}Ground Floor Porch exemption: A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and is not connected to a driveway; and the exemption may not exceed 200 square feet if a porch has habitable space or a balcony above it.

^{**}Garage and carport exemptions (in relation to primary structure): Exemptions must follow the code as outlined in Title 25-2 Subchapter F 3.3.2. Each amount listed (450 or 200) is the maximum exclusion allowed per the article designated. Note: Article 3.3.2 C, "An applicant may receive only one 450-square foot exemption per site under paragraph A. An applicant who receives a 450-square foot exemption may receive an additional 200-foot exemption for the same site under paragraph B, but only for an attached parking area used to meet minimum parking requirements."

^{***}Ordinance article 3.3.2 B 1 is the only 200 sq ft exemption that may be combined with a 450 sq ft exemption. Otherwise only one 450 exemption or one 200 sq ft exemption may be taken.


All structures must maintain 7'6" clearance from AE energized distribution power lines. Enforced by AE and NESC codes-this review DOES NOT include transmission power lines.

AE APPROVED

OCT 24 2018

297 - 217

JGM





PROPERTY DESCRIPTION

LOT 11 BLOCK A. THE AMENDED PLAT OF PARKSTONE PLID PHASE 1 A SUBDIVISION OF TRAVIS COUNTY, RECORDED IN VOLUME 95, PG 309, PLAT RECORDS OF TRAVIS COUNTY, TEXAS

REVIEWED

OCT 24 REC'D

AUSTIN WATER UTILITY CONSUMER SERVICE DIVISION - TAPS

MPERVIOUS COVER

ENTE AREA 6,997 50 PT
EXISTING HOUSE
ADDED ST FLOOR AREA
FRONT PORCH
CAPPORT
SEEVALK STEPPING PADS
CONC DRIVE STIPPS
COVERD PATIO
SDE ENTINY & WALK
EXISTING POOL DECK
AVC PAD

ALLOWED IMPERVIOUS AREA.

C. KRITCH TO THE TOTAL T


349 50 FT


CHUCKOCHUCKKRUEGER.COM 6603 CANDLE RIDGE COVE AUSTIN, TEXAS 78731 (512) 327-5306

> AN ADDITION TO THE KING RESIDENCE 1902 W 39TH STREET AUSTIN, TX

PENDENS	DATE 10/15/18
	JOB # 18-18
	A-1
	ARCHITECTURAL

CHUCK KRUEGER ARCHITECT









CHUCK&CHUCKKRUEGER.COM 6603 CANDLE RIDGE COVI AUSTIN. TEXAS 78731 (512) 327-530


AN ADDITION TO
THE KING RESIDENCE
1902 W 39TH STREET
AUSTR TX

	PENDAD	DATE 10/15/18
	H	JOB # 10-18
		□ A-5
	 	-
100		ARCHITECTURAL



PROPOSED LEFT ELEVATION SCALE V8-1-0







TYPICAL WALL SECTION NOT TO SCALE

CHUCKOCHUCKKRUEGER.COM 6603 CANDLE RIDGE COVE AUSTIN TEXAS 78731 (512) 327-5306

AN ADDITION TO THE KING RESIDENCE 1902 W 39TH STREET AUSTIN TX

A-6





PROPOSED ROOF PLAN



CHUCK OCHUCK RUEGER CON 6603 CANDLE RIDGE COVI AUSTIN TEXAS 78731 (512) 327-5300

AN ADDITION TO
THE KING RESIDENCE
1902 W 39TH STREET
AUSTIN TX

PEMERATE	DATE 10/18/18
	JØB # 18-18
H	- A-7
H-	40/1999/710