

## ORDINANCE NO.

**AN ORDINANCE GRANTING VARIANCES FOR PROPERTY LOCATED AT 1130 SPUR STREET FROM CERTAIN FLOODPLAIN REGULATIONS PRESCRIBED BY THE CITY CODE FOR CONSTRUCTION OF A SINGLE FAMILY RESIDENCE AND SECONDARY APARTMENT IN THE 100-YEAR FLOODPLAIN; ESTABLISHING CONDITIONS FOR THE VARIANCES; AND PROVIDING AN EXPIRATION DATE FOR THE VARIANCES.**

**BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:**

**PART 1.** This ordinance applies to the construction of a single family residence and secondary apartment located at 1130 Spur Street within the 100-year floodplain as described in Building Permit application number 2017-074742 PR.

**PART 2.** Council has considered the factors for granting a variance from floodplain regulations prescribed by City Code Section 25-12-3, Building Code Appendix G, Section G105.7 (*Conditions for Issuance*). Council finds that the variances granted by this ordinance are the minimum necessary to afford relief, are based on good and sufficient cause, and failure to grant the variance would result in exceptional hardship. Council further finds that the variances granted in this ordinance will not result in increased flood heights, additional threats to public safety, extraordinary public expense, create a nuisance, cause fraud on or victimization of the public, or conflict with existing local laws or ordinances.

**PART 3.** A variance is granted from:

- (A) the requirement in City Code Section 25-7-92 (*Encroachment on Floodplain Prohibited*), that a development application may not be approved if a proposed building or parking area encroaches on the 100-year floodplain;
- (B) the easement requirements in City Code Section 25-7-152 (*Dedications of Easements and Rights-of-Way*), to exclude the footprint of the building from the requirement to dedicate an easement to the limits of the 100-year floodplain;
- (C) the requirement in City Code Section 25-12-3, Residential Code Section R322.2.1 (*Elevation Requirements*), that, in areas of shallow flooding (FEMA Zone AO), the lowest floor of a building must be at a minimum equal to the highest adjacent grade plus the depth number specified in feet on the FEMA floodplain map plus one foot; and
- (D) the requirement in City Code Section 25-12-243, Residential Code Section R322.2.6 (*Means of Egress*), that normal access to a building be by direct connection with an area that is a minimum of one foot above the design flood elevation.

**PART 4.** The variances granted in this ordinance are effective only if the applicant meets the following conditions:

(A) The applicant shall dedicate an easement to the City as required by City Code Section 25-7-152 to the limits of the 100-year floodplain, excluding the footprint of the residential building. The City may not issue a Certificate of Occupancy for the building until the applicant submits all information and documentation necessary for the easement and the easement, as approved by the City Attorney, is filed by the applicant in the Official Records of Travis County, Texas.

(B) The applicant shall submit a completed Elevation Certificate certifying the elevation of the finished floor of the building, signed by a professional land surveyor, engineer, or architect authorized by law to certify elevations, before the City may issue a Certificate of Occupancy for the building.

**PART 5.** This variance expires if the buildings for which this variance is granted do not receive a released Building Permit within one year of the effective date of this ordinance.

