

RULE NO.: **R161-20.01**

ADOPTION DATE: **January 13, 2020**

NOTICE OF RULE ADOPTION

JAN 13 2020 AM 9:40

By: Jorge L. Morales, P.E., CFM, Director
Watershed Protection Department

The Director of the Watershed Protection Department has adopted the following rule. Notice of the proposed rule was posted on December 5, 2019. Public comment on the proposed rule was solicited in the December 5, 2019 notice. This notice is issued under Chapter 1-2 of the City Code. The adoption of a rule may be appealed to the City Manager in accordance with Section 1-2-10 of the City Code as explained below.

A copy of the complete text of the adopted rule is available for public inspection and copying at the following locations. Copies may be purchased at the locations at a cost of ten cents per page:

Watershed Protection Department, located at 505 Barton Springs Road, Suite 1200, Austin, TX, 78704; and

Office of the City Clerk, City Hall, located at 301 West 2nd Street, Austin, Texas.

EFFECTIVE DATE OF ADOPTED RULE

A rule adopted by this notice is effective on January 13, 2020.

TEXT OF ADOPTED RULE

R161-19.20.01: Revises Drainage Criteria Manual as follows:

Section 1 - Drainage Policy

- Added language to section 1.2.0 to emphasize that waterways and storm drain systems are considered when determining no adverse flooding impact. This is not new information or proposing additional rules.
- Added section 1.2.2.H to address phased developments that were initially permitted using rainfall depths pre-dating Atlas 14. These rules establish certain design criteria for storm drain systems and detention ponds for the current phase and the overall development.

Section 2 – Determination of Storm Runoff

- Moved the Method of Analysis language from Section 2.3.0 into Section 2.1.0 and modified it to clarify that the rational method may be used for drainage areas less than 100 acres and that NRCS methods may be used for all storm runoff analyses. However, the NRCS (SCS) Type III rainfall distribution is no longer used to determine storm runoff with the NRCS methodology.
- Added language to section 2.3 regarding design rainfall based on NOAA Atlas 14 published in 2018.
 - The Austin jurisdictional area inclusive of the ETJ has been divided into two rainfall zones. Each zone will have its own set of design rainfall depths
 - Design rainfall is published in two ways:
 - Total depth for a given storm duration and frequency (Table 2.1A and 2.1B)
 - Intensity-Duration-Frequency curves which provide average rainfall intensity as a function of storm duration. Parameters for the IDF functional curves are provided in Tables 2.2A and 2.2B
- In section 2.4, the table of Runoff Coefficients (“C”) has been moved to the correct section.
 - The rational method example calculations have been updated and clarified

- In section 2.5, updates were made in the language that describes the NRCS hydrologic method to align it with the Atlas 14 changes.
 - Computations using the TR-20 software are no longer encouraged.
 - The City no longer uses NRCS Type III rainfall distribution to determine peak flows. For drainage areas greater than 100 acres, the “frequency storm distribution” as implemented in HEC-HMS is recommended.
 - Rainfall distributions are now provided in Appendix B for those performing drainage calculations using software other than HEC-HMS.
 - Typographical errors in the Curve Number table have been corrected.

Appendix B - Depth Duration Frequency and Intensity Duration Frequency for this City of Austin and Travis County, Texas

- This appendix includes tabular versions of the Atlas 14-based frequency storm rainfall distribution data that replaces the NRCS Type III rainfall distribution tabular data previously included in Section 2. A brief discussion of the derivation of the Atlas 14- based rainfall criteria has been included in Section 2.3.

Appendix D-Figures and Diagrams

- This revised appendix deletes Figure 2-2; Figure 2-3.

Appendix F-Rainfall Criteria Pre-Dating Atlas 14

- The rainfall criteria in this Appendix is to be used to calculate the 100-year floodplain, 25-year floodplain, Base Flood, Design Flood, Flood Hazard Area, and Floodway for areas not yet amended to incorporate Atlas 14 data.

COMMENTS AND CHANGES FROM PROPOSED RULE

No comments were received, and no changes were made.

AUTHORITY FOR ADOPTION OF RULE

The authority and procedure for the adoption of a rule to assist in the implementation, administration, or enforcement of a provision of the City Code is established in Chapter 1-2 of the City Code. The authority to regulate design and construction of drainage facilities and improvements is established in Section 25-7-64 of the City Code.

APPEAL OF ADOPTED RULE TO CITY MANAGER

A person may appeal the adoption of a rule to the City Manager. **AN APPEAL MUST BE FILED WITH THE CITY CLERK NOT LATER THAN THE 30TH DAY AFTER THE DATE THIS NOTICE OF RULE ADOPTION IS POSTED. THE POSTING DATE IS NOTED ON THE FIRST PAGE OF THIS NOTICE.** If the 30th day is a Saturday, Sunday, or official city holiday, an appeal may be filed on the next day which is not a Saturday, Sunday, or official city holiday.

An adopted rule may be appealed by filing a written statement with the City Clerk. A person who appeals a rule must (1) provide the person's name, mailing address, and telephone number; (2) identify the rule being appealed; and (3) include a statement of specific reasons why the rule should be modified or withdrawn.

Notice that an appeal was filed and will be posted by the city clerk. A copy of the appeal will be provided to the City Council. An adopted rule will not be enforced pending the City Manager's decision. The City Manager may affirm, modify, or withdraw an adopted rule. If the City Manager does not act on an appeal on or before the 60th day after the date the notice of rule adoption is posted, the rule is withdrawn. Notice of the City Manager's decision on an appeal will be posted by the city clerk and provided to the City Council.

On or before the 16th day after the city clerk posts notice of the City Manager's decision, the City Manager may reconsider the decision on an appeal. Not later than the 31st day after giving written notice of an intent to reconsider, the City manager shall make a decision.

CERTIFICATION BY CITY ATTORNEY

By signing this Notice of Rule Adoption (R161-20.01), the City Attorney certifies that the City Attorney has reviewed the rule and finds that adoption of the rule is a valid exercise of the Director's administrative authority.

REVIEWED AND APPROVED



Jorge L. Morales, P.E., CFM, Director
Watershed Protection Department

Date: 1/6/2020



Anne Morgan
City Attorney

Date: 1/7/2020

SECTION 1 – DRAINAGE POLICY

1.2.0 - CITY OF AUSTIN DRAINAGE POLICY

The intent of Austin's drainage policy for stormwater management is to implement design principles and practices that control post-development runoff from all development such that no development will result in additional adverse flooding impacts to our waterways and storm drain systems in accordance with Chapter 25-7 of the Land Development Code.

1.2.2 - General

H. For site plans or subdivisions that are part of a phased development where prior phases of the development have been permitted or constructed using rainfall criteria pre-dating Atlas 14, the following drainage criteria shall apply:

1. The current rainfall criteria shall be used to design the storm drain system (including gutters, inlets, pipes, spread requirements, etc.) within the current phase;
2. The 100-year runoff generated from the current phase using the current rainfall criteria must be conveyed to the detention pond or designed outfall location via a storm drain system, including pipes, channels, and streets. This analysis must use the current rainfall criteria for the entire drainage area to the pond or outfall. For this analysis, the drainage system is not required to satisfy the minimum clear width requirements for the 25-year event in Table 3-1; and
3. The 100-year runoff generated using the current rainfall criteria for the entire drainage area to the detention pond must not cause the peak water surface elevation of the pond to overtop the dam/embankment outside the controlled weir/overflow structure. The development will not be required to match the peak flow rates to pre-development conditions using the current rainfall criteria.
4. If the development cannot satisfy these conditions, the design of the current phase must satisfy one or a combination of the following until the above conditions are satisfied:
 - a) modify the existing detention pond or the intervening storm drain system; and/or
 - b) provide on-site detention within the current phase until the above conditions are satisfied or the peak flows from the current phase are not increased.

SECTION 2 - DETERMINATION OF STORM RUNOFF

2.1.0 – GENERAL

If continuous records of the amounts of runoff from urban areas were as readily available as records of precipitation, they would provide the best source of data on which to base the design of storm drainage and flood protection systems. Unfortunately, such records are available in very few areas in sufficient quantity to permit an accurate prediction of stormwater runoff. The accepted practice, therefore, is to relate runoff to rainfall, thereby providing a means for predicting the amount of runoff to be expected from urban watersheds at given recurrence intervals.

Numerous methods of rainfall runoff computations are available on which the design of storm drainage systems may be based. The method chosen is dependent upon the engineer's technical familiarity and the size of the area to be analyzed. For the method chosen the engineer will be responsible for making reasonable assumptions as to the development characteristics of the study area.

The Rational Method is accepted as adequate for drainage areas totaling 100 acres or less with times of concentration totaling 2 hours or less. The National Resources Conservation Service (formerly the Soil Conservation Service) curve number method shall be used for drainage areas larger than 100 acres but may also be used for smaller drainage areas. However, the NRCS Type III rainfall distribution will no longer be used for hydrologic modeling. The NRCS hydrologic methods are available in the NRCS TR-20 and the US Army Corps of Engineers' Hydrologic Engineering Center's HEC-HMS programs.

The method of analysis must remain consistent when drainage areas are combined. The method used for the largest combined drainage area should be used for the smaller drainage areas comprising that area. Regardless of drainage area size, certain situations require the use of NRCS hydrologic methods (e.g. a detention facility connected to a downstream storm drainage system). The engineer may use other methods but must have their acceptability approved by the Director of the Watershed Protection Department.

2.2.0 – EFFECTS OF URBANIZATION

It has long been recognized that urban development has a pronounced effect on the rate of runoff from a given rainfall event. The hydraulic efficiency of a drainage area is generally increased as a byproduct of urbanization which in effect reduces the storage capacity of a watershed. This reduction of a watershed's storage capacity is a direct result of the elimination of pervious surfaces, small ponds, and holding areas. This comes about by the grading and paving of building sites, streets, drives, parking lots, and sidewalks and by construction of buildings and other facilities characteristic of urban development. The result of the improved hydraulic efficiency is illustrated graphically in Figure 2-1 in Appendix D of this manual, which is a plot of the runoff rate versus time for the same storm with two different stages of watershed development.

2.2.1 – Design Assumptions ~~F~~or Storm Runoff Analysis

- A. When analyzing an area for channel or storm drain design purposes, urbanization of the full watershed without stormwater detention facilities shall be assumed (except as noted in (D.) below). Zoning maps, future land use maps, and master plans should be used as aids in establishing the anticipated surface character of the ultimate development. The selection of design runoff coefficients and/or percent impervious cover factors are explained in the following discussions of runoff calculation.

- B. An exception to (A.) above may be granted if the channel is immediately downstream of a City maintained regional detention facility and written approval is obtained from the Director of the Watershed Protection Department.
- C. In designing a storm drain system, full development of adjoining and interior tracts without detention shall be assumed.
- D. In the event the engineer desires to incorporate the flow reduction benefits of existing upstream detention facilities, the following field investigations and hydrologic analysis will be required: (Please note that under no circumstances will the previously approved construction plans of the upstream detention facilities suffice as an adequate analysis. While the responsibility of the individual site or subdivision plans rests with the engineer of record, any subsequent engineering analysis must ensure that all the incorporated detention facilities work collectively.)
 - 1. A field survey of the existing physical characteristics of both the outlet structure and ponding volume. Any departure from the original engineer's design must be accounted for. If a dual use for the detention facility exists, (e.g., storage of equipment) then this too should be accounted for.
 - 2. A comprehensive hydrologic analysis which simulates the flow attenuation produced by the existing detention facility in the upstream contributing area. This should not be limited to a linear additive analysis but rather a network of hydrographs which considers incremental timing of discharge and potential coincidence of outlet peaks.

2.3.0 – METHOD OF ANALYSIS DESIGN RAINFALL

Numerous methods of rainfall-runoff computation are available on which the design of storm drainage and flood control systems may be based. The Rational Method is accepted as adequate for drainage areas totaling 100 acres or less. The National Resources Conservation Service (formerly the Soil Conservation Service) hydrologic methods (available in the NRCS TR-20, and the US Army Corps of Engineers' Hydrologic Engineering Center's HEC-HMS program) should be used for drainage areas larger than 100 acres but may also be used for drainage areas of any size. The method of analysis must remain consistent when drainage areas are combined and the method which applies to the largest combined drainage area should be used unless the situation requires the use of NRCS hydrologic methods (i.e., a detention facility connected to a downstream storm drainage system). The engineer can use other methods but must have their acceptability approved by the Director of the Watershed Protection Department.

Rainfall frequency design criteria must be selected before applying any hydrologic method.

In September 2018, the National Weather Service published *NOAA Atlas 14 – Precipitation-Frequency Atlas of the United States, Volume 11 Version 2.0: Texas*. This volume of *Atlas 14* provides updated precipitation frequency estimates for Texas and replaces previous precipitation frequency studies. It is based on rainfall records at thousands of stations with a period of historic record through December 2017, with a few stations updated through June 2018.

The *Atlas 14* precipitation-frequency estimates vary across the Austin area with the highest values in the southern portions of the area decreasing to lower values in the northern portion of the area. Because of this variation, separate depth-duration-frequency tables are provided for the areas of Austin south (Zone 1) and north (Zone 2) of the Colorado River. This division ensures that *Atlas 14* rainfall amounts across the two regions vary by less than 0.5 inches from the mean rainfall in each region. The depth-duration-frequency data is provided in Tables 2-1A and 2-1B. These depths were calculated by averaging each *Atlas 14* precipitation-frequency grid over the Zone 1 and Zone 2 jurisdictional areas.

The Zone 1 and Zone 2 areas are defined by splitting the City of Austin's full purpose jurisdiction and ETJ at the Colorado River, with one exception as described below and shown in Figure 2-2. Zone 1 includes all portions of the City's jurisdiction and 2- and 5-mile ETJ located south of the Colorado River except for the area located between Murfin Road and Lake Travis. Zone 2 includes all portions of the City's jurisdiction and 2- and 5-mile ETJ located north of the Colorado River and the area located between Murfin Road and Lake Travis.

The depth-duration frequency (DDF) values and intensity-duration-frequency (IDF) parameters suitable for use in the City of Austin are provided in Table 2-1A, Table 2-1B, Table 2-2A, and Table 2-2B below.




Figure 2-2: City of Austin Study Area Map

2.3.1 – Depth-Duration Frequency Values (HEC-HMS Frequency Storm)

The City of Austin has adopted the use of a 24-hour HEC-HMS frequency storm distribution for use with time-varying rainfall simulations. The depth-duration-frequency (DDF) values to be used for the Zone 1 and Zone 2 areas are shown in Tables 2-1A and 2-1B below. These depths should be entered directly into HEC-HMS software as frequency storm meteorologic models. HEC-HMS will generate the appropriate rainfall distribution for each recurrence interval. The Atlas 14 depths provided are based on a partial-duration analysis; no partial-to-annual output conversion is required.

For use of the frequency storm in HEC-HMS for the evaluation of the 24-hour event, the meteorological model parameters should be set as follows:

Input Type: Partial Duration (NOAA Atlas 14 precipitation frequency estimates are based on analysis of partial duration series)

Output Type: Annual Duration

Intensity Duration: 5 Minutes

Storm Duration: 1 Day

Intensity Position: 50 Percent

Storm Area (mi²): Blank for areas less than 10 square miles. Use areal reduction for larger areas.

Curve: Uniform For All Subbasins

For use of the frequency storm distribution in spreadsheet calculations or software other than HEC-HMS, refer to Appendix B for the 2-year, 10-year, 25-year, and 100-year distribution ordinates in 1-minute increments. This data may be aggregated to other time intervals as needed.

The computational time interval for computer simulations should be selected based on criteria for the minimum lag time in a given model. The computational time interval used in a HEC-HMS model should be no more than 6 minutes.

Table 2-1A. Depth-Duration-Frequency Values
(Zone 1)

Duration	Depth of Precipitation (inches) by Recurrence Interval							
	2-yr	5-yr	10-yr	25-yr	50-yr	100-yr	200-yr	500-yr
5-min	0.53	0.67	0.80	0.98	1.12	1.28	1.45	1.68
15-min	1.06	1.35	1.60	1.96	2.24	2.54	2.87	3.34
30-min	1.49	1.90	2.25	2.75	3.13	3.54	4.01	4.69
1-hr	1.96	2.51	2.99	3.66	4.19	4.77	5.45	6.45
2-hr	2.42	3.15	3.82	4.81	5.63	6.57	7.65	9.27
3-hr	2.70	3.54	4.34	5.55	6.60	7.81	9.21	11.31
6-hr	3.17	4.20	5.21	6.78	8.17	9.79	11.65	14.48
12-hr	3.64	4.84	6.02	7.85	9.47	11.37	13.58	16.94
24-hr	4.14	5.51	6.84	8.90	10.69	12.80	15.27	19.05

Table 2-1B. Depth-Duration-Frequency Values
(Zone 2)

Duration	Depth of Precipitation (inches) by Recurrence Interval							
	2-yr	5-yr	10-yr	25-yr	50-yr	100-yr	200-yr	500-yr
5-min	0.52	0.66	0.79	0.96	1.11	1.26	1.43	1.66
15-min	1.05	1.32	1.57	1.92	2.21	2.51	2.84	3.29
30-min	1.48	1.87	2.20	2.69	3.08	3.50	3.96	4.62
1-hr	1.94	2.46	2.91	3.58	4.11	4.70	5.36	6.32
2-hr	2.39	3.08	3.72	4.68	5.49	6.40	7.43	8.97
3-hr	2.65	3.46	4.23	5.40	6.41	7.56	8.89	10.86
6-hr	3.11	4.10	5.08	6.57	7.89	9.41	11.16	13.80
12-hr	3.57	4.73	5.86	7.60	9.12	10.90	12.96	16.10
24-hr	4.06	5.38	6.65	8.59	10.28	12.23	14.54	18.05

2.3.2 – Intensity-Duration-Frequency Equation (Rational Method)

Rainfall intensity (i), the average rainfall rate in inches per hour, is a key parameter in the Rational Method equation (Section 2.4.0). Rainfall intensity is selected based on design rainfall duration and design frequency (recurrence interval). The design duration is equal to the time of concentration for the drainage area under consideration. The design frequency is a statistical variable which is established by design standards (Section 1.2.2) or selected by the engineer as a design parameter.

Rainfall intensity should be calculated using the best-fit intensity-duration-frequency (IDF) Equation 2-1 below, which mathematically represents the Austin area IDF curves:

$$i = a/(t+b)^c \quad (\text{Eq. 2-1})$$

where i = Average rainfall intensity in inches per hour,

t = Storm duration in minutes, which is equal to the time of concentration for the entire drainage area of interest, and

a, b, and c = Coefficients for different storm frequencies.

The final best-fit coefficients of a, b, and c for Equation 2-1 are listed in Table 2-2A and Table 2-2B below. Equation 2-1 is applicable for all design recurrence intervals shown and is required for use with the Rational Method equation (refer to Section 2.4.0). Equation 2-1 should not be used to calculate rainfall intensity for a time of concentration longer than 120 minutes. An area with a time of concentration longer than 120 minutes should be analyzed using the HEC-HMS frequency storm distribution (Section 2.3.1).

Table 2-2A. Intensity-Duration-Frequency Curve Coefficients
(Zone 1)

<u>Recurrence Interval</u>	<u>Fitting parameters for IDF Equation 2-1</u>		
	<u>a</u>	<u>b</u>	<u>c</u>
<u>2-year</u>	<u>45.24</u>	<u>9.339</u>	<u>0.7399</u>
<u>5-year</u>	<u>53.47</u>	<u>8.650</u>	<u>0.7228</u>
<u>10-year</u>	<u>61.25</u>	<u>8.352</u>	<u>0.7147</u>
<u>25-year</u>	<u>69.96</u>	<u>7.941</u>	<u>0.6954</u>
<u>50-year</u>	<u>73.59</u>	<u>7.329</u>	<u>0.6732</u>
<u>100-year</u>	<u>77.31</u>	<u>6.832</u>	<u>0.6524</u>
<u>500-year</u>	<u>77.48</u>	<u>4.967</u>	<u>0.5837</u>

**Table 2-2B. Intensity-Duration-Frequency Curve Coefficients
(Zone 2)**

<u>Recurrence Interval</u>	<u>Fitting parameters for IDF Equation 2-1</u>		
	<u>a</u>	<u>b</u>	<u>c</u>
<u>2-year</u>	<u>46.99</u>	<u>9.575</u>	<u>0.7517</u>
<u>5-year</u>	<u>56.57</u>	<u>9.176</u>	<u>0.7402</u>
<u>10-year</u>	<u>60.75</u>	<u>8.361</u>	<u>0.7185</u>
<u>25-year</u>	<u>64.56</u>	<u>7.382</u>	<u>0.6814</u>
<u>50-year</u>	<u>70.73</u>	<u>7.016</u>	<u>0.6681</u>
<u>100-year</u>	<u>76.90</u>	<u>6.726</u>	<u>0.6554</u>
<u>500-year</u>	<u>80.36</u>	<u>5.219</u>	<u>0.5979</u>

The a, b and c parameters listed in the above tables were derived using an evolutionary algorithm to minimize the deviation from the Atlas 14 IDF values. These values were calculated using the Atlas 14 depth-duration frequency (DDF) values for durations between 5 minutes and 2 hours. IDF tables and a more detailed explanation of the derivation of the Austin IDF equation parameters is provided in Appendix B.

2.4.0 - RATIONAL METHOD

The Rational Method is based on the direct relationship between rainfall and runoff, and is expressed by the following equation:

$$Q_p = CiA \text{ (Eq. 2-12)}$$

Where:

Q_p is defined as the peak runoff in cubic feet per second. Actually, Q_p is in units of acre-inches per hour. Since this rate of acre-in/hr differs from cubic feet per second by less than one (1) percent (1 acre-in/hr = 1.008 cfs), the more common units of cfs are used.

C is the composite coefficient of runoff representing the ratio of peak runoff rate "Qp" to average rainfall intensity rate "i" for the soil types and land uses characteristic of the contributing drainage area.

i is the average intensity of rainfall in inches per hour for a period of time equal to the time of concentration (tc) for the drainage area to the design point under consideration. See Section 2.3.2 in this manual for guidance.

A is the area in acres contributing runoff to the point of design.

The following basic assumptions are associated with the Rational Method:

- A. The storm duration is equal to the time of concentration.
- B. The computed peak rate of runoff at the design point is a function of the average rainfall rate over a duration equal to the time of concentration at that point.
- C. The return period or frequency of the computed peak flow is the same as that for the design storm.
- D. The necessary basin characteristics can be identified and the runoff coefficient does not vary during a storm.
- E. Rainfall intensity is constant during the storm duration and spatially uniform for the area under analysis.
- F. The maximum rate of discharge at the point of design will occur when the entire area above the point of design is contributing runoff.

2.4.1 - Runoff Coefficient (C)

The proportion of the total rainfall that will reach the drainage system depends on the surface vegetation condition, soil type, imperviousness of the surface, land slope and ponding characteristics of the area. Impervious surfaces, such as asphalt pavements and roofs of buildings, will be subject to approximately 100 percent runoff (regardless of the slope). On-site inspections and aerial photographs may prove valuable in estimating the nature of the surfaces within the drainage area.

It should be noted that the runoff coefficient "C" is the Rational Method variable which is least amenable to precise determination. A reasonable coefficient must be chosen to represent the integrated effects of infiltration, surface ponding, evaporation, flow routing and interception, all of which affect the time distribution and peak rate of runoff.

It is often desirable to develop a composite runoff coefficient based upon the percentages of different types of surfaces in the drainage area. This procedure is often applied to typical "sample blocks" as a guide to selection of reasonable values of the coefficient for an entire area. Suggested coefficients with respect to specific surface types are given in Table 2-13. "C" values for developed conditions should be based on maximum allowable impervious cover as listed in the City's zoning and watershed ordinances.

TABLE 2-3
RATIONAL METHOD RUNOFF COEFFICIENTS FOR COMPOSITE ANALYSIS
Runoff Coefficient (C)

Character of Surface	Return Period						
	2 Years	5 Years	10 Years	25 Years	50 Years	100 Years	500 Years
<u>DEVELOPED</u>							
Asphaltic	0.73	0.77	0.81	0.86	0.90	0.95	1.00
Concrete	0.75	0.80	0.83	0.88	0.92	0.97	1.00
<u>Grass Areas (Lawns, Parks, etc.)</u>							
Poor Condition*							
Flat, 0-2%	0.32	0.34	0.37	0.40	0.44	0.47	0.58
Average, 2-7%	0.37	0.40	0.43	0.46	0.49	0.53	0.61
Steep, over 7%	0.40	0.43	0.45	0.49	0.52	0.55	0.62
Fair Condition**							
Flat, 0-2%	0.25	0.28	0.30	0.34	0.37	0.41	0.53
Average, 2-7%	0.33	0.36	0.38	0.42	0.45	0.49	0.58
Steep, over 7%	0.37	0.40	0.42	0.46	0.49	0.53	0.60
Good Condition***							
Flat, 0-2%	0.21	0.23	0.25	0.29	0.32	0.36	0.49
Average, 2-7%	0.29	0.32	0.35	0.39	0.42	0.46	0.56
Steep, over 7%	0.34	0.37	0.40	0.44	0.47	0.51	0.58
<u>UNDEVELOPED</u>							
Cultivated							
Flat, 0-2%	0.31	0.34	0.36	0.40	0.43	0.47	0.57
Average, 2-7%	0.35	0.38	0.41	0.44	0.48	0.51	0.60
Steep, over 7%	0.39	0.42	0.44	0.48	0.51	0.54	0.61
Pasture/Range							
Flat, 0-2%	0.25	0.28	0.30	0.34	0.37	0.41	0.53
Average, 2-7%	0.33	0.36	0.38	0.42	0.45	0.49	0.58
Steep, over 7%	0.37	0.40	0.42	0.46	0.49	0.53	0.60
Forest/Woodlands							
Flat, 0-7%	0.22	0.25	0.28	0.31	0.35	0.39	0.48
Average, 2-7%	0.31	0.34	0.36	0.40	0.43	0.47	0.56
Steep, over 7%	0.35	0.39	0.41	0.45	0.48	0.52	0.58
Assumptions:							

1. Composite "C" value for developed conditions (C_{DEV}) is : $C_{DEV} = IC_1 + (1-I)C_2$

Where:

I = Impervious cover, percent

C_1 = "C" value for impervious cover

C_2 = "C" value for pervious area (grass, lawns, parks, etc.)

2. For maximum allowable impervious coverage values for various land use types, refer to the City of Austin Zoning Ordinance.

* Grass cover less than 50 percent of the area.

** Grass cover on 50 to 75 percent of the area.

*** Grass cover larger than 75 percent of the area.

Source: 1. Rossmiller, R.L. "The Rational Formula Revisited."

2. City of Austin, Watershed Engineering Division

2.4.2 - Time of Concentration

The time of concentration is the time for surface runoff to flow from the most remote point in the watershed to the point of interest. This applies to the most remote point in time, not necessarily the most remote point in distance. Runoff from a drainage area usually reaches a peak at the time when the entire area is contributing. However, runoff may reach a peak prior to the time the entire drainage area is contributing if the area is irregularly shaped or if land use characteristics differ significantly within the area. Sound engineering judgment should be used to determine a flow path representative of the drainage area and in the subsequent calculation of the time of concentration. The time of concentration to any point in a storm drainage system is a combination of the sheet flow (overland), the shallow concentrated flow and the channel flow, which may include storm drains. The minimum time of concentration for any drainage area shall be 5 minutes. Additionally, the minimum slope used for calculation of sheet and shallow flow travel time components should be 0.005 feet per foot (0.5%). The preferred procedure for estimating time of concentration is the NRCS method as described in NRCS's Technical Release 55 (TR-55). This method is outlined below. The overall time of concentration is calculated as the sum of the sheet, shallow concentrated and channel flow travel times. Note that there may be multiple shallow concentrated and channel segments depending on the nature of the flow path.

$$T_c = T_{(sheet)} + T_{(shallow \ concentrated)} + T_{(channel)} \quad (\text{Eq. 2-23})$$

- A. **Sheet Flow.** Sheet flow is shallow flow over land surfaces, which usually occurs in the headwaters of streams. The engineer should realize that sheet flow occurs for only very short distances, especially in urbanized conditions. Sheet flow for both natural (undeveloped) and developed conditions should be limited to a maximum of 100 feet. Sheet flow for developed conditions should be based on the actual pavement or grass conditions for areas that are already developed and should be representative of the anticipated land use within the headwater area in the case of currently undeveloped areas. In a typical residential subdivision, sheet flow may be the distance from one end of the lot to the other or from the house to the edge of the lot. In some heavily urbanized drainage areas, sheet flow may not exist in the headwater area. The NRCS method employs Equation 2-34, which is a modified form kinematic wave equation, for the calculation of the sheet flow travel time.

$$T_s = 0.42(nL)^{0.8} / ((P_2)^{0.5} s^{0.4}) \quad (\text{Eq. 2-34})$$

Where,

T_t = Sheet flow travel time in minutes

L = Length of the reach in ft.

n = Manning's n (see Table 2-24)

P_2 = 2-year, 24-hour rainfall in inches (see Table 2-31A and Table 2-1B)

s = Slope of the ground in ft/ft

- B. **Shallow Concentrated Flow.** After a maximum of approximately 100 feet, sheet flow usually becomes shallow concentrated flow collecting in swales, small rills, and gullies. Shallow concentrated flow is assumed not to have a well-defined channel and has flow depths of 0.1 to 0.5 feet. The travel time for shallow concentrated flows can be computed by Equations 2-45 and 2-56. These two equations are based on the solution of Manning's equation with different assumptions for n (Manning's roughness coefficient) and r (hydraulic radius, ft). For unpaved areas, n is 0.05 and r is 0.4; for paved areas, n is 0.025 and r is 0.2.

$$\text{Unpaved } T_t = L/(60(16.1345)(s)^{0.5}) \text{ (Eq. 2-45)}$$

$$\text{Paved } T_t = L/(60(20.3282)(s)^{0.5}) \text{ (Eq. 2-56)}$$

Where,

T_t = Travel time for shallow concentrated flows in minutes

L = Length of the reach in ft.

s = Slope of the ground in ft/ft

- C. **Channel or Storm Drain Flow.** The velocity in an open channel or a storm drain not flowing full can be determined by using Manning's Equation. Channel velocities can also be determined by using backwater profiles. For open channel flow, average flow velocity is usually determined by assuming a bank-full condition. Note that the channel flow component of the time of concentration may need to be divided into multiple segments in order to represent significant changes in channel characteristics. The details of using Manning's equation and selecting Manning's "n" values for channels can be obtained from Section 6.

For storm drain flow under pressure conditions (hydraulic grade line is higher than the lowest crown of a storm drain) the following equation should be applied:

$$V = Q/A \text{ (Eq. 2-67)}$$

Where:

V = Average velocity, ft/s

Q = Design discharge, cfs

A = Cross-sectional area, ft²

Flow travel time through a channel can be calculated by [Equation 2-87](#):

$$T_t = \sum (L_i / 60 V_i) \quad (\text{Eq. 2-88})$$

Where:

L_i = The i -th channel segment length, ft

V_i = The average flow velocity within the i th channel segment, ft/s

T_t = Total Flow travel time through the channel, min

TABLE 2-1
RATIONAL METHOD RUNOFF COEFFICIENTS FOR COMPOSITE ANALYSIS
Runoff Coefficient (C)

Character of Surface	Return Period						
	2 Years	5 Years	10 Years	25 Years	50 Years	100 Years	500 Years
DEVELOPED							
Asphaltic	0.73	0.77	0.81	0.86	0.90	0.95	1.00
Concrete	0.75	0.80	0.83	0.88	0.92	0.97	1.00
Grass Areas (Lawns, Parks, etc.)							
<u>Poor Condition*</u>							
Flat, 0-2%	0.32	0.34	0.37	0.40	0.44	0.47	0.58
Average, 2-7%	0.37	0.40	0.43	0.46	0.49	0.53	0.61
Steep, over 7%	0.40	0.43	0.45	0.49	0.52	0.55	0.62
<u>Fair Condition**</u>							
Flat, 0-2%	0.25	0.28	0.30	0.34	0.37	0.41	0.53
Average, 2-7%	0.33	0.36	0.38	0.42	0.45	0.49	0.58
Steep, over 7%	0.37	0.40	0.42	0.46	0.49	0.53	0.60
<u>Good Condition***</u>							
Flat, 0-2%	0.21	0.23	0.25	0.29	0.32	0.36	0.49
Average, 2-7%	0.29	0.32	0.35	0.39	0.42	0.46	0.56
Steep, over 7%	0.34	0.37	0.40	0.44	0.47	0.51	0.58
UNDEVELOPED							
<u>Cultivated</u>							
Flat, 0-2%	0.31	0.34	0.36	0.40	0.43	0.47	0.57
Average, 2-7%	0.35	0.38	0.41	0.44	0.48	0.51	0.60
Steep, over 7%	0.39	0.42	0.44	0.48	0.51	0.54	0.61

Pasture/Range							
Flat, 0-2%	0.25	0.28	0.30	0.34	0.37	0.41	0.53
Average, 2-7%	0.33	0.36	0.38	0.42	0.45	0.49	0.58
Steep, over 7%	0.37	0.40	0.42	0.46	0.49	0.53	0.60
Forest/Woodlands							
Flat, 0-7%	0.22	0.25	0.28	0.31	0.35	0.39	0.48
Average, 2-7%	0.31	0.34	0.36	0.40	0.43	0.47	0.56
Steep, over 7%	0.35	0.39	0.41	0.45	0.48	0.52	0.58

Assumptions:

1. Composite "C" value for developed conditions (C_{DEV}) is: $C_{DEV} = IC_1 + (1-I)C_2$

	Where:
	I = Impervious cover, percent
	C_1 = "C" value for impervious cover
	C_2 = "C" value for pervious area (grass, lawns, parks, etc.)
2.	For maximum allowable impervious coverage values for various land use types, refer to the City of Austin Zoning Ordinance.
*	Grass cover less than 50 percent of the area.
**	Grass cover on 50 to 75 percent of the area.
***	Grass cover larger than 75 percent of the area.
Source:	1. Rossmiller, R.L. "The Rational Formula Revisited." 2. City of Austin, Watershed Engineering Division

TABLE 2-24
Manning's "n" for overland flow

Manning's "n" ¹	Surface Description
0.015	Concrete (rough or smoothed finish)
0.016	Asphalt
0.05	Fallow (no residue)
	Cultivated Soils:
0.06	Residue Cover ≤ 20%
0.17	Residue cover > 20%
	Grass:
0.15	Short-grass prairie
0.24	Dense grasses ²

0.13	Range (natural)
	Woods: ³
0.40	Light underbrush
0.80	Dense underbrush

1 The Manning's n values are a composite of information compiled by Engman (1986).

2 Includes species such as weeping lovegrass, bluegrass, buffalo grass, blue grama grass, and native grass mixtures.

3 When selecting n, consider cover to a height of about 0.1 ft. This is the only part of the plant cover that will obstruct sheet flow.

(Rule No. 161-14.24, 9-2-2014)

2.4.3 - Rainfall Intensity (i)

Rainfall intensity (i) is the average rainfall rate in inches per hour, and is selected on the basis of design rainfall duration and design frequency of occurrence. The design duration is equal to the time of concentration for the drainage area under consideration. The design frequency of occurrence is a statistical variable which is established by design standards or chosen by the engineer as a design parameter.

The selection of the frequency criteria is necessary before applying any hydrologic method. Storm drainage improvements in Austin must be designed to intercept and carry the runoff from a 25-year frequency storm (4% annual chance event), with an auxiliary or overflow system capable of carrying a 100-year frequency storm (1% annual chance event).

The rainfall intensity used in the Rational Method shall be calculated with the best-fit IDF curve (Equation 2-1 discussed in Section 2.3.2) rational method can be read from the intensity-duration-frequency (IDF) curves based on the selected design frequency and design duration. The design engineer can also calculate the value of rainfall intensity from the best fit IDF equation (2-8) to be discussed later in this sub-section with known based on the Tc value calculated for the entire drainage area of interest.

In 1998, William Asquith at the USGS Texas Office analyzed virtually all rainfall data available in the State of Texas using L-moment methodology and published the results in a USGS Water Resources Investigations Report (WRIR 98-4044). In November 2001, Dr. Asquith summarized his rainfall study of 1998 and generated the IDF and the DDF (depth-duration-frequency) values that are suitable for use in the City of Austin and Travis County. These DDF and IDF values are shown in Table 2-3 and Table 2-4.

An explanation of the derivation of the Austin intensity-duration-frequency curves is given in Appendix B.

The Austin intensity-duration-frequency curves are shown in Figure 2-2 in Appendix D of this manual.

Table 2-3. Depth-Duration Frequency Table for Austin and Travis County

Recurrence Interval (year)	Depth of Precipitation (in inches)									
	5-min*	15-min	30-min	1-hr	2-hr	3-hr	6-hr	12-hr	24-hr	
2	0.48	0.98	1.32	1.72	2.16	2.32	2.67	3.06	3.44	
5	0.62	1.26	1.71	2.28	2.89	3.13	3.56	4.07	4.99	
10	0.71	1.47	1.98	2.68	3.42	3.71	4.21	4.81	6.1	
25	0.84	1.76	2.36	3.28	4.2	4.55	5.14	5.9	7.64	
50	0.94	2.01	2.68	3.79	4.88	5.28	5.94	6.86	8.87	
100	1.05	2.29	3.04	4.37	5.66	6.11	6.85	7.96	10.2	
250	1.21	2.73	3.57	5.26	6.86	7.38	8.24	9.67	12	
500	1.33	3.11	4.02	6.06	7.94	8.51	9.47	11.2	13.5	

* The 5-min rainfall depths were calculated using the 5-min rainfall intensity values from Table 2-4.

Table 2-4. Intensity-Duration-Frequency Table for Austin and Travis County

Recurrence Interval	Intensity of Precipitation (inches per hour)									
	5-min*	15-min	30-min	1-hr	2-hr	3-hr	6-hr	12-hr	24-hr	
2	5.76	3.92	2.64	1.72	1.08	0.773	0.445	0.255	0.143	
5	7.39	5.04	3.42	2.28	1.45	1.04	0.593	0.339	0.208	
10	8.57	5.88	3.96	2.68	1.71	1.24	0.702	0.401	0.254	
25	10.1	7.04	4.72	3.28	2.10	1.52	0.857	0.492	0.318	
50	11.2	8.04	5.36	3.79	2.44	1.76	0.990	0.572	0.370	
100	12.5	9.16	6.08	4.37	2.83	2.04	1.14	0.663	0.424	
250	14.5	10.9	7.14	5.26	3.43	2.46	1.37	0.806	0.501	
500	15.9	12.4	8.04	6.06	3.97	2.84	1.58	0.934	0.564	

* The 5-min rainfall intensity values were calculated using Equation 2-8 and the coefficients listed in Table 2-5 for the return periods of 2, 5, 10, 25, 100, 250, and 500 years.

The following equation mathematically represents the Austin area intensity-duration frequency curves:

$$i = a/(t+b)^c \quad (\text{Eq. 2-8})$$

Where,

i = Average rainfall intensity, inches per hour

t = Storm duration in minutes, which is equal to the time of concentration for the entire drainage area of interest

a, b and c = Coefficients for different storm frequencies.

The final best-fit coefficients of a, b, and c for equation (2-8) are listed in Table 2-5 below:

Table 2-5
Austin Intensity-Duration-Frequency Curve Coefficients

Return Period	Fitting parameters for IDF equation (2-8)			
	Year	a	b	c
2		54.767	11.051	0.8116
5		62.981	10.477	0.7820
10		70.820	10.396	0.7725
25		82.936	10.746	0.7634
50		100.60	12.172	0.7712
100		118.30	13.185	0.7736
250		150.10	14.892	0.7822
500		188.00	17.233	0.7959

Source: Asquith, W.H., "Depth-Duration-Frequency and Intensity-Duration-Frequency for Austin and Travis County, Texas, 2001".



The a, b and c parameters listed in Table 2-5 were derived using nonlinear regression methods and the data included in Table 2-4. The IDF curves and the IDF equations are applicable for all design frequencies shown. They are required for use in determining peak flows by the Rational Method or other appropriate methods.

2.4.4 - Drainage Area (A)

The size (acres) of the watershed needs to be determined for application of the Rational Method. The area may be determined through the use of topographic maps, supplemented by field surveys where topographic data has changed or where the contour interval is too great to distinguish the direction of flow. The drainage divide lines are determined based on topography, street layout, lot grading, building structure configuration and orientation, drainage system layout and other features that are created by the urbanization process.

Example 2-1

An urbanized watershed in Zone 1 is shown on the following figure. Three types of flow conditions exist between the most distant point in the watershed and the outlet. The calculation of time of concentration and travel time in each reach is as follows:



Reach	Description of Flow	Slope (%)	Length (Ft.)	"n" value/Surface Type
A to B	Sheet flow (grass lawn)	1.8	50	0.3
B to C	Shallow concentrated flow (gutter)	2.0	840	Paved
C to D	Storm drain with inlets (D=3 feet)	1.5	1,200	0.015

For reaches A-B and B-C, the travel time can be calculated from Equations 2-43 and 2-65.

$$T_{(A-B)} = 0.0070.24 \times 50)^{0.8} / (3.44)^{0.5} s^{0.4}$$

$$= 0.028 / (0.018)^{0.5}$$

$$= 0.21 \text{ min.}$$

$$T_{(A-B)} = 0.42(0.3 \times 50)^{0.8} / (4.14^{0.5} 0.018^{0.4})$$

$$= 3.665 / 0.408$$

$$= 8.98 \text{ min.}$$

$$T_{(B-C)} T_{(B-C)} = 840 / (60(20.3282)(s)^{0.5})$$

$$= 0.689 / (0.02)^{0.5}$$

$$= 4.87 \text{ min.}$$

The flow velocity in reach C-D needs to be calculated from Manning's Equation, using the assumption of full pipe flow, as follows:

$$V_{(C-D)} = (1.49/n) R^{0.67} s^{0.5}$$

$$= (1.49/n)(D/4)^{0.67} s^{0.5}$$

$$= (1.49/0.015) (3/4)^{0.67} (0.015)^{0.5}$$

$$= 10.0 \text{ ft/s}$$

The channel flow travel time is calculated by dividing the length by the velocity.

$$T_{(C-D)} = 1200 / (60 \times 10.0) = 2.00 \text{ min}$$

The total time of concentration is calculated by adding the component sheet, shallow concentrated and channel flow segments.

$$T_c = 0.21 \underline{8.98} + 4.87 + 2.00 = 7.08 \underline{15.85} \text{ min}$$

The runoff coefficients (C) for the three (3) areas are given as follows for the 100-year storm (1% annual chance event). The composite curve numbers for LU2 and LU3 are based on impervious cover of 76% and 68% respectively and calculated as $C_{LU2} = 0.76(0.97) + (1-0.76)(0.46) = 0.85$ and $C_{LU3} = 0.68(0.97) + (1-0.68)(0.46) = 0.81$.

Area	Land Use	C	Area (acre)
LU1	Grass Area (fair condition, flat)	0.41	3
LU2	Commercial (composite of paved and grassed areas)	0.85	20
LU3	Industrial (composite of paved and grassed areas)	0.81	30
Total			53

The rainfall intensity (i) of the 100-year storm in South Austin can be calculated using Equation 2-18 together with the coefficients in Table 2-52B for a time of concentration of 7.08 minutes as 11.54 inches per hour. 15.85 minutes as 10.09 inches per hour. (i=77.31/(15.85+6.832)^{0.6524} = 10.09)

The composite weighted average runoff coefficient (C) = $(0.41 \times 3 + 0.85 \times 20 + 0.81 \times 30) / 53 = 0.80$

Thus the peak flow $Q_p = CiA = 0.80 \times 11.54 \underline{10.09} \text{ in/hr} \times 53 \text{ acres} = 428.89 \text{ cfs}$

2.5.0 - THE SOIL NATURAL RESOURCES CONSERVATION SERVICE METHOD FOR CALCULATION OF PEAK FLOWS

The Soil-Natural Resources Conservation Service hydrologic method is widely used by engineers and hydrologists for analyses of small urban watersheds. This method is based on extensive analytical work using a wide range of statistical data concerning storm patterns, rainfall-runoff characteristics and many hydrologic observations in the United States.

The SCS-NRCS method can be applied to urban drainage areas of any size. The major primary parameters required to calculate a runoff hydrograph with the method include the rainfall distribution, runoff curve numbers, time of concentration and drainage area. For detailed information regarding the SCS-NRCS method and the TR-20 program, the user is referred to the following NRCS publications. These can be obtained from the Natural Resources Conservation Service at <http://www.wcc.nrcs.usda.gov/>. They are:

NEH-4: "Hydrology," Section 4, National Engineering Handbook

TR-20: Computer Program for Project Formulation, Hydrology

TR-55: Urban Hydrology for Small Watersheds

TP-149: A Method for Estimating Volume and Rate of Runoff in Small Watersheds

The HEC-HMS programs can be downloaded from the US Army Corps of Engineers website at <http://www.hec.usace.army.mil/>. Refer to Section 8.2.3 for information regarding watershed hydrologic models that are maintained by the City. These models may be requested by the public and used as the basis for drainage analysis where applicable. Any results based on models obtained from the City must be certified by a Texas Licensed Professional Engineer.

2.5.1 - Austin Twenty-Four (24) Hour Storm Rainfall Distributions

Frequency storm rainfall data is provided in Section 2.3. The City of Austin has adopted the 24-hour frequency storm use of an SCS 24 hour storm duration with a Type III distribution as implemented in HEC-HMS for use with the SCS-NRCS method. Refer to the discussion of the frequency storm distribution in Section 2.3 for additional details. The DDF and IDF values to be used for the Austin area are shown in Table 2-3 and 2-4 above. For use in spreadsheet calculations, Table 2-6 below provides the Type III distribution ordinates in 5-minute increments as derived from the HEC-HMS program. The ordinates should be multiplied by the total 24-hour precipitation depth to produce the design rainfall distribution. When using the HEC-HMS model, the computational time interval should be selected based on criteria for the minimum lag time. The maximum computational time interval used in a HEC-HMS model should be 6 minutes.

Table 2-6
Type III Distribution Ordinates In 5-Minute Time Increment

Time	Incremental	Cumulative	Time	Incremental	Cumulative	Time	Incremental	Cumulative
0:00	0.0000	0.0000	8:05	0.0023	0.1163	16:10	0.0021	0.8903
0:05	0.0008	0.0008	8:10	0.0022	0.1185	16:15	0.0021	0.8924
0:10	0.0009	0.0017	8:15	0.0023	0.1208	16:20	0.0020	0.8944
0:15	0.0008	0.0025	8:20	0.0025	0.1233	16:25	0.0020	0.8964
0:20	0.0008	0.0033	8:25	0.0025	0.1258	16:30	0.0020	0.8984
0:25	0.0009	0.0042	8:30	0.0026	0.1284	16:35	0.0019	0.9003
0:30	0.0008	0.0050	8:35	0.0027	0.1311	16:40	0.0019	0.9022
0:35	0.0008	0.0058	8:40	0.0028	0.1339	16:45	0.0019	0.9041

0:40	0.0009	0.0067	8:45	0.0028	0.1367	16:50	0.0018	0.9059
0:45	0.0008	0.0075	8:50	0.0030	0.1397	16:55	0.0019	0.9078
0:50	0.0008	0.0083	8:55	0.0030	0.1427	17:00	0.0017	0.9095
0:55	0.0009	0.0092	9:00	0.0031	0.1458	17:05	0.0018	0.9113
1:00	0.0008	0.0100	9:05	0.0032	0.1490	17:10	0.0016	0.9129
1:05	0.0008	0.0108	9:10	0.0032	0.1522	17:15	0.0017	0.9146
1:10	0.0009	0.0117	9:15	0.0033	0.1555	17:20	0.0016	0.9162
1:15	0.0008	0.0125	9:20	0.0034	0.1589	17:25	0.0016	0.9178
1:20	0.0008	0.0133	9:25	0.0035	0.1624	17:30	0.0016	0.9194
1:25	0.0009	0.0142	9:30	0.0035	0.1659	17:35	0.0015	0.9209
1:30	0.0008	0.0150	9:35	0.0037	0.1696	17:40	0.0015	0.9224
1:35	0.0008	0.0158	9:40	0.0037	0.1733	17:45	0.0015	0.9239
1:40	0.0009	0.0167	9:45	0.0038	0.1771	17:50	0.0014	0.9253
1:45	0.0008	0.0175	9:50	0.0039	0.1810	17:55	0.0014	0.9267
1:50	0.0008	0.0183	9:55	0.0040	0.1850	18:00	0.0013	0.9280
1:55	0.0009	0.0192	10:00	0.0040	0.1890	18:05	0.0013	0.9293
2:00	0.0008	0.0200	10:05	0.0041	0.1931	18:10	0.0014	0.9307
2:05	0.0008	0.0208	10:10	0.0044	0.1975	18:15	0.0012	0.9319
2:10	0.0009	0.0217	10:15	0.0045	0.2020	18:20	0.0013	0.9332
2:15	0.0008	0.0225	10:20	0.0047	0.2067	18:25	0.0014	0.9346
2:20	0.0009	0.0234	10:25	0.0048	0.2115	18:30	0.0012	0.9358
2:25	0.0009	0.0243	10:30	0.0050	0.2165	18:35	0.0012	0.9370
2:30	0.0009	0.0252	10:35	0.0051	0.2216	18:40	0.0013	0.9383
2:35	0.0009	0.0261	10:40	0.0054	0.2270	18:45	0.0013	0.9396
2:40	0.0009	0.0270	10:45	0.0055	0.2325	18:50	0.0012	0.9408
2:45	0.0009	0.0279	10:50	0.0057	0.2382	18:55	0.0013	0.9421
2:50	0.0010	0.0289	10:55	0.0058	0.2440	19:00	0.0012	0.9433
2:55	0.0009	0.0298	11:00	0.0060	0.2500	19:05	0.0012	0.9445
3:00	0.0010	0.0308	11:05	0.0064	0.2564	19:10	0.0011	0.9456
3:05	0.0009	0.0317	11:10	0.0070	0.2634	19:15	0.0012	0.9468
3:10	0.0010	0.0327	11:15	0.0077	0.2711	19:20	0.0012	0.9480
3:15	0.0010	0.0337	11:20	0.0084	0.2795	19:25	0.0011	0.9491
3:20	0.0010	0.0347	11:25	0.0089	0.2884	19:30	0.0012	0.9503
3:25	0.0010	0.0357	11:30	0.0096	0.2980	19:35	0.0012	0.9515

3:30	0.0010	0.0367	11:35	0.0131	0.3111	19:40	0.0011	0.9526
3:35	0.0010	0.0377	11:40	0.0187	0.3298	19:45	0.0011	0.9537
3:40	0.0011	0.0388	11:45	0.0261	0.3559	19:50	0.0011	0.9548
3:45	0.0010	0.0398	11:50	0.0289	0.3848	19:55	0.0011	0.9559
3:50	0.0010	0.0408	11:55	0.0425	0.4273	20:00	0.0011	0.9570
3:55	0.0011	0.0419	12:00	0.0727	0.5000	20:05	0.0011	0.9581
4:00	0.0011	0.0430	12:05	0.0727	0.5727	20:10	0.0011	0.9592
4:05	0.0011	0.0441	12:10	0.0425	0.6152	20:15	0.0011	0.9603
4:10	0.0011	0.0452	12:15	0.0289	0.6441	20:20	0.0010	0.9613
4:15	0.0011	0.0463	12:20	0.0261	0.6702	20:25	0.0010	0.9623
4:20	0.0011	0.0474	12:25	0.0187	0.6889	20:30	0.0011	0.9634
4:25	0.0011	0.0485	12:30	0.0131	0.7020	20:35	0.0010	0.9644
4:30	0.0012	0.0497	12:35	0.0096	0.7116	20:40	0.0010	0.9654
4:35	0.0012	0.0509	12:40	0.0089	0.7205	20:45	0.0010	0.9664
4:40	0.0011	0.0520	12:45	0.0084	0.7289	20:50	0.0010	0.9674
4:45	0.0012	0.0532	12:50	0.0077	0.7366	20:55	0.0010	0.9684
4:50	0.0012	0.0544	12:55	0.0070	0.7436	21:00	0.0010	0.9694
4:55	0.0011	0.0555	13:00	0.0064	0.7500	21:05	0.0010	0.9704
5:00	0.0012	0.0567	13:05	0.0060	0.7560	21:10	0.0010	0.9714
5:05	0.0012	0.0579	13:10	0.0058	0.7618	21:15	0.0009	0.9723
5:10	0.0013	0.0592	13:15	0.0057	0.7675	21:20	0.0010	0.9733
5:15	0.0012	0.0604	13:20	0.0055	0.7730	21:25	0.0010	0.9743
5:20	0.0013	0.0617	13:25	0.0054	0.7784	21:30	0.0009	0.9752
5:25	0.0013	0.0630	13:30	0.0051	0.7835	21:35	0.0010	0.9762
5:30	0.0012	0.0642	13:35	0.0050	0.7885	21:40	0.0009	0.9771
5:35	0.0012	0.0654	13:40	0.0048	0.7933	21:45	0.0009	0.9780
5:40	0.0014	0.0668	13:45	0.0047	0.7980	21:50	0.0010	0.9790
5:45	0.0012	0.0680	13:50	0.0045	0.8025	21:55	0.0009	0.9799
5:50	0.0013	0.0693	13:55	0.0044	0.8069	22:00	0.0009	0.9808
5:55	0.0014	0.0707	14:00	0.0041	0.8110	22:05	0.0008	0.9816
6:00	0.0013	0.0720	14:05	0.0040	0.8150	22:10	0.0009	0.9825
6:05	0.0013	0.0733	14:10	0.0040	0.8190	22:15	0.0009	0.9834
6:10	0.0014	0.0747	14:15	0.0039	0.8229	22:20	0.0009	0.9843
6:15	0.0014	0.0761	14:20	0.0038	0.8267	22:25	0.0009	0.9852

6:20	0.0015	0.0776	14:25	0.0037	0.8304	22:30	0.0008	0.9860
6:25	0.0015	0.0791	14:30	0.0037	0.8341	22:35	0.0008	0.9868
6:30	0.0015	0.0806	14:35	0.0035	0.8376	22:40	0.0009	0.9877
6:35	0.0016	0.0822	14:40	0.0035	0.8411	22:45	0.0008	0.9885
6:40	0.0016	0.0838	14:45	0.0034	0.8445	22:50	0.0008	0.9893
6:45	0.0016	0.0854	14:50	0.0033	0.8478	22:55	0.0009	0.9902
6:50	0.0017	0.0871	14:55	0.0033	0.8511	23:00	0.0007	0.9909
6:55	0.0016	0.0887	15:00	0.0032	0.8543	23:05	0.0008	0.9917
7:00	0.0018	0.0905	15:05	0.0030	0.8573	23:10	0.0008	0.9925
7:05	0.0017	0.0922	15:10	0.0030	0.8603	23:15	0.0008	0.9933
7:10	0.0019	0.0941	15:15	0.0030	0.8633	23:20	0.0008	0.9941
7:15	0.0018	0.0959	15:20	0.0028	0.8661	23:25	0.0007	0.9948
7:20	0.0019	0.0978	15:25	0.0028	0.8689	23:30	0.0008	0.9956
7:25	0.0019	0.0997	15:30	0.0027	0.8716	23:35	0.0008	0.9964
7:30	0.0019	0.1016	15:35	0.0026	0.8742	23:40	0.0007	0.9971
7:35	0.0020	0.1036	15:40	0.0025	0.8767	23:45	0.0008	0.9979
7:40	0.0020	0.1056	15:45	0.0025	0.8792	23:50	0.0007	0.9986
7:45	0.0020	0.1076	15:50	0.0023	0.8815	23:55	0.0006	0.9992
7:50	0.0021	0.1097	15:55	0.0022	0.8837	24:00	0.0008	1.0000
7:55	0.0021	0.1118	16:00	0.0023	0.8860			
8:00	0.0022	0.1140	16:05	0.0022	0.8882			

2.5.2 – Natural Resources Conservation Service Runoff Curve Numbers

The ~~National~~Natural Resources Conservation Service has developed an index, the runoff curve number, to represent the combined hydrologic effect of soil type, land use, agricultural land treatment class, hydrologic condition, and antecedent soil moisture. These watershed factors have the most significant impact in estimating the volume of runoff, and can be assessed from soil surveys, site investigations and land use maps.

The curve number is an indication of the potential runoff for a given antecedent soil moisture condition, and it ranges in value from zero to 100. The National Resources Conservation Service runoff curve numbers are grouped into three (3) antecedent soil moisture conditions — Antecedent Runoff Condition (ARC) I, ARC II and ARC III. Values of runoff curve numbers for all three (3) conditions may be computed following guidelines in Part 630, Chapter 10 of the National Engineering Handbook. ARC I is the dry soil condition and ARC III is the wet soil condition. ARC II is normally considered to be the average condition. The Antecedent Runoff Condition (ARC) was previously referred to as the Antecedent Moisture Condition (AMC) in older NRCS publications.

However, studies of hydrologic data indicate that ARC II is not necessarily representative of the average condition throughout Texas. Instead, investigations have shown that the average condition ranges from ARC I in west Texas to between ARC II and ARC III in east Texas. The NRCS curve number values provided in Table 2-~~73~~ are for an ARC II. If it is desired to change to an ARC I or III condition, the adjustments given in Part 630, Chapter 10 of the National Engineering Handbook should be used. Justification must be provided for the selection of an ARC other than condition II.

The National Resources Conservation Service has classified more than 4,000 soils into four (4) hydrologic groups, identified by the letters A, B, C, and D, to represent watershed characteristics.

Group A: (Low runoff potential). Soils having a high infiltration rate even when thoroughly wetted and consisting chiefly of deep, well-drained to excessively drained sands or gravels.

Group B: Soils having a moderate infiltration rate when thoroughly wetted and consisting chiefly of moderately deep to deep, moderately well to well-drained soils with moderately fine to moderately coarse texture.

Group C: Soils having a slow infiltration rate when thoroughly wetted and consisting chiefly of soils with a layer that impedes downward movement of water or soil with moderately fine to fine texture.

Group D: (High runoff potential). Soils having a very slow infiltration rate when thoroughly wetted and consisting chiefly of clay soils with a high swelling potential, soils with a permanent high water table, soils with a claypan or clay layer at or near the surface and shallow soils over nearly impervious material.

Table 2-~~75~~ lists the curve numbers for the four (4) soil groups under various land uses, land treatment and hydrologic conditions. Curve numbers for fully developed conditions should be based on maximum allowable impervious cover listed in Austin zoning and watershed ordinances. When calculating fully developed peak runoff rates it is recommended that the undeveloped curve number and the maximum allowable impervious cover be used as input parameters. In order to determine the soil classifications in the Austin area, the Natural Resources Conservation Service Soil Survey of Travis, Williamson or Hays County, Texas should be used. Digital versions of these soil datasets are available online at <http://soildatamart.nrcs.usda.gov> (accessed 12/18/2012).

NRCS Runoff Curve Numbers for Urban Areas and Agricultural Lands (assuming ARC-II condition)						
Cover Description		Curve Numbers for Hydrologic Soil Group				
Cover type and Hydrologic Condition	Average % Impervious Area ¹	A	B	C	D	
Fully developed urban areas (vegetation established)						
Open space (lawns, parks, golf courses, cemeteries, etc.)						
Poor condition (grass cover 50%)		68	79	86	89	
Fair condition (grass cover 50% to 75%)		49	69	79	84	
Good condition (grass cover 75%)		39	61	74	80	

Impervious areas:					
Paved parking lots, roofs, driveways, etc. (excluding right of way)		98	98	98	98
Streets and roads:					
Paved; curbs and storms drains (excluding right of way)		98	98	98	98
Paved; open ditches (including right of way)					
	83	89 83	92 89	93 92	93
Gravel (including right of way)	76	85 76	89 85	91 89	91
Dirt (including right of way)		72	82	87	89
Developing urban areas					
Newly graded areas (pervious areas only, no vegetation)		77	86	91	94
Agricultural lands					
Grassland, or range-continuous forage for grazing ²	Poor	68	79	86	89
	Fair	49	69	79	84
	Good	39	61	74	80
Meadow-continuous grass, protected from grazing and generally mowed for hay		30	58	71	78
Brush—brush-weed-grass mixture with brush the major element ³	Poor	48	67	77	83
	Fair	35	56	70	77
	Good	30	48	65	73
Woods—grass combination (orchard or tree farm). ⁴	Poor	57	73	82	86
	Fair	43	65	76	82
	Good	32	58	72	79
Woods ⁵	Poor	45	66	77	83
	Fair	36	60	73	79
	Good	30	55	70	77
Farmsteads—buildings, lanes, driveways and surrounding lots		59	74	82	86
1 Poor: less than 50 percent ground cover or heavily grazed with no mulch. Fair: 50 to 75 percent ground cover and not heavily grazed. Good: greater than 75 percent ground cover and lightly or only occasionally grazed.					
2 Poor: less than 50 percent ground cover. Fair: 50 to 75 percent ground cover.					

3 Curve numbers shown were computed for areas with 50 percent woods and 50 percent grass (pasture) cover. Other combinations of conditions may be computed from the curve numbers for woods and pasture.

4 Poor: Forest litter, small trees and brush are destroyed by heavy grazing or regular burning.

Fair: Woods are grazed but not burned, and some forest litter covers the soil.

Good: Woods are protected from grazing, and litter and brush adequately cover the soil.

Source: National Resources Conservation Service. TR-55: Urban Hydrology for Small Watersheds

2.5.32 - Time of Concentration

The procedures for estimating time of concentration for the NRCS method are described in the SCSNRCS Technical Release 55 (TR-55) and in Section 2.4.2 of this manual. Three (3) types of flow (sheet flow, shallow concentrated flow and channel flow) are considered. Note that Table 2-24 shall be used for determination of sheet flow Manning's roughness coefficients rather than the table included in TR-55.

In hydrograph analysis, the time of concentration can be defined as the time from the end of excess rainfall to the point of inflection on the falling limb of the hydrograph. The time of concentration determines the shape of the runoff hydrograph. Times of concentration are required for the existing and developed conditions to adequately model the impact of the development on stormwater runoff. The methodology presented in TR-55 provides a reasonable approach for the estimation of time of concentration. The lag time, defined as the time between the center of mass of excess rainfall to the runoff peak, is typically used in the HEC-HMS implementation of the SCSNRCS methodology. The lag time can be estimated with ~~e~~Equation 2-9.

$$T_{lag} = 0.6 T_c \text{ (Eq. 2-9)}$$

In general, times of concentration for the developed condition should be calculated based on conservative assumptions that consider the increased hydraulic efficiency expected with an ultimate developed condition. Times of concentration should be representative of the overall drainage area, not simply based on the longest (in either distance or time) flow path. Sheet flow for both existing and proposed conditions should be limited to 100 feet. This length should be considered a maximum; sheet flow lengths should be measured and justified for all conditions. Additionally, the minimum slope used for calculation of sheet and shall flow travel time components should be 0.005 feet per foot (0.5%).

2.6.0 - PROBABLE MAXIMUM STORM/FLOOD DEVELOPMENT

The purpose of this section is to describe a method for developing the Probable Maximum Flood (PMF) within the City of Austin jurisdiction. The PMF is calculated by obtaining the Probable Maximum Precipitation (PMP) for a specific storm duration and drainage area. Typically, a PMF runoff model requires both a temporal and spatial distribution of the PMP. However, if the drainage area is less than 10 square miles, the spatial distribution is not required (i.e. the drainage area is considered small enough that the PMP values can reasonably be considered point rainfall values).

The State of Texas has the primary regulatory authority for dams in Texas. The State's Dam Safety Program is under the purview of the TCEQ and Title 30, Chapter 299 of the Texas Administrative Code contains applicable rules. The primary guidance for the analysis of dam performance during a PMF event can be found in the Hydrologic and Hydraulic Guidelines for Dams in Texas. This manual and other dam safety and maintenance manuals are available on the TCEQ's web site at <https://www.tceq.texas.gov/>.

Source: Rule No. [161-19.01](#), 3-14-19.

2.6.1 - Probable Maximum Precipitation (PMP)

The probable maximum precipitation (PMP) is defined by the National Weather Service as "theoretically, the greatest depth of precipitation for a given duration that is physically possible over a given storm area at a particular geographical location at a certain time of the year." The TCEQ has completed a statewide PMP Study for Texas to determine appropriate PMP values throughout the state. The study has a spatial resolution of approximately 2.5 square miles and considers variations in topography, climate, and storm types. This study replaces data formerly obtained from Hydrometeorological Reports (HMRs) 51 and 52. The TCEQ web site (above) provides guidance for using an online geoprocessing service to calculate PMP depths for a given drainage basin.

Source: Rule No. [161-19.01](#), 3-14-19.

2.6.2 - Probable Maximum Flood (PMF)

The PMF is calculated by obtaining the PMP for a specific storm duration and a specific drainage area. To determine the PMF, each of the possible storm durations (1, 2, 3, 6, 12, 24, 48, and 72-hour storms) needs to be analyzed in order to determine the critical duration. The critical duration is the storm duration that produces the highest water surface elevation behind the dam. The PMF for each storm duration is derived using the PMP depths from the TCEQ PMP tool (see [2.6.1](#)) and using a rainfall-runoff model (i.e. HEC-HMS, TR-20).

~~Neither the Frequency Storm described in Section 2.3.1 nor the~~ Soil Conservation Service (SCS) Type III distribution ~~must not~~may be used for PMP analyses. Instead, the rainfall-runoff model should use the temporal distribution as provided in the Hydrologic and Hydraulic Guidelines for Dams in Texas. The temporal distribution for each storm duration has been reproduced in Figure 2-~~4~~3, Appendix D. Figure 2-~~4~~3 provides the temporal distribution ordinates to be multiplied by the associated storm depths for use in the various rainfall-runoff models. The runoff parameters used in the PMF model are the same as those used for runoff analyses of the more frequent storm events, with the exception of curve numbers and the temporal distribution of rainfall.

Runoff curve numbers for the PMF need to reflect the assumption that the soils will be saturated. Therefore, the runoff curve number should be based on ARC III. The appropriate curve number should be chosen using the tables provided in the DCM [Section 2.5.2](#). These are ARC II values which can be converted to ARC III values using Table 10.1 in Part 630, Chapter 10 of the National Engineering Handbook. Note that the ARC was previously referred to as the Antecedent Moisture Condition (AMC) in older NRCS publications.

Source: Rule No. [161-19.01](#), 3-14-19.

DRAINAGE CRITERIA MANUAL

APPENDIX B. - DEPTH DURATION FREQUENCY AND INTENSITY DURATION FREQUENCY FOR CITY OF AUSTIN AND TRAVIS COUNTY, TEXAS DESIGN RAINFALL TIME SERIES

November 21, 2001

William	H.	Asquith
U.S.	Geological	Survey
8027	Exchange	Drive
Austin, Texas 78754		

ABSTRACT

The depth-duration frequency (DDF) and intensity-duration frequency (IDF) of annual maxima precipitation were computed for Tom Miller Dam, which is located on the Colorado River in Austin, Travis County, Texas. The computations were based on the data and procedures defined by Asquith (1998). The location of the dam was chosen because it is proximate to central Austin, central Travis County, and is geographically familiar to the general public. Within the implied uncertainties suggested by Asquith (1998), the computed DDF and IDF values are considered applicable for the City of Austin in particular and Travis County in general. The DDF and IDF values are reported in tables 1 and 2, respectively. The IDF values were derived by simple division of DDF values by the precipitation duration in hours.

The durations include 15 minutes, 30 minutes, 1 hour, 2 hours, 3 hours, 6 hours, 12 hours, 1 day, 2 days, 3 days, 5 days, and 7 days. The frequency levels include the annual nonexceedance probabilities (F) of 0.5, 0.6, 0.7, 0.8, 0.9, 0.96, 0.98, 0.99, 0.996, and 0.998. These probabilities permit smooth graphical construction of the upper tail ($F = 0.50$) of the precipitation distribution. The recurrence intervals (RI) commonly used include 2, 5, 10, 25, 50, 100, 250, and 500 years. The F account for the RI . The 2-year RI corresponds to the median, 50th percentile, or 0.5 nonexceedance probability. The relation between recurrence interval and nonexceedance probability is $RI=1/(1-F)$.

The distribution parameter values used in DDF computation provided by maps in Asquith (1998) were derived by computer algorithm using the latitude ($30^{\circ}17'42''$) and longitude ($97^{\circ}47'12''$) of Tom Miller Dam. The algorithm accuracy was manually verified. Small changes in the distribution parameters for the 7-day duration were made to insure that 7-day precipitation depths for the largest nonexceedance probabilities ($F = 0.80$) were larger than corresponding values for the 5-day duration. Upper tail convergence of the 5- and 7-day distributions appears likely.

Asquith (1998) defines separate durations of 60 minutes and 1 hour, which were derived from 15-minute data and hourly data, respectively, and separate durations of 24 hours and 1 day, which were derived from hourly and daily data, respectively. It was decided that the 60 minute and the 24 hour durations would not be used to define the DDF and IDF. This decision was based on the available record length and spatial distribution of 15-minute and hourly precipitation stations in the region surrounding the Austin area. Furthermore, a change in the distribution type from the Generalized Logistic to the Generalized Extreme Value occurs at the transition of 24 hours to 1 day.

REFERENCE

Asquith, W.H., 1998, Depth duration frequency of precipitation for Texas: U.S. Geological Survey Water Resources Investigations Report 98-4044, 107 p.

Table 1. Depth-duration frequency of precipitation for Austin and Travis County, Texas

[Note: Values in table derived from Asquith (1998). The location used to define the parameters of the precipitation distribution was Tom Miller Dam on the Colorado River near the center of the Austin area located at latitude $30^{\circ}17'39''$ and longitude $97^{\circ}47'12''$. min., minutes; hr, hours; in., inches]

Annual non-exceedance probability (percent)	Recurrence interval (years)	Precipitation depth and duration											
		15 min (in)	30 min (in)	1-hr (in)	2-hr (in)	3-hr (in)	6-hr (in)	12 hr (in)	1 day (in)	2 day (in)	3 day (in)	5 day (in)	7 day (in)
0.500	2	0.98	1.32	1.72	2.16	2.32	2.67	3.06	3.44	3.81	4.04	4.30	4.57
.600	2.5	1.05	1.42	1.86	2.35	2.53	2.91	3.33	3.84	4.28	4.51	4.81	5.08
.700	3.33	1.14	1.54	2.04	2.58	2.79	3.19	3.64	4.33	4.84	5.08	5.43	5.70
.800	5	1.26	1.71	2.28	2.89	3.13	3.56	4.07	4.99	5.60	5.85	6.26	6.53
.900	10	1.47	1.98	2.68	3.42	3.71	4.21	4.81	6.10	6.88	7.14	7.65	7.91
.960	25	1.76	2.36	3.28	4.20	4.55	5.14	5.90	7.64	8.63	8.91	9.53	9.75
.980	50	2.01	2.68	3.79	4.88	5.28	5.94	6.86	8.87	10.0	10.3	11.0	11.2
.990	100	2.29	3.04	4.37	5.66	6.11	6.85	7.96	10.2	11.5	11.8	12.6	12.7
.996	250	2.73	3.57	5.26	6.86	7.38	8.24	9.67	12.0	13.6	13.9	14.7	14.8
.998	500	3.11	4.02	6.06	7.94	8.51	9.47	11.2	13.5	15.2	15.6	16.5	16.5

Table 2. Intensity-duration frequency of precipitation for Austin and Travis County, Texas

[Note: Values in table derived from Asquith (1998). The location used to define the parameters of the precipitation distribution was Tom Miller Dam on the Colorado River near the center of the Austin area located at latitude 30°17'39" and longitude 97°47'12". min., minutes; hr, hours; in./hr, inches per hour]

Annual non-exceedance probability (percent)	Recurrence interval (years)	Precipitation depth and duration											
		15 min (in/h)	30 min (in/h)	1-hr (in/h)	2-hr (in/h)	3-hr (in/h)	6-hr (in/h)	12 hr (in/h)	1 day (in/h)	2 day (in/h)	3 day (in/h)	5 day (in/h)	7 day (in/h)
0.500	2	#	#	#	#	#	#	#	#	#	#	#	#
.600	2.5	#	#	#	#	#	#	#	#	#	#	#	#
.700	3.33	#	#	#	#	#	#	#	#	#	#	#	#
.800	5	#	#	#	#	#	#	#	#	#	#	#	#
.900	10	#	#	#	#	#	#	#	#	#	#	#	#
.960	25	#	#	#	#	#	#	#	#	#	#	#	#
.980	50	#	#	#	#	#	#	#	#	#	#	#	#
.990	100	#	#	#	#	#	#	#	#	#	#	#	#
.996	250	#	#	#	#	#	#	#	#	#	#	#	#
.998	500	#	#	#	#	#	#	#	#	#	#	#	#

0.500	2	3.92	2.64	1.72	1.08	0.77	0.44	0.25	0.14	0.079	0.056	0.035	0.027
.600	2.5	4.20	2.84	1.86	1.18	.843	.485	.278	.160	.0892	.0626	.0401	.0302
.700	3.33	4.56	3.08	2.04	1.29	.930	.532	.303	.180	.101	.0706	.0452	.0339
.800	5	5.04	3.42	2.28	1.45	1.04	.593	.339	.208	.117	.0812	.0522	.0389
.900	10	5.88	3.96	2.68	1.71	1.24	.702	.401	.254	.143	.0992	.0638	.0472
.960	25	7.04	4.72	3.28	2.10	1.52	.857	.492	.318	.180	.124	.0794	.0582
.980	50	8.04	5.36	3.79	2.44	1.76	.990	.572	.370	.209	.143	.0917	.0668
.990	100	9.16	6.08	4.37	2.83	2.04	1.14	.663	.424	.239	.164	.105	.0758
.996	250	10.9	7.14	5.26	3.43	2.46	1.37	.806	.501	.283	.193	.123	.0882
.998	500	12.4	8.04	6.06	3.97	2.84	1.58	.934	.564	.318	.216	.137	.0982

August 7, 2019

The Zone 1 and Zone 2 depth-duration-frequency values provided in Section 2.3.1 are based on NOAA Atlas 14 – Volume 11 Version 2.0: Texas. The values were calculated by averaging each Atlas 14 precipitation-frequency grid over the Zone 1 and Zone 2 jurisdictional areas.

The Zone 1 and Zone 2 areas are defined by splitting the City of Austin's full purpose jurisdiction and ETJ at the Colorado River, with one exception as described below and shown in Figure 2-2. Zone 1 includes all portions of the City's jurisdiction and 2- and 5-mile ETJ located south of the Colorado River except for the area located between Murfin Road and Lake Travis. Zone 2 includes all portions of the City's jurisdiction and 2- and 5-mile ETJ located north of the Colorado River and the area located between Murfin Road and Lake Travis.

The procedure used to develop the Atlas 14-based rainfall data is documented in detail in Freese and Nichols' August 2019 memo, *Atlas 14 DCM Revisions: Area Breakdown and IDF Curves* and in Watearth's August 2019 memo, *City of Austin Drainage Criteria Manual (DCM) Updates: Rainfall Distribution Evaluation*.

The City of Austin has adopted the use of a 24-hour HEC-HMS frequency storm distribution for use with time-varying rainfall simulations. For HEC-HMS model runs, these depths should be entered directly into HEC-HMS frequency storm meteorologic models. For other dynamic hydrologic modeling software, or for spreadsheet calculations, the cumulative 24-hour rainfall time series derived from HEC-HMS for the 2-, 10-, 25-, and 100-year recurrence interval storms can be downloaded as a comma-separated values (CSV) file below.

Table B-1. Design Rainfall Time Series – CSV

Time (h:mm)	Cumulative Rainfall (in)							
	Zone 1				Zone 2			
	2-yr	10-yr	25-yr	100-yr	2-yr	10-yr	25-yr	100-yr
0:00	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
0:01	0.0005	0.0009	0.0011	0.0015	0.0005	0.0008	0.0011	0.0014
0:02	0.0011	0.0018	0.0022	0.0030	0.0010	0.0017	0.0021	0.0028
0:03	0.0016	0.0026	0.0034	0.0046	0.0016	0.0025	0.0032	0.0042
0:04	0.0021	0.0035	0.0045	0.0061	0.0021	0.0034	0.0042	0.0057
0:05	0.0027	0.0044	0.0056	0.0076	0.0026	0.0042	0.0053	0.0071
0:06	0.0032	0.0053	0.0067	0.0091	0.0032	0.0051	0.0064	0.0085
0:07	0.0038	0.0062	0.0079	0.0107	0.0037	0.0059	0.0074	0.0099
0:08	0.0043	0.0070	0.0090	0.0122	0.0042	0.0068	0.0085	0.0113
0:09	0.0048	0.0079	0.0101	0.0137	0.0047	0.0076	0.0095	0.0128
0:10	0.0054	0.0088	0.0113	0.0153	0.0053	0.0085	0.0106	0.0142
0:11	0.0059	0.0097	0.0124	0.0168	0.0058	0.0093	0.0117	0.0156
0:12	0.0065	0.0106	0.0135	0.0184	0.0063	0.0102	0.0127	0.0170
0:13	0.0070	0.0115	0.0147	0.0199	0.0069	0.0110	0.0138	0.0185
0:14	0.0075	0.0124	0.0158	0.0214	0.0074	0.0119	0.0149	0.0199
0:15	0.0081	0.0133	0.0169	0.0230	0.0079	0.0127	0.0160	0.0213
0:16	0.0086	0.0141	0.0181	0.0245	0.0085	0.0136	0.0170	0.0228
0:17	0.0092	0.0150	0.0192	0.0261	0.0090	0.0145	0.0181	0.0242
0:18	0.0097	0.0159	0.0204	0.0276	0.0095	0.0153	0.0192	0.0257
0:19	0.0103	0.0168	0.0215	0.0292	0.0100	0.0162	0.0203	0.0271
0:20	0.0108	0.0177	0.0226	0.0307	0.0106	0.0170	0.0213	0.0285
0:21	0.0114	0.0186	0.0238	0.0323	0.0111	0.0179	0.0224	0.0300
0:22	0.0119	0.0195	0.0249	0.0338	0.0117	0.0188	0.0235	0.0314
0:23	0.0125	0.0204	0.0261	0.0354	0.0122	0.0196	0.0246	0.0329
0:24	0.0130	0.0213	0.0272	0.0370	0.0127	0.0205	0.0257	0.0343
0:25	0.0136	0.0222	0.0284	0.0385	0.0133	0.0214	0.0267	0.0358
0:26	0.0141	0.0231	0.0295	0.0401	0.0138	0.0222	0.0278	0.0372
0:27	0.0147	0.0240	0.0307	0.0417	0.0144	0.0231	0.0289	0.0387
0:28	0.0152	0.0249	0.0318	0.0432	0.0149	0.0240	0.0300	0.0401
0:29	0.0158	0.0258	0.0330	0.0448	0.0154	0.0248	0.0311	0.0416
0:30	0.0163	0.0267	0.0342	0.0464	0.0160	0.0257	0.0322	0.0431
0:31	0.0169	0.0276	0.0353	0.0479	0.0165	0.0266	0.0333	0.0445
0:32	0.0174	0.0285	0.0365	0.0495	0.0171	0.0275	0.0344	0.0460
0:33	0.0180	0.0294	0.0376	0.0511	0.0176	0.0283	0.0355	0.0475
0:34	0.0185	0.0304	0.0388	0.0527	0.0181	0.0292	0.0366	0.0489
0:35	0.0191	0.0313	0.0400	0.0543	0.0187	0.0301	0.0377	0.0504
0:36	0.0196	0.0322	0.0411	0.0558	0.0192	0.0310	0.0388	0.0519
0:37	0.0202	0.0331	0.0423	0.0574	0.0198	0.0318	0.0399	0.0533

0:38	0.0207	0.0340	0.0435	0.0590	0.0203	0.0327	0.0410	0.0548
0:39	0.0213	0.0349	0.0446	0.0606	0.0209	0.0336	0.0421	0.0563
0:40	0.0219	0.0358	0.0458	0.0622	0.0214	0.0345	0.0432	0.0578
0:41	0.0224	0.0367	0.0470	0.0638	0.0220	0.0354	0.0443	0.0592
0:42	0.0230	0.0377	0.0482	0.0654	0.0225	0.0362	0.0454	0.0607
0:43	0.0235	0.0386	0.0493	0.0670	0.0231	0.0371	0.0465	0.0622
0:44	0.0241	0.0395	0.0505	0.0686	0.0236	0.0380	0.0476	0.0637
0:45	0.0247	0.0404	0.0517	0.0702	0.0242	0.0389	0.0487	0.0652
0:46	0.0252	0.0413	0.0529	0.0718	0.0247	0.0398	0.0498	0.0667
0:47	0.0258	0.0423	0.0541	0.0734	0.0253	0.0407	0.0509	0.0682
0:48	0.0263	0.0432	0.0552	0.0750	0.0258	0.0416	0.0520	0.0697
0:49	0.0269	0.0441	0.0564	0.0766	0.0264	0.0425	0.0531	0.0711
0:50	0.0275	0.0450	0.0576	0.0782	0.0269	0.0434	0.0543	0.0726
0:51	0.0280	0.0460	0.0588	0.0798	0.0275	0.0443	0.0554	0.0741
0:52	0.0286	0.0469	0.0600	0.0815	0.0280	0.0452	0.0565	0.0756
0:53	0.0292	0.0478	0.0612	0.0831	0.0286	0.0461	0.0576	0.0771
0:54	0.0298	0.0488	0.0624	0.0847	0.0291	0.0470	0.0587	0.0786
0:55	0.0303	0.0497	0.0636	0.0863	0.0297	0.0479	0.0599	0.0802
0:56	0.0309	0.0506	0.0648	0.0879	0.0303	0.0488	0.0610	0.0817
0:57	0.0315	0.0516	0.0660	0.0896	0.0308	0.0497	0.0621	0.0832
0:58	0.0320	0.0525	0.0672	0.0912	0.0314	0.0506	0.0633	0.0847
0:59	0.0326	0.0534	0.0684	0.0928	0.0319	0.0515	0.0644	0.0862
1:00	0.0332	0.0544	0.0696	0.0945	0.0325	0.0524	0.0655	0.0877
1:01	0.0337	0.0553	0.0708	0.0961	0.0331	0.0533	0.0666	0.0892
1:02	0.0343	0.0563	0.0720	0.0977	0.0336	0.0542	0.0678	0.0908
1:03	0.0349	0.0572	0.0732	0.0994	0.0342	0.0551	0.0689	0.0923
1:04	0.0355	0.0581	0.0744	0.1010	0.0347	0.0560	0.0701	0.0938
1:05	0.0360	0.0591	0.0756	0.1026	0.0353	0.0569	0.0712	0.0953
1:06	0.0366	0.0600	0.0768	0.1043	0.0359	0.0578	0.0723	0.0969
1:07	0.0372	0.0610	0.0780	0.1059	0.0364	0.0587	0.0735	0.0984
1:08	0.0378	0.0619	0.0792	0.1076	0.0370	0.0596	0.0746	0.0999
1:09	0.0384	0.0629	0.0804	0.1092	0.0376	0.0605	0.0758	0.1014
1:10	0.0389	0.0638	0.0816	0.1109	0.0382	0.0615	0.0769	0.1030
1:11	0.0395	0.0648	0.0829	0.1125	0.0387	0.0624	0.0781	0.1045
1:12	0.0401	0.0657	0.0841	0.1142	0.0393	0.0633	0.0792	0.1061
1:13	0.0407	0.0667	0.0853	0.1159	0.0399	0.0642	0.0804	0.1076
1:14	0.0413	0.0676	0.0865	0.1175	0.0404	0.0651	0.0815	0.1091
1:15	0.0418	0.0686	0.0877	0.1192	0.0410	0.0661	0.0827	0.1107
1:16	0.0424	0.0696	0.0890	0.1208	0.0416	0.0670	0.0838	0.1122
1:17	0.0430	0.0705	0.0902	0.1225	0.0421	0.0679	0.0850	0.1138
1:18	0.0436	0.0715	0.0914	0.1242	0.0427	0.0688	0.0861	0.1153

1:19	0.0442	0.0724	0.0927	0.1258	0.0433	0.0697	0.0873	0.1169
1:20	0.0448	0.0734	0.0939	0.1275	0.0439	0.0707	0.0884	0.1184
1:21	0.0454	0.0744	0.0951	0.1292	0.0444	0.0716	0.0896	0.1200
1:22	0.0460	0.0753	0.0964	0.1309	0.0450	0.0725	0.0908	0.1215
1:23	0.0465	0.0763	0.0976	0.1326	0.0456	0.0735	0.0919	0.1231
1:24	0.0471	0.0773	0.0988	0.1342	0.0462	0.0744	0.0931	0.1247
1:25	0.0477	0.0782	0.1001	0.1359	0.0468	0.0753	0.0943	0.1262
1:26	0.0483	0.0792	0.1013	0.1376	0.0473	0.0763	0.0954	0.1278
1:27	0.0489	0.0802	0.1026	0.1393	0.0479	0.0772	0.0966	0.1294
1:28	0.0495	0.0811	0.1038	0.1410	0.0485	0.0781	0.0978	0.1309
1:29	0.0501	0.0821	0.1050	0.1427	0.0491	0.0791	0.0989	0.1325
1:30	0.0507	0.0831	0.1063	0.1444	0.0497	0.0800	0.1001	0.1341
1:31	0.0513	0.0841	0.1075	0.1461	0.0502	0.0810	0.1013	0.1357
1:32	0.0519	0.0850	0.1088	0.1478	0.0508	0.0819	0.1025	0.1372
1:33	0.0525	0.0860	0.1100	0.1495	0.0514	0.0828	0.1037	0.1388
1:34	0.0531	0.0870	0.1113	0.1512	0.0520	0.0838	0.1048	0.1404
1:35	0.0537	0.0880	0.1126	0.1529	0.0526	0.0847	0.1060	0.1420
1:36	0.0543	0.0890	0.1138	0.1546	0.0532	0.0857	0.1072	0.1436
1:37	0.0549	0.0899	0.1151	0.1563	0.0538	0.0866	0.1084	0.1452
1:38	0.0555	0.0909	0.1163	0.1580	0.0543	0.0876	0.1096	0.1468
1:39	0.0561	0.0919	0.1176	0.1597	0.0549	0.0885	0.1108	0.1484
1:40	0.0567	0.0929	0.1189	0.1615	0.0555	0.0895	0.1120	0.1500
1:41	0.0573	0.0939	0.1201	0.1632	0.0561	0.0904	0.1132	0.1516
1:42	0.0579	0.0949	0.1214	0.1649	0.0567	0.0914	0.1143	0.1532
1:43	0.0585	0.0959	0.1227	0.1666	0.0573	0.0923	0.1155	0.1548
1:44	0.0591	0.0969	0.1239	0.1683	0.0579	0.0933	0.1167	0.1564
1:45	0.0597	0.0979	0.1252	0.1701	0.0585	0.0942	0.1179	0.1580
1:46	0.0603	0.0989	0.1265	0.1718	0.0591	0.0952	0.1191	0.1596
1:47	0.0609	0.0999	0.1278	0.1735	0.0597	0.0962	0.1203	0.1612
1:48	0.0615	0.1009	0.1290	0.1753	0.0603	0.0971	0.1215	0.1628
1:49	0.0621	0.1019	0.1303	0.1770	0.0609	0.0981	0.1228	0.1644
1:50	0.0627	0.1029	0.1316	0.1788	0.0615	0.0990	0.1240	0.1660
1:51	0.0634	0.1039	0.1329	0.1805	0.0621	0.1000	0.1252	0.1677
1:52	0.0640	0.1049	0.1342	0.1822	0.0627	0.1010	0.1264	0.1693
1:53	0.0646	0.1059	0.1354	0.1840	0.0633	0.1019	0.1276	0.1709
1:54	0.0652	0.1069	0.1367	0.1857	0.0639	0.1029	0.1288	0.1725
1:55	0.0658	0.1079	0.1380	0.1875	0.0645	0.1039	0.1300	0.1742
1:56	0.0664	0.1089	0.1393	0.1893	0.0651	0.1049	0.1312	0.1758
1:57	0.0670	0.1099	0.1406	0.1910	0.0657	0.1058	0.1325	0.1774
1:58	0.0677	0.1109	0.1419	0.1928	0.0663	0.1068	0.1337	0.1791
1:59	0.0683	0.1119	0.1432	0.1945	0.0669	0.1078	0.1349	0.1807

2:00	0.0689	0.1129	0.1445	0.1963	0.0675	0.1088	0.1361	0.1823
2:01	0.0695	0.1140	0.1458	0.1981	0.0681	0.1097	0.1373	0.1840
2:02	0.0701	0.1150	0.1471	0.1998	0.0687	0.1107	0.1386	0.1856
2:03	0.0708	0.1160	0.1484	0.2016	0.0693	0.1117	0.1398	0.1873
2:04	0.0714	0.1170	0.1497	0.2034	0.0699	0.1127	0.1410	0.1889
2:05	0.0720	0.1180	0.1510	0.2052	0.0706	0.1137	0.1423	0.1906
2:06	0.0726	0.1191	0.1523	0.2070	0.0712	0.1146	0.1435	0.1922
2:07	0.0732	0.1201	0.1536	0.2087	0.0718	0.1156	0.1447	0.1939
2:08	0.0739	0.1211	0.1549	0.2105	0.0724	0.1166	0.1460	0.1956
2:09	0.0745	0.1221	0.1563	0.2123	0.0730	0.1176	0.1472	0.1972
2:10	0.0751	0.1232	0.1576	0.2141	0.0736	0.1186	0.1484	0.1989
2:11	0.0758	0.1242	0.1589	0.2159	0.0742	0.1196	0.1497	0.2005
2:12	0.0764	0.1252	0.1602	0.2177	0.0748	0.1206	0.1509	0.2022
2:13	0.0770	0.1263	0.1615	0.2195	0.0755	0.1216	0.1522	0.2039
2:14	0.0776	0.1273	0.1629	0.2213	0.0761	0.1226	0.1534	0.2056
2:15	0.0783	0.1283	0.1642	0.2231	0.0767	0.1236	0.1547	0.2072
2:16	0.0789	0.1294	0.1655	0.2249	0.0773	0.1246	0.1559	0.2089
2:17	0.0795	0.1304	0.1668	0.2267	0.0779	0.1256	0.1572	0.2106
2:18	0.0802	0.1314	0.1682	0.2285	0.0786	0.1266	0.1584	0.2123
2:19	0.0808	0.1325	0.1695	0.2303	0.0792	0.1276	0.1597	0.2140
2:20	0.0814	0.1335	0.1708	0.2322	0.0798	0.1286	0.1609	0.2157
2:21	0.0821	0.1346	0.1722	0.2340	0.0804	0.1296	0.1622	0.2173
2:22	0.0827	0.1356	0.1735	0.2358	0.0810	0.1306	0.1635	0.2190
2:23	0.0834	0.1367	0.1749	0.2376	0.0817	0.1316	0.1647	0.2207
2:24	0.0840	0.1377	0.1762	0.2394	0.0823	0.1326	0.1660	0.2224
2:25	0.0846	0.1388	0.1775	0.2413	0.0829	0.1336	0.1673	0.2241
2:26	0.0853	0.1398	0.1789	0.2431	0.0836	0.1346	0.1685	0.2258
2:27	0.0859	0.1409	0.1802	0.2449	0.0842	0.1356	0.1698	0.2275
2:28	0.0866	0.1419	0.1816	0.2468	0.0848	0.1367	0.1711	0.2292
2:29	0.0872	0.1430	0.1829	0.2486	0.0855	0.1377	0.1723	0.2309
2:30	0.0879	0.1440	0.1843	0.2505	0.0861	0.1387	0.1736	0.2327
2:31	0.0885	0.1451	0.1856	0.2523	0.0867	0.1397	0.1749	0.2344
2:32	0.0892	0.1462	0.1870	0.2541	0.0874	0.1407	0.1762	0.2361
2:33	0.0898	0.1472	0.1884	0.2560	0.0880	0.1418	0.1775	0.2378
2:34	0.0905	0.1483	0.1897	0.2578	0.0886	0.1428	0.1787	0.2395
2:35	0.0911	0.1493	0.1911	0.2597	0.0893	0.1438	0.1800	0.2412
2:36	0.0918	0.1504	0.1925	0.2616	0.0899	0.1448	0.1813	0.2430
2:37	0.0924	0.1515	0.1938	0.2634	0.0905	0.1459	0.1826	0.2447
2:38	0.0931	0.1526	0.1952	0.2653	0.0912	0.1469	0.1839	0.2464
2:39	0.0937	0.1536	0.1966	0.2672	0.0918	0.1479	0.1852	0.2482
2:40	0.0944	0.1547	0.1979	0.2690	0.0925	0.1490	0.1865	0.2499

2:41	0.0950	0.1558	0.1993	0.2709	0.0931	0.1500	0.1878	0.2517
2:42	0.0957	0.1568	0.2007	0.2728	0.0937	0.1510	0.1891	0.2534
2:43	0.0963	0.1579	0.2021	0.2746	0.0944	0.1521	0.1904	0.2551
2:44	0.0970	0.1590	0.2035	0.2765	0.0950	0.1531	0.1917	0.2569
2:45	0.0977	0.1601	0.2048	0.2784	0.0957	0.1542	0.1930	0.2586
2:46	0.0983	0.1612	0.2062	0.2803	0.0963	0.1552	0.1943	0.2604
2:47	0.0990	0.1622	0.2076	0.2822	0.0970	0.1562	0.1956	0.2622
2:48	0.0996	0.1633	0.2090	0.2841	0.0976	0.1573	0.1969	0.2639
2:49	0.1003	0.1644	0.2104	0.2860	0.0983	0.1583	0.1982	0.2657
2:50	0.1010	0.1655	0.2118	0.2879	0.0989	0.1594	0.1995	0.2674
2:51	0.1016	0.1666	0.2132	0.2898	0.0996	0.1604	0.2008	0.2692
2:52	0.1023	0.1677	0.2146	0.2917	0.1002	0.1615	0.2022	0.2710
2:53	0.1030	0.1688	0.2160	0.2936	0.1009	0.1625	0.2035	0.2727
2:54	0.1036	0.1699	0.2174	0.2955	0.1015	0.1636	0.2048	0.2745
2:55	0.1043	0.1710	0.2188	0.2974	0.1022	0.1647	0.2061	0.2763
2:56	0.1050	0.1721	0.2202	0.2993	0.1029	0.1657	0.2075	0.2781
2:57	0.1056	0.1732	0.2216	0.3012	0.1035	0.1668	0.2088	0.2799
2:58	0.1063	0.1743	0.2230	0.3031	0.1042	0.1678	0.2101	0.2816
2:59	0.1070	0.1754	0.2244	0.3051	0.1048	0.1689	0.2114	0.2834
3:00	0.1077	0.1765	0.2258	0.3070	0.1055	0.1700	0.2128	0.2852
3:01	0.1083	0.1776	0.2273	0.3089	0.1062	0.1710	0.2141	0.2870
3:02	0.1090	0.1787	0.2287	0.3109	0.1068	0.1721	0.2155	0.2888
3:03	0.1097	0.1798	0.2301	0.3128	0.1075	0.1732	0.2168	0.2906
3:04	0.1104	0.1809	0.2315	0.3147	0.1081	0.1742	0.2181	0.2924
3:05	0.1111	0.1820	0.2330	0.3167	0.1088	0.1753	0.2195	0.2942
3:06	0.1117	0.1832	0.2344	0.3186	0.1095	0.1764	0.2208	0.2960
3:07	0.1124	0.1843	0.2358	0.3206	0.1101	0.1775	0.2222	0.2978
3:08	0.1131	0.1854	0.2372	0.3225	0.1108	0.1785	0.2235	0.2996
3:09	0.1138	0.1865	0.2387	0.3245	0.1115	0.1796	0.2249	0.3015
3:10	0.1145	0.1876	0.2401	0.3264	0.1122	0.1807	0.2262	0.3033
3:11	0.1151	0.1888	0.2416	0.3284	0.1128	0.1818	0.2276	0.3051
3:12	0.1158	0.1899	0.2430	0.3303	0.1135	0.1829	0.2289	0.3069
3:13	0.1165	0.1910	0.2444	0.3323	0.1142	0.1840	0.2303	0.3088
3:14	0.1172	0.1922	0.2459	0.3343	0.1148	0.1850	0.2317	0.3106
3:15	0.1179	0.1933	0.2473	0.3363	0.1155	0.1861	0.2330	0.3124
3:16	0.1186	0.1944	0.2488	0.3382	0.1162	0.1872	0.2344	0.3143
3:17	0.1193	0.1955	0.2502	0.3402	0.1169	0.1883	0.2358	0.3161
3:18	0.1200	0.1967	0.2517	0.3422	0.1176	0.1894	0.2371	0.3179
3:19	0.1207	0.1978	0.2531	0.3442	0.1182	0.1905	0.2385	0.3198
3:20	0.1214	0.1990	0.2546	0.3462	0.1189	0.1916	0.2399	0.3216
3:21	0.1221	0.2001	0.2561	0.3481	0.1196	0.1927	0.2413	0.3235

3:22	0.1228	0.2012	0.2575	0.3501	0.1203	0.1938	0.2427	0.3253
3:23	0.1235	0.2024	0.2590	0.3521	0.1210	0.1949	0.2440	0.3272
3:24	0.1242	0.2035	0.2605	0.3541	0.1216	0.1960	0.2454	0.3291
3:25	0.1249	0.2047	0.2619	0.3561	0.1223	0.1971	0.2468	0.3309
3:26	0.1256	0.2058	0.2634	0.3581	0.1230	0.1982	0.2482	0.3328
3:27	0.1263	0.2070	0.2649	0.3602	0.1237	0.1993	0.2496	0.3347
3:28	0.1270	0.2081	0.2664	0.3622	0.1244	0.2005	0.2510	0.3365
3:29	0.1277	0.2093	0.2678	0.3642	0.1251	0.2016	0.2524	0.3384
3:30	0.1284	0.2105	0.2693	0.3662	0.1258	0.2027	0.2538	0.3403
3:31	0.1291	0.2116	0.2708	0.3682	0.1265	0.2038	0.2552	0.3422
3:32	0.1298	0.2128	0.2723	0.3703	0.1272	0.2049	0.2566	0.3440
3:33	0.1305	0.2139	0.2738	0.3723	0.1279	0.2060	0.2580	0.3459
3:34	0.1312	0.2151	0.2753	0.3743	0.1286	0.2072	0.2594	0.3478
3:35	0.1319	0.2163	0.2768	0.3764	0.1293	0.2083	0.2608	0.3497
3:36	0.1326	0.2175	0.2783	0.3784	0.1300	0.2094	0.2622	0.3516
3:37	0.1333	0.2186	0.2798	0.3804	0.1307	0.2105	0.2636	0.3535
3:38	0.1341	0.2198	0.2813	0.3825	0.1314	0.2117	0.2650	0.3554
3:39	0.1348	0.2210	0.2828	0.3845	0.1321	0.2128	0.2665	0.3573
3:40	0.1355	0.2221	0.2843	0.3866	0.1328	0.2139	0.2679	0.3592
3:41	0.1362	0.2233	0.2858	0.3886	0.1335	0.2151	0.2693	0.3611
3:42	0.1369	0.2245	0.2873	0.3907	0.1342	0.2162	0.2707	0.3631
3:43	0.1377	0.2257	0.2888	0.3928	0.1349	0.2174	0.2722	0.3650
3:44	0.1384	0.2269	0.2903	0.3948	0.1356	0.2185	0.2736	0.3669
3:45	0.1391	0.2281	0.2919	0.3969	0.1363	0.2196	0.2750	0.3688
3:46	0.1398	0.2292	0.2934	0.3990	0.1370	0.2208	0.2765	0.3708
3:47	0.1406	0.2304	0.2949	0.4011	0.1377	0.2219	0.2779	0.3727
3:48	0.1413	0.2316	0.2964	0.4031	0.1384	0.2231	0.2793	0.3746
3:49	0.1420	0.2328	0.2980	0.4052	0.1391	0.2242	0.2808	0.3766
3:50	0.1427	0.2340	0.2995	0.4073	0.1399	0.2254	0.2822	0.3785
3:51	0.1435	0.2352	0.3010	0.4094	0.1406	0.2265	0.2837	0.3805
3:52	0.1442	0.2364	0.3026	0.4115	0.1413	0.2277	0.2851	0.3824
3:53	0.1449	0.2376	0.3041	0.4136	0.1420	0.2289	0.2866	0.3844
3:54	0.1457	0.2388	0.3056	0.4157	0.1427	0.2300	0.2880	0.3863
3:55	0.1464	0.2400	0.3072	0.4178	0.1435	0.2312	0.2895	0.3883
3:56	0.1471	0.2412	0.3087	0.4199	0.1442	0.2323	0.2909	0.3902
3:57	0.1479	0.2424	0.3103	0.4220	0.1449	0.2335	0.2924	0.3922
3:58	0.1486	0.2437	0.3118	0.4241	0.1456	0.2347	0.2939	0.3942
3:59	0.1494	0.2449	0.3134	0.4263	0.1463	0.2358	0.2953	0.3962
4:00	0.1501	0.2461	0.3150	0.4284	0.1471	0.2370	0.2968	0.3981
4:01	0.1508	0.2473	0.3165	0.4305	0.1478	0.2382	0.2983	0.4001
4:02	0.1516	0.2485	0.3181	0.4326	0.1485	0.2394	0.2997	0.4021

4:03	0.1523	0.2497	0.3196	0.4348	0.1493	0.2405	0.3012	0.4041
4:04	0.1531	0.2510	0.3212	0.4369	0.1500	0.2417	0.3027	0.4061
4:05	0.1538	0.2522	0.3228	0.4390	0.1507	0.2429	0.3042	0.4081
4:06	0.1546	0.2534	0.3244	0.4412	0.1515	0.2441	0.3057	0.4101
4:07	0.1553	0.2547	0.3259	0.4433	0.1522	0.2453	0.3071	0.4121
4:08	0.1561	0.2559	0.3275	0.4455	0.1529	0.2465	0.3086	0.4141
4:09	0.1568	0.2571	0.3291	0.4477	0.1537	0.2477	0.3101	0.4161
4:10	0.1576	0.2584	0.3307	0.4498	0.1544	0.2488	0.3116	0.4181
4:11	0.1583	0.2596	0.3323	0.4520	0.1552	0.2500	0.3131	0.4201
4:12	0.1591	0.2608	0.3339	0.4541	0.1559	0.2512	0.3146	0.4221
4:13	0.1599	0.2621	0.3355	0.4563	0.1566	0.2524	0.3161	0.4241
4:14	0.1606	0.2633	0.3371	0.4585	0.1574	0.2536	0.3176	0.4262
4:15	0.1614	0.2646	0.3387	0.4607	0.1581	0.2548	0.3191	0.4282
4:16	0.1621	0.2658	0.3403	0.4629	0.1589	0.2560	0.3207	0.4302
4:17	0.1629	0.2671	0.3419	0.4650	0.1596	0.2573	0.3222	0.4323
4:18	0.1637	0.2683	0.3435	0.4672	0.1604	0.2585	0.3237	0.4343
4:19	0.1644	0.2696	0.3451	0.4694	0.1611	0.2597	0.3252	0.4363
4:20	0.1652	0.2709	0.3467	0.4716	0.1619	0.2609	0.3267	0.4384
4:21	0.1660	0.2721	0.3483	0.4738	0.1626	0.2621	0.3282	0.4404
4:22	0.1668	0.2734	0.3499	0.4760	0.1634	0.2633	0.3298	0.4425
4:23	0.1675	0.2747	0.3515	0.4783	0.1641	0.2645	0.3313	0.4445
4:24	0.1683	0.2759	0.3532	0.4805	0.1649	0.2658	0.3328	0.4466
4:25	0.1691	0.2772	0.3548	0.4827	0.1657	0.2670	0.3344	0.4487
4:26	0.1698	0.2785	0.3564	0.4849	0.1664	0.2682	0.3359	0.4507
4:27	0.1706	0.2797	0.3581	0.4871	0.1672	0.2694	0.3375	0.4528
4:28	0.1714	0.2810	0.3597	0.4894	0.1679	0.2707	0.3390	0.4549
4:29	0.1722	0.2823	0.3613	0.4916	0.1687	0.2719	0.3405	0.4570
4:30	0.1730	0.2836	0.3630	0.4939	0.1695	0.2731	0.3421	0.4591
4:31	0.1737	0.2849	0.3646	0.4961	0.1702	0.2744	0.3436	0.4611
4:32	0.1745	0.2862	0.3663	0.4983	0.1710	0.2756	0.3452	0.4632
4:33	0.1753	0.2874	0.3679	0.5006	0.1718	0.2769	0.3468	0.4653
4:34	0.1761	0.2887	0.3696	0.5029	0.1726	0.2781	0.3483	0.4674
4:35	0.1769	0.2900	0.3712	0.5051	0.1733	0.2794	0.3499	0.4695
4:36	0.1777	0.2913	0.3729	0.5074	0.1741	0.2806	0.3515	0.4716
4:37	0.1785	0.2926	0.3746	0.5097	0.1749	0.2819	0.3530	0.4738
4:38	0.1793	0.2939	0.3762	0.5119	0.1757	0.2831	0.3546	0.4759
4:39	0.1801	0.2952	0.3779	0.5142	0.1764	0.2844	0.3562	0.4780
4:40	0.1809	0.2965	0.3796	0.5165	0.1772	0.2856	0.3578	0.4801
4:41	0.1817	0.2978	0.3812	0.5188	0.1780	0.2869	0.3593	0.4822
4:42	0.1825	0.2992	0.3829	0.5211	0.1788	0.2881	0.3609	0.4844
4:43	0.1833	0.3005	0.3846	0.5234	0.1796	0.2894	0.3625	0.4865

4:44	0.1841	0.3018	0.3863	0.5257	0.1803	0.2907	0.3641	0.4887
4:45	0.1849	0.3031	0.3880	0.5280	0.1811	0.2920	0.3657	0.4908
4:46	0.1857	0.3044	0.3897	0.5303	0.1819	0.2932	0.3673	0.4929
4:47	0.1865	0.3057	0.3914	0.5326	0.1827	0.2945	0.3689	0.4951
4:48	0.1873	0.3071	0.3931	0.5349	0.1835	0.2958	0.3705	0.4973
4:49	0.1881	0.3084	0.3948	0.5372	0.1843	0.2971	0.3721	0.4994
4:50	0.1889	0.3097	0.3965	0.5396	0.1851	0.2983	0.3737	0.5016
4:51	0.1897	0.3111	0.3982	0.5419	0.1859	0.2996	0.3753	0.5038
4:52	0.1905	0.3124	0.3999	0.5442	0.1867	0.3009	0.3769	0.5059
4:53	0.1913	0.3137	0.4016	0.5466	0.1875	0.3022	0.3785	0.5081
4:54	0.1922	0.3151	0.4033	0.5489	0.1883	0.3035	0.3802	0.5103
4:55	0.1930	0.3164	0.4050	0.5512	0.1891	0.3048	0.3818	0.5125
4:56	0.1938	0.3178	0.4068	0.5536	0.1899	0.3061	0.3834	0.5147
4:57	0.1946	0.3191	0.4085	0.5560	0.1907	0.3074	0.3850	0.5169
4:58	0.1954	0.3205	0.4102	0.5583	0.1915	0.3087	0.3867	0.5191
4:59	0.1963	0.3218	0.4120	0.5607	0.1923	0.3100	0.3883	0.5213
5:00	0.1971	0.3232	0.4137	0.5631	0.1931	0.3113	0.3900	0.5235
5:01	0.1979	0.3245	0.4154	0.5654	0.1939	0.3126	0.3916	0.5257
5:02	0.1988	0.3259	0.4172	0.5678	0.1947	0.3139	0.3932	0.5279
5:03	0.1996	0.3273	0.4189	0.5702	0.1956	0.3152	0.3949	0.5301
5:04	0.2004	0.3286	0.4207	0.5726	0.1964	0.3165	0.3965	0.5323
5:05	0.2013	0.3300	0.4224	0.5750	0.1972	0.3179	0.3982	0.5346
5:06	0.2021	0.3314	0.4242	0.5774	0.1980	0.3192	0.3999	0.5368
5:07	0.2029	0.3328	0.4260	0.5798	0.1988	0.3205	0.4015	0.5390
5:08	0.2038	0.3341	0.4277	0.5822	0.1997	0.3218	0.4032	0.5413
5:09	0.2046	0.3355	0.4295	0.5846	0.2005	0.3232	0.4049	0.5435
5:10	0.2055	0.3369	0.4313	0.5870	0.2013	0.3245	0.4065	0.5458
5:11	0.2063	0.3383	0.4330	0.5895	0.2021	0.3258	0.4082	0.5480
5:12	0.2071	0.3397	0.4348	0.5919	0.2030	0.3272	0.4099	0.5503
5:13	0.2080	0.3411	0.4366	0.5943	0.2038	0.3285	0.4116	0.5526
5:14	0.2088	0.3425	0.4384	0.5968	0.2046	0.3299	0.4133	0.5548
5:15	0.2097	0.3439	0.4402	0.5992	0.2055	0.3312	0.4150	0.5571
5:16	0.2105	0.3453	0.4420	0.6016	0.2063	0.3326	0.4166	0.5594
5:17	0.2114	0.3467	0.4438	0.6041	0.2071	0.3339	0.4183	0.5617
5:18	0.2123	0.3481	0.4456	0.6066	0.2080	0.3353	0.4200	0.5640
5:19	0.2131	0.3495	0.4474	0.6090	0.2088	0.3366	0.4217	0.5663
5:20	0.2140	0.3509	0.4492	0.6115	0.2097	0.3380	0.4235	0.5686
5:21	0.2148	0.3523	0.4510	0.6140	0.2105	0.3393	0.4252	0.5709
5:22	0.2157	0.3537	0.4528	0.6164	0.2114	0.3407	0.4269	0.5732
5:23	0.2166	0.3551	0.4546	0.6189	0.2122	0.3421	0.4286	0.5755
5:24	0.2174	0.3566	0.4565	0.6214	0.2131	0.3435	0.4303	0.5778

5:25	0.2183	0.3580	0.4583	0.6239	0.2139	0.3448	0.4320	0.5801
5:26	0.2192	0.3594	0.4601	0.6264	0.2148	0.3462	0.4338	0.5825
5:27	0.2201	0.3608	0.4619	0.6289	0.2156	0.3476	0.4355	0.5848
5:28	0.2209	0.3623	0.4638	0.6314	0.2165	0.3490	0.4372	0.5871
5:29	0.2218	0.3637	0.4656	0.6339	0.2173	0.3504	0.4390	0.5895
5:30	0.2227	0.3652	0.4675	0.6365	0.2182	0.3517	0.4407	0.5918
5:31	0.2236	0.3666	0.4693	0.6390	0.2191	0.3531	0.4425	0.5942
5:32	0.2244	0.3680	0.4712	0.6415	0.2199	0.3545	0.4442	0.5965
5:33	0.2253	0.3695	0.4730	0.6441	0.2208	0.3559	0.4460	0.5989
5:34	0.2262	0.3709	0.4749	0.6466	0.2217	0.3573	0.4477	0.6013
5:35	0.2271	0.3724	0.4768	0.6492	0.2225	0.3587	0.4495	0.6036
5:36	0.2280	0.3739	0.4786	0.6517	0.2234	0.3601	0.4513	0.6060
5:37	0.2289	0.3753	0.4805	0.6543	0.2243	0.3615	0.4530	0.6084
5:38	0.2298	0.3768	0.4824	0.6568	0.2251	0.3630	0.4548	0.6108
5:39	0.2307	0.3783	0.4843	0.6594	0.2260	0.3644	0.4566	0.6132
5:40	0.2316	0.3797	0.4862	0.6620	0.2269	0.3658	0.4584	0.6156
5:41	0.2325	0.3812	0.4880	0.6646	0.2278	0.3672	0.4601	0.6180
5:42	0.2334	0.3827	0.4899	0.6672	0.2287	0.3686	0.4619	0.6204
5:43	0.2343	0.3842	0.4918	0.6697	0.2295	0.3701	0.4637	0.6228
5:44	0.2352	0.3856	0.4937	0.6723	0.2304	0.3715	0.4655	0.6252
5:45	0.2361	0.3871	0.4956	0.6749	0.2313	0.3729	0.4673	0.6277
5:46	0.2370	0.3886	0.4976	0.6776	0.2322	0.3744	0.4691	0.6301
5:47	0.2379	0.3901	0.4995	0.6802	0.2331	0.3758	0.4709	0.6325
5:48	0.2388	0.3916	0.5014	0.6828	0.2340	0.3772	0.4727	0.6350
5:49	0.2397	0.3931	0.5033	0.6854	0.2349	0.3787	0.4746	0.6374
5:50	0.2406	0.3946	0.5052	0.6881	0.2358	0.3801	0.4764	0.6399
5:51	0.2416	0.3961	0.5072	0.6907	0.2367	0.3816	0.4782	0.6423
5:52	0.2425	0.3976	0.5091	0.6933	0.2376	0.3831	0.4800	0.6448
5:53	0.2434	0.3991	0.5110	0.6960	0.2385	0.3845	0.4819	0.6473
5:54	0.2443	0.4007	0.5130	0.6987	0.2394	0.3860	0.4837	0.6497
5:55	0.2452	0.4022	0.5149	0.7013	0.2403	0.3874	0.4855	0.6522
5:56	0.2462	0.4037	0.5169	0.7040	0.2412	0.3889	0.4874	0.6547
5:57	0.2471	0.4052	0.5188	0.7067	0.2421	0.3904	0.4892	0.6572
5:58	0.2480	0.4068	0.5208	0.7093	0.2430	0.3919	0.4911	0.6597
5:59	0.2490	0.4083	0.5228	0.7120	0.2440	0.3933	0.4929	0.6622
6:00	0.2499	0.4098	0.5247	0.7147	0.2449	0.3948	0.4948	0.6647
6:01	0.2509	0.4116	0.5271	0.7181	0.2459	0.3965	0.4970	0.6679
6:02	0.2519	0.4133	0.5294	0.7216	0.2469	0.3982	0.4992	0.6711
6:03	0.2529	0.4151	0.5317	0.7250	0.2479	0.3999	0.5015	0.6744
6:04	0.2540	0.4168	0.5340	0.7284	0.2488	0.4016	0.5037	0.6776
6:05	0.2550	0.4186	0.5363	0.7319	0.2498	0.4033	0.5059	0.6808

6:06	0.2560	0.4204	0.5387	0.7353	0.2508	0.4050	0.5082	0.6841
6:07	0.2570	0.4221	0.5410	0.7388	0.2518	0.4067	0.5104	0.6873
6:08	0.2580	0.4239	0.5433	0.7422	0.2528	0.4084	0.5127	0.6906
6:09	0.2591	0.4257	0.5457	0.7457	0.2539	0.4101	0.5149	0.6939
6:10	0.2601	0.4275	0.5480	0.7492	0.2549	0.4118	0.5172	0.6971
6:11	0.2611	0.4292	0.5504	0.7527	0.2559	0.4135	0.5195	0.7004
6:12	0.2622	0.4310	0.5528	0.7562	0.2569	0.4152	0.5217	0.7037
6:13	0.2632	0.4328	0.5551	0.7597	0.2579	0.4169	0.5240	0.7070
6:14	0.2642	0.4346	0.5575	0.7632	0.2589	0.4187	0.5263	0.7103
6:15	0.2653	0.4364	0.5599	0.7667	0.2599	0.4204	0.5286	0.7136
6:16	0.2663	0.4382	0.5623	0.7702	0.2610	0.4221	0.5309	0.7170
6:17	0.2674	0.4400	0.5647	0.7737	0.2620	0.4239	0.5332	0.7203
6:18	0.2684	0.4418	0.5671	0.7773	0.2630	0.4256	0.5355	0.7236
6:19	0.2695	0.4437	0.5695	0.7808	0.2640	0.4274	0.5378	0.7270
6:20	0.2705	0.4455	0.5719	0.7844	0.2651	0.4291	0.5401	0.7303
6:21	0.2716	0.4473	0.5743	0.7880	0.2661	0.4309	0.5424	0.7337
6:22	0.2726	0.4491	0.5767	0.7915	0.2671	0.4326	0.5448	0.7370
6:23	0.2737	0.4510	0.5791	0.7951	0.2682	0.4344	0.5471	0.7404
6:24	0.2748	0.4528	0.5815	0.7987	0.2692	0.4362	0.5494	0.7438
6:25	0.2758	0.4546	0.5840	0.8023	0.2703	0.4379	0.5518	0.7472
6:26	0.2769	0.4565	0.5864	0.8059	0.2713	0.4397	0.5541	0.7506
6:27	0.2780	0.4583	0.5889	0.8095	0.2724	0.4415	0.5565	0.7540
6:28	0.2790	0.4602	0.5913	0.8132	0.2734	0.4433	0.5588	0.7574
6:29	0.2801	0.4621	0.5938	0.8168	0.2745	0.4451	0.5612	0.7608
6:30	0.2812	0.4639	0.5962	0.8204	0.2755	0.4469	0.5636	0.7643
6:31	0.2823	0.4658	0.5987	0.8241	0.2766	0.4487	0.5660	0.7677
6:32	0.2834	0.4677	0.6012	0.8278	0.2776	0.4505	0.5683	0.7712
6:33	0.2845	0.4695	0.6037	0.8314	0.2787	0.4523	0.5707	0.7746
6:34	0.2855	0.4714	0.6062	0.8351	0.2798	0.4541	0.5731	0.7781
6:35	0.2866	0.4733	0.6087	0.8388	0.2808	0.4559	0.5755	0.7816
6:36	0.2877	0.4752	0.6112	0.8425	0.2819	0.4577	0.5779	0.7850
6:37	0.2888	0.4771	0.6137	0.8462	0.2830	0.4595	0.5803	0.7885
6:38	0.2899	0.4790	0.6162	0.8499	0.2841	0.4614	0.5828	0.7920
6:39	0.2910	0.4809	0.6187	0.8536	0.2851	0.4632	0.5852	0.7955
6:40	0.2921	0.4828	0.6212	0.8574	0.2862	0.4650	0.5876	0.7991
6:41	0.2933	0.4847	0.6237	0.8611	0.2873	0.4669	0.5900	0.8026
6:42	0.2944	0.4866	0.6263	0.8648	0.2884	0.4687	0.5925	0.8061
6:43	0.2955	0.4886	0.6288	0.8686	0.2895	0.4706	0.5949	0.8097
6:44	0.2966	0.4905	0.6314	0.8724	0.2906	0.4724	0.5974	0.8132
6:45	0.2977	0.4924	0.6339	0.8762	0.2917	0.4743	0.5998	0.8168
6:46	0.2988	0.4944	0.6365	0.8799	0.2928	0.4762	0.6023	0.8203

6:47	0.3000	0.4963	0.6391	0.8837	0.2939	0.4780	0.6048	0.8239
6:48	0.3011	0.4983	0.6416	0.8876	0.2950	0.4799	0.6073	0.8275
6:49	0.3022	0.5002	0.6442	0.8914	0.2961	0.4818	0.6097	0.8311
6:50	0.3034	0.5022	0.6468	0.8952	0.2972	0.4837	0.6122	0.8347
6:51	0.3045	0.5041	0.6494	0.8990	0.2983	0.4856	0.6147	0.8383
6:52	0.3056	0.5061	0.6520	0.9029	0.2994	0.4875	0.6172	0.8419
6:53	0.3068	0.5081	0.6546	0.9067	0.3005	0.4894	0.6197	0.8456
6:54	0.3079	0.5100	0.6572	0.9106	0.3017	0.4913	0.6223	0.8492
6:55	0.3091	0.5120	0.6599	0.9145	0.3028	0.4932	0.6248	0.8529
6:56	0.3102	0.5140	0.6625	0.9183	0.3039	0.4951	0.6273	0.8565
6:57	0.3114	0.5160	0.6651	0.9222	0.3050	0.4970	0.6299	0.8602
6:58	0.3125	0.5180	0.6678	0.9261	0.3062	0.4989	0.6324	0.8639
6:59	0.3137	0.5200	0.6704	0.9300	0.3073	0.5009	0.6349	0.8676
7:00	0.3149	0.5220	0.6731	0.9340	0.3085	0.5028	0.6375	0.8713
7:01	0.3160	0.5240	0.6757	0.9379	0.3096	0.5047	0.6401	0.8750
7:02	0.3172	0.5261	0.6784	0.9419	0.3107	0.5067	0.6426	0.8787
7:03	0.3184	0.5281	0.6811	0.9458	0.3119	0.5086	0.6452	0.8824
7:04	0.3196	0.5301	0.6838	0.9498	0.3130	0.5106	0.6478	0.8862
7:05	0.3207	0.5322	0.6865	0.9538	0.3142	0.5125	0.6504	0.8899
7:06	0.3219	0.5342	0.6892	0.9578	0.3154	0.5145	0.6530	0.8937
7:07	0.3231	0.5362	0.6919	0.9618	0.3165	0.5165	0.6556	0.8974
7:08	0.3243	0.5383	0.6946	0.9658	0.3177	0.5185	0.6582	0.9012
7:09	0.3255	0.5404	0.6973	0.9698	0.3189	0.5204	0.6608	0.9050
7:10	0.3267	0.5424	0.7000	0.9738	0.3200	0.5224	0.6634	0.9088
7:11	0.3279	0.5445	0.7028	0.9779	0.3212	0.5244	0.6661	0.9126
7:12	0.3291	0.5466	0.7055	0.9819	0.3224	0.5264	0.6687	0.9164
7:13	0.3303	0.5486	0.7083	0.9860	0.3236	0.5284	0.6714	0.9203
7:14	0.3315	0.5507	0.7110	0.9900	0.3247	0.5304	0.6740	0.9241
7:15	0.3327	0.5528	0.7138	0.9941	0.3259	0.5324	0.6767	0.9280
7:16	0.3339	0.5549	0.7166	0.9982	0.3271	0.5345	0.6793	0.9318
7:17	0.3352	0.5570	0.7193	1.0023	0.3283	0.5365	0.6820	0.9357
7:18	0.3364	0.5591	0.7221	1.0065	0.3295	0.5385	0.6847	0.9396
7:19	0.3376	0.5613	0.7249	1.0106	0.3307	0.5406	0.6874	0.9435
7:20	0.3388	0.5634	0.7277	1.0147	0.3319	0.5426	0.6901	0.9474
7:21	0.3401	0.5655	0.7305	1.0189	0.3331	0.5446	0.6928	0.9513
7:22	0.3413	0.5676	0.7334	1.0230	0.3343	0.5467	0.6955	0.9552
7:23	0.3425	0.5698	0.7362	1.0272	0.3355	0.5488	0.6982	0.9592
7:24	0.3438	0.5719	0.7390	1.0314	0.3368	0.5508	0.7010	0.9631
7:25	0.3450	0.5741	0.7419	1.0356	0.3380	0.5529	0.7037	0.9671
7:26	0.3463	0.5762	0.7447	1.0398	0.3392	0.5550	0.7065	0.9710
7:27	0.3475	0.5784	0.7476	1.0441	0.3404	0.5571	0.7092	0.9750

7:28	0.3488	0.5806	0.7505	1.0483	0.3417	0.5591	0.7120	0.9790
7:29	0.3501	0.5828	0.7533	1.0525	0.3429	0.5612	0.7147	0.9830
7:30	0.3513	0.5849	0.7562	1.0568	0.3441	0.5633	0.7175	0.9870
7:31	0.3526	0.5871	0.7591	1.0611	0.3454	0.5655	0.7203	0.9911
7:32	0.3539	0.5893	0.7620	1.0654	0.3466	0.5676	0.7231	0.9951
7:33	0.3552	0.5915	0.7649	1.0697	0.3479	0.5697	0.7259	0.9992
7:34	0.3564	0.5937	0.7678	1.0740	0.3491	0.5718	0.7287	1.0032
7:35	0.3577	0.5960	0.7708	1.0783	0.3504	0.5740	0.7315	1.0073
7:36	0.3590	0.5982	0.7737	1.0826	0.3517	0.5761	0.7344	1.0114
7:37	0.3603	0.6004	0.7767	1.0870	0.3529	0.5782	0.7372	1.0155
7:38	0.3616	0.6026	0.7796	1.0913	0.3542	0.5804	0.7400	1.0196
7:39	0.3629	0.6049	0.7826	1.0957	0.3555	0.5826	0.7429	1.0237
7:40	0.3642	0.6071	0.7855	1.1001	0.3567	0.5847	0.7457	1.0279
7:41	0.3655	0.6094	0.7885	1.1045	0.3580	0.5869	0.7486	1.0320
7:42	0.3668	0.6117	0.7915	1.1089	0.3593	0.5891	0.7515	1.0362
7:43	0.3682	0.6139	0.7945	1.1134	0.3606	0.5913	0.7544	1.0404
7:44	0.3695	0.6162	0.7975	1.1178	0.3619	0.5935	0.7573	1.0446
7:45	0.3708	0.6185	0.8005	1.1223	0.3632	0.5957	0.7602	1.0488
7:46	0.3721	0.6208	0.8036	1.1267	0.3645	0.5979	0.7631	1.0530
7:47	0.3735	0.6231	0.8066	1.1312	0.3658	0.6001	0.7660	1.0572
7:48	0.3748	0.6254	0.8097	1.1357	0.3671	0.6023	0.7690	1.0615
7:49	0.3761	0.6277	0.8127	1.1402	0.3684	0.6045	0.7719	1.0657
7:50	0.3775	0.6300	0.8158	1.1448	0.3697	0.6068	0.7748	1.0700
7:51	0.3788	0.6323	0.8189	1.1493	0.3711	0.6090	0.7778	1.0743
7:52	0.3802	0.6347	0.8220	1.1538	0.3724	0.6113	0.7808	1.0786
7:53	0.3816	0.6370	0.8251	1.1584	0.3737	0.6135	0.7838	1.0829
7:54	0.3829	0.6394	0.8282	1.1630	0.3751	0.6158	0.7867	1.0872
7:55	0.3843	0.6417	0.8313	1.1676	0.3764	0.6180	0.7897	1.0915
7:56	0.3857	0.6441	0.8344	1.1722	0.3777	0.6203	0.7928	1.0959
7:57	0.3870	0.6465	0.8375	1.1768	0.3791	0.6226	0.7958	1.1003
7:58	0.3884	0.6489	0.8407	1.1815	0.3804	0.6249	0.7988	1.1046
7:59	0.3898	0.6512	0.8438	1.1861	0.3818	0.6272	0.8018	1.1090
8:00	0.3912	0.6536	0.8470	1.1908	0.3832	0.6295	0.8049	1.1134
8:01	0.3926	0.6560	0.8502	1.1955	0.3845	0.6318	0.8080	1.1179
8:02	0.3940	0.6585	0.8534	1.2002	0.3859	0.6342	0.8110	1.1223
8:03	0.3954	0.6609	0.8566	1.2049	0.3873	0.6365	0.8141	1.1267
8:04	0.3968	0.6633	0.8598	1.2096	0.3887	0.6388	0.8172	1.1312
8:05	0.3982	0.6657	0.8630	1.2144	0.3901	0.6412	0.8203	1.1357
8:06	0.3997	0.6682	0.8662	1.2192	0.3914	0.6435	0.8234	1.1402
8:07	0.4011	0.6706	0.8695	1.2239	0.3928	0.6459	0.8265	1.1447
8:08	0.4025	0.6731	0.8727	1.2287	0.3942	0.6483	0.8297	1.1492

8:09	0.4039	0.6756	0.8760	1.2336	0.3956	0.6506	0.8328	1.1538
8:10	0.4054	0.6781	0.8792	1.2384	0.3970	0.6530	0.8359	1.1583
8:11	0.4068	0.6805	0.8825	1.2432	0.3985	0.6554	0.8391	1.1629
8:12	0.4083	0.6830	0.8858	1.2481	0.3999	0.6578	0.8423	1.1675
8:13	0.4097	0.6855	0.8891	1.2530	0.4013	0.6602	0.8455	1.1721
8:14	0.4112	0.6881	0.8924	1.2579	0.4027	0.6627	0.8487	1.1767
8:15	0.4127	0.6906	0.8958	1.2628	0.4042	0.6651	0.8519	1.1814
8:16	0.4141	0.6931	0.8991	1.2677	0.4056	0.6675	0.8551	1.1860
8:17	0.4156	0.6956	0.9025	1.2727	0.4070	0.6700	0.8583	1.1907
8:18	0.4171	0.6982	0.9058	1.2776	0.4085	0.6724	0.8616	1.1954
8:19	0.4186	0.7008	0.9092	1.2826	0.4099	0.6749	0.8648	1.2001
8:20	0.4201	0.7033	0.9126	1.2876	0.4114	0.6774	0.8681	1.2048
8:21	0.4216	0.7059	0.9160	1.2926	0.4129	0.6799	0.8713	1.2095
8:22	0.4231	0.7085	0.9194	1.2977	0.4143	0.6823	0.8746	1.2143
8:23	0.4246	0.7111	0.9228	1.3027	0.4158	0.6848	0.8779	1.2191
8:24	0.4261	0.7137	0.9263	1.3078	0.4173	0.6874	0.8812	1.2238
8:25	0.4276	0.7163	0.9297	1.3129	0.4188	0.6899	0.8846	1.2287
8:26	0.4291	0.7189	0.9332	1.3180	0.4203	0.6924	0.8879	1.2335
8:27	0.4307	0.7216	0.9367	1.3231	0.4218	0.6949	0.8913	1.2383
8:28	0.4322	0.7242	0.9402	1.3283	0.4233	0.6975	0.8946	1.2432
8:29	0.4337	0.7268	0.9437	1.3335	0.4248	0.7001	0.8980	1.2481
8:30	0.4353	0.7295	0.9472	1.3386	0.4263	0.7026	0.9014	1.2530
8:31	0.4368	0.7322	0.9507	1.3439	0.4278	0.7052	0.9048	1.2579
8:32	0.4384	0.7349	0.9543	1.3491	0.4294	0.7078	0.9082	1.2628
8:33	0.4400	0.7375	0.9578	1.3543	0.4309	0.7104	0.9116	1.2677
8:34	0.4415	0.7402	0.9614	1.3596	0.4324	0.7130	0.9150	1.2727
8:35	0.4431	0.7430	0.9650	1.3649	0.4340	0.7156	0.9185	1.2777
8:36	0.4447	0.7457	0.9686	1.3702	0.4355	0.7182	0.9220	1.2827
8:37	0.4463	0.7484	0.9722	1.3755	0.4371	0.7209	0.9254	1.2877
8:38	0.4479	0.7512	0.9758	1.3809	0.4386	0.7235	0.9289	1.2928
8:39	0.4495	0.7539	0.9794	1.3863	0.4402	0.7262	0.9324	1.2979
8:40	0.4511	0.7567	0.9831	1.3916	0.4418	0.7289	0.9359	1.3030
8:41	0.4527	0.7595	0.9868	1.3971	0.4434	0.7315	0.9395	1.3081
8:42	0.4543	0.7623	0.9904	1.4025	0.4450	0.7342	0.9430	1.3132
8:43	0.4560	0.7651	0.9941	1.4079	0.4465	0.7369	0.9466	1.3183
8:44	0.4576	0.7679	0.9978	1.4134	0.4481	0.7396	0.9502	1.3235
8:45	0.4592	0.7707	1.0016	1.4189	0.4498	0.7424	0.9537	1.3287
8:46	0.4609	0.7735	1.0053	1.4244	0.4514	0.7451	0.9573	1.3339
8:47	0.4626	0.7764	1.0091	1.4300	0.4530	0.7478	0.9610	1.3391
8:48	0.4642	0.7792	1.0128	1.4355	0.4546	0.7506	0.9646	1.3444
8:49	0.4659	0.7821	1.0166	1.4411	0.4562	0.7534	0.9682	1.3497

8:50	0.4676	0.7850	1.0204	1.4467	0.4579	0.7561	0.9719	1.3550
8:51	0.4692	0.7879	1.0243	1.4524	0.4595	0.7589	0.9756	1.3603
8:52	0.4709	0.7908	1.0281	1.4580	0.4612	0.7617	0.9793	1.3656
8:53	0.4726	0.7937	1.0319	1.4637	0.4629	0.7645	0.9830	1.3710
8:54	0.4743	0.7966	1.0358	1.4694	0.4645	0.7674	0.9867	1.3764
8:55	0.4761	0.7996	1.0397	1.4751	0.4662	0.7702	0.9904	1.3818
8:56	0.4778	0.8025	1.0436	1.4809	0.4679	0.7730	0.9942	1.3872
8:57	0.4795	0.8055	1.0475	1.4867	0.4696	0.7759	0.9980	1.3927
8:58	0.4812	0.8085	1.0514	1.4925	0.4713	0.7788	1.0018	1.3981
8:59	0.4830	0.8115	1.0554	1.4983	0.4730	0.7817	1.0056	1.4036
9:00	0.4847	0.8145	1.0594	1.5041	0.4747	0.7846	1.0094	1.4092
9:01	0.4868	0.8183	1.0648	1.5130	0.4767	0.7883	1.0146	1.4174
9:02	0.4888	0.8221	1.0703	1.5219	0.4787	0.7920	1.0198	1.4257
9:03	0.4909	0.8260	1.0758	1.5309	0.4807	0.7958	1.0250	1.4340
9:04	0.4930	0.8299	1.0813	1.5398	0.4827	0.7996	1.0302	1.4424
9:05	0.4950	0.8337	1.0868	1.5488	0.4848	0.8034	1.0354	1.4508
9:06	0.4971	0.8376	1.0924	1.5579	0.4868	0.8072	1.0407	1.4592
9:07	0.4992	0.8416	1.0979	1.5670	0.4889	0.8110	1.0460	1.4677
9:08	0.5013	0.8455	1.1035	1.5761	0.4909	0.8149	1.0513	1.4762
9:09	0.5034	0.8494	1.1092	1.5852	0.4930	0.8187	1.0567	1.4847
9:10	0.5055	0.8534	1.1148	1.5944	0.4951	0.8226	1.0620	1.4932
9:11	0.5077	0.8574	1.1205	1.6036	0.4972	0.8265	1.0674	1.5018
9:12	0.5098	0.8614	1.1262	1.6129	0.4993	0.8304	1.0728	1.5105
9:13	0.5120	0.8654	1.1319	1.6222	0.5014	0.8343	1.0783	1.5191
9:14	0.5141	0.8694	1.1376	1.6315	0.5035	0.8383	1.0837	1.5278
9:15	0.5163	0.8735	1.1434	1.6409	0.5056	0.8422	1.0892	1.5365
9:16	0.5185	0.8776	1.1492	1.6503	0.5078	0.8462	1.0947	1.5453
9:17	0.5207	0.8817	1.1550	1.6597	0.5099	0.8502	1.1002	1.5541
9:18	0.5229	0.8858	1.1608	1.6692	0.5121	0.8542	1.1058	1.5630
9:19	0.5251	0.8899	1.1667	1.6788	0.5142	0.8582	1.1113	1.5718
9:20	0.5273	0.8940	1.1726	1.6883	0.5164	0.8623	1.1169	1.5808
9:21	0.5295	0.8982	1.1785	1.6979	0.5186	0.8664	1.1226	1.5897
9:22	0.5318	0.9024	1.1845	1.7076	0.5208	0.8705	1.1282	1.5987
9:23	0.5340	0.9066	1.1904	1.7173	0.5230	0.8746	1.1339	1.6078
9:24	0.5363	0.9108	1.1964	1.7270	0.5252	0.8787	1.1396	1.6168
9:25	0.5386	0.9151	1.2025	1.7368	0.5275	0.8828	1.1453	1.6259
9:26	0.5409	0.9193	1.2085	1.7466	0.5297	0.8870	1.1511	1.6351
9:27	0.5432	0.9236	1.2146	1.7565	0.5320	0.8912	1.1569	1.6443
9:28	0.5455	0.9279	1.2207	1.7664	0.5342	0.8954	1.1627	1.6535
9:29	0.5478	0.9322	1.2269	1.7763	0.5365	0.8996	1.1685	1.6628
9:30	0.5501	0.9366	1.2330	1.7863	0.5388	0.9039	1.1744	1.6721

9:31	0.5525	0.9409	1.2392	1.7963	0.5411	0.9082	1.1803	1.6815
9:32	0.5549	0.9453	1.2455	1.8064	0.5434	0.9125	1.1862	1.6909
9:33	0.5572	0.9497	1.2517	1.8166	0.5457	0.9168	1.1921	1.7003
9:34	0.5596	0.9542	1.2580	1.8267	0.5480	0.9211	1.1981	1.7098
9:35	0.5620	0.9586	1.2643	1.8369	0.5504	0.9254	1.2041	1.7194
9:36	0.5644	0.9631	1.2707	1.8472	0.5527	0.9298	1.2102	1.7289
9:37	0.5668	0.9676	1.2771	1.8575	0.5551	0.9342	1.2162	1.7386
9:38	0.5693	0.9721	1.2835	1.8679	0.5575	0.9386	1.2223	1.7482
9:39	0.5717	0.9767	1.2899	1.8783	0.5599	0.9431	1.2285	1.7580
9:40	0.5742	0.9813	1.2964	1.8888	0.5623	0.9476	1.2346	1.7677
9:41	0.5767	0.9859	1.3029	1.8993	0.5647	0.9520	1.2408	1.7776
9:42	0.5792	0.9905	1.3095	1.9098	0.5672	0.9566	1.2470	1.7874
9:43	0.5817	0.9951	1.3160	1.9205	0.5696	0.9611	1.2533	1.7973
9:44	0.5842	0.9998	1.3227	1.9311	0.5721	0.9657	1.2596	1.8073
9:45	0.5867	1.0045	1.3293	1.9419	0.5746	0.9702	1.2659	1.8173
9:46	0.5893	1.0092	1.3360	1.9526	0.5770	0.9749	1.2722	1.8274
9:47	0.5918	1.0140	1.3427	1.9635	0.5796	0.9795	1.2786	1.8375
9:48	0.5944	1.0187	1.3495	1.9743	0.5821	0.9842	1.2851	1.8476
9:49	0.5970	1.0235	1.3562	1.9853	0.5846	0.9888	1.2915	1.8579
9:50	0.5996	1.0284	1.3631	1.9963	0.5872	0.9936	1.2980	1.8681
9:51	0.6022	1.0332	1.3699	2.0073	0.5897	0.9983	1.3045	1.8785
9:52	0.6049	1.0381	1.3768	2.0184	0.5923	1.0031	1.3111	1.8888
9:53	0.6075	1.0430	1.3838	2.0296	0.5949	1.0079	1.3177	1.8993
9:54	0.6102	1.0479	1.3908	2.0408	0.5975	1.0127	1.3243	1.9098
9:55	0.6129	1.0529	1.3978	2.0521	0.6002	1.0176	1.3310	1.9203
9:56	0.6156	1.0579	1.4048	2.0635	0.6028	1.0224	1.3377	1.9309
9:57	0.6183	1.0629	1.4119	2.0749	0.6055	1.0273	1.3445	1.9416
9:58	0.6210	1.0680	1.4191	2.0864	0.6081	1.0323	1.3513	1.9523
9:59	0.6238	1.0731	1.4263	2.0979	0.6108	1.0373	1.3581	1.9631
10:00	0.6266	1.0782	1.4335	2.1095	0.6135	1.0423	1.3650	1.9740
10:01	0.6293	1.0834	1.4407	2.1212	0.6163	1.0473	1.3719	1.9849
10:02	0.6322	1.0885	1.4481	2.1329	0.6190	1.0523	1.3789	1.9958
10:03	0.6350	1.0938	1.4554	2.1447	0.6218	1.0574	1.3859	2.0069
10:04	0.6378	1.0990	1.4628	2.1566	0.6246	1.0626	1.3929	2.0180
10:05	0.6407	1.1043	1.4703	2.1685	0.6274	1.0677	1.4000	2.0292
10:06	0.6436	1.1096	1.4778	2.1805	0.6302	1.0729	1.4071	2.0404
10:07	0.6465	1.1149	1.4853	2.1926	0.6330	1.0781	1.4143	2.0517
10:08	0.6494	1.1203	1.4929	2.2048	0.6359	1.0834	1.4215	2.0631
10:09	0.6523	1.1257	1.5005	2.2170	0.6388	1.0887	1.4288	2.0745
10:10	0.6553	1.1312	1.5082	2.2293	0.6417	1.0940	1.4361	2.0860
10:11	0.6583	1.1367	1.5159	2.2416	0.6446	1.0994	1.4435	2.0976

10:12	0.6613	1.1422	1.5237	2.2541	0.6475	1.1048	1.4509	2.1092
10:13	0.6643	1.1478	1.5315	2.2666	0.6505	1.1102	1.4584	2.1210
10:14	0.6673	1.1534	1.5394	2.2792	0.6535	1.1157	1.4659	2.1328
10:15	0.6704	1.1590	1.5474	2.2919	0.6565	1.1212	1.4734	2.1446
10:16	0.6735	1.1647	1.5554	2.3047	0.6595	1.1268	1.4810	2.1566
10:17	0.6766	1.1704	1.5634	2.3175	0.6625	1.1324	1.4887	2.1686
10:18	0.6797	1.1762	1.5715	2.3305	0.6656	1.1380	1.4964	2.1807
10:19	0.6829	1.1820	1.5797	2.3435	0.6687	1.1437	1.5042	2.1929
10:20	0.6861	1.1878	1.5879	2.3566	0.6718	1.1494	1.5120	2.2052
10:21	0.6893	1.1937	1.5962	2.3698	0.6750	1.1551	1.5199	2.2176
10:22	0.6925	1.1997	1.6045	2.3831	0.6781	1.1609	1.5278	2.2300
10:23	0.6958	1.2057	1.6129	2.3965	0.6813	1.1668	1.5358	2.2426
10:24	0.6991	1.2117	1.6214	2.4100	0.6845	1.1727	1.5439	2.2552
10:25	0.7024	1.2178	1.6299	2.4235	0.6878	1.1786	1.5520	2.2679
10:26	0.7057	1.2239	1.6385	2.4372	0.6910	1.1846	1.5602	2.2807
10:27	0.7091	1.2300	1.6471	2.4509	0.6943	1.1906	1.5684	2.2936
10:28	0.7125	1.2363	1.6558	2.4648	0.6977	1.1967	1.5768	2.3066
10:29	0.7159	1.2425	1.6646	2.4788	0.7010	1.2028	1.5851	2.3197
10:30	0.7193	1.2489	1.6735	2.4928	0.7044	1.2089	1.5936	2.3329
10:31	0.7234	1.2565	1.6844	2.5114	0.7081	1.2164	1.6042	2.3502
10:32	0.7275	1.2641	1.6953	2.5300	0.7119	1.2239	1.6149	2.3676
10:33	0.7316	1.2718	1.7064	2.5488	0.7158	1.2315	1.6256	2.3851
10:34	0.7358	1.2796	1.7175	2.5677	0.7196	1.2391	1.6365	2.4027
10:35	0.7400	1.2875	1.7288	2.5867	0.7235	1.2468	1.6474	2.4205
10:36	0.7442	1.2954	1.7401	2.6059	0.7274	1.2546	1.6584	2.4383
10:37	0.7485	1.3033	1.7515	2.6251	0.7314	1.2624	1.6695	2.4563
10:38	0.7528	1.3114	1.7630	2.6445	0.7354	1.2703	1.6807	2.4745
10:39	0.7571	1.3195	1.7746	2.6641	0.7394	1.2783	1.6919	2.4927
10:40	0.7615	1.3277	1.7862	2.6838	0.7435	1.2863	1.7033	2.5111
10:41	0.7659	1.3359	1.7980	2.7036	0.7476	1.2944	1.7147	2.5296
10:42	0.7704	1.3442	1.8099	2.7236	0.7517	1.3025	1.7263	2.5483
10:43	0.7749	1.3526	1.8218	2.7437	0.7559	1.3108	1.7379	2.5671
10:44	0.7795	1.3611	1.8339	2.7640	0.7601	1.3191	1.7497	2.5861
10:45	0.7841	1.3696	1.8460	2.7844	0.7644	1.3274	1.7615	2.6052
10:46	0.7887	1.3782	1.8583	2.8050	0.7687	1.3359	1.7734	2.6244
10:47	0.7934	1.3869	1.8707	2.8257	0.7730	1.3444	1.7855	2.6438
10:48	0.7981	1.3957	1.8832	2.8466	0.7774	1.3530	1.7976	2.6634
10:49	0.8029	1.4046	1.8958	2.8677	0.7819	1.3617	1.8099	2.6831
10:50	0.8077	1.4135	1.9085	2.8889	0.7863	1.3705	1.8223	2.7030
10:51	0.8126	1.4226	1.9213	2.9103	0.7909	1.3794	1.8347	2.7230
10:52	0.8175	1.4317	1.9343	2.9319	0.7955	1.3883	1.8473	2.7433

<u>10:53</u>	<u>0.8225</u>	<u>1.4409</u>	<u>1.9474</u>	<u>2.9537</u>	<u>0.8001</u>	<u>1.3974</u>	<u>1.8601</u>	<u>2.7637</u>
<u>10:54</u>	<u>0.8275</u>	<u>1.4502</u>	<u>1.9606</u>	<u>2.9757</u>	<u>0.8048</u>	<u>1.4065</u>	<u>1.8729</u>	<u>2.7842</u>
<u>10:55</u>	<u>0.8326</u>	<u>1.4596</u>	<u>1.9739</u>	<u>2.9978</u>	<u>0.8095</u>	<u>1.4157</u>	<u>1.8859</u>	<u>2.8050</u>
<u>10:56</u>	<u>0.8378</u>	<u>1.4691</u>	<u>1.9874</u>	<u>3.0202</u>	<u>0.8143</u>	<u>1.4250</u>	<u>1.8990</u>	<u>2.8259</u>
<u>10:57</u>	<u>0.8430</u>	<u>1.4787</u>	<u>2.0010</u>	<u>3.0427</u>	<u>0.8192</u>	<u>1.4345</u>	<u>1.9122</u>	<u>2.8471</u>
<u>10:58</u>	<u>0.8483</u>	<u>1.4885</u>	<u>2.0147</u>	<u>3.0655</u>	<u>0.8241</u>	<u>1.4440</u>	<u>1.9256</u>	<u>2.8684</u>
<u>10:59</u>	<u>0.8536</u>	<u>1.4983</u>	<u>2.0286</u>	<u>3.0884</u>	<u>0.8290</u>	<u>1.4536</u>	<u>1.9391</u>	<u>2.8900</u>
<u>11:00</u>	<u>0.8590</u>	<u>1.5082</u>	<u>2.0426</u>	<u>3.1116</u>	<u>0.8341</u>	<u>1.4634</u>	<u>1.9527</u>	<u>2.9117</u>
<u>11:01</u>	<u>0.8651</u>	<u>1.5195</u>	<u>2.0585</u>	<u>3.1369</u>	<u>0.8401</u>	<u>1.4744</u>	<u>1.9679</u>	<u>2.9355</u>
<u>11:02</u>	<u>0.8714</u>	<u>1.5309</u>	<u>2.0745</u>	<u>3.1625</u>	<u>0.8461</u>	<u>1.4855</u>	<u>1.9831</u>	<u>2.9596</u>
<u>11:03</u>	<u>0.8777</u>	<u>1.5424</u>	<u>2.0906</u>	<u>3.1883</u>	<u>0.8523</u>	<u>1.4968</u>	<u>1.9986</u>	<u>2.9838</u>
<u>11:04</u>	<u>0.8840</u>	<u>1.5541</u>	<u>2.1070</u>	<u>3.2144</u>	<u>0.8585</u>	<u>1.5081</u>	<u>2.0142</u>	<u>3.0083</u>
<u>11:05</u>	<u>0.8905</u>	<u>1.5659</u>	<u>2.1235</u>	<u>3.2407</u>	<u>0.8648</u>	<u>1.5197</u>	<u>2.0299</u>	<u>3.0331</u>
<u>11:06</u>	<u>0.8970</u>	<u>1.5778</u>	<u>2.1402</u>	<u>3.2673</u>	<u>0.8712</u>	<u>1.5313</u>	<u>2.0459</u>	<u>3.0580</u>
<u>11:07</u>	<u>0.9037</u>	<u>1.5899</u>	<u>2.1571</u>	<u>3.2941</u>	<u>0.8777</u>	<u>1.5431</u>	<u>2.0620</u>	<u>3.0833</u>
<u>11:08</u>	<u>0.9104</u>	<u>1.6021</u>	<u>2.1742</u>	<u>3.3212</u>	<u>0.8843</u>	<u>1.5550</u>	<u>2.0783</u>	<u>3.1088</u>
<u>11:09</u>	<u>0.9172</u>	<u>1.6145</u>	<u>2.1914</u>	<u>3.3486</u>	<u>0.8909</u>	<u>1.5671</u>	<u>2.0948</u>	<u>3.1346</u>
<u>11:10</u>	<u>0.9241</u>	<u>1.6271</u>	<u>2.2089</u>	<u>3.3763</u>	<u>0.8977</u>	<u>1.5794</u>	<u>2.1115</u>	<u>3.1607</u>
<u>11:11</u>	<u>0.9311</u>	<u>1.6398</u>	<u>2.2266</u>	<u>3.4042</u>	<u>0.9045</u>	<u>1.5918</u>	<u>2.1284</u>	<u>3.1870</u>
<u>11:12</u>	<u>0.9381</u>	<u>1.6526</u>	<u>2.2446</u>	<u>3.4325</u>	<u>0.9114</u>	<u>1.6043</u>	<u>2.1456</u>	<u>3.2137</u>
<u>11:13</u>	<u>0.9453</u>	<u>1.6657</u>	<u>2.2627</u>	<u>3.4611</u>	<u>0.9184</u>	<u>1.6170</u>	<u>2.1629</u>	<u>3.2406</u>
<u>11:14</u>	<u>0.9526</u>	<u>1.6789</u>	<u>2.2811</u>	<u>3.4900</u>	<u>0.9256</u>	<u>1.6299</u>	<u>2.1805</u>	<u>3.2679</u>
<u>11:15</u>	<u>0.9600</u>	<u>1.6923</u>	<u>2.2997</u>	<u>3.5193</u>	<u>0.9328</u>	<u>1.6430</u>	<u>2.1983</u>	<u>3.2955</u>
<u>11:16</u>	<u>0.9676</u>	<u>1.7059</u>	<u>2.3186</u>	<u>3.5489</u>	<u>0.9402</u>	<u>1.6563</u>	<u>2.2163</u>	<u>3.3235</u>
<u>11:17</u>	<u>0.9752</u>	<u>1.7197</u>	<u>2.3377</u>	<u>3.5789</u>	<u>0.9477</u>	<u>1.6698</u>	<u>2.2346</u>	<u>3.3518</u>
<u>11:18</u>	<u>0.9830</u>	<u>1.7337</u>	<u>2.3571</u>	<u>3.6092</u>	<u>0.9553</u>	<u>1.6834</u>	<u>2.2532</u>	<u>3.3804</u>
<u>11:19</u>	<u>0.9909</u>	<u>1.7479</u>	<u>2.3768</u>	<u>3.6400</u>	<u>0.9630</u>	<u>1.6973</u>	<u>2.2720</u>	<u>3.4095</u>
<u>11:20</u>	<u>0.9989</u>	<u>1.7624</u>	<u>2.3968</u>	<u>3.6711</u>	<u>0.9708</u>	<u>1.7114</u>	<u>2.2911</u>	<u>3.4389</u>
<u>11:21</u>	<u>1.0071</u>	<u>1.7771</u>	<u>2.4170</u>	<u>3.7027</u>	<u>0.9788</u>	<u>1.7257</u>	<u>2.3105</u>	<u>3.4688</u>
<u>11:22</u>	<u>1.0154</u>	<u>1.7920</u>	<u>2.4376</u>	<u>3.7347</u>	<u>0.9870</u>	<u>1.7403</u>	<u>2.3302</u>	<u>3.4991</u>
<u>11:23</u>	<u>1.0238</u>	<u>1.8072</u>	<u>2.4585</u>	<u>3.7671</u>	<u>0.9953</u>	<u>1.7551</u>	<u>2.3503</u>	<u>3.5298</u>
<u>11:24</u>	<u>1.0325</u>	<u>1.8226</u>	<u>2.4798</u>	<u>3.8000</u>	<u>1.0037</u>	<u>1.7702</u>	<u>2.3706</u>	<u>3.5610</u>
<u>11:25</u>	<u>1.0413</u>	<u>1.8383</u>	<u>2.5014</u>	<u>3.8334</u>	<u>1.0123</u>	<u>1.7855</u>	<u>2.3913</u>	<u>3.5926</u>
<u>11:26</u>	<u>1.0502</u>	<u>1.8544</u>	<u>2.5234</u>	<u>3.8674</u>	<u>1.0211</u>	<u>1.8012</u>	<u>2.4124</u>	<u>3.6248</u>
<u>11:27</u>	<u>1.0594</u>	<u>1.8707</u>	<u>2.5458</u>	<u>3.9018</u>	<u>1.0301</u>	<u>1.8171</u>	<u>2.4339</u>	<u>3.6575</u>
<u>11:28</u>	<u>1.0687</u>	<u>1.8873</u>	<u>2.5686</u>	<u>3.9369</u>	<u>1.0392</u>	<u>1.8333</u>	<u>2.4557</u>	<u>3.6907</u>
<u>11:29</u>	<u>1.0783</u>	<u>1.9043</u>	<u>2.5918</u>	<u>3.9725</u>	<u>1.0486</u>	<u>1.8499</u>	<u>2.4780</u>	<u>3.7245</u>
<u>11:30</u>	<u>1.0881</u>	<u>1.9216</u>	<u>2.6155</u>	<u>4.0087</u>	<u>1.0581</u>	<u>1.8668</u>	<u>2.5007</u>	<u>3.7589</u>
<u>11:31</u>	<u>1.1007</u>	<u>1.9412</u>	<u>2.6394</u>	<u>4.0401</u>	<u>1.0706</u>	<u>1.8856</u>	<u>2.5241</u>	<u>3.7897</u>
<u>11:32</u>	<u>1.1136</u>	<u>1.9612</u>	<u>2.6639</u>	<u>4.0722</u>	<u>1.0834</u>	<u>1.9049</u>	<u>2.5479</u>	<u>3.8212</u>
<u>11:33</u>	<u>1.1268</u>	<u>1.9816</u>	<u>2.6888</u>	<u>4.1049</u>	<u>1.0964</u>	<u>1.9245</u>	<u>2.5723</u>	<u>3.8534</u>

11:34	1.1403	2.0024	2.7143	4.1384	1.1098	1.9446	2.5972	3.8862
11:35	1.1541	2.0238	2.7405	4.1727	1.1234	1.9652	2.6227	3.9199
11:36	1.1682	2.0456	2.7672	4.2078	1.1374	1.9863	2.6488	3.9544
11:37	1.1828	2.0681	2.7946	4.2438	1.1518	2.0079	2.6756	3.9897
11:38	1.1977	2.0911	2.8228	4.2808	1.1665	2.0301	2.7031	4.0260
11:39	1.2130	2.1148	2.8518	4.3187	1.1817	2.0529	2.7314	4.0633
11:40	1.2288	2.1391	2.8816	4.3578	1.1973	2.0764	2.7605	4.1017
11:41	1.2450	2.1642	2.9123	4.3981	1.2133	2.1006	2.7905	4.1412
11:42	1.2618	2.1901	2.9439	4.4396	1.2299	2.1256	2.8214	4.1820
11:43	1.2792	2.2169	2.9767	4.4826	1.2471	2.1514	2.8534	4.2242
11:44	1.2972	2.2447	3.0107	4.5271	1.2649	2.1782	2.8866	4.2680
11:45	1.3159	2.2735	3.0459	4.5733	1.2834	2.2061	2.9210	4.3133
11:46	1.3412	2.3127	3.0939	4.6363	1.3084	2.2438	2.9678	4.3752
11:47	1.3674	2.3533	3.1435	4.7015	1.3344	2.2828	3.0163	4.4392
11:48	1.3947	2.3955	3.1950	4.7691	1.3613	2.3234	3.0666	4.5056
11:49	1.4230	2.4393	3.2486	4.8395	1.3893	2.3656	3.1189	4.5746
11:50	1.4527	2.4851	3.3046	4.9129	1.4186	2.4098	3.1736	4.6468
11:51	1.4838	2.5331	3.3634	4.9899	1.4494	2.4561	3.2309	4.7224
11:52	1.5166	2.5837	3.4253	5.0711	1.4819	2.5050	3.2914	4.8021
11:53	1.5515	2.6374	3.4910	5.1571	1.5164	2.5569	3.3556	4.8867
11:54	1.5934	2.7006	3.5684	5.2566	1.5583	2.6193	3.4314	4.9854
11:55	1.6383	2.7684	3.6514	5.3633	1.6032	2.6862	3.5127	5.0913
11:56	1.6956	2.8549	3.7574	5.4994	1.6607	2.7718	3.6166	5.2264
11:57	1.7576	2.9486	3.8721	5.6468	1.7227	2.8643	3.7290	5.3727
11:58	1.8264	3.0524	3.9993	5.8107	1.7913	2.9666	3.8535	5.5350
11:59	1.9324	3.2124	4.1953	6.0667	1.8953	3.1226	4.0455	5.7870
12:00	2.0384	3.3724	4.3913	6.3227	1.9993	3.2786	4.2375	6.0390
12:01	2.1444	3.5324	4.5873	6.5787	2.1033	3.4346	4.4295	6.2910
12:02	2.2504	3.6924	4.7833	6.8347	2.2073	3.5906	4.6215	6.5430
12:03	2.3564	3.8524	4.9793	7.0907	2.3113	3.7466	4.8135	6.7950
12:04	2.4215	3.9505	5.0995	7.2454	2.3763	3.8435	4.9313	6.9485
12:05	2.4810	4.0404	5.2096	7.3867	2.4359	3.9323	5.0391	7.0888
12:06	2.5277	4.1108	5.2959	7.4978	2.4825	4.0018	5.1237	7.1990
12:07	2.5709	4.1762	5.3760	7.6007	2.5258	4.0664	5.2021	7.3010
12:08	2.6115	4.2374	5.4510	7.6971	2.5664	4.1269	5.2756	7.3967
12:09	2.6453	4.2895	5.5147	7.7806	2.5999	4.1772	5.3379	7.4787
12:10	2.6773	4.3388	5.5750	7.8596	2.6315	4.2248	5.3967	7.5563
12:11	2.7076	4.3857	5.6323	7.9348	2.6615	4.2700	5.4527	7.6302
12:12	2.7366	4.4304	5.6871	8.0066	2.6902	4.3131	5.5062	7.7007
12:13	2.7644	4.4734	5.7396	8.0756	2.7176	4.3545	5.5574	7.7684
12:14	2.7911	4.5147	5.7901	8.1419	2.7440	4.3943	5.6068	7.8336

12:15	2.8169	4.5546	5.8389	8.2060	2.7695	4.4327	5.6544	7.8964
12:16	2.8359	4.5840	5.8749	8.2531	2.7884	4.4610	5.6895	7.9427
12:17	2.8543	4.6123	5.9094	8.2985	2.8065	4.4883	5.7233	7.9873
12:18	2.8719	4.6395	5.9428	8.3422	2.8240	4.5146	5.7559	8.0302
12:19	2.8890	4.6659	5.9750	8.3844	2.8409	4.5400	5.7873	8.0717
12:20	2.9055	4.6914	6.0062	8.4253	2.8572	4.5646	5.8178	8.1119
12:21	2.9215	4.7161	6.0364	8.4650	2.8730	4.5885	5.8473	8.1508
12:22	2.9371	4.7401	6.0658	8.5035	2.8884	4.6116	5.8760	8.1886
12:23	2.9522	4.7635	6.0944	8.5409	2.9034	4.6341	5.9039	8.2254
12:24	2.9669	4.7862	6.1221	8.5774	2.9179	4.6560	5.9310	8.2612
12:25	2.9812	4.8083	6.1492	8.6129	2.9321	4.6774	5.9574	8.2961
12:26	2.9952	4.8299	6.1757	8.6476	2.9459	4.6982	5.9832	8.3302
12:27	3.0089	4.8511	6.2015	8.6815	2.9594	4.7185	6.0084	8.3635
12:28	3.0222	4.8717	6.2267	8.7146	2.9726	4.7384	6.0331	8.3960
12:29	3.0353	4.8919	6.2514	8.7470	2.9855	4.7578	6.0572	8.4278
12:30	3.0480	4.9116	6.2755	8.7788	2.9981	4.7768	6.0808	8.4589
12:31	3.0579	4.9291	6.2995	8.8153	3.0078	4.7939	6.1037	8.4936
12:32	3.0676	4.9463	6.3229	8.8512	3.0172	4.8107	6.1262	8.5278
12:33	3.0770	4.9631	6.3460	8.8866	3.0265	4.8271	6.1483	8.5613
12:34	3.0863	4.9796	6.3685	8.9213	3.0356	4.8431	6.1699	8.5942
12:35	3.0953	4.9958	6.3907	8.9555	3.0444	4.8589	6.1912	8.6267
12:36	3.1042	5.0116	6.4125	8.9892	3.0531	4.8744	6.2121	8.6586
12:37	3.1129	5.0272	6.4340	9.0223	3.0616	4.8896	6.2326	8.6900
12:38	3.1215	5.0425	6.4551	9.0550	3.0700	4.9045	6.2528	8.7209
12:39	3.1299	5.0576	6.4758	9.0872	3.0782	4.9192	6.2727	8.7514
12:40	3.1381	5.0724	6.4963	9.1190	3.0863	4.9337	6.2922	8.7815
12:41	3.1462	5.0869	6.5164	9.1504	3.0942	4.9479	6.3115	8.8111
12:42	3.1542	5.1013	6.5362	9.1813	3.1020	4.9619	6.3305	8.8403
12:43	3.1620	5.1154	6.5558	9.2118	3.1096	4.9756	6.3491	8.8692
12:44	3.1697	5.1293	6.5750	9.2420	3.1172	4.9892	6.3676	8.8977
12:45	3.1773	5.1430	6.5940	9.2718	3.1246	5.0026	6.3857	8.9258
12:46	3.1847	5.1565	6.6128	9.3012	3.1319	5.0158	6.4037	8.9536
12:47	3.1921	5.1698	6.6313	9.3303	3.1391	5.0288	6.4214	8.9810
12:48	3.1993	5.1829	6.6495	9.3591	3.1462	5.0416	6.4388	9.0082
12:49	3.2065	5.1959	6.6676	9.3875	3.1532	5.0542	6.4560	9.0350
12:50	3.2135	5.2086	6.6854	9.4156	3.1600	5.0667	6.4731	9.0615
12:51	3.2204	5.2213	6.7030	9.4435	3.1668	5.0790	6.4899	9.0877
12:52	3.2273	5.2337	6.7203	9.4710	3.1735	5.0912	6.5065	9.1136
12:53	3.2340	5.2460	6.7375	9.4982	3.1801	5.1032	6.5229	9.1393
12:54	3.2407	5.2582	6.7545	9.5252	3.1866	5.1150	6.5391	9.1646
12:55	3.2473	5.2702	6.7713	9.5519	3.1931	5.1268	6.5551	9.1898

<u>12:56</u>	<u>3.2538</u>	<u>5.2821</u>	<u>6.7879</u>	<u>9.5783</u>	<u>3.1994</u>	<u>5.1383</u>	<u>6.5710</u>	<u>9.2146</u>
<u>12:57</u>	<u>3.2602</u>	<u>5.2938</u>	<u>6.8043</u>	<u>9.6045</u>	<u>3.2057</u>	<u>5.1498</u>	<u>6.5867</u>	<u>9.2392</u>
<u>12:58</u>	<u>3.2665</u>	<u>5.3054</u>	<u>6.8206</u>	<u>9.6305</u>	<u>3.2119</u>	<u>5.1611</u>	<u>6.6022</u>	<u>9.2636</u>
<u>12:59</u>	<u>3.2728</u>	<u>5.3169</u>	<u>6.8367</u>	<u>9.6562</u>	<u>3.2180</u>	<u>5.1723</u>	<u>6.6176</u>	<u>9.2878</u>
<u>13:00</u>	<u>3.2790</u>	<u>5.3282</u>	<u>6.8526</u>	<u>9.6816</u>	<u>3.2240</u>	<u>5.1834</u>	<u>6.6327</u>	<u>9.3117</u>
<u>13:01</u>	<u>3.2844</u>	<u>5.3382</u>	<u>6.8667</u>	<u>9.7049</u>	<u>3.2291</u>	<u>5.1932</u>	<u>6.6465</u>	<u>9.3336</u>
<u>13:02</u>	<u>3.2898</u>	<u>5.3481</u>	<u>6.8807</u>	<u>9.7280</u>	<u>3.2341</u>	<u>5.2029</u>	<u>6.6601</u>	<u>9.3552</u>
<u>13:03</u>	<u>3.2951</u>	<u>5.3578</u>	<u>6.8945</u>	<u>9.7508</u>	<u>3.2390</u>	<u>5.2124</u>	<u>6.6735</u>	<u>9.3766</u>
<u>13:04</u>	<u>3.3003</u>	<u>5.3675</u>	<u>6.9082</u>	<u>9.7735</u>	<u>3.2439</u>	<u>5.2219</u>	<u>6.6868</u>	<u>9.3979</u>
<u>13:05</u>	<u>3.3055</u>	<u>5.3771</u>	<u>6.9217</u>	<u>9.7959</u>	<u>3.2487</u>	<u>5.2313</u>	<u>6.7000</u>	<u>9.4189</u>
<u>13:06</u>	<u>3.3106</u>	<u>5.3865</u>	<u>6.9351</u>	<u>9.8182</u>	<u>3.2535</u>	<u>5.2406</u>	<u>6.7130</u>	<u>9.4398</u>
<u>13:07</u>	<u>3.3157</u>	<u>5.3959</u>	<u>6.9484</u>	<u>9.8402</u>	<u>3.2582</u>	<u>5.2497</u>	<u>6.7259</u>	<u>9.4604</u>
<u>13:08</u>	<u>3.3207</u>	<u>5.4051</u>	<u>6.9615</u>	<u>9.8621</u>	<u>3.2629</u>	<u>5.2588</u>	<u>6.7387</u>	<u>9.4809</u>
<u>13:09</u>	<u>3.3257</u>	<u>5.4143</u>	<u>6.9745</u>	<u>9.8838</u>	<u>3.2675</u>	<u>5.2678</u>	<u>6.7514</u>	<u>9.5012</u>
<u>13:10</u>	<u>3.3306</u>	<u>5.4234</u>	<u>6.9874</u>	<u>9.9053</u>	<u>3.2721</u>	<u>5.2767</u>	<u>6.7639</u>	<u>9.5214</u>
<u>13:11</u>	<u>3.3354</u>	<u>5.4324</u>	<u>7.0002</u>	<u>9.9266</u>	<u>3.2766</u>	<u>5.2856</u>	<u>6.7763</u>	<u>9.5414</u>
<u>13:12</u>	<u>3.3402</u>	<u>5.4413</u>	<u>7.0128</u>	<u>9.9478</u>	<u>3.2810</u>	<u>5.2943</u>	<u>6.7886</u>	<u>9.5612</u>
<u>13:13</u>	<u>3.3450</u>	<u>5.4501</u>	<u>7.0254</u>	<u>9.9688</u>	<u>3.2854</u>	<u>5.3029</u>	<u>6.8009</u>	<u>9.5808</u>
<u>13:14</u>	<u>3.3497</u>	<u>5.4589</u>	<u>7.0378</u>	<u>9.9896</u>	<u>3.2898</u>	<u>5.3115</u>	<u>6.8130</u>	<u>9.6003</u>
<u>13:15</u>	<u>3.3543</u>	<u>5.4675</u>	<u>7.0501</u>	<u>10.0102</u>	<u>3.2941</u>	<u>5.3200</u>	<u>6.8249</u>	<u>9.6196</u>
<u>13:16</u>	<u>3.3589</u>	<u>5.4761</u>	<u>7.0624</u>	<u>10.0307</u>	<u>3.2984</u>	<u>5.3284</u>	<u>6.8368</u>	<u>9.6388</u>
<u>13:17</u>	<u>3.3635</u>	<u>5.4846</u>	<u>7.0745</u>	<u>10.0511</u>	<u>3.3027</u>	<u>5.3368</u>	<u>6.8486</u>	<u>9.6578</u>
<u>13:18</u>	<u>3.3680</u>	<u>5.4930</u>	<u>7.0865</u>	<u>10.0713</u>	<u>3.3069</u>	<u>5.3450</u>	<u>6.8603</u>	<u>9.6767</u>
<u>13:19</u>	<u>3.3725</u>	<u>5.5014</u>	<u>7.0984</u>	<u>10.0913</u>	<u>3.3110</u>	<u>5.3532</u>	<u>6.8719</u>	<u>9.6954</u>
<u>13:20</u>	<u>3.3770</u>	<u>5.5097</u>	<u>7.1102</u>	<u>10.1112</u>	<u>3.3151</u>	<u>5.3613</u>	<u>6.8834</u>	<u>9.7140</u>
<u>13:21</u>	<u>3.3814</u>	<u>5.5179</u>	<u>7.1219</u>	<u>10.1310</u>	<u>3.3192</u>	<u>5.3694</u>	<u>6.8948</u>	<u>9.7325</u>
<u>13:22</u>	<u>3.3857</u>	<u>5.5260</u>	<u>7.1336</u>	<u>10.1506</u>	<u>3.3233</u>	<u>5.3774</u>	<u>6.9061</u>	<u>9.7508</u>
<u>13:23</u>	<u>3.3901</u>	<u>5.5341</u>	<u>7.1451</u>	<u>10.1701</u>	<u>3.3273</u>	<u>5.3853</u>	<u>6.9173</u>	<u>9.7690</u>
<u>13:24</u>	<u>3.3944</u>	<u>5.5421</u>	<u>7.1565</u>	<u>10.1895</u>	<u>3.3313</u>	<u>5.3931</u>	<u>6.9285</u>	<u>9.7871</u>
<u>13:25</u>	<u>3.3986</u>	<u>5.5500</u>	<u>7.1679</u>	<u>10.2087</u>	<u>3.3352</u>	<u>5.4009</u>	<u>6.9395</u>	<u>9.8050</u>
<u>13:26</u>	<u>3.4028</u>	<u>5.5579</u>	<u>7.1792</u>	<u>10.2278</u>	<u>3.3391</u>	<u>5.4087</u>	<u>6.9505</u>	<u>9.8228</u>
<u>13:27</u>	<u>3.4070</u>	<u>5.5657</u>	<u>7.1904</u>	<u>10.2467</u>	<u>3.3430</u>	<u>5.4163</u>	<u>6.9614</u>	<u>9.8405</u>
<u>13:28</u>	<u>3.4111</u>	<u>5.5735</u>	<u>7.2015</u>	<u>10.2656</u>	<u>3.3468</u>	<u>5.4239</u>	<u>6.9722</u>	<u>9.8581</u>
<u>13:29</u>	<u>3.4152</u>	<u>5.5812</u>	<u>7.2125</u>	<u>10.2843</u>	<u>3.3506</u>	<u>5.4315</u>	<u>6.9829</u>	<u>9.8755</u>
<u>13:30</u>	<u>3.4193</u>	<u>5.5888</u>	<u>7.2234</u>	<u>10.3029</u>	<u>3.3544</u>	<u>5.4390</u>	<u>6.9935</u>	<u>9.8929</u>
<u>13:31</u>	<u>3.4228</u>	<u>5.5951</u>	<u>7.2323</u>	<u>10.3170</u>	<u>3.3578</u>	<u>5.4452</u>	<u>7.0020</u>	<u>9.9061</u>
<u>13:32</u>	<u>3.4262</u>	<u>5.6014</u>	<u>7.2411</u>	<u>10.3310</u>	<u>3.3611</u>	<u>5.4513</u>	<u>7.0104</u>	<u>9.9193</u>
<u>13:33</u>	<u>3.4296</u>	<u>5.6077</u>	<u>7.2499</u>	<u>10.3449</u>	<u>3.3645</u>	<u>5.4574</u>	<u>7.0188</u>	<u>9.9323</u>
<u>13:34</u>	<u>3.4330</u>	<u>5.6138</u>	<u>7.2586</u>	<u>10.3587</u>	<u>3.3678</u>	<u>5.4635</u>	<u>7.0270</u>	<u>9.9452</u>
<u>13:35</u>	<u>3.4364</u>	<u>5.6200</u>	<u>7.2672</u>	<u>10.3724</u>	<u>3.3711</u>	<u>5.4695</u>	<u>7.0352</u>	<u>9.9581</u>
<u>13:36</u>	<u>3.4397</u>	<u>5.6261</u>	<u>7.2757</u>	<u>10.3860</u>	<u>3.3743</u>	<u>5.4754</u>	<u>7.0434</u>	<u>9.9709</u>

13:37	3.4430	5.6321	7.2842	10.3995	3.3775	5.4813	7.0515	9.9835
13:38	3.4463	5.6381	7.2926	10.4130	3.3807	5.4872	7.0595	9.9961
13:39	3.4495	5.6441	7.3010	10.4263	3.3839	5.4930	7.0675	10.0086
13:40	3.4527	5.6500	7.3093	10.4395	3.3871	5.4988	7.0754	10.0210
13:41	3.4559	5.6559	7.3176	10.4527	3.3902	5.5045	7.0832	10.0333
13:42	3.4591	5.6617	7.3258	10.4657	3.3933	5.5102	7.0910	10.0456
13:43	3.4623	5.6675	7.3339	10.4787	3.3964	5.5159	7.0988	10.0577
13:44	3.4654	5.6732	7.3420	10.4916	3.3994	5.5215	7.1065	10.0698
13:45	3.4685	5.6789	7.3500	10.5044	3.4025	5.5271	7.1141	10.0818
13:46	3.4716	5.6846	7.3580	10.5172	3.4055	5.5326	7.1217	10.0937
13:47	3.4746	5.6902	7.3659	10.5298	3.4085	5.5381	7.1293	10.1055
13:48	3.4777	5.6958	7.3737	10.5424	3.4115	5.5435	7.1367	10.1173
13:49	3.4807	5.7014	7.3815	10.5549	3.4144	5.5490	7.1442	10.1290
13:50	3.4837	5.7069	7.3893	10.5673	3.4173	5.5543	7.1516	10.1406
13:51	3.4866	5.7123	7.3970	10.5796	3.4202	5.5597	7.1589	10.1522
13:52	3.4896	5.7178	7.4047	10.5919	3.4231	5.5650	7.1662	10.1636
13:53	3.4925	5.7232	7.4123	10.6041	3.4260	5.5703	7.1734	10.1750
13:54	3.4954	5.7285	7.4198	10.6162	3.4289	5.5755	7.1806	10.1864
13:55	3.4983	5.7339	7.4274	10.6282	3.4317	5.5807	7.1878	10.1976
13:56	3.5012	5.7392	7.4348	10.6402	3.4345	5.5859	7.1949	10.2088
13:57	3.5040	5.7444	7.4422	10.6521	3.4373	5.5910	7.2020	10.2200
13:58	3.5069	5.7497	7.4496	10.6639	3.4401	5.5962	7.2090	10.2310
13:59	3.5097	5.7549	7.4570	10.6757	3.4428	5.6012	7.2160	10.2420
14:00	3.5125	5.7600	7.4642	10.6874	3.4456	5.6063	7.2229	10.2530
14:01	3.5153	5.7652	7.4715	10.6990	3.4483	5.6113	7.2298	10.2638
14:02	3.5180	5.7703	7.4787	10.7106	3.4510	5.6163	7.2367	10.2747
14:03	3.5208	5.7753	7.4859	10.7221	3.4537	5.6213	7.2435	10.2854
14:04	3.5235	5.7804	7.4930	10.7335	3.4563	5.6262	7.2502	10.2961
14:05	3.5262	5.7854	7.5001	10.7449	3.4590	5.6311	7.2570	10.3068
14:06	3.5289	5.7904	7.5071	10.7562	3.4616	5.6360	7.2637	10.3173
14:07	3.5316	5.7953	7.5141	10.7675	3.4642	5.6408	7.2703	10.3279
14:08	3.5342	5.8002	7.5211	10.7787	3.4668	5.6456	7.2770	10.3383
14:09	3.5369	5.8051	7.5280	10.7898	3.4694	5.6504	7.2835	10.3487
14:10	3.5395	5.8100	7.5349	10.8009	3.4720	5.6551	7.2901	10.3591
14:11	3.5421	5.8148	7.5417	10.8119	3.4746	5.6599	7.2966	10.3694
14:12	3.5447	5.8197	7.5485	10.8229	3.4771	5.6646	7.3031	10.3796
14:13	3.5473	5.8244	7.5553	10.8338	3.4796	5.6693	7.3095	10.3898
14:14	3.5499	5.8292	7.5620	10.8447	3.4821	5.6739	7.3159	10.4000
14:15	3.5524	5.8339	7.5687	10.8555	3.4846	5.6785	7.3223	10.4101
14:16	3.5550	5.8386	7.5754	10.8662	3.4871	5.6831	7.3286	10.4201
14:17	3.5575	5.8433	7.5820	10.8769	3.4896	5.6877	7.3349	10.4301

<u>14:18</u>	<u>3.5600</u>	<u>5.8480</u>	<u>7.5886</u>	<u>10.8876</u>	<u>3.4921</u>	<u>5.6923</u>	<u>7.3412</u>	<u>10.4400</u>
<u>14:19</u>	<u>3.5625</u>	<u>5.8526</u>	<u>7.5952</u>	<u>10.8982</u>	<u>3.4945</u>	<u>5.6968</u>	<u>7.3474</u>	<u>10.4499</u>
<u>14:20</u>	<u>3.5650</u>	<u>5.8572</u>	<u>7.6017</u>	<u>10.9087</u>	<u>3.4969</u>	<u>5.7013</u>	<u>7.3537</u>	<u>10.4598</u>
<u>14:21</u>	<u>3.5674</u>	<u>5.8618</u>	<u>7.6082</u>	<u>10.9192</u>	<u>3.4994</u>	<u>5.7058</u>	<u>7.3598</u>	<u>10.4696</u>
<u>14:22</u>	<u>3.5699</u>	<u>5.8664</u>	<u>7.6147</u>	<u>10.9296</u>	<u>3.5018</u>	<u>5.7102</u>	<u>7.3660</u>	<u>10.4793</u>
<u>14:23</u>	<u>3.5723</u>	<u>5.8709</u>	<u>7.6211</u>	<u>10.9400</u>	<u>3.5041</u>	<u>5.7147</u>	<u>7.3721</u>	<u>10.4890</u>
<u>14:24</u>	<u>3.5748</u>	<u>5.8754</u>	<u>7.6275</u>	<u>10.9504</u>	<u>3.5065</u>	<u>5.7191</u>	<u>7.3782</u>	<u>10.4986</u>
<u>14:25</u>	<u>3.5772</u>	<u>5.8799</u>	<u>7.6339</u>	<u>10.9606</u>	<u>3.5089</u>	<u>5.7235</u>	<u>7.3842</u>	<u>10.5083</u>
<u>14:26</u>	<u>3.5796</u>	<u>5.8844</u>	<u>7.6402</u>	<u>10.9709</u>	<u>3.5112</u>	<u>5.7278</u>	<u>7.3902</u>	<u>10.5178</u>
<u>14:27</u>	<u>3.5820</u>	<u>5.8888</u>	<u>7.6465</u>	<u>10.9811</u>	<u>3.5136</u>	<u>5.7322</u>	<u>7.3962</u>	<u>10.5273</u>
<u>14:28</u>	<u>3.5844</u>	<u>5.8932</u>	<u>7.6528</u>	<u>10.9912</u>	<u>3.5159</u>	<u>5.7365</u>	<u>7.4022</u>	<u>10.5368</u>
<u>14:29</u>	<u>3.5867</u>	<u>5.8976</u>	<u>7.6590</u>	<u>11.0013</u>	<u>3.5182</u>	<u>5.7408</u>	<u>7.4081</u>	<u>10.5462</u>
<u>14:30</u>	<u>3.5891</u>	<u>5.9020</u>	<u>7.6652</u>	<u>11.0114</u>	<u>3.5205</u>	<u>5.7451</u>	<u>7.4140</u>	<u>10.5556</u>
<u>14:31</u>	<u>3.5914</u>	<u>5.9064</u>	<u>7.6714</u>	<u>11.0214</u>	<u>3.5228</u>	<u>5.7493</u>	<u>7.4199</u>	<u>10.5650</u>
<u>14:32</u>	<u>3.5938</u>	<u>5.9107</u>	<u>7.6776</u>	<u>11.0314</u>	<u>3.5251</u>	<u>5.7536</u>	<u>7.4258</u>	<u>10.5743</u>
<u>14:33</u>	<u>3.5961</u>	<u>5.9150</u>	<u>7.6837</u>	<u>11.0413</u>	<u>3.5274</u>	<u>5.7578</u>	<u>7.4316</u>	<u>10.5835</u>
<u>14:34</u>	<u>3.5984</u>	<u>5.9193</u>	<u>7.6898</u>	<u>11.0512</u>	<u>3.5296</u>	<u>5.7620</u>	<u>7.4374</u>	<u>10.5927</u>
<u>14:35</u>	<u>3.6007</u>	<u>5.9236</u>	<u>7.6959</u>	<u>11.0610</u>	<u>3.5319</u>	<u>5.7662</u>	<u>7.4431</u>	<u>10.6019</u>
<u>14:36</u>	<u>3.6030</u>	<u>5.9278</u>	<u>7.7019</u>	<u>11.0708</u>	<u>3.5341</u>	<u>5.7703</u>	<u>7.4489</u>	<u>10.6110</u>
<u>14:37</u>	<u>3.6052</u>	<u>5.9321</u>	<u>7.7079</u>	<u>11.0806</u>	<u>3.5363</u>	<u>5.7745</u>	<u>7.4546</u>	<u>10.6201</u>
<u>14:38</u>	<u>3.6075</u>	<u>5.9363</u>	<u>7.7139</u>	<u>11.0903</u>	<u>3.5386</u>	<u>5.7786</u>	<u>7.4603</u>	<u>10.6292</u>
<u>14:39</u>	<u>3.6097</u>	<u>5.9405</u>	<u>7.7199</u>	<u>11.0999</u>	<u>3.5408</u>	<u>5.7827</u>	<u>7.4659</u>	<u>10.6382</u>
<u>14:40</u>	<u>3.6120</u>	<u>5.9446</u>	<u>7.7258</u>	<u>11.1096</u>	<u>3.5429</u>	<u>5.7868</u>	<u>7.4716</u>	<u>10.6472</u>
<u>14:41</u>	<u>3.6142</u>	<u>5.9488</u>	<u>7.7317</u>	<u>11.1192</u>	<u>3.5451</u>	<u>5.7908</u>	<u>7.4772</u>	<u>10.6561</u>
<u>14:42</u>	<u>3.6164</u>	<u>5.9529</u>	<u>7.7376</u>	<u>11.1287</u>	<u>3.5473</u>	<u>5.7949</u>	<u>7.4828</u>	<u>10.6650</u>
<u>14:43</u>	<u>3.6186</u>	<u>5.9571</u>	<u>7.7435</u>	<u>11.1382</u>	<u>3.5495</u>	<u>5.7989</u>	<u>7.4883</u>	<u>10.6739</u>
<u>14:44</u>	<u>3.6208</u>	<u>5.9612</u>	<u>7.7493</u>	<u>11.1477</u>	<u>3.5516</u>	<u>5.8029</u>	<u>7.4939</u>	<u>10.6827</u>
<u>14:45</u>	<u>3.6230</u>	<u>5.9652</u>	<u>7.7551</u>	<u>11.1571</u>	<u>3.5537</u>	<u>5.8069</u>	<u>7.4994</u>	<u>10.6915</u>
<u>14:46</u>	<u>3.6252</u>	<u>5.9693</u>	<u>7.7609</u>	<u>11.1665</u>	<u>3.5559</u>	<u>5.8109</u>	<u>7.5049</u>	<u>10.7002</u>
<u>14:47</u>	<u>3.6274</u>	<u>5.9733</u>	<u>7.7666</u>	<u>11.1759</u>	<u>3.5580</u>	<u>5.8148</u>	<u>7.5103</u>	<u>10.7090</u>
<u>14:48</u>	<u>3.6295</u>	<u>5.9774</u>	<u>7.7724</u>	<u>11.1852</u>	<u>3.5601</u>	<u>5.8187</u>	<u>7.5158</u>	<u>10.7176</u>
<u>14:49</u>	<u>3.6317</u>	<u>5.9814</u>	<u>7.7781</u>	<u>11.1945</u>	<u>3.5622</u>	<u>5.8227</u>	<u>7.5212</u>	<u>10.7263</u>
<u>14:50</u>	<u>3.6338</u>	<u>5.9854</u>	<u>7.7838</u>	<u>11.2037</u>	<u>3.5643</u>	<u>5.8266</u>	<u>7.5266</u>	<u>10.7349</u>
<u>14:51</u>	<u>3.6360</u>	<u>5.9893</u>	<u>7.7894</u>	<u>11.2129</u>	<u>3.5664</u>	<u>5.8304</u>	<u>7.5320</u>	<u>10.7435</u>
<u>14:52</u>	<u>3.6381</u>	<u>5.9933</u>	<u>7.7951</u>	<u>11.2221</u>	<u>3.5684</u>	<u>5.8343</u>	<u>7.5373</u>	<u>10.7520</u>
<u>14:53</u>	<u>3.6402</u>	<u>5.9972</u>	<u>7.8007</u>	<u>11.2312</u>	<u>3.5705</u>	<u>5.8382</u>	<u>7.5427</u>	<u>10.7605</u>
<u>14:54</u>	<u>3.6423</u>	<u>6.0012</u>	<u>7.8063</u>	<u>11.2403</u>	<u>3.5726</u>	<u>5.8420</u>	<u>7.5480</u>	<u>10.7690</u>
<u>14:55</u>	<u>3.6444</u>	<u>6.0051</u>	<u>7.8118</u>	<u>11.2494</u>	<u>3.5746</u>	<u>5.8458</u>	<u>7.5533</u>	<u>10.7774</u>
<u>14:56</u>	<u>3.6465</u>	<u>6.0090</u>	<u>7.8174</u>	<u>11.2584</u>	<u>3.5766</u>	<u>5.8496</u>	<u>7.5585</u>	<u>10.7859</u>
<u>14:57</u>	<u>3.6485</u>	<u>6.0128</u>	<u>7.8229</u>	<u>11.2674</u>	<u>3.5787</u>	<u>5.8534</u>	<u>7.5638</u>	<u>10.7942</u>
<u>14:58</u>	<u>3.6506</u>	<u>6.0167</u>	<u>7.8284</u>	<u>11.2763</u>	<u>3.5807</u>	<u>5.8572</u>	<u>7.5690</u>	<u>10.8026</u>

14:59	3.6526	6.0205	7.8339	11.2853	3.5827	5.8609	7.5742	10.8109
15:00	3.6547	6.0244	7.8393	11.2941	3.5847	5.8647	7.5794	10.8192
15:01	3.6564	6.0274	7.8433	11.3000	3.5864	5.8676	7.5832	10.8247
15:02	3.6582	6.0304	7.8473	11.3058	3.5881	5.8705	7.5870	10.8302
15:03	3.6599	6.0334	7.8512	11.3117	3.5898	5.8733	7.5908	10.8357
15:04	3.6617	6.0363	7.8551	11.3174	3.5915	5.8762	7.5946	10.8412
15:05	3.6634	6.0393	7.8590	11.3232	3.5932	5.8791	7.5983	10.8466
15:06	3.6651	6.0422	7.8629	11.3289	3.5949	5.8819	7.6021	10.8520
15:07	3.6668	6.0452	7.8668	11.3347	3.5966	5.8847	7.6058	10.8574
15:08	3.6685	6.0481	7.8707	11.3403	3.5982	5.8875	7.6095	10.8628
15:09	3.6702	6.0510	7.8745	11.3460	3.5999	5.8904	7.6132	10.8681
15:10	3.6719	6.0539	7.8783	11.3517	3.6015	5.8931	7.6169	10.8735
15:11	3.6736	6.0568	7.8822	11.3573	3.6032	5.8959	7.6206	10.8788
15:12	3.6752	6.0597	7.8860	11.3629	3.6048	5.8987	7.6243	10.8841
15:13	3.6769	6.0625	7.8897	11.3684	3.6065	5.9015	7.6279	10.8893
15:14	3.6786	6.0654	7.8935	11.3740	3.6081	5.9042	7.6315	10.8946
15:15	3.6802	6.0682	7.8972	11.3795	3.6097	5.9069	7.6351	10.8998
15:16	3.6819	6.0711	7.9010	11.3850	3.6113	5.9097	7.6387	10.9050
15:17	3.6835	6.0739	7.9047	11.3905	3.6129	5.9124	7.6423	10.9102
15:18	3.6851	6.0767	7.9084	11.3960	3.6145	5.9151	7.6459	10.9153
15:19	3.6868	6.0795	7.9121	11.4014	3.6161	5.9178	7.6494	10.9205
15:20	3.6884	6.0823	7.9158	11.4068	3.6177	5.9205	7.6530	10.9256
15:21	3.6900	6.0850	7.9194	11.4122	3.6193	5.9231	7.6565	10.9307
15:22	3.6916	6.0878	7.9231	11.4176	3.6208	5.9258	7.6600	10.9358
15:23	3.6932	6.0906	7.9267	11.4230	3.6224	5.9284	7.6635	10.9408
15:24	3.6948	6.0933	7.9303	11.4283	3.6240	5.9311	7.6670	10.9459
15:25	3.6964	6.0960	7.9339	11.4336	3.6255	5.9337	7.6705	10.9509
15:26	3.6980	6.0987	7.9375	11.4389	3.6271	5.9363	7.6739	10.9559
15:27	3.6995	6.1015	7.9411	11.4442	3.6286	5.9389	7.6774	10.9609
15:28	3.7011	6.1042	7.9446	11.4495	3.6301	5.9415	7.6808	10.9658
15:29	3.7027	6.1068	7.9482	11.4547	3.6317	5.9441	7.6842	10.9708
15:30	3.7042	6.1095	7.9517	11.4599	3.6332	5.9467	7.6876	10.9757
15:31	3.7058	6.1122	7.9553	11.4651	3.6347	5.9493	7.6910	10.9806
15:32	3.7073	6.1149	7.9588	11.4703	3.6362	5.9518	7.6944	10.9855
15:33	3.7089	6.1175	7.9623	11.4755	3.6377	5.9544	7.6977	10.9903
15:34	3.7104	6.1201	7.9657	11.4806	3.6392	5.9569	7.7011	10.9952
15:35	3.7119	6.1228	7.9692	11.4857	3.6407	5.9595	7.7044	11.0000
15:36	3.7135	6.1254	7.9727	11.4908	3.6422	5.9620	7.7078	11.0048
15:37	3.7150	6.1280	7.9761	11.4959	3.6437	5.9645	7.7111	11.0096
15:38	3.7165	6.1306	7.9796	11.5010	3.6452	5.9670	7.7144	11.0144
15:39	3.7180	6.1332	7.9830	11.5060	3.6466	5.9695	7.7177	11.0192

<u>15:40</u>	<u>3.7195</u>	<u>6.1358</u>	<u>7.9864</u>	<u>11.5111</u>	<u>3.6481</u>	<u>5.9720</u>	<u>7.7210</u>	<u>11.0239</u>
<u>15:41</u>	<u>3.7210</u>	<u>6.1383</u>	<u>7.9898</u>	<u>11.5161</u>	<u>3.6496</u>	<u>5.9745</u>	<u>7.7242</u>	<u>11.0287</u>
<u>15:42</u>	<u>3.7225</u>	<u>6.1409</u>	<u>7.9932</u>	<u>11.5211</u>	<u>3.6510</u>	<u>5.9769</u>	<u>7.7275</u>	<u>11.0334</u>
<u>15:43</u>	<u>3.7240</u>	<u>6.1435</u>	<u>7.9965</u>	<u>11.5261</u>	<u>3.6525</u>	<u>5.9794</u>	<u>7.7307</u>	<u>11.0381</u>
<u>15:44</u>	<u>3.7254</u>	<u>6.1460</u>	<u>7.9999</u>	<u>11.5310</u>	<u>3.6539</u>	<u>5.9818</u>	<u>7.7340</u>	<u>11.0427</u>
<u>15:45</u>	<u>3.7269</u>	<u>6.1485</u>	<u>8.0032</u>	<u>11.5360</u>	<u>3.6554</u>	<u>5.9843</u>	<u>7.7372</u>	<u>11.0474</u>
<u>15:46</u>	<u>3.7284</u>	<u>6.1511</u>	<u>8.0066</u>	<u>11.5409</u>	<u>3.6568</u>	<u>5.9867</u>	<u>7.7404</u>	<u>11.0520</u>
<u>15:47</u>	<u>3.7298</u>	<u>6.1536</u>	<u>8.0099</u>	<u>11.5458</u>	<u>3.6582</u>	<u>5.9891</u>	<u>7.7436</u>	<u>11.0567</u>
<u>15:48</u>	<u>3.7313</u>	<u>6.1561</u>	<u>8.0132</u>	<u>11.5507</u>	<u>3.6597</u>	<u>5.9916</u>	<u>7.7468</u>	<u>11.0613</u>
<u>15:49</u>	<u>3.7327</u>	<u>6.1586</u>	<u>8.0165</u>	<u>11.5555</u>	<u>3.6611</u>	<u>5.9940</u>	<u>7.7500</u>	<u>11.0659</u>
<u>15:50</u>	<u>3.7342</u>	<u>6.1611</u>	<u>8.0198</u>	<u>11.5604</u>	<u>3.6625</u>	<u>5.9964</u>	<u>7.7531</u>	<u>11.0705</u>
<u>15:51</u>	<u>3.7356</u>	<u>6.1636</u>	<u>8.0231</u>	<u>11.5652</u>	<u>3.6639</u>	<u>5.9988</u>	<u>7.7563</u>	<u>11.0750</u>
<u>15:52</u>	<u>3.7371</u>	<u>6.1660</u>	<u>8.0264</u>	<u>11.5701</u>	<u>3.6653</u>	<u>6.0011</u>	<u>7.7595</u>	<u>11.0796</u>
<u>15:53</u>	<u>3.7385</u>	<u>6.1685</u>	<u>8.0296</u>	<u>11.5749</u>	<u>3.6667</u>	<u>6.0035</u>	<u>7.7626</u>	<u>11.0841</u>
<u>15:54</u>	<u>3.7399</u>	<u>6.1710</u>	<u>8.0329</u>	<u>11.5797</u>	<u>3.6681</u>	<u>6.0059</u>	<u>7.7657</u>	<u>11.0886</u>
<u>15:55</u>	<u>3.7414</u>	<u>6.1734</u>	<u>8.0361</u>	<u>11.5844</u>	<u>3.6695</u>	<u>6.0083</u>	<u>7.7688</u>	<u>11.0931</u>
<u>15:56</u>	<u>3.7428</u>	<u>6.1759</u>	<u>8.0393</u>	<u>11.5892</u>	<u>3.6709</u>	<u>6.0106</u>	<u>7.7719</u>	<u>11.0976</u>
<u>15:57</u>	<u>3.7442</u>	<u>6.1783</u>	<u>8.0425</u>	<u>11.5939</u>	<u>3.6723</u>	<u>6.0129</u>	<u>7.7750</u>	<u>11.1021</u>
<u>15:58</u>	<u>3.7456</u>	<u>6.1807</u>	<u>8.0457</u>	<u>11.5987</u>	<u>3.6737</u>	<u>6.0153</u>	<u>7.7781</u>	<u>11.1066</u>
<u>15:59</u>	<u>3.7470</u>	<u>6.1831</u>	<u>8.0489</u>	<u>11.6034</u>	<u>3.6750</u>	<u>6.0176</u>	<u>7.7812</u>	<u>11.1110</u>
<u>16:00</u>	<u>3.7484</u>	<u>6.1855</u>	<u>8.0521</u>	<u>11.6081</u>	<u>3.6764</u>	<u>6.0199</u>	<u>7.7842</u>	<u>11.1154</u>
<u>16:01</u>	<u>3.7498</u>	<u>6.1879</u>	<u>8.0553</u>	<u>11.6128</u>	<u>3.6778</u>	<u>6.0222</u>	<u>7.7873</u>	<u>11.1198</u>
<u>16:02</u>	<u>3.7512</u>	<u>6.1903</u>	<u>8.0584</u>	<u>11.6174</u>	<u>3.6791</u>	<u>6.0245</u>	<u>7.7903</u>	<u>11.1242</u>
<u>16:03</u>	<u>3.7526</u>	<u>6.1927</u>	<u>8.0616</u>	<u>11.6221</u>	<u>3.6805</u>	<u>6.0268</u>	<u>7.7933</u>	<u>11.1286</u>
<u>16:04</u>	<u>3.7539</u>	<u>6.1951</u>	<u>8.0647</u>	<u>11.6267</u>	<u>3.6818</u>	<u>6.0291</u>	<u>7.7964</u>	<u>11.1330</u>
<u>16:05</u>	<u>3.7553</u>	<u>6.1975</u>	<u>8.0678</u>	<u>11.6313</u>	<u>3.6832</u>	<u>6.0314</u>	<u>7.7994</u>	<u>11.1374</u>
<u>16:06</u>	<u>3.7567</u>	<u>6.1998</u>	<u>8.0710</u>	<u>11.6359</u>	<u>3.6845</u>	<u>6.0337</u>	<u>7.8024</u>	<u>11.1417</u>
<u>16:07</u>	<u>3.7581</u>	<u>6.2022</u>	<u>8.0741</u>	<u>11.6405</u>	<u>3.6859</u>	<u>6.0360</u>	<u>7.8054</u>	<u>11.1460</u>
<u>16:08</u>	<u>3.7594</u>	<u>6.2045</u>	<u>8.0772</u>	<u>11.6451</u>	<u>3.6872</u>	<u>6.0382</u>	<u>7.8083</u>	<u>11.1504</u>
<u>16:09</u>	<u>3.7608</u>	<u>6.2069</u>	<u>8.0803</u>	<u>11.6497</u>	<u>3.6885</u>	<u>6.0405</u>	<u>7.8113</u>	<u>11.1547</u>
<u>16:10</u>	<u>3.7621</u>	<u>6.2092</u>	<u>8.0833</u>	<u>11.6542</u>	<u>3.6899</u>	<u>6.0427</u>	<u>7.8143</u>	<u>11.1589</u>
<u>16:11</u>	<u>3.7635</u>	<u>6.2115</u>	<u>8.0864</u>	<u>11.6588</u>	<u>3.6912</u>	<u>6.0450</u>	<u>7.8172</u>	<u>11.1632</u>
<u>16:12</u>	<u>3.7648</u>	<u>6.2138</u>	<u>8.0895</u>	<u>11.6633</u>	<u>3.6925</u>	<u>6.0472</u>	<u>7.8202</u>	<u>11.1675</u>
<u>16:13</u>	<u>3.7662</u>	<u>6.2161</u>	<u>8.0925</u>	<u>11.6678</u>	<u>3.6938</u>	<u>6.0494</u>	<u>7.8231</u>	<u>11.1717</u>
<u>16:14</u>	<u>3.7675</u>	<u>6.2184</u>	<u>8.0956</u>	<u>11.6723</u>	<u>3.6951</u>	<u>6.0516</u>	<u>7.8261</u>	<u>11.1760</u>
<u>16:15</u>	<u>3.7688</u>	<u>6.2207</u>	<u>8.0986</u>	<u>11.6768</u>	<u>3.6964</u>	<u>6.0538</u>	<u>7.8290</u>	<u>11.1802</u>
<u>16:16</u>	<u>3.7702</u>	<u>6.2230</u>	<u>8.1016</u>	<u>11.6812</u>	<u>3.6977</u>	<u>6.0560</u>	<u>7.8319</u>	<u>11.1844</u>
<u>16:17</u>	<u>3.7715</u>	<u>6.2253</u>	<u>8.1046</u>	<u>11.6857</u>	<u>3.6990</u>	<u>6.0582</u>	<u>7.8348</u>	<u>11.1886</u>
<u>16:18</u>	<u>3.7728</u>	<u>6.2276</u>	<u>8.1076</u>	<u>11.6901</u>	<u>3.7003</u>	<u>6.0604</u>	<u>7.8377</u>	<u>11.1928</u>
<u>16:19</u>	<u>3.7741</u>	<u>6.2299</u>	<u>8.1106</u>	<u>11.6945</u>	<u>3.7016</u>	<u>6.0626</u>	<u>7.8406</u>	<u>11.1970</u>
<u>16:20</u>	<u>3.7754</u>	<u>6.2321</u>	<u>8.1136</u>	<u>11.6989</u>	<u>3.7029</u>	<u>6.0648</u>	<u>7.8434</u>	<u>11.2011</u>

<u>16:21</u>	<u>3.7767</u>	<u>6.2344</u>	<u>8.1166</u>	<u>11.7033</u>	<u>3.7042</u>	<u>6.0670</u>	<u>7.8463</u>	<u>11.2053</u>
<u>16:22</u>	<u>3.7780</u>	<u>6.2366</u>	<u>8.1196</u>	<u>11.7077</u>	<u>3.7054</u>	<u>6.0691</u>	<u>7.8492</u>	<u>11.2094</u>
<u>16:23</u>	<u>3.7793</u>	<u>6.2389</u>	<u>8.1225</u>	<u>11.7121</u>	<u>3.7067</u>	<u>6.0713</u>	<u>7.8520</u>	<u>11.2135</u>
<u>16:24</u>	<u>3.7806</u>	<u>6.2411</u>	<u>8.1255</u>	<u>11.7164</u>	<u>3.7080</u>	<u>6.0734</u>	<u>7.8549</u>	<u>11.2176</u>
<u>16:25</u>	<u>3.7819</u>	<u>6.2433</u>	<u>8.1284</u>	<u>11.7208</u>	<u>3.7092</u>	<u>6.0756</u>	<u>7.8577</u>	<u>11.2217</u>
<u>16:26</u>	<u>3.7832</u>	<u>6.2455</u>	<u>8.1313</u>	<u>11.7251</u>	<u>3.7105</u>	<u>6.0777</u>	<u>7.8605</u>	<u>11.2258</u>
<u>16:27</u>	<u>3.7845</u>	<u>6.2477</u>	<u>8.1343</u>	<u>11.7294</u>	<u>3.7118</u>	<u>6.0798</u>	<u>7.8633</u>	<u>11.2299</u>
<u>16:28</u>	<u>3.7858</u>	<u>6.2500</u>	<u>8.1372</u>	<u>11.7337</u>	<u>3.7130</u>	<u>6.0820</u>	<u>7.8661</u>	<u>11.2339</u>
<u>16:29</u>	<u>3.7871</u>	<u>6.2522</u>	<u>8.1401</u>	<u>11.7380</u>	<u>3.7143</u>	<u>6.0841</u>	<u>7.8689</u>	<u>11.2380</u>
<u>16:30</u>	<u>3.7883</u>	<u>6.2543</u>	<u>8.1430</u>	<u>11.7423</u>	<u>3.7155</u>	<u>6.0862</u>	<u>7.8717</u>	<u>11.2420</u>
<u>16:31</u>	<u>3.7896</u>	<u>6.2565</u>	<u>8.1459</u>	<u>11.7466</u>	<u>3.7167</u>	<u>6.0883</u>	<u>7.8745</u>	<u>11.2460</u>
<u>16:32</u>	<u>3.7909</u>	<u>6.2587</u>	<u>8.1488</u>	<u>11.7508</u>	<u>3.7180</u>	<u>6.0904</u>	<u>7.8773</u>	<u>11.2501</u>
<u>16:33</u>	<u>3.7921</u>	<u>6.2609</u>	<u>8.1516</u>	<u>11.7551</u>	<u>3.7192</u>	<u>6.0925</u>	<u>7.8800</u>	<u>11.2541</u>
<u>16:34</u>	<u>3.7934</u>	<u>6.2631</u>	<u>8.1545</u>	<u>11.7593</u>	<u>3.7204</u>	<u>6.0946</u>	<u>7.8828</u>	<u>11.2580</u>
<u>16:35</u>	<u>3.7946</u>	<u>6.2652</u>	<u>8.1574</u>	<u>11.7635</u>	<u>3.7217</u>	<u>6.0967</u>	<u>7.8855</u>	<u>11.2620</u>
<u>16:36</u>	<u>3.7959</u>	<u>6.2674</u>	<u>8.1602</u>	<u>11.7677</u>	<u>3.7229</u>	<u>6.0987</u>	<u>7.8883</u>	<u>11.2660</u>
<u>16:37</u>	<u>3.7971</u>	<u>6.2695</u>	<u>8.1630</u>	<u>11.7719</u>	<u>3.7241</u>	<u>6.1008</u>	<u>7.8910</u>	<u>11.2700</u>
<u>16:38</u>	<u>3.7984</u>	<u>6.2717</u>	<u>8.1659</u>	<u>11.7761</u>	<u>3.7253</u>	<u>6.1029</u>	<u>7.8937</u>	<u>11.2739</u>
<u>16:39</u>	<u>3.7996</u>	<u>6.2738</u>	<u>8.1687</u>	<u>11.7803</u>	<u>3.7265</u>	<u>6.1049</u>	<u>7.8965</u>	<u>11.2778</u>
<u>16:40</u>	<u>3.8008</u>	<u>6.2759</u>	<u>8.1715</u>	<u>11.7845</u>	<u>3.7278</u>	<u>6.1070</u>	<u>7.8992</u>	<u>11.2817</u>
<u>16:41</u>	<u>3.8021</u>	<u>6.2781</u>	<u>8.1743</u>	<u>11.7886</u>	<u>3.7290</u>	<u>6.1090</u>	<u>7.9019</u>	<u>11.2857</u>
<u>16:42</u>	<u>3.8033</u>	<u>6.2802</u>	<u>8.1771</u>	<u>11.7927</u>	<u>3.7302</u>	<u>6.1111</u>	<u>7.9046</u>	<u>11.2896</u>
<u>16:43</u>	<u>3.8045</u>	<u>6.2823</u>	<u>8.1799</u>	<u>11.7969</u>	<u>3.7314</u>	<u>6.1131</u>	<u>7.9073</u>	<u>11.2934</u>
<u>16:44</u>	<u>3.8058</u>	<u>6.2844</u>	<u>8.1827</u>	<u>11.8010</u>	<u>3.7326</u>	<u>6.1151</u>	<u>7.9099</u>	<u>11.2973</u>
<u>16:45</u>	<u>3.8070</u>	<u>6.2865</u>	<u>8.1855</u>	<u>11.8051</u>	<u>3.7338</u>	<u>6.1171</u>	<u>7.9126</u>	<u>11.3012</u>
<u>16:46</u>	<u>3.8082</u>	<u>6.2886</u>	<u>8.1882</u>	<u>11.8092</u>	<u>3.7349</u>	<u>6.1192</u>	<u>7.9153</u>	<u>11.3051</u>
<u>16:47</u>	<u>3.8094</u>	<u>6.2907</u>	<u>8.1910</u>	<u>11.8133</u>	<u>3.7361</u>	<u>6.1212</u>	<u>7.9179</u>	<u>11.3089</u>
<u>16:48</u>	<u>3.8106</u>	<u>6.2928</u>	<u>8.1938</u>	<u>11.8173</u>	<u>3.7373</u>	<u>6.1232</u>	<u>7.9206</u>	<u>11.3127</u>
<u>16:49</u>	<u>3.8118</u>	<u>6.2949</u>	<u>8.1965</u>	<u>11.8214</u>	<u>3.7385</u>	<u>6.1252</u>	<u>7.9232</u>	<u>11.3166</u>
<u>16:50</u>	<u>3.8130</u>	<u>6.2969</u>	<u>8.1992</u>	<u>11.8254</u>	<u>3.7397</u>	<u>6.1272</u>	<u>7.9259</u>	<u>11.3204</u>
<u>16:51</u>	<u>3.8142</u>	<u>6.2990</u>	<u>8.2020</u>	<u>11.8295</u>	<u>3.7408</u>	<u>6.1292</u>	<u>7.9285</u>	<u>11.3242</u>
<u>16:52</u>	<u>3.8154</u>	<u>6.3011</u>	<u>8.2047</u>	<u>11.8335</u>	<u>3.7420</u>	<u>6.1312</u>	<u>7.9311</u>	<u>11.3280</u>
<u>16:53</u>	<u>3.8166</u>	<u>6.3031</u>	<u>8.2074</u>	<u>11.8375</u>	<u>3.7432</u>	<u>6.1331</u>	<u>7.9337</u>	<u>11.3317</u>
<u>16:54</u>	<u>3.8178</u>	<u>6.3052</u>	<u>8.2101</u>	<u>11.8415</u>	<u>3.7443</u>	<u>6.1351</u>	<u>7.9363</u>	<u>11.3355</u>
<u>16:55</u>	<u>3.8190</u>	<u>6.3072</u>	<u>8.2128</u>	<u>11.8455</u>	<u>3.7455</u>	<u>6.1371</u>	<u>7.9389</u>	<u>11.3393</u>
<u>16:56</u>	<u>3.8201</u>	<u>6.3092</u>	<u>8.2155</u>	<u>11.8495</u>	<u>3.7467</u>	<u>6.1390</u>	<u>7.9415</u>	<u>11.3430</u>
<u>16:57</u>	<u>3.8213</u>	<u>6.3113</u>	<u>8.2182</u>	<u>11.8534</u>	<u>3.7478</u>	<u>6.1410</u>	<u>7.9441</u>	<u>11.3468</u>
<u>16:58</u>	<u>3.8225</u>	<u>6.3133</u>	<u>8.2209</u>	<u>11.8574</u>	<u>3.7490</u>	<u>6.1429</u>	<u>7.9467</u>	<u>11.3505</u>
<u>16:59</u>	<u>3.8237</u>	<u>6.3153</u>	<u>8.2236</u>	<u>11.8614</u>	<u>3.7501</u>	<u>6.1449</u>	<u>7.9493</u>	<u>11.3542</u>
<u>17:00</u>	<u>3.8248</u>	<u>6.3173</u>	<u>8.2262</u>	<u>11.8653</u>	<u>3.7513</u>	<u>6.1468</u>	<u>7.9518</u>	<u>11.3579</u>
<u>17:01</u>	<u>3.8260</u>	<u>6.3194</u>	<u>8.2289</u>	<u>11.8692</u>	<u>3.7524</u>	<u>6.1488</u>	<u>7.9544</u>	<u>11.3616</u>

17:02	3.8272	6.3214	8.2315	11.8731	3.7535	6.1507	7.9570	11.3653
17:03	3.8283	6.3234	8.2342	11.8771	3.7547	6.1526	7.9595	11.3690
17:04	3.8295	6.3254	8.2368	11.8810	3.7558	6.1546	7.9620	11.3727
17:05	3.8306	6.3274	8.2395	11.8848	3.7569	6.1565	7.9646	11.3763
17:06	3.8318	6.3293	8.2421	11.8887	3.7581	6.1584	7.9671	11.3800
17:07	3.8329	6.3313	8.2447	11.8926	3.7592	6.1603	7.9696	11.3837
17:08	3.8341	6.3333	8.2473	11.8965	3.7603	6.1622	7.9721	11.3873
17:09	3.8352	6.3353	8.2499	11.9003	3.7614	6.1641	7.9746	11.3909
17:10	3.8364	6.3372	8.2525	11.9041	3.7625	6.1660	7.9771	11.3945
17:11	3.8375	6.3392	8.2551	11.9080	3.7636	6.1679	7.9796	11.3982
17:12	3.8386	6.3412	8.2577	11.9118	3.7648	6.1698	7.9821	11.4018
17:13	3.8398	6.3431	8.2603	11.9156	3.7659	6.1716	7.9846	11.4053
17:14	3.8409	6.3451	8.2629	11.9194	3.7670	6.1735	7.9871	11.4089
17:15	3.8420	6.3470	8.2654	11.9232	3.7681	6.1754	7.9896	11.4125
17:16	3.8431	6.3489	8.2680	11.9270	3.7692	6.1772	7.9920	11.4161
17:17	3.8443	6.3509	8.2705	11.9307	3.7703	6.1791	7.9945	11.4196
17:18	3.8454	6.3528	8.2731	11.9345	3.7713	6.1809	7.9969	11.4232
17:19	3.8465	6.3547	8.2756	11.9383	3.7724	6.1828	7.9994	11.4267
17:20	3.8476	6.3566	8.2782	11.9420	3.7735	6.1846	8.0018	11.4302
17:21	3.8487	6.3586	8.2807	11.9457	3.7746	6.1865	8.0042	11.4338
17:22	3.8498	6.3605	8.2832	11.9495	3.7757	6.1883	8.0067	11.4373
17:23	3.8509	6.3624	8.2857	11.9532	3.7768	6.1902	8.0091	11.4408
17:24	3.8520	6.3643	8.2882	11.9569	3.7778	6.1920	8.0115	11.4443
17:25	3.8531	6.3662	8.2907	11.9606	3.7789	6.1938	8.0139	11.4477
17:26	3.8542	6.3680	8.2932	11.9643	3.7800	6.1956	8.0163	11.4512
17:27	3.8553	6.3699	8.2957	11.9680	3.7811	6.1974	8.0187	11.4547
17:28	3.8564	6.3718	8.2982	11.9716	3.7821	6.1992	8.0211	11.4582
17:29	3.8575	6.3737	8.3007	11.9753	3.7832	6.2010	8.0235	11.4616
17:30	3.8585	6.3756	8.3032	11.9790	3.7842	6.2028	8.0259	11.4650
17:31	3.8596	6.3774	8.3056	11.9826	3.7853	6.2046	8.0282	11.4685
17:32	3.8607	6.3793	8.3081	11.9863	3.7864	6.2064	8.0306	11.4719
17:33	3.8618	6.3811	8.3106	11.9899	3.7874	6.2082	8.0330	11.4753
17:34	3.8629	6.3830	8.3130	11.9935	3.7885	6.2100	8.0353	11.4787
17:35	3.8639	6.3848	8.3154	11.9971	3.7895	6.2118	8.0377	11.4821
17:36	3.8650	6.3867	8.3179	12.0007	3.7905	6.2136	8.0400	11.4855
17:37	3.8661	6.3885	8.3203	12.0043	3.7916	6.2153	8.0424	11.4889
17:38	3.8671	6.3904	8.3227	12.0079	3.7926	6.2171	8.0447	11.4923
17:39	3.8682	6.3922	8.3252	12.0115	3.7937	6.2189	8.0470	11.4957
17:40	3.8692	6.3940	8.3276	12.0151	3.7947	6.2206	8.0494	11.4990
17:41	3.8703	6.3958	8.3300	12.0186	3.7957	6.2224	8.0517	11.5024
17:42	3.8713	6.3977	8.3324	12.0222	3.7968	6.2241	8.0540	11.5058

<u>17:43</u>	<u>3.8724</u>	<u>6.3995</u>	<u>8.3348</u>	<u>12.0257</u>	<u>3.7978</u>	<u>6.2259</u>	<u>8.0563</u>	<u>11.5091</u>
<u>17:44</u>	<u>3.8734</u>	<u>6.4013</u>	<u>8.3372</u>	<u>12.0293</u>	<u>3.7988</u>	<u>6.2276</u>	<u>8.0586</u>	<u>11.5124</u>
<u>17:45</u>	<u>3.8745</u>	<u>6.4031</u>	<u>8.3396</u>	<u>12.0328</u>	<u>3.7998</u>	<u>6.2293</u>	<u>8.0609</u>	<u>11.5158</u>
<u>17:46</u>	<u>3.8755</u>	<u>6.4049</u>	<u>8.3420</u>	<u>12.0363</u>	<u>3.8009</u>	<u>6.2311</u>	<u>8.0632</u>	<u>11.5191</u>
<u>17:47</u>	<u>3.8766</u>	<u>6.4067</u>	<u>8.3443</u>	<u>12.0398</u>	<u>3.8019</u>	<u>6.2328</u>	<u>8.0655</u>	<u>11.5224</u>
<u>17:48</u>	<u>3.8776</u>	<u>6.4085</u>	<u>8.3467</u>	<u>12.0433</u>	<u>3.8029</u>	<u>6.2345</u>	<u>8.0678</u>	<u>11.5257</u>
<u>17:49</u>	<u>3.8786</u>	<u>6.4103</u>	<u>8.3491</u>	<u>12.0468</u>	<u>3.8039</u>	<u>6.2363</u>	<u>8.0700</u>	<u>11.5290</u>
<u>17:50</u>	<u>3.8797</u>	<u>6.4121</u>	<u>8.3514</u>	<u>12.0503</u>	<u>3.8049</u>	<u>6.2380</u>	<u>8.0723</u>	<u>11.5323</u>
<u>17:51</u>	<u>3.8807</u>	<u>6.4138</u>	<u>8.3538</u>	<u>12.0538</u>	<u>3.8059</u>	<u>6.2397</u>	<u>8.0746</u>	<u>11.5356</u>
<u>17:52</u>	<u>3.8817</u>	<u>6.4156</u>	<u>8.3561</u>	<u>12.0573</u>	<u>3.8069</u>	<u>6.2414</u>	<u>8.0768</u>	<u>11.5388</u>
<u>17:53</u>	<u>3.8828</u>	<u>6.4174</u>	<u>8.3585</u>	<u>12.0607</u>	<u>3.8079</u>	<u>6.2431</u>	<u>8.0791</u>	<u>11.5421</u>
<u>17:54</u>	<u>3.8838</u>	<u>6.4192</u>	<u>8.3608</u>	<u>12.0642</u>	<u>3.8089</u>	<u>6.2448</u>	<u>8.0813</u>	<u>11.5454</u>
<u>17:55</u>	<u>3.8848</u>	<u>6.4209</u>	<u>8.3632</u>	<u>12.0677</u>	<u>3.8099</u>	<u>6.2465</u>	<u>8.0836</u>	<u>11.5486</u>
<u>17:56</u>	<u>3.8858</u>	<u>6.4227</u>	<u>8.3655</u>	<u>12.0711</u>	<u>3.8109</u>	<u>6.2482</u>	<u>8.0858</u>	<u>11.5518</u>
<u>17:57</u>	<u>3.8868</u>	<u>6.4245</u>	<u>8.3678</u>	<u>12.0745</u>	<u>3.8119</u>	<u>6.2499</u>	<u>8.0881</u>	<u>11.5551</u>
<u>17:58</u>	<u>3.8879</u>	<u>6.4262</u>	<u>8.3701</u>	<u>12.0780</u>	<u>3.8129</u>	<u>6.2516</u>	<u>8.0903</u>	<u>11.5583</u>
<u>17:59</u>	<u>3.8889</u>	<u>6.4280</u>	<u>8.3724</u>	<u>12.0814</u>	<u>3.8139</u>	<u>6.2533</u>	<u>8.0925</u>	<u>11.5615</u>
<u>18:00</u>	<u>3.8899</u>	<u>6.4297</u>	<u>8.3747</u>	<u>12.0848</u>	<u>3.8149</u>	<u>6.2549</u>	<u>8.0948</u>	<u>11.5648</u>
<u>18:01</u>	<u>3.8908</u>	<u>6.4312</u>	<u>8.3767</u>	<u>12.0875</u>	<u>3.8158</u>	<u>6.2564</u>	<u>8.0966</u>	<u>11.5673</u>
<u>18:02</u>	<u>3.8918</u>	<u>6.4328</u>	<u>8.3787</u>	<u>12.0902</u>	<u>3.8167</u>	<u>6.2579</u>	<u>8.0985</u>	<u>11.5698</u>
<u>18:03</u>	<u>3.8927</u>	<u>6.4343</u>	<u>8.3806</u>	<u>12.0929</u>	<u>3.8177</u>	<u>6.2594</u>	<u>8.1003</u>	<u>11.5723</u>
<u>18:04</u>	<u>3.8936</u>	<u>6.4358</u>	<u>8.3826</u>	<u>12.0956</u>	<u>3.8186</u>	<u>6.2608</u>	<u>8.1022</u>	<u>11.5748</u>
<u>18:05</u>	<u>3.8945</u>	<u>6.4374</u>	<u>8.3846</u>	<u>12.0982</u>	<u>3.8195</u>	<u>6.2623</u>	<u>8.1040</u>	<u>11.5773</u>
<u>18:06</u>	<u>3.8955</u>	<u>6.4389</u>	<u>8.3865</u>	<u>12.1009</u>	<u>3.8204</u>	<u>6.2638</u>	<u>8.1059</u>	<u>11.5797</u>
<u>18:07</u>	<u>3.8964</u>	<u>6.4404</u>	<u>8.3885</u>	<u>12.1036</u>	<u>3.8213</u>	<u>6.2652</u>	<u>8.1077</u>	<u>11.5822</u>
<u>18:08</u>	<u>3.8973</u>	<u>6.4419</u>	<u>8.3904</u>	<u>12.1062</u>	<u>3.8222</u>	<u>6.2667</u>	<u>8.1095</u>	<u>11.5847</u>
<u>18:09</u>	<u>3.8982</u>	<u>6.4434</u>	<u>8.3923</u>	<u>12.1089</u>	<u>3.8231</u>	<u>6.2682</u>	<u>8.1114</u>	<u>11.5872</u>
<u>18:10</u>	<u>3.8992</u>	<u>6.4450</u>	<u>8.3943</u>	<u>12.1115</u>	<u>3.8240</u>	<u>6.2696</u>	<u>8.1132</u>	<u>11.5896</u>
<u>18:11</u>	<u>3.9001</u>	<u>6.4465</u>	<u>8.3962</u>	<u>12.1141</u>	<u>3.8249</u>	<u>6.2711</u>	<u>8.1150</u>	<u>11.5921</u>
<u>18:12</u>	<u>3.9010</u>	<u>6.4480</u>	<u>8.3981</u>	<u>12.1168</u>	<u>3.8258</u>	<u>6.2725</u>	<u>8.1168</u>	<u>11.5945</u>
<u>18:13</u>	<u>3.9019</u>	<u>6.4495</u>	<u>8.4001</u>	<u>12.1194</u>	<u>3.8267</u>	<u>6.2740</u>	<u>8.1187</u>	<u>11.5970</u>
<u>18:14</u>	<u>3.9028</u>	<u>6.4510</u>	<u>8.4020</u>	<u>12.1220</u>	<u>3.8276</u>	<u>6.2754</u>	<u>8.1205</u>	<u>11.5994</u>
<u>18:15</u>	<u>3.9037</u>	<u>6.4525</u>	<u>8.4039</u>	<u>12.1246</u>	<u>3.8285</u>	<u>6.2768</u>	<u>8.1223</u>	<u>11.6019</u>
<u>18:16</u>	<u>3.9046</u>	<u>6.4539</u>	<u>8.4058</u>	<u>12.1272</u>	<u>3.8294</u>	<u>6.2783</u>	<u>8.1241</u>	<u>11.6043</u>
<u>18:17</u>	<u>3.9056</u>	<u>6.4554</u>	<u>8.4077</u>	<u>12.1298</u>	<u>3.8303</u>	<u>6.2797</u>	<u>8.1259</u>	<u>11.6067</u>
<u>18:18</u>	<u>3.9065</u>	<u>6.4569</u>	<u>8.4096</u>	<u>12.1324</u>	<u>3.8312</u>	<u>6.2811</u>	<u>8.1277</u>	<u>11.6091</u>
<u>18:19</u>	<u>3.9074</u>	<u>6.4584</u>	<u>8.4115</u>	<u>12.1350</u>	<u>3.8320</u>	<u>6.2826</u>	<u>8.1295</u>	<u>11.6115</u>
<u>18:20</u>	<u>3.9083</u>	<u>6.4599</u>	<u>8.4134</u>	<u>12.1376</u>	<u>3.8329</u>	<u>6.2840</u>	<u>8.1312</u>	<u>11.6139</u>
<u>18:21</u>	<u>3.9092</u>	<u>6.4613</u>	<u>8.4153</u>	<u>12.1402</u>	<u>3.8338</u>	<u>6.2854</u>	<u>8.1330</u>	<u>11.6163</u>
<u>18:22</u>	<u>3.9101</u>	<u>6.4628</u>	<u>8.4172</u>	<u>12.1428</u>	<u>3.8347</u>	<u>6.2868</u>	<u>8.1348</u>	<u>11.6187</u>
<u>18:23</u>	<u>3.9109</u>	<u>6.4643</u>	<u>8.4190</u>	<u>12.1453</u>	<u>3.8356</u>	<u>6.2882</u>	<u>8.1366</u>	<u>11.6211</u>

<u>18:24</u>	<u>3.9118</u>	<u>6.4657</u>	<u>8.4209</u>	<u>12.1479</u>	<u>3.8364</u>	<u>6.2896</u>	<u>8.1383</u>	<u>11.6235</u>
<u>18:25</u>	<u>3.9127</u>	<u>6.4672</u>	<u>8.4228</u>	<u>12.1504</u>	<u>3.8373</u>	<u>6.2911</u>	<u>8.1401</u>	<u>11.6259</u>
<u>18:26</u>	<u>3.9136</u>	<u>6.4687</u>	<u>8.4247</u>	<u>12.1530</u>	<u>3.8382</u>	<u>6.2925</u>	<u>8.1419</u>	<u>11.6283</u>
<u>18:27</u>	<u>3.9145</u>	<u>6.4701</u>	<u>8.4265</u>	<u>12.1555</u>	<u>3.8390</u>	<u>6.2939</u>	<u>8.1436</u>	<u>11.6307</u>
<u>18:28</u>	<u>3.9154</u>	<u>6.4716</u>	<u>8.4284</u>	<u>12.1581</u>	<u>3.8399</u>	<u>6.2953</u>	<u>8.1454</u>	<u>11.6330</u>
<u>18:29</u>	<u>3.9163</u>	<u>6.4730</u>	<u>8.4302</u>	<u>12.1606</u>	<u>3.8408</u>	<u>6.2967</u>	<u>8.1471</u>	<u>11.6354</u>
<u>18:30</u>	<u>3.9171</u>	<u>6.4745</u>	<u>8.4321</u>	<u>12.1632</u>	<u>3.8416</u>	<u>6.2980</u>	<u>8.1489</u>	<u>11.6377</u>
<u>18:31</u>	<u>3.9180</u>	<u>6.4759</u>	<u>8.4339</u>	<u>12.1657</u>	<u>3.8425</u>	<u>6.2994</u>	<u>8.1506</u>	<u>11.6401</u>
<u>18:32</u>	<u>3.9189</u>	<u>6.4773</u>	<u>8.4358</u>	<u>12.1682</u>	<u>3.8434</u>	<u>6.3008</u>	<u>8.1524</u>	<u>11.6424</u>
<u>18:33</u>	<u>3.9198</u>	<u>6.4788</u>	<u>8.4376</u>	<u>12.1707</u>	<u>3.8442</u>	<u>6.3022</u>	<u>8.1541</u>	<u>11.6448</u>
<u>18:34</u>	<u>3.9207</u>	<u>6.4802</u>	<u>8.4395</u>	<u>12.1732</u>	<u>3.8451</u>	<u>6.3036</u>	<u>8.1558</u>	<u>11.6471</u>
<u>18:35</u>	<u>3.9215</u>	<u>6.4816</u>	<u>8.4413</u>	<u>12.1757</u>	<u>3.8459</u>	<u>6.3050</u>	<u>8.1576</u>	<u>11.6495</u>
<u>18:36</u>	<u>3.9224</u>	<u>6.4831</u>	<u>8.4431</u>	<u>12.1782</u>	<u>3.8468</u>	<u>6.3063</u>	<u>8.1593</u>	<u>11.6518</u>
<u>18:37</u>	<u>3.9233</u>	<u>6.4845</u>	<u>8.4449</u>	<u>12.1807</u>	<u>3.8476</u>	<u>6.3077</u>	<u>8.1610</u>	<u>11.6541</u>
<u>18:38</u>	<u>3.9241</u>	<u>6.4859</u>	<u>8.4468</u>	<u>12.1832</u>	<u>3.8485</u>	<u>6.3091</u>	<u>8.1627</u>	<u>11.6564</u>
<u>18:39</u>	<u>3.9250</u>	<u>6.4873</u>	<u>8.4486</u>	<u>12.1857</u>	<u>3.8493</u>	<u>6.3105</u>	<u>8.1645</u>	<u>11.6587</u>
<u>18:40</u>	<u>3.9259</u>	<u>6.4888</u>	<u>8.4504</u>	<u>12.1882</u>	<u>3.8502</u>	<u>6.3118</u>	<u>8.1662</u>	<u>11.6610</u>
<u>18:41</u>	<u>3.9267</u>	<u>6.4902</u>	<u>8.4522</u>	<u>12.1906</u>	<u>3.8510</u>	<u>6.3132</u>	<u>8.1679</u>	<u>11.6633</u>
<u>18:42</u>	<u>3.9276</u>	<u>6.4916</u>	<u>8.4540</u>	<u>12.1931</u>	<u>3.8519</u>	<u>6.3145</u>	<u>8.1696</u>	<u>11.6656</u>
<u>18:43</u>	<u>3.9284</u>	<u>6.4930</u>	<u>8.4558</u>	<u>12.1956</u>	<u>3.8527</u>	<u>6.3159</u>	<u>8.1713</u>	<u>11.6679</u>
<u>18:44</u>	<u>3.9293</u>	<u>6.4944</u>	<u>8.4576</u>	<u>12.1980</u>	<u>3.8535</u>	<u>6.3172</u>	<u>8.1730</u>	<u>11.6702</u>
<u>18:45</u>	<u>3.9301</u>	<u>6.4958</u>	<u>8.4594</u>	<u>12.2005</u>	<u>3.8544</u>	<u>6.3186</u>	<u>8.1747</u>	<u>11.6725</u>
<u>18:46</u>	<u>3.9310</u>	<u>6.4972</u>	<u>8.4612</u>	<u>12.2029</u>	<u>3.8552</u>	<u>6.3199</u>	<u>8.1764</u>	<u>11.6748</u>
<u>18:47</u>	<u>3.9318</u>	<u>6.4986</u>	<u>8.4630</u>	<u>12.2054</u>	<u>3.8561</u>	<u>6.3213</u>	<u>8.1781</u>	<u>11.6771</u>
<u>18:48</u>	<u>3.9327</u>	<u>6.5000</u>	<u>8.4648</u>	<u>12.2078</u>	<u>3.8569</u>	<u>6.3226</u>	<u>8.1797</u>	<u>11.6793</u>
<u>18:49</u>	<u>3.9335</u>	<u>6.5014</u>	<u>8.4666</u>	<u>12.2102</u>	<u>3.8577</u>	<u>6.3240</u>	<u>8.1814</u>	<u>11.6816</u>
<u>18:50</u>	<u>3.9344</u>	<u>6.5028</u>	<u>8.4683</u>	<u>12.2127</u>	<u>3.8585</u>	<u>6.3253</u>	<u>8.1831</u>	<u>11.6838</u>
<u>18:51</u>	<u>3.9352</u>	<u>6.5041</u>	<u>8.4701</u>	<u>12.2151</u>	<u>3.8594</u>	<u>6.3266</u>	<u>8.1848</u>	<u>11.6861</u>
<u>18:52</u>	<u>3.9361</u>	<u>6.5055</u>	<u>8.4719</u>	<u>12.2175</u>	<u>3.8602</u>	<u>6.3280</u>	<u>8.1864</u>	<u>11.6883</u>
<u>18:53</u>	<u>3.9369</u>	<u>6.5069</u>	<u>8.4736</u>	<u>12.2199</u>	<u>3.8610</u>	<u>6.3293</u>	<u>8.1881</u>	<u>11.6906</u>
<u>18:54</u>	<u>3.9378</u>	<u>6.5083</u>	<u>8.4754</u>	<u>12.2223</u>	<u>3.8618</u>	<u>6.3306</u>	<u>8.1898</u>	<u>11.6928</u>
<u>18:55</u>	<u>3.9386</u>	<u>6.5096</u>	<u>8.4772</u>	<u>12.2247</u>	<u>3.8627</u>	<u>6.3320</u>	<u>8.1914</u>	<u>11.6951</u>
<u>18:56</u>	<u>3.9394</u>	<u>6.5110</u>	<u>8.4789</u>	<u>12.2271</u>	<u>3.8635</u>	<u>6.3333</u>	<u>8.1931</u>	<u>11.6973</u>
<u>18:57</u>	<u>3.9403</u>	<u>6.5124</u>	<u>8.4807</u>	<u>12.2295</u>	<u>3.8643</u>	<u>6.3346</u>	<u>8.1947</u>	<u>11.6995</u>
<u>18:58</u>	<u>3.9411</u>	<u>6.5138</u>	<u>8.4824</u>	<u>12.2319</u>	<u>3.8651</u>	<u>6.3359</u>	<u>8.1964</u>	<u>11.7018</u>
<u>18:59</u>	<u>3.9419</u>	<u>6.5151</u>	<u>8.4842</u>	<u>12.2343</u>	<u>3.8659</u>	<u>6.3372</u>	<u>8.1980</u>	<u>11.7040</u>
<u>19:00</u>	<u>3.9428</u>	<u>6.5165</u>	<u>8.4859</u>	<u>12.2367</u>	<u>3.8667</u>	<u>6.3385</u>	<u>8.1997</u>	<u>11.7062</u>
<u>19:01</u>	<u>3.9436</u>	<u>6.5178</u>	<u>8.4877</u>	<u>12.2390</u>	<u>3.8676</u>	<u>6.3398</u>	<u>8.2013</u>	<u>11.7084</u>
<u>19:02</u>	<u>3.9444</u>	<u>6.5192</u>	<u>8.4894</u>	<u>12.2414</u>	<u>3.8684</u>	<u>6.3412</u>	<u>8.2030</u>	<u>11.7106</u>
<u>19:03</u>	<u>3.9452</u>	<u>6.5205</u>	<u>8.4911</u>	<u>12.2438</u>	<u>3.8692</u>	<u>6.3425</u>	<u>8.2046</u>	<u>11.7128</u>
<u>19:04</u>	<u>3.9461</u>	<u>6.5219</u>	<u>8.4929</u>	<u>12.2461</u>	<u>3.8700</u>	<u>6.3438</u>	<u>8.2062</u>	<u>11.7150</u>

19:05	3.9469	6.5232	8.4946	12.2485	3.8708	6.3451	8.2079	11.7172
19:06	3.9477	6.5246	8.4963	12.2508	3.8716	6.3464	8.2095	11.7194
19:07	3.9485	6.5259	8.4980	12.2532	3.8724	6.3476	8.2111	11.7216
19:08	3.9493	6.5273	8.4997	12.2555	3.8732	6.3489	8.2127	11.7237
19:09	3.9502	6.5286	8.5015	12.2579	3.8740	6.3502	8.2144	11.7259
19:10	3.9510	6.5299	8.5032	12.2602	3.8748	6.3515	8.2160	11.7281
19:11	3.9518	6.5313	8.5049	12.2625	3.8756	6.3528	8.2176	11.7303
19:12	3.9526	6.5326	8.5066	12.2648	3.8764	6.3541	8.2192	11.7324
19:13	3.9534	6.5339	8.5083	12.2672	3.8772	6.3554	8.2208	11.7346
19:14	3.9542	6.5352	8.5100	12.2695	3.8780	6.3566	8.2224	11.7367
19:15	3.9550	6.5366	8.5117	12.2718	3.8787	6.3579	8.2240	11.7389
19:16	3.9558	6.5379	8.5134	12.2741	3.8795	6.3592	8.2256	11.7410
19:17	3.9566	6.5392	8.5150	12.2764	3.8803	6.3604	8.2272	11.7432
19:18	3.9574	6.5405	8.5167	12.2787	3.8811	6.3617	8.2288	11.7453
19:19	3.9582	6.5418	8.5184	12.2810	3.8819	6.3630	8.2303	11.7474
19:20	3.9590	6.5431	8.5201	12.2833	3.8827	6.3642	8.2319	11.7496
19:21	3.9598	6.5444	8.5218	12.2855	3.8835	6.3655	8.2335	11.7517
19:22	3.9606	6.5457	8.5234	12.2878	3.8842	6.3668	8.2351	11.7538
19:23	3.9614	6.5470	8.5251	12.2901	3.8850	6.3680	8.2367	11.7559
19:24	3.9622	6.5483	8.5268	12.2924	3.8858	6.3693	8.2382	11.7581
19:25	3.9630	6.5496	8.5284	12.2946	3.8866	6.3705	8.2398	11.7602
19:26	3.9638	6.5509	8.5301	12.2969	3.8873	6.3718	8.2414	11.7623
19:27	3.9646	6.5522	8.5317	12.2992	3.8881	6.3730	8.2429	11.7644
19:28	3.9654	6.5535	8.5334	12.3014	3.8889	6.3743	8.2445	11.7665
19:29	3.9661	6.5548	8.5350	12.3037	3.8897	6.3755	8.2460	11.7686
19:30	3.9669	6.5561	8.5367	12.3059	3.8904	6.3767	8.2476	11.7707
19:31	3.9677	6.5574	8.5383	12.3082	3.8912	6.3780	8.2491	11.7727
19:32	3.9685	6.5587	8.5400	12.3104	3.8920	6.3792	8.2507	11.7748
19:33	3.9693	6.5599	8.5416	12.3126	3.8927	6.3804	8.2522	11.7769
19:34	3.9700	6.5612	8.5433	12.3149	3.8935	6.3817	8.2538	11.7790
19:35	3.9708	6.5625	8.5449	12.3171	3.8942	6.3829	8.2553	11.7811
19:36	3.9716	6.5638	8.5465	12.3193	3.8950	6.3841	8.2569	11.7831
19:37	3.9724	6.5650	8.5481	12.3215	3.8958	6.3853	8.2584	11.7852
19:38	3.9731	6.5663	8.5498	12.3237	3.8965	6.3866	8.2599	11.7872
19:39	3.9739	6.5676	8.5514	12.3259	3.8973	6.3878	8.2615	11.7893
19:40	3.9747	6.5688	8.5530	12.3282	3.8980	6.3890	8.2630	11.7914
19:41	3.9755	6.5701	8.5546	12.3304	3.8988	6.3902	8.2645	11.7934
19:42	3.9762	6.5714	8.5562	12.3326	3.8995	6.3914	8.2660	11.7955
19:43	3.9770	6.5726	8.5578	12.3347	3.9003	6.3926	8.2675	11.7975
19:44	3.9778	6.5739	8.5594	12.3369	3.9010	6.3938	8.2691	11.7995
19:45	3.9785	6.5751	8.5610	12.3391	3.9018	6.3951	8.2706	11.8016

<u>19:46</u>	<u>3.9793</u>	<u>6.5764</u>	<u>8.5626</u>	<u>12.3413</u>	<u>3.9025</u>	<u>6.3963</u>	<u>8.2721</u>	<u>11.8036</u>
<u>19:47</u>	<u>3.9800</u>	<u>6.5776</u>	<u>8.5642</u>	<u>12.3435</u>	<u>3.9033</u>	<u>6.3975</u>	<u>8.2736</u>	<u>11.8056</u>
<u>19:48</u>	<u>3.9808</u>	<u>6.5789</u>	<u>8.5658</u>	<u>12.3457</u>	<u>3.9040</u>	<u>6.3987</u>	<u>8.2751</u>	<u>11.8076</u>
<u>19:49</u>	<u>3.9816</u>	<u>6.5801</u>	<u>8.5674</u>	<u>12.3478</u>	<u>3.9048</u>	<u>6.3999</u>	<u>8.2766</u>	<u>11.8097</u>
<u>19:50</u>	<u>3.9823</u>	<u>6.5813</u>	<u>8.5690</u>	<u>12.3500</u>	<u>3.9055</u>	<u>6.4011</u>	<u>8.2781</u>	<u>11.8117</u>
<u>19:51</u>	<u>3.9831</u>	<u>6.5826</u>	<u>8.5706</u>	<u>12.3522</u>	<u>3.9062</u>	<u>6.4022</u>	<u>8.2796</u>	<u>11.8137</u>
<u>19:52</u>	<u>3.9838</u>	<u>6.5838</u>	<u>8.5722</u>	<u>12.3543</u>	<u>3.9070</u>	<u>6.4034</u>	<u>8.2811</u>	<u>11.8157</u>
<u>19:53</u>	<u>3.9846</u>	<u>6.5851</u>	<u>8.5738</u>	<u>12.3565</u>	<u>3.9077</u>	<u>6.4046</u>	<u>8.2826</u>	<u>11.8177</u>
<u>19:54</u>	<u>3.9853</u>	<u>6.5863</u>	<u>8.5753</u>	<u>12.3586</u>	<u>3.9085</u>	<u>6.4058</u>	<u>8.2841</u>	<u>11.8197</u>
<u>19:55</u>	<u>3.9861</u>	<u>6.5875</u>	<u>8.5769</u>	<u>12.3608</u>	<u>3.9092</u>	<u>6.4070</u>	<u>8.2856</u>	<u>11.8217</u>
<u>19:56</u>	<u>3.9868</u>	<u>6.5887</u>	<u>8.5785</u>	<u>12.3629</u>	<u>3.9099</u>	<u>6.4082</u>	<u>8.2870</u>	<u>11.8237</u>
<u>19:57</u>	<u>3.9876</u>	<u>6.5900</u>	<u>8.5801</u>	<u>12.3651</u>	<u>3.9107</u>	<u>6.4094</u>	<u>8.2885</u>	<u>11.8257</u>
<u>19:58</u>	<u>3.9883</u>	<u>6.5912</u>	<u>8.5816</u>	<u>12.3672</u>	<u>3.9114</u>	<u>6.4105</u>	<u>8.2900</u>	<u>11.8277</u>
<u>19:59</u>	<u>3.9891</u>	<u>6.5924</u>	<u>8.5832</u>	<u>12.3693</u>	<u>3.9121</u>	<u>6.4117</u>	<u>8.2915</u>	<u>11.8297</u>
<u>20:00</u>	<u>3.9898</u>	<u>6.5936</u>	<u>8.5848</u>	<u>12.3715</u>	<u>3.9129</u>	<u>6.4129</u>	<u>8.2929</u>	<u>11.8316</u>
<u>20:01</u>	<u>3.9905</u>	<u>6.5949</u>	<u>8.5863</u>	<u>12.3736</u>	<u>3.9136</u>	<u>6.4141</u>	<u>8.2944</u>	<u>11.8336</u>
<u>20:02</u>	<u>3.9913</u>	<u>6.5961</u>	<u>8.5879</u>	<u>12.3757</u>	<u>3.9143</u>	<u>6.4152</u>	<u>8.2959</u>	<u>11.8356</u>
<u>20:03</u>	<u>3.9920</u>	<u>6.5973</u>	<u>8.5894</u>	<u>12.3778</u>	<u>3.9150</u>	<u>6.4164</u>	<u>8.2974</u>	<u>11.8376</u>
<u>20:04</u>	<u>3.9928</u>	<u>6.5985</u>	<u>8.5910</u>	<u>12.3799</u>	<u>3.9158</u>	<u>6.4176</u>	<u>8.2988</u>	<u>11.8395</u>
<u>20:05</u>	<u>3.9935</u>	<u>6.5997</u>	<u>8.5925</u>	<u>12.3820</u>	<u>3.9165</u>	<u>6.4188</u>	<u>8.3003</u>	<u>11.8415</u>
<u>20:06</u>	<u>3.9942</u>	<u>6.6009</u>	<u>8.5941</u>	<u>12.3842</u>	<u>3.9172</u>	<u>6.4199</u>	<u>8.3017</u>	<u>11.8435</u>
<u>20:07</u>	<u>3.9950</u>	<u>6.6021</u>	<u>8.5956</u>	<u>12.3863</u>	<u>3.9179</u>	<u>6.4211</u>	<u>8.3032</u>	<u>11.8454</u>
<u>20:08</u>	<u>3.9957</u>	<u>6.6033</u>	<u>8.5972</u>	<u>12.3884</u>	<u>3.9186</u>	<u>6.4222</u>	<u>8.3046</u>	<u>11.8474</u>
<u>20:09</u>	<u>3.9964</u>	<u>6.6045</u>	<u>8.5987</u>	<u>12.3905</u>	<u>3.9194</u>	<u>6.4234</u>	<u>8.3061</u>	<u>11.8493</u>
<u>20:10</u>	<u>3.9972</u>	<u>6.6057</u>	<u>8.6002</u>	<u>12.3925</u>	<u>3.9201</u>	<u>6.4246</u>	<u>8.3075</u>	<u>11.8513</u>
<u>20:11</u>	<u>3.9979</u>	<u>6.6069</u>	<u>8.6018</u>	<u>12.3946</u>	<u>3.9208</u>	<u>6.4257</u>	<u>8.3090</u>	<u>11.8532</u>
<u>20:12</u>	<u>3.9986</u>	<u>6.6081</u>	<u>8.6033</u>	<u>12.3967</u>	<u>3.9215</u>	<u>6.4269</u>	<u>8.3104</u>	<u>11.8551</u>
<u>20:13</u>	<u>3.9994</u>	<u>6.6093</u>	<u>8.6048</u>	<u>12.3988</u>	<u>3.9222</u>	<u>6.4280</u>	<u>8.3119</u>	<u>11.8571</u>
<u>20:14</u>	<u>4.0001</u>	<u>6.6105</u>	<u>8.6064</u>	<u>12.4009</u>	<u>3.9229</u>	<u>6.4292</u>	<u>8.3133</u>	<u>11.8590</u>
<u>20:15</u>	<u>4.0008</u>	<u>6.6117</u>	<u>8.6079</u>	<u>12.4030</u>	<u>3.9236</u>	<u>6.4303</u>	<u>8.3148</u>	<u>11.8609</u>
<u>20:16</u>	<u>4.0015</u>	<u>6.6129</u>	<u>8.6094</u>	<u>12.4050</u>	<u>3.9244</u>	<u>6.4314</u>	<u>8.3162</u>	<u>11.8629</u>
<u>20:17</u>	<u>4.0023</u>	<u>6.6141</u>	<u>8.6109</u>	<u>12.4071</u>	<u>3.9251</u>	<u>6.4326</u>	<u>8.3176</u>	<u>11.8648</u>
<u>20:18</u>	<u>4.0030</u>	<u>6.6153</u>	<u>8.6124</u>	<u>12.4092</u>	<u>3.9258</u>	<u>6.4337</u>	<u>8.3190</u>	<u>11.8667</u>
<u>20:19</u>	<u>4.0037</u>	<u>6.6164</u>	<u>8.6139</u>	<u>12.4112</u>	<u>3.9265</u>	<u>6.4349</u>	<u>8.3205</u>	<u>11.8686</u>
<u>20:20</u>	<u>4.0044</u>	<u>6.6176</u>	<u>8.6155</u>	<u>12.4133</u>	<u>3.9272</u>	<u>6.4360</u>	<u>8.3219</u>	<u>11.8705</u>
<u>20:21</u>	<u>4.0051</u>	<u>6.6188</u>	<u>8.6170</u>	<u>12.4153</u>	<u>3.9279</u>	<u>6.4371</u>	<u>8.3233</u>	<u>11.8725</u>
<u>20:22</u>	<u>4.0059</u>	<u>6.6200</u>	<u>8.6185</u>	<u>12.4174</u>	<u>3.9286</u>	<u>6.4383</u>	<u>8.3247</u>	<u>11.8744</u>
<u>20:23</u>	<u>4.0066</u>	<u>6.6211</u>	<u>8.6200</u>	<u>12.4194</u>	<u>3.9293</u>	<u>6.4394</u>	<u>8.3262</u>	<u>11.8763</u>
<u>20:24</u>	<u>4.0073</u>	<u>6.6223</u>	<u>8.6215</u>	<u>12.4215</u>	<u>3.9300</u>	<u>6.4405</u>	<u>8.3276</u>	<u>11.8782</u>
<u>20:25</u>	<u>4.0080</u>	<u>6.6235</u>	<u>8.6230</u>	<u>12.4235</u>	<u>3.9307</u>	<u>6.4417</u>	<u>8.3290</u>	<u>11.8801</u>
<u>20:26</u>	<u>4.0087</u>	<u>6.6247</u>	<u>8.6245</u>	<u>12.4256</u>	<u>3.9314</u>	<u>6.4428</u>	<u>8.3304</u>	<u>11.8820</u>

20:27	4.0094	6.6258	8.6260	12.4276	3.9321	6.4439	8.3318	11.8839
20:28	4.0101	6.6270	8.6275	12.4296	3.9328	6.4450	8.3332	11.8857
20:29	4.0108	6.6281	8.6289	12.4316	3.9335	6.4461	8.3346	11.8876
20:30	4.0115	6.6293	8.6304	12.4337	3.9342	6.4473	8.3360	11.8895
20:31	4.0123	6.6305	8.6319	12.4357	3.9349	6.4484	8.3374	11.8914
20:32	4.0130	6.6316	8.6334	12.4377	3.9355	6.4495	8.3388	11.8933
20:33	4.0137	6.6328	8.6349	12.4397	3.9362	6.4506	8.3402	11.8951
20:34	4.0144	6.6339	8.6364	12.4417	3.9369	6.4517	8.3416	11.8970
20:35	4.0151	6.6351	8.6378	12.4437	3.9376	6.4528	8.3430	11.8989
20:36	4.0158	6.6362	8.6393	12.4457	3.9383	6.4539	8.3444	11.9007
20:37	4.0165	6.6374	8.6408	12.4477	3.9390	6.4550	8.3458	11.9026
20:38	4.0172	6.6385	8.6422	12.4497	3.9397	6.4561	8.3471	11.9045
20:39	4.0179	6.6397	8.6437	12.4517	3.9404	6.4572	8.3485	11.9063
20:40	4.0186	6.6408	8.6452	12.4537	3.9410	6.4583	8.3499	11.9082
20:41	4.0193	6.6420	8.6466	12.4557	3.9417	6.4594	8.3513	11.9100
20:42	4.0200	6.6431	8.6481	12.4577	3.9424	6.4605	8.3527	11.9119
20:43	4.0206	6.6442	8.6495	12.4597	3.9431	6.4616	8.3540	11.9137
20:44	4.0213	6.6454	8.6510	12.4617	3.9438	6.4627	8.3554	11.9156
20:45	4.0220	6.6465	8.6524	12.4636	3.9444	6.4638	8.3568	11.9174
20:46	4.0227	6.6476	8.6539	12.4656	3.9451	6.4649	8.3581	11.9192
20:47	4.0234	6.6488	8.6553	12.4676	3.9458	6.4660	8.3595	11.9211
20:48	4.0241	6.6499	8.6568	12.4696	3.9465	6.4671	8.3609	11.9229
20:49	4.0248	6.6510	8.6582	12.4715	3.9471	6.4682	8.3622	11.9247
20:50	4.0255	6.6521	8.6597	12.4735	3.9478	6.4693	8.3636	11.9265
20:51	4.0262	6.6533	8.6611	12.4754	3.9485	6.4703	8.3649	11.9284
20:52	4.0268	6.6544	8.6625	12.4774	3.9491	6.4714	8.3663	11.9302
20:53	4.0275	6.6555	8.6640	12.4793	3.9498	6.4725	8.3676	11.9320
20:54	4.0282	6.6566	8.6654	12.4813	3.9505	6.4736	8.3690	11.9338
20:55	4.0289	6.6577	8.6668	12.4832	3.9512	6.4747	8.3703	11.9356
20:56	4.0296	6.6589	8.6683	12.4852	3.9518	6.4757	8.3717	11.9374
20:57	4.0302	6.6600	8.6697	12.4871	3.9525	6.4768	8.3730	11.9392
20:58	4.0309	6.6611	8.6711	12.4891	3.9532	6.4779	8.3744	11.9410
20:59	4.0316	6.6622	8.6725	12.4910	3.9538	6.4789	8.3757	11.9428
21:00	4.0323	6.6633	8.6739	12.4929	3.9545	6.4800	8.3770	11.9446
21:01	4.0329	6.6644	8.6754	12.4948	3.9551	6.4811	8.3784	11.9464
21:02	4.0336	6.6655	8.6768	12.4968	3.9558	6.4821	8.3797	11.9482
21:03	4.0343	6.6666	8.6782	12.4987	3.9565	6.4832	8.3810	11.9500
21:04	4.0350	6.6677	8.6796	12.5006	3.9571	6.4843	8.3824	11.9518
21:05	4.0356	6.6688	8.6810	12.5025	3.9578	6.4853	8.3837	11.9536
21:06	4.0363	6.6699	8.6824	12.5044	3.9584	6.4864	8.3850	11.9553
21:07	4.0370	6.6710	8.6838	12.5063	3.9591	6.4874	8.3863	11.9571

21:08	4.0376	6.6721	8.6852	12.5083	3.9597	6.4885	8.3877	11.9589
21:09	4.0383	6.6732	8.6866	12.5102	3.9604	6.4895	8.3890	11.9607
21:10	4.0390	6.6743	8.6880	12.5121	3.9610	6.4906	8.3903	11.9624
21:11	4.0396	6.6754	8.6894	12.5140	3.9617	6.4916	8.3916	11.9642
21:12	4.0403	6.6765	8.6908	12.5159	3.9623	6.4927	8.3929	11.9660
21:13	4.0410	6.6775	8.6922	12.5177	3.9630	6.4937	8.3942	11.9677
21:14	4.0416	6.6786	8.6936	12.5196	3.9636	6.4948	8.3955	11.9695
21:15	4.0423	6.6797	8.6950	12.5215	3.9643	6.4958	8.3968	11.9712
21:16	4.0429	6.6808	8.6964	12.5234	3.9649	6.4969	8.3982	11.9730
21:17	4.0436	6.6819	8.6977	12.5253	3.9656	6.4979	8.3995	11.9747
21:18	4.0443	6.6829	8.6991	12.5272	3.9662	6.4990	8.4008	11.9765
21:19	4.0449	6.6840	8.7005	12.5290	3.9669	6.5000	8.4021	11.9782
21:20	4.0456	6.6851	8.7019	12.5309	3.9675	6.5010	8.4034	11.9800
21:21	4.0462	6.6862	8.7032	12.5328	3.9682	6.5021	8.4047	11.9817
21:22	4.0469	6.6872	8.7046	12.5347	3.9688	6.5031	8.4059	11.9834
21:23	4.0475	6.6883	8.7060	12.5365	3.9694	6.5041	8.4072	11.9852
21:24	4.0482	6.6894	8.7074	12.5384	3.9701	6.5052	8.4085	11.9869
21:25	4.0488	6.6905	8.7087	12.5402	3.9707	6.5062	8.4098	11.9886
21:26	4.0495	6.6915	8.7101	12.5421	3.9714	6.5072	8.4111	11.9904
21:27	4.0501	6.6926	8.7114	12.5439	3.9720	6.5082	8.4124	11.9921
21:28	4.0508	6.6936	8.7128	12.5458	3.9726	6.5093	8.4137	11.9938
21:29	4.0514	6.6947	8.7142	12.5476	3.9733	6.5103	8.4149	11.9955
21:30	4.0521	6.6958	8.7155	12.5495	3.9739	6.5113	8.4162	11.9972
21:31	4.0527	6.6968	8.7169	12.5513	3.9745	6.5123	8.4175	11.9989
21:32	4.0534	6.6979	8.7182	12.5532	3.9752	6.5133	8.4188	12.0007
21:33	4.0540	6.6989	8.7196	12.5550	3.9758	6.5144	8.4201	12.0024
21:34	4.0546	6.7000	8.7209	12.5569	3.9764	6.5154	8.4213	12.0041
21:35	4.0553	6.7010	8.7223	12.5587	3.9770	6.5164	8.4226	12.0058
21:36	4.0559	6.7021	8.7236	12.5605	3.9777	6.5174	8.4239	12.0075
21:37	4.0566	6.7031	8.7250	12.5623	3.9783	6.5184	8.4251	12.0092
21:38	4.0572	6.7042	8.7263	12.5642	3.9789	6.5194	8.4264	12.0109
21:39	4.0578	6.7052	8.7276	12.5660	3.9796	6.5204	8.4277	12.0126
21:40	4.0585	6.7063	8.7290	12.5678	3.9802	6.5214	8.4289	12.0143
21:41	4.0591	6.7073	8.7303	12.5696	3.9808	6.5225	8.4302	12.0159
21:42	4.0598	6.7084	8.7317	12.5714	3.9814	6.5235	8.4314	12.0176
21:43	4.0604	6.7094	8.7330	12.5732	3.9820	6.5245	8.4327	12.0193
21:44	4.0610	6.7105	8.7343	12.5751	3.9827	6.5255	8.4339	12.0210
21:45	4.0617	6.7115	8.7356	12.5769	3.9833	6.5265	8.4352	12.0227
21:46	4.0623	6.7125	8.7370	12.5787	3.9839	6.5275	8.4364	12.0244
21:47	4.0629	6.7136	8.7383	12.5805	3.9845	6.5285	8.4377	12.0260
21:48	4.0635	6.7146	8.7396	12.5823	3.9851	6.5295	8.4389	12.0277

21:49	4.0642	6.7156	8.7409	12.5841	3.9858	6.5304	8.4402	12.0294
21:50	4.0648	6.7167	8.7423	12.5859	3.9864	6.5314	8.4414	12.0310
21:51	4.0654	6.7177	8.7436	12.5876	3.9870	6.5324	8.4427	12.0327
21:52	4.0661	6.7187	8.7449	12.5894	3.9876	6.5334	8.4439	12.0344
21:53	4.0667	6.7197	8.7462	12.5912	3.9882	6.5344	8.4451	12.0360
21:54	4.0673	6.7208	8.7475	12.5930	3.9888	6.5354	8.4464	12.0377
21:55	4.0679	6.7218	8.7488	12.5948	3.9894	6.5364	8.4476	12.0393
21:56	4.0686	6.7228	8.7501	12.5966	3.9901	6.5374	8.4488	12.0410
21:57	4.0692	6.7238	8.7514	12.5983	3.9907	6.5383	8.4501	12.0426
21:58	4.0698	6.7248	8.7527	12.6001	3.9913	6.5393	8.4513	12.0443
21:59	4.0704	6.7259	8.7540	12.6019	3.9919	6.5403	8.4525	12.0459
22:00	4.0710	6.7269	8.7553	12.6037	3.9925	6.5413	8.4538	12.0476
22:01	4.0717	6.7279	8.7566	12.6054	3.9931	6.5423	8.4550	12.0492
22:02	4.0723	6.7289	8.7579	12.6072	3.9937	6.5432	8.4562	12.0509
22:03	4.0729	6.7299	8.7592	12.6089	3.9943	6.5442	8.4574	12.0525
22:04	4.0735	6.7309	8.7605	12.6107	3.9949	6.5452	8.4586	12.0541
22:05	4.0741	6.7319	8.7618	12.6125	3.9955	6.5462	8.4599	12.0558
22:06	4.0748	6.7330	8.7631	12.6142	3.9961	6.5471	8.4611	12.0574
22:07	4.0754	6.7340	8.7644	12.6160	3.9967	6.5481	8.4623	12.0590
22:08	4.0760	6.7350	8.7657	12.6177	3.9973	6.5491	8.4635	12.0606
22:09	4.0766	6.7360	8.7670	12.6195	3.9979	6.5500	8.4647	12.0623
22:10	4.0772	6.7370	8.7683	12.6212	3.9985	6.5510	8.4659	12.0639
22:11	4.0778	6.7380	8.7695	12.6229	3.9991	6.5520	8.4671	12.0655
22:12	4.0784	6.7390	8.7708	12.6247	3.9997	6.5529	8.4683	12.0671
22:13	4.0790	6.7400	8.7721	12.6264	4.0003	6.5539	8.4695	12.0687
22:14	4.0796	6.7410	8.7734	12.6282	4.0009	6.5549	8.4707	12.0703
22:15	4.0802	6.7420	8.7747	12.6299	4.0015	6.5558	8.4719	12.0720
22:16	4.0809	6.7430	8.7759	12.6316	4.0021	6.5568	8.4731	12.0736
22:17	4.0815	6.7440	8.7772	12.6334	4.0027	6.5577	8.4743	12.0752
22:18	4.0821	6.7449	8.7785	12.6351	4.0033	6.5587	8.4755	12.0768
22:19	4.0827	6.7459	8.7797	12.6368	4.0039	6.5596	8.4767	12.0784
22:20	4.0833	6.7469	8.7810	12.6385	4.0045	6.5606	8.4779	12.0800
22:21	4.0839	6.7479	8.7823	12.6402	4.0051	6.5615	8.4791	12.0816
22:22	4.0845	6.7489	8.7835	12.6420	4.0057	6.5625	8.4803	12.0832
22:23	4.0851	6.7499	8.7848	12.6437	4.0062	6.5634	8.4815	12.0848
22:24	4.0857	6.7509	8.7860	12.6454	4.0068	6.5644	8.4827	12.0864
22:25	4.0863	6.7519	8.7873	12.6471	4.0074	6.5653	8.4839	12.0879
22:26	4.0869	6.7528	8.7886	12.6488	4.0080	6.5663	8.4851	12.0895
22:27	4.0875	6.7538	8.7898	12.6505	4.0086	6.5672	8.4862	12.0911
22:28	4.0881	6.7548	8.7911	12.6522	4.0092	6.5682	8.4874	12.0927
22:29	4.0887	6.7558	8.7923	12.6539	4.0098	6.5691	8.4886	12.0943

<u>22:30</u>	<u>4.0893</u>	<u>6.7568</u>	<u>8.7936</u>	<u>12.6556</u>	<u>4.0104</u>	<u>6.5700</u>	<u>8.4898</u>	<u>12.0959</u>
<u>22:31</u>	<u>4.0899</u>	<u>6.7577</u>	<u>8.7948</u>	<u>12.6573</u>	<u>4.0109</u>	<u>6.5710</u>	<u>8.4910</u>	<u>12.0974</u>
<u>22:32</u>	<u>4.0905</u>	<u>6.7587</u>	<u>8.7961</u>	<u>12.6590</u>	<u>4.0115</u>	<u>6.5719</u>	<u>8.4921</u>	<u>12.0990</u>
<u>22:33</u>	<u>4.0910</u>	<u>6.7597</u>	<u>8.7973</u>	<u>12.6607</u>	<u>4.0121</u>	<u>6.5729</u>	<u>8.4933</u>	<u>12.1006</u>
<u>22:34</u>	<u>4.0916</u>	<u>6.7606</u>	<u>8.7986</u>	<u>12.6624</u>	<u>4.0127</u>	<u>6.5738</u>	<u>8.4945</u>	<u>12.1021</u>
<u>22:35</u>	<u>4.0922</u>	<u>6.7616</u>	<u>8.7998</u>	<u>12.6641</u>	<u>4.0133</u>	<u>6.5747</u>	<u>8.4956</u>	<u>12.1037</u>
<u>22:36</u>	<u>4.0928</u>	<u>6.7626</u>	<u>8.8010</u>	<u>12.6658</u>	<u>4.0138</u>	<u>6.5757</u>	<u>8.4968</u>	<u>12.1053</u>
<u>22:37</u>	<u>4.0934</u>	<u>6.7636</u>	<u>8.8023</u>	<u>12.6674</u>	<u>4.0144</u>	<u>6.5766</u>	<u>8.4980</u>	<u>12.1068</u>
<u>22:38</u>	<u>4.0940</u>	<u>6.7645</u>	<u>8.8035</u>	<u>12.6691</u>	<u>4.0150</u>	<u>6.5775</u>	<u>8.4991</u>	<u>12.1084</u>
<u>22:39</u>	<u>4.0946</u>	<u>6.7655</u>	<u>8.8048</u>	<u>12.6708</u>	<u>4.0156</u>	<u>6.5785</u>	<u>8.5003</u>	<u>12.1100</u>
<u>22:40</u>	<u>4.0952</u>	<u>6.7665</u>	<u>8.8060</u>	<u>12.6725</u>	<u>4.0162</u>	<u>6.5794</u>	<u>8.5015</u>	<u>12.1115</u>
<u>22:41</u>	<u>4.0958</u>	<u>6.7674</u>	<u>8.8072</u>	<u>12.6742</u>	<u>4.0167</u>	<u>6.5803</u>	<u>8.5026</u>	<u>12.1131</u>
<u>22:42</u>	<u>4.0964</u>	<u>6.7684</u>	<u>8.8084</u>	<u>12.6758</u>	<u>4.0173</u>	<u>6.5813</u>	<u>8.5038</u>	<u>12.1146</u>
<u>22:43</u>	<u>4.0969</u>	<u>6.7693</u>	<u>8.8097</u>	<u>12.6775</u>	<u>4.0179</u>	<u>6.5822</u>	<u>8.5049</u>	<u>12.1162</u>
<u>22:44</u>	<u>4.0975</u>	<u>6.7703</u>	<u>8.8109</u>	<u>12.6792</u>	<u>4.0184</u>	<u>6.5831</u>	<u>8.5061</u>	<u>12.1177</u>
<u>22:45</u>	<u>4.0981</u>	<u>6.7713</u>	<u>8.8121</u>	<u>12.6808</u>	<u>4.0190</u>	<u>6.5840</u>	<u>8.5073</u>	<u>12.1193</u>
<u>22:46</u>	<u>4.0987</u>	<u>6.7722</u>	<u>8.8134</u>	<u>12.6825</u>	<u>4.0196</u>	<u>6.5849</u>	<u>8.5084</u>	<u>12.1208</u>
<u>22:47</u>	<u>4.0993</u>	<u>6.7732</u>	<u>8.8146</u>	<u>12.6842</u>	<u>4.0202</u>	<u>6.5859</u>	<u>8.5096</u>	<u>12.1224</u>
<u>22:48</u>	<u>4.0999</u>	<u>6.7741</u>	<u>8.8158</u>	<u>12.6858</u>	<u>4.0207</u>	<u>6.5868</u>	<u>8.5107</u>	<u>12.1239</u>
<u>22:49</u>	<u>4.1004</u>	<u>6.7751</u>	<u>8.8170</u>	<u>12.6875</u>	<u>4.0213</u>	<u>6.5877</u>	<u>8.5119</u>	<u>12.1255</u>
<u>22:50</u>	<u>4.1010</u>	<u>6.7760</u>	<u>8.8182</u>	<u>12.6891</u>	<u>4.0219</u>	<u>6.5886</u>	<u>8.5130</u>	<u>12.1270</u>
<u>22:51</u>	<u>4.1016</u>	<u>6.7770</u>	<u>8.8195</u>	<u>12.6908</u>	<u>4.0224</u>	<u>6.5895</u>	<u>8.5142</u>	<u>12.1285</u>
<u>22:52</u>	<u>4.1022</u>	<u>6.7779</u>	<u>8.8207</u>	<u>12.6924</u>	<u>4.0230</u>	<u>6.5904</u>	<u>8.5153</u>	<u>12.1301</u>
<u>22:53</u>	<u>4.1028</u>	<u>6.7789</u>	<u>8.8219</u>	<u>12.6941</u>	<u>4.0236</u>	<u>6.5914</u>	<u>8.5164</u>	<u>12.1316</u>
<u>22:54</u>	<u>4.1033</u>	<u>6.7798</u>	<u>8.8231</u>	<u>12.6957</u>	<u>4.0241</u>	<u>6.5923</u>	<u>8.5176</u>	<u>12.1331</u>
<u>22:55</u>	<u>4.1039</u>	<u>6.7808</u>	<u>8.8243</u>	<u>12.6974</u>	<u>4.0247</u>	<u>6.5932</u>	<u>8.5187</u>	<u>12.1347</u>
<u>22:56</u>	<u>4.1045</u>	<u>6.7817</u>	<u>8.8255</u>	<u>12.6990</u>	<u>4.0253</u>	<u>6.5941</u>	<u>8.5199</u>	<u>12.1362</u>
<u>22:57</u>	<u>4.1051</u>	<u>6.7827</u>	<u>8.8267</u>	<u>12.7007</u>	<u>4.0258</u>	<u>6.5950</u>	<u>8.5210</u>	<u>12.1377</u>
<u>22:58</u>	<u>4.1057</u>	<u>6.7836</u>	<u>8.8279</u>	<u>12.7023</u>	<u>4.0264</u>	<u>6.5959</u>	<u>8.5221</u>	<u>12.1392</u>
<u>22:59</u>	<u>4.1062</u>	<u>6.7845</u>	<u>8.8291</u>	<u>12.7039</u>	<u>4.0270</u>	<u>6.5968</u>	<u>8.5233</u>	<u>12.1407</u>
<u>23:00</u>	<u>4.1068</u>	<u>6.7855</u>	<u>8.8303</u>	<u>12.7056</u>	<u>4.0275</u>	<u>6.5977</u>	<u>8.5244</u>	<u>12.1423</u>
<u>23:01</u>	<u>4.1074</u>	<u>6.7864</u>	<u>8.8315</u>	<u>12.7072</u>	<u>4.0281</u>	<u>6.5986</u>	<u>8.5255</u>	<u>12.1438</u>
<u>23:02</u>	<u>4.1079</u>	<u>6.7874</u>	<u>8.8327</u>	<u>12.7088</u>	<u>4.0286</u>	<u>6.5995</u>	<u>8.5267</u>	<u>12.1453</u>
<u>23:03</u>	<u>4.1085</u>	<u>6.7883</u>	<u>8.8339</u>	<u>12.7105</u>	<u>4.0292</u>	<u>6.6004</u>	<u>8.5278</u>	<u>12.1468</u>
<u>23:04</u>	<u>4.1091</u>	<u>6.7892</u>	<u>8.8351</u>	<u>12.7121</u>	<u>4.0298</u>	<u>6.6013</u>	<u>8.5289</u>	<u>12.1483</u>
<u>23:05</u>	<u>4.1096</u>	<u>6.7902</u>	<u>8.8363</u>	<u>12.7137</u>	<u>4.0303</u>	<u>6.6022</u>	<u>8.5300</u>	<u>12.1498</u>
<u>23:06</u>	<u>4.1102</u>	<u>6.7911</u>	<u>8.8375</u>	<u>12.7153</u>	<u>4.0309</u>	<u>6.6031</u>	<u>8.5312</u>	<u>12.1513</u>
<u>23:07</u>	<u>4.1108</u>	<u>6.7920</u>	<u>8.8387</u>	<u>12.7169</u>	<u>4.0314</u>	<u>6.6040</u>	<u>8.5323</u>	<u>12.1528</u>
<u>23:08</u>	<u>4.1114</u>	<u>6.7930</u>	<u>8.8399</u>	<u>12.7186</u>	<u>4.0320</u>	<u>6.6049</u>	<u>8.5334</u>	<u>12.1543</u>
<u>23:09</u>	<u>4.1119</u>	<u>6.7939</u>	<u>8.8411</u>	<u>12.7202</u>	<u>4.0326</u>	<u>6.6058</u>	<u>8.5345</u>	<u>12.1558</u>
<u>23:10</u>	<u>4.1125</u>	<u>6.7948</u>	<u>8.8423</u>	<u>12.7218</u>	<u>4.0331</u>	<u>6.6067</u>	<u>8.5356</u>	<u>12.1573</u>

<u>23:11</u>	<u>4.1131</u>	<u>6.7957</u>	<u>8.8435</u>	<u>12.7234</u>	<u>4.0337</u>	<u>6.6076</u>	<u>8.5368</u>	<u>12.1588</u>
<u>23:12</u>	<u>4.1136</u>	<u>6.7967</u>	<u>8.8447</u>	<u>12.7250</u>	<u>4.0342</u>	<u>6.6085</u>	<u>8.5379</u>	<u>12.1603</u>
<u>23:13</u>	<u>4.1142</u>	<u>6.7976</u>	<u>8.8458</u>	<u>12.7266</u>	<u>4.0348</u>	<u>6.6094</u>	<u>8.5390</u>	<u>12.1618</u>
<u>23:14</u>	<u>4.1148</u>	<u>6.7985</u>	<u>8.8470</u>	<u>12.7282</u>	<u>4.0353</u>	<u>6.6103</u>	<u>8.5401</u>	<u>12.1633</u>
<u>23:15</u>	<u>4.1153</u>	<u>6.7994</u>	<u>8.8482</u>	<u>12.7298</u>	<u>4.0359</u>	<u>6.6112</u>	<u>8.5412</u>	<u>12.1648</u>
<u>23:16</u>	<u>4.1159</u>	<u>6.8004</u>	<u>8.8494</u>	<u>12.7314</u>	<u>4.0364</u>	<u>6.6121</u>	<u>8.5423</u>	<u>12.1663</u>
<u>23:17</u>	<u>4.1164</u>	<u>6.8013</u>	<u>8.8506</u>	<u>12.7330</u>	<u>4.0370</u>	<u>6.6129</u>	<u>8.5434</u>	<u>12.1678</u>
<u>23:18</u>	<u>4.1170</u>	<u>6.8022</u>	<u>8.8517</u>	<u>12.7346</u>	<u>4.0375</u>	<u>6.6138</u>	<u>8.5446</u>	<u>12.1693</u>
<u>23:19</u>	<u>4.1176</u>	<u>6.8031</u>	<u>8.8529</u>	<u>12.7362</u>	<u>4.0381</u>	<u>6.6147</u>	<u>8.5457</u>	<u>12.1707</u>
<u>23:20</u>	<u>4.1181</u>	<u>6.8040</u>	<u>8.8541</u>	<u>12.7378</u>	<u>4.0386</u>	<u>6.6156</u>	<u>8.5468</u>	<u>12.1722</u>
<u>23:21</u>	<u>4.1187</u>	<u>6.8050</u>	<u>8.8553</u>	<u>12.7394</u>	<u>4.0392</u>	<u>6.6165</u>	<u>8.5479</u>	<u>12.1737</u>
<u>23:22</u>	<u>4.1192</u>	<u>6.8059</u>	<u>8.8564</u>	<u>12.7410</u>	<u>4.0397</u>	<u>6.6174</u>	<u>8.5490</u>	<u>12.1752</u>
<u>23:23</u>	<u>4.1198</u>	<u>6.8068</u>	<u>8.8576</u>	<u>12.7426</u>	<u>4.0403</u>	<u>6.6182</u>	<u>8.5501</u>	<u>12.1767</u>
<u>23:24</u>	<u>4.1204</u>	<u>6.8077</u>	<u>8.8588</u>	<u>12.7442</u>	<u>4.0408</u>	<u>6.6191</u>	<u>8.5512</u>	<u>12.1781</u>
<u>23:25</u>	<u>4.1209</u>	<u>6.8086</u>	<u>8.8599</u>	<u>12.7458</u>	<u>4.0414</u>	<u>6.6200</u>	<u>8.5523</u>	<u>12.1796</u>
<u>23:26</u>	<u>4.1215</u>	<u>6.8095</u>	<u>8.8611</u>	<u>12.7473</u>	<u>4.0419</u>	<u>6.6209</u>	<u>8.5534</u>	<u>12.1811</u>
<u>23:27</u>	<u>4.1220</u>	<u>6.8104</u>	<u>8.8623</u>	<u>12.7489</u>	<u>4.0424</u>	<u>6.6218</u>	<u>8.5545</u>	<u>12.1825</u>
<u>23:28</u>	<u>4.1226</u>	<u>6.8113</u>	<u>8.8634</u>	<u>12.7505</u>	<u>4.0430</u>	<u>6.6226</u>	<u>8.5556</u>	<u>12.1840</u>
<u>23:29</u>	<u>4.1231</u>	<u>6.8123</u>	<u>8.8646</u>	<u>12.7521</u>	<u>4.0435</u>	<u>6.6235</u>	<u>8.5567</u>	<u>12.1855</u>
<u>23:30</u>	<u>4.1237</u>	<u>6.8132</u>	<u>8.8658</u>	<u>12.7537</u>	<u>4.0441</u>	<u>6.6244</u>	<u>8.5577</u>	<u>12.1869</u>
<u>23:31</u>	<u>4.1242</u>	<u>6.8141</u>	<u>8.8669</u>	<u>12.7552</u>	<u>4.0446</u>	<u>6.6253</u>	<u>8.5588</u>	<u>12.1884</u>
<u>23:32</u>	<u>4.1248</u>	<u>6.8150</u>	<u>8.8681</u>	<u>12.7568</u>	<u>4.0451</u>	<u>6.6261</u>	<u>8.5599</u>	<u>12.1899</u>
<u>23:33</u>	<u>4.1253</u>	<u>6.8159</u>	<u>8.8692</u>	<u>12.7584</u>	<u>4.0457</u>	<u>6.6270</u>	<u>8.5610</u>	<u>12.1913</u>
<u>23:34</u>	<u>4.1259</u>	<u>6.8168</u>	<u>8.8704</u>	<u>12.7599</u>	<u>4.0462</u>	<u>6.6279</u>	<u>8.5621</u>	<u>12.1928</u>
<u>23:35</u>	<u>4.1264</u>	<u>6.8177</u>	<u>8.8715</u>	<u>12.7615</u>	<u>4.0468</u>	<u>6.6287</u>	<u>8.5632</u>	<u>12.1942</u>
<u>23:36</u>	<u>4.1270</u>	<u>6.8186</u>	<u>8.8727</u>	<u>12.7631</u>	<u>4.0473</u>	<u>6.6296</u>	<u>8.5643</u>	<u>12.1957</u>
<u>23:37</u>	<u>4.1275</u>	<u>6.8195</u>	<u>8.8738</u>	<u>12.7646</u>	<u>4.0478</u>	<u>6.6305</u>	<u>8.5654</u>	<u>12.1971</u>
<u>23:38</u>	<u>4.1281</u>	<u>6.8204</u>	<u>8.8750</u>	<u>12.7662</u>	<u>4.0484</u>	<u>6.6313</u>	<u>8.5664</u>	<u>12.1986</u>
<u>23:39</u>	<u>4.1286</u>	<u>6.8213</u>	<u>8.8761</u>	<u>12.7678</u>	<u>4.0489</u>	<u>6.6322</u>	<u>8.5675</u>	<u>12.2000</u>
<u>23:40</u>	<u>4.1292</u>	<u>6.8222</u>	<u>8.8773</u>	<u>12.7693</u>	<u>4.0495</u>	<u>6.6331</u>	<u>8.5686</u>	<u>12.2015</u>
<u>23:41</u>	<u>4.1297</u>	<u>6.8231</u>	<u>8.8784</u>	<u>12.7709</u>	<u>4.0500</u>	<u>6.6339</u>	<u>8.5697</u>	<u>12.2029</u>
<u>23:42</u>	<u>4.1303</u>	<u>6.8240</u>	<u>8.8796</u>	<u>12.7724</u>	<u>4.0505</u>	<u>6.6348</u>	<u>8.5708</u>	<u>12.2044</u>
<u>23:43</u>	<u>4.1308</u>	<u>6.8249</u>	<u>8.8807</u>	<u>12.7740</u>	<u>4.0511</u>	<u>6.6356</u>	<u>8.5718</u>	<u>12.2058</u>
<u>23:44</u>	<u>4.1314</u>	<u>6.8257</u>	<u>8.8819</u>	<u>12.7755</u>	<u>4.0516</u>	<u>6.6365</u>	<u>8.5729</u>	<u>12.2072</u>
<u>23:45</u>	<u>4.1319</u>	<u>6.8266</u>	<u>8.8830</u>	<u>12.7771</u>	<u>4.0521</u>	<u>6.6374</u>	<u>8.5740</u>	<u>12.2087</u>
<u>23:46</u>	<u>4.1324</u>	<u>6.8275</u>	<u>8.8841</u>	<u>12.7786</u>	<u>4.0527</u>	<u>6.6382</u>	<u>8.5750</u>	<u>12.2101</u>
<u>23:47</u>	<u>4.1330</u>	<u>6.8284</u>	<u>8.8853</u>	<u>12.7802</u>	<u>4.0532</u>	<u>6.6391</u>	<u>8.5761</u>	<u>12.2115</u>
<u>23:48</u>	<u>4.1335</u>	<u>6.8293</u>	<u>8.8864</u>	<u>12.7817</u>	<u>4.0537</u>	<u>6.6399</u>	<u>8.5772</u>	<u>12.2130</u>
<u>23:49</u>	<u>4.1341</u>	<u>6.8302</u>	<u>8.8875</u>	<u>12.7832</u>	<u>4.0542</u>	<u>6.6408</u>	<u>8.5783</u>	<u>12.2144</u>
<u>23:50</u>	<u>4.1346</u>	<u>6.8311</u>	<u>8.8887</u>	<u>12.7848</u>	<u>4.0548</u>	<u>6.6416</u>	<u>8.5793</u>	<u>12.2158</u>
<u>23:51</u>	<u>4.1351</u>	<u>6.8320</u>	<u>8.8898</u>	<u>12.7863</u>	<u>4.0553</u>	<u>6.6425</u>	<u>8.5804</u>	<u>12.2173</u>


<u>23:52</u>	<u>4.1357</u>	<u>6.8328</u>	<u>8.8909</u>	<u>12.7878</u>	<u>4.0558</u>	<u>6.6433</u>	<u>8.5815</u>	<u>12.2187</u>
<u>23:53</u>	<u>4.1362</u>	<u>6.8337</u>	<u>8.8921</u>	<u>12.7894</u>	<u>4.0564</u>	<u>6.6442</u>	<u>8.5825</u>	<u>12.2201</u>
<u>23:54</u>	<u>4.1368</u>	<u>6.8346</u>	<u>8.8932</u>	<u>12.7909</u>	<u>4.0569</u>	<u>6.6450</u>	<u>8.5836</u>	<u>12.2215</u>
<u>23:55</u>	<u>4.1373</u>	<u>6.8355</u>	<u>8.8943</u>	<u>12.7924</u>	<u>4.0574</u>	<u>6.6459</u>	<u>8.5846</u>	<u>12.2230</u>
<u>23:56</u>	<u>4.1378</u>	<u>6.8364</u>	<u>8.8955</u>	<u>12.7940</u>	<u>4.0580</u>	<u>6.6467</u>	<u>8.5857</u>	<u>12.2244</u>
<u>23:57</u>	<u>4.1384</u>	<u>6.8373</u>	<u>8.8966</u>	<u>12.7955</u>	<u>4.0585</u>	<u>6.6476</u>	<u>8.5868</u>	<u>12.2258</u>
<u>23:58</u>	<u>4.1389</u>	<u>6.8381</u>	<u>8.8977</u>	<u>12.7970</u>	<u>4.0590</u>	<u>6.6484</u>	<u>8.5878</u>	<u>12.2272</u>
<u>23:59</u>	<u>4.1395</u>	<u>6.8390</u>	<u>8.8988</u>	<u>12.7985</u>	<u>4.0595</u>	<u>6.6493</u>	<u>8.5889</u>	<u>12.2286</u>
<u>24:00</u>	<u>4.1400</u>	<u>6.8399</u>	<u>8.8999</u>	<u>12.8001</u>	<u>4.0600</u>	<u>6.6501</u>	<u>8.5899</u>	<u>12.2300</u>

DRAINAGE CRITERIA MANUAL

APPENDIX D. - FIGURES AND DIAGRAMS^[1]

FIGURES FROM SECTION 2

Figure 2-1 Effects of Urbanization on Flood Hydrograph



Source: City of Austin, Watershed Management Division

Figure 2-2 Austin Intensity-Duration-Frequency Curves





Figure 2-3 Dimensionless Curvilinear Unit Hydrograph and Equivalent Triangular Hydrograph



Source: U.S. Soil Conservation Service, "Hydrology Section 4," National Engineering Handbook, (NEH-4), 1972.

Figure 2-34 Temporal Distribution For all PMP Durations

1-Hr Distribution

0	0.25	0.5	0.75	1
---	------	-----	------	---

2-Hr Distribution

0	0.15	0.3	0.45	0.6	0.7	0.8	0.9	1
---	------	-----	------	-----	-----	-----	-----	---

3-Hr Distribution

0	0.125	0.25	0.375	0.5	0.5625	0.625	0.6875	0.75	0.8125
---	-------	------	-------	-----	--------	-------	--------	------	--------

0.875	0.9375	1
-------	--------	---

6-Hr Distribution

0	0.075	0.15	0.225	0.3	0.375	0.45	0.525	0.6	0.625
---	-------	------	-------	-----	-------	------	-------	-----	-------

0.65	0.675	0.7	0.725	0.75	0.775	0.8	0.825	0.85	0.875
------	-------	-----	-------	------	-------	-----	-------	------	-------

0.9	0.925	0.95	0.975	1
-----	-------	------	-------	---

12-Hr Distribution

0	0.0438	0.0875	0.1313	0.175	0.2188	0.2625	0.3063	0.35	0.3938
---	--------	--------	--------	-------	--------	--------	--------	------	--------

0.4375	0.4813	0.525	0.5688	0.6125	0.6563	0.7	0.7094	0.7188	0.7281
--------	--------	-------	--------	--------	--------	-----	--------	--------	--------

0.7375	0.7469	0.7563	0.7656	0.775	0.7844	0.7938	0.8031	0.8125	0.8219
--------	--------	--------	--------	-------	--------	--------	--------	--------	--------

0.8313	0.8406	0.85	0.8594	0.8688	0.8781	0.8875	0.8969	0.9063	0.9156
--------	--------	------	--------	--------	--------	--------	--------	--------	--------

0.925	0.9344	0.9438	0.9531	0.9625	0.9719	0.9812	0.9906	1
-------	--------	--------	--------	--------	--------	--------	--------	---

24-Hr Distribution

0	0.025	0.05	0.075	0.1	0.125	0.15	0.175	0.2	0.225
---	-------	------	-------	-----	-------	------	-------	-----	-------

0.25	0.275	0.3	0.325	0.35	0.375	0.4	0.425	0.45	0.475
------	-------	-----	-------	------	-------	-----	-------	------	-------

0.5	0.525	0.55	0.575	0.6	0.625	0.65	0.675	0.7	0.725
-----	-------	------	-------	-----	-------	------	-------	-----	-------

0.75	0.775	0.8	0.8031	0.8063	0.8094	0.8125	0.8156	0.8188	0.8219
------	-------	-----	--------	--------	--------	--------	--------	--------	--------

0.825	0.8281	0.8313	0.8344	0.8375	0.8406	0.8438	0.8469	0.85	0.8531
-------	--------	--------	--------	--------	--------	--------	--------	------	--------

0.8563	0.8594	0.8625	0.8656	0.8688	0.8719	0.875	0.8781	0.8813	0.8844
--------	--------	--------	--------	--------	--------	-------	--------	--------	--------

0.8875	0.8906	0.8938	0.8969	0.9	0.9031	0.9063	0.9094	0.9125	0.9156
--------	--------	--------	--------	-----	--------	--------	--------	--------	--------

0.9188	0.9219	0.925	0.9281	0.9313	0.9344	0.9375	0.9406	0.9438	0.9469
--------	--------	-------	--------	--------	--------	--------	--------	--------	--------

0.95	0.9531	0.9563	0.9594	0.9625	0.9656	0.9688	0.9719	0.975	0.9781
------	--------	--------	--------	--------	--------	--------	--------	-------	--------

0.9813	0.9844	0.9875	0.9906	0.9938	0.9969	1
--------	--------	--------	--------	--------	--------	---

DRAINAGE CRITERIA MANUAL

NEW APPENDIX F. - Rainfall Criteria Pre-Dating Atlas 14

Appendix F

Rainfall Criteria Pre-Dating Atlas 14

The rainfall criteria in this Appendix is to be used to calculate the 100-year floodplain, 25-year floodplain, Base Flood, Design Flood, Flood Hazard Area, and Floodway for areas not yet amended to incorporate Atlas 14 data.

The DDF (depth-duration-frequency) and IDF (intensity-duration-frequency) values are shown in Table F-1 and Table F-2. The Austin intensity-duration-frequency curves are shown in Figure 2-2 in Appendix D of this manual.

Table F-1. Depth-Duration-Frequency Table for Austin and Travis County>

Depth of Precipitation (in inches)									
Recurrence Interval (year)	5 min*	15 min	30 min	1-hr	2-hr	3-hr	6-hr	12-hr	24-hr
2	0.48	0.98	1.32	1.72	2.16	2.32	2.67	3.06	3.44
5	0.62	1.26	1.71	2.28	2.89	3.13	3.56	4.07	4.99
10	0.71	1.47	1.98	2.68	3.42	3.71	4.21	4.81	6.1
25	0.84	1.76	2.36	3.28	4.2	4.55	5.14	5.9	7.64
50	0.94	2.01	2.68	3.79	4.88	5.28	5.94	6.86	8.87

Table F-1. Depth-Duration-Frequency Table for Austin and Travis County>

Depth of Precipitation (in inches)

<u>Recurrence Interval (year)</u>	<u>5 min*</u>	<u>15 min</u>	<u>30 min</u>	<u>1-hr</u>	<u>2-hr</u>	<u>3-hr</u>	<u>6-hr</u>	<u>12-hr</u>	<u>24-hr</u>
100	1.05	2.29	3.04	4.37	5.66	6.11	6.85	7.96	10.2
250	1.21	2.73	3.57	5.26	6.86	7.38	8.24	9.67	12
500	1.33	3.11	4.02	6.06	7.94	8.51	9.47	11.2	13.5

* The 5-min rainfall depths were calculated using the 5-min rainfall intensity values from Table 2-4.

Table F-2. Intensity-Duration-Frequency Table for Austin and Travis County

Intensity of Precipitation (inches per hour)

<u>Recurrence Interval (year)</u>	<u>5 min*</u>	<u>15 min</u>	<u>30 min</u>	<u>1-hr</u>	<u>2-hr</u>	<u>3-hr</u>	<u>6-hr</u>	<u>12-hr</u>	<u>24-hr</u>
<u>2</u>	<u>5.76</u>	<u>3.92</u>	<u>2.64</u>	<u>1.72</u>	<u>1.08</u>	<u>0.773</u>	<u>0.445</u>	<u>0.255</u>	<u>0.143</u>
<u>5</u>	<u>7.39</u>	<u>5.04</u>	<u>3.42</u>	<u>2.28</u>	<u>1.45</u>	<u>1.04</u>	<u>0.593</u>	<u>0.339</u>	<u>0.208</u>
<u>10</u>	<u>8.57</u>	<u>5.88</u>	<u>3.96</u>	<u>2.68</u>	<u>1.71</u>	<u>1.24</u>	<u>0.702</u>	<u>0.401</u>	<u>0.254</u>
<u>25</u>	<u>10.1</u>	<u>7.04</u>	<u>4.72</u>	<u>3.28</u>	<u>2.10</u>	<u>1.52</u>	<u>0.857</u>	<u>0.492</u>	<u>0.318</u>
<u>50</u>	<u>11.2</u>	<u>8.04</u>	<u>5.36</u>	<u>3.79</u>	<u>2.44</u>	<u>1.76</u>	<u>0.990</u>	<u>0.572</u>	<u>0.370</u>
<u>100</u>	<u>12.5</u>	<u>9.16</u>	<u>6.08</u>	<u>4.37</u>	<u>2.83</u>	<u>2.04</u>	<u>1.14</u>	<u>0.663</u>	<u>0.424</u>
<u>250</u>	<u>14.5</u>	<u>10.9</u>	<u>7.14</u>	<u>5.26</u>	<u>3.43</u>	<u>2.46</u>	<u>1.37</u>	<u>0.806</u>	<u>0.501</u>
<u>500</u>	<u>15.9</u>	<u>12.4</u>	<u>8.04</u>	<u>6.06</u>	<u>3.97</u>	<u>2.84</u>	<u>1.58</u>	<u>0.934</u>	<u>0.564</u>

* The 5-min rainfall intensity values were calculated using Equation F-1 and the coefficients listed in Table F-3 for the return periods of 2, 5, 10, 25, 100, 250, and 500 years.

The following equation mathematically represents the Austin area intensity-duration-frequency curves:

$$i = a/(t+b) c \text{ (Eq. F-1)}$$

Where,

i = Average rainfall intensity, inches per hour

t = Storm duration in minutes, which is equal to the time of concentration for the entire drainage area of interest

a, b and c = Coefficients for different storm frequencies.

The final best-fit coefficients of a, b, and c for equation (F-1) are listed in Table F-3 below:

<u>Table F-3</u> <u>Austin Intensity-Duration-Frequency Curve Coefficients</u>			
<u>Return Period</u>	<u>Fitting parameters for IDF equation (2-8)</u>		
<u>Year</u>	<u>a</u>	<u>b</u>	<u>c</u>
<u>2</u>	<u>54.767</u>	<u>11.051</u>	<u>0.8116</u>
<u>5</u>	<u>62.981</u>	<u>10.477</u>	<u>0.7820</u>
<u>10</u>	<u>70.820</u>	<u>10.396</u>	<u>0.7725</u>

Table F-3
Austin Intensity-Duration-Frequency Curve Coefficients

<u>Return Period</u>	<u>Fitting parameters for IDF equation (2-8)</u>		
<u>Year</u>	<u>a</u>	<u>b</u>	<u>c</u>
<u>25</u>	<u>82.936</u>	<u>10.746</u>	<u>0.7634</u>
<u>50</u>	<u>100.60</u>	<u>12.172</u>	<u>0.7712</u>
<u>100</u>	<u>118.30</u>	<u>13.185</u>	<u>0.7736</u>
<u>250</u>	<u>150.10</u>	<u>14.892</u>	<u>0.7822</u>
<u>500</u>	<u>188.00</u>	<u>17.233</u>	<u>0.7959</u>

Source: Asquith, W.H., "Depth-Duration Frequency and Intensity-Duration Frequency for Austin and Travis County, Texas, 2001".

Table F-4 below provides the Type III distribution ordinates in 5-minute increments as derived from the HEC-HMS program. The ordinates should be multiplied by the total 24 hour precipitation depth to produce the design rainfall distribution. When using the HEC-HMS model, the computational time interval should be selected based on criteria for the minimum lag time. The maximum computational time interval used in a HEC-HMS model should be 6 minutes.

Table F-4
Type III Distribution Ordinates In 5-Minute Time Increment

<u>Time</u>	<u>Incremental</u>	<u>Cumulative</u>	<u>Time</u>	<u>Incremental</u>	<u>Cumulative</u>	<u>Time</u>	<u>Incremental</u>	<u>Cumulative</u>
<u>0:00</u>	<u>0.0000</u>	<u>0.0000</u>	<u>8:05</u>	<u>0.0023</u>	<u>0.1163</u>	<u>16:10</u>	<u>0.0021</u>	<u>0.8903</u>
<u>0:05</u>	<u>0.0008</u>	<u>0.0008</u>	<u>8:10</u>	<u>0.0022</u>	<u>0.1185</u>	<u>16:15</u>	<u>0.0021</u>	<u>0.8924</u>
<u>0:10</u>	<u>0.0009</u>	<u>0.0017</u>	<u>8:15</u>	<u>0.0023</u>	<u>0.1208</u>	<u>16:20</u>	<u>0.0020</u>	<u>0.8944</u>
<u>0:15</u>	<u>0.0008</u>	<u>0.0025</u>	<u>8:20</u>	<u>0.0025</u>	<u>0.1233</u>	<u>16:25</u>	<u>0.0020</u>	<u>0.8964</u>
<u>0:20</u>	<u>0.0008</u>	<u>0.0033</u>	<u>8:25</u>	<u>0.0025</u>	<u>0.1258</u>	<u>16:30</u>	<u>0.0020</u>	<u>0.8984</u>
<u>0:25</u>	<u>0.0009</u>	<u>0.0042</u>	<u>8:30</u>	<u>0.0026</u>	<u>0.1284</u>	<u>16:35</u>	<u>0.0019</u>	<u>0.9003</u>
<u>0:30</u>	<u>0.0008</u>	<u>0.0050</u>	<u>8:35</u>	<u>0.0027</u>	<u>0.1311</u>	<u>16:40</u>	<u>0.0019</u>	<u>0.9022</u>
<u>0:35</u>	<u>0.0008</u>	<u>0.0058</u>	<u>8:40</u>	<u>0.0028</u>	<u>0.1339</u>	<u>16:45</u>	<u>0.0019</u>	<u>0.9041</u>
<u>0:40</u>	<u>0.0009</u>	<u>0.0067</u>	<u>8:45</u>	<u>0.0028</u>	<u>0.1367</u>	<u>16:50</u>	<u>0.0018</u>	<u>0.9059</u>
<u>0:45</u>	<u>0.0008</u>	<u>0.0075</u>	<u>8:50</u>	<u>0.0030</u>	<u>0.1397</u>	<u>16:55</u>	<u>0.0019</u>	<u>0.9078</u>
<u>0:50</u>	<u>0.0008</u>	<u>0.0083</u>	<u>8:55</u>	<u>0.0030</u>	<u>0.1427</u>	<u>17:00</u>	<u>0.0017</u>	<u>0.9095</u>

<u>0:55</u>	<u>0.0009</u>	<u>0.0092</u>	<u>9:00</u>	<u>0.0031</u>	<u>0.1458</u>	<u>17:05</u>	<u>0.0018</u>	<u>0.9113</u>
<u>1:00</u>	<u>0.0008</u>	<u>0.0100</u>	<u>9:05</u>	<u>0.0032</u>	<u>0.1490</u>	<u>17:10</u>	<u>0.0016</u>	<u>0.9129</u>
<u>1:05</u>	<u>0.0008</u>	<u>0.0108</u>	<u>9:10</u>	<u>0.0032</u>	<u>0.1522</u>	<u>17:15</u>	<u>0.0017</u>	<u>0.9146</u>
<u>1:10</u>	<u>0.0009</u>	<u>0.0117</u>	<u>9:15</u>	<u>0.0033</u>	<u>0.1555</u>	<u>17:20</u>	<u>0.0016</u>	<u>0.9162</u>
<u>1:15</u>	<u>0.0008</u>	<u>0.0125</u>	<u>9:20</u>	<u>0.0034</u>	<u>0.1589</u>	<u>17:25</u>	<u>0.0016</u>	<u>0.9178</u>
<u>1:20</u>	<u>0.0008</u>	<u>0.0133</u>	<u>9:25</u>	<u>0.0035</u>	<u>0.1624</u>	<u>17:30</u>	<u>0.0016</u>	<u>0.9194</u>
<u>1:25</u>	<u>0.0009</u>	<u>0.0142</u>	<u>9:30</u>	<u>0.0035</u>	<u>0.1659</u>	<u>17:35</u>	<u>0.0015</u>	<u>0.9209</u>
<u>1:30</u>	<u>0.0008</u>	<u>0.0150</u>	<u>9:35</u>	<u>0.0037</u>	<u>0.1696</u>	<u>17:40</u>	<u>0.0015</u>	<u>0.9224</u>
<u>1:35</u>	<u>0.0008</u>	<u>0.0158</u>	<u>9:40</u>	<u>0.0037</u>	<u>0.1733</u>	<u>17:45</u>	<u>0.0015</u>	<u>0.9239</u>
<u>1:40</u>	<u>0.0009</u>	<u>0.0167</u>	<u>9:45</u>	<u>0.0038</u>	<u>0.1771</u>	<u>17:50</u>	<u>0.0014</u>	<u>0.9253</u>
<u>1:45</u>	<u>0.0008</u>	<u>0.0175</u>	<u>9:50</u>	<u>0.0039</u>	<u>0.1810</u>	<u>17:55</u>	<u>0.0014</u>	<u>0.9267</u>
<u>1:50</u>	<u>0.0008</u>	<u>0.0183</u>	<u>9:55</u>	<u>0.0040</u>	<u>0.1850</u>	<u>18:00</u>	<u>0.0013</u>	<u>0.9280</u>
<u>1:55</u>	<u>0.0009</u>	<u>0.0192</u>	<u>10:00</u>	<u>0.0040</u>	<u>0.1890</u>	<u>18:05</u>	<u>0.0013</u>	<u>0.9293</u>

<u>2:00</u>	<u>0.0008</u>	<u>0.0200</u>	<u>10:05</u>	<u>0.0041</u>	<u>0.1931</u>	<u>18:10</u>	<u>0.0014</u>	<u>0.9307</u>
<u>2.05</u>	<u>0.0008</u>	<u>0.0208</u>	<u>10:10</u>	<u>0.0044</u>	<u>0.1975</u>	<u>18:15</u>	<u>0.0012</u>	<u>0.9319</u>
<u>2.10</u>	<u>0.0009</u>	<u>0.0217</u>	<u>10:15</u>	<u>0.0045</u>	<u>0.2020</u>	<u>18:20</u>	<u>0.0013</u>	<u>0.9332</u>
<u>2.15</u>	<u>0.0008</u>	<u>0.0225</u>	<u>10:20</u>	<u>0.0047</u>	<u>0.2067</u>	<u>18:25</u>	<u>0.0014</u>	<u>0.9346</u>
<u>2.20</u>	<u>0.0009</u>	<u>0.0234</u>	<u>10:25</u>	<u>0.0048</u>	<u>0.2115</u>	<u>18:30</u>	<u>0.0012</u>	<u>0.9358</u>
<u>2.25</u>	<u>0.0009</u>	<u>0.0243</u>	<u>10:30</u>	<u>0.0050</u>	<u>0.2165</u>	<u>18:35</u>	<u>0.0012</u>	<u>0.9370</u>
<u>2.30</u>	<u>0.0009</u>	<u>0.0252</u>	<u>10:35</u>	<u>0.0051</u>	<u>0.2216</u>	<u>18:40</u>	<u>0.0013</u>	<u>0.9383</u>
<u>2.35</u>	<u>0.0009</u>	<u>0.0261</u>	<u>10:40</u>	<u>0.0054</u>	<u>0.2270</u>	<u>18:45</u>	<u>0.0013</u>	<u>0.9396</u>
<u>2.40</u>	<u>0.0009</u>	<u>0.0270</u>	<u>10:45</u>	<u>0.0055</u>	<u>0.2325</u>	<u>18:50</u>	<u>0.0012</u>	<u>0.9408</u>
<u>2.45</u>	<u>0.0009</u>	<u>0.0279</u>	<u>10:50</u>	<u>0.0057</u>	<u>0.2382</u>	<u>18:55</u>	<u>0.0013</u>	<u>0.9421</u>
<u>2.50</u>	<u>0.0010</u>	<u>0.0289</u>	<u>10:55</u>	<u>0.0058</u>	<u>0.2440</u>	<u>19:00</u>	<u>0.0012</u>	<u>0.9433</u>
<u>2.55</u>	<u>0.0009</u>	<u>0.0298</u>	<u>11:00</u>	<u>0.0060</u>	<u>0.2500</u>	<u>19:05</u>	<u>0.0012</u>	<u>0.9445</u>
<u>3:00</u>	<u>0.0010</u>	<u>0.0308</u>	<u>11:05</u>	<u>0.0064</u>	<u>0.2564</u>	<u>19:10</u>	<u>0.0011</u>	<u>0.9456</u>

<u>3:05</u>	<u>0.0009</u>	<u>0.0317</u>	<u>11:10</u>	<u>0.0070</u>	<u>0.2634</u>	<u>19:15</u>	<u>0.0012</u>	<u>0.9468</u>
<u>3:10</u>	<u>0.0010</u>	<u>0.0327</u>	<u>11:15</u>	<u>0.0077</u>	<u>0.2711</u>	<u>19:20</u>	<u>0.0012</u>	<u>0.9480</u>
<u>3:15</u>	<u>0.0010</u>	<u>0.0337</u>	<u>11:20</u>	<u>0.0084</u>	<u>0.2795</u>	<u>19:25</u>	<u>0.0011</u>	<u>0.9491</u>
<u>3:20</u>	<u>0.0010</u>	<u>0.0347</u>	<u>11:25</u>	<u>0.0089</u>	<u>0.2884</u>	<u>19:30</u>	<u>0.0012</u>	<u>0.9503</u>
<u>3:25</u>	<u>0.0010</u>	<u>0.0357</u>	<u>11:30</u>	<u>0.0096</u>	<u>0.2980</u>	<u>19:35</u>	<u>0.0012</u>	<u>0.9515</u>
<u>3:30</u>	<u>0.0010</u>	<u>0.0367</u>	<u>11:35</u>	<u>0.0131</u>	<u>0.3111</u>	<u>19:40</u>	<u>0.0011</u>	<u>0.9526</u>
<u>3:35</u>	<u>0.0010</u>	<u>0.0377</u>	<u>11:40</u>	<u>0.0187</u>	<u>0.3298</u>	<u>19:45</u>	<u>0.0011</u>	<u>0.9537</u>
<u>3:40</u>	<u>0.0011</u>	<u>0.0388</u>	<u>11:45</u>	<u>0.0261</u>	<u>0.3559</u>	<u>19:50</u>	<u>0.0011</u>	<u>0.9548</u>
<u>3:45</u>	<u>0.0010</u>	<u>0.0398</u>	<u>11:50</u>	<u>0.0289</u>	<u>0.3848</u>	<u>19:55</u>	<u>0.0011</u>	<u>0.9559</u>
<u>3:50</u>	<u>0.0010</u>	<u>0.0408</u>	<u>11:55</u>	<u>0.0425</u>	<u>0.4273</u>	<u>20:00</u>	<u>0.0011</u>	<u>0.9570</u>
<u>3:55</u>	<u>0.0011</u>	<u>0.0419</u>	<u>12:00</u>	<u>0.0727</u>	<u>0.5000</u>	<u>20:05</u>	<u>0.0011</u>	<u>0.9581</u>
<u>4:00</u>	<u>0.0011</u>	<u>0.0430</u>	<u>12:05</u>	<u>0.0727</u>	<u>0.5727</u>	<u>20:10</u>	<u>0.0011</u>	<u>0.9592</u>
<u>4:05</u>	<u>0.0011</u>	<u>0.0441</u>	<u>12:10</u>	<u>0.0425</u>	<u>0.6152</u>	<u>20:15</u>	<u>0.0011</u>	<u>0.9603</u>

<u>4:10</u>	<u>0.0011</u>	<u>0.0452</u>	<u>12:15</u>	<u>0.0289</u>	<u>0.6441</u>	<u>20:20</u>	<u>0.0010</u>	<u>0.9613</u>
<u>4:15</u>	<u>0.0011</u>	<u>0.0463</u>	<u>12:20</u>	<u>0.0261</u>	<u>0.6702</u>	<u>20:25</u>	<u>0.0010</u>	<u>0.9623</u>
<u>4:20</u>	<u>0.0011</u>	<u>0.0474</u>	<u>12:25</u>	<u>0.0187</u>	<u>0.6889</u>	<u>20:30</u>	<u>0.0011</u>	<u>0.9634</u>
<u>4:25</u>	<u>0.0011</u>	<u>0.0485</u>	<u>12:30</u>	<u>0.0131</u>	<u>0.7020</u>	<u>20:35</u>	<u>0.0010</u>	<u>0.9644</u>
<u>4:30</u>	<u>0.0012</u>	<u>0.0497</u>	<u>12:35</u>	<u>0.0096</u>	<u>0.7116</u>	<u>20:40</u>	<u>0.0010</u>	<u>0.9654</u>
<u>4:35</u>	<u>0.0012</u>	<u>0.0509</u>	<u>12:40</u>	<u>0.0089</u>	<u>0.7205</u>	<u>20:45</u>	<u>0.0010</u>	<u>0.9664</u>
<u>4:40</u>	<u>0.0011</u>	<u>0.0520</u>	<u>12:45</u>	<u>0.0084</u>	<u>0.7289</u>	<u>20:50</u>	<u>0.0010</u>	<u>0.9674</u>
<u>4:45</u>	<u>0.0012</u>	<u>0.0532</u>	<u>12:50</u>	<u>0.0077</u>	<u>0.7366</u>	<u>20:55</u>	<u>0.0010</u>	<u>0.9684</u>
<u>4:50</u>	<u>0.0012</u>	<u>0.0544</u>	<u>12:55</u>	<u>0.0070</u>	<u>0.7436</u>	<u>21:00</u>	<u>0.0010</u>	<u>0.9694</u>
<u>4:55</u>	<u>0.0011</u>	<u>0.0555</u>	<u>13:00</u>	<u>0.0064</u>	<u>0.7500</u>	<u>21:05</u>	<u>0.0010</u>	<u>0.9704</u>
<u>5:00</u>	<u>0.0012</u>	<u>0.0567</u>	<u>13:05</u>	<u>0.0060</u>	<u>0.7560</u>	<u>21:10</u>	<u>0.0010</u>	<u>0.9714</u>
<u>5:05</u>	<u>0.0012</u>	<u>0.0579</u>	<u>13:10</u>	<u>0.0058</u>	<u>0.7618</u>	<u>21:15</u>	<u>0.0009</u>	<u>0.9723</u>
<u>5:10</u>	<u>0.0013</u>	<u>0.0592</u>	<u>13:15</u>	<u>0.0057</u>	<u>0.7675</u>	<u>21:20</u>	<u>0.0010</u>	<u>0.9733</u>

<u>5:15</u>	<u>0.0012</u>	<u>0.0604</u>	<u>13:20</u>	<u>0.0055</u>	<u>0.7730</u>	<u>21:25</u>	<u>0.0010</u>	<u>0.9743</u>
<u>5:20</u>	<u>0.0013</u>	<u>0.0617</u>	<u>13:25</u>	<u>0.0054</u>	<u>0.7784</u>	<u>21:30</u>	<u>0.0009</u>	<u>0.9752</u>
<u>5:25</u>	<u>0.0013</u>	<u>0.0630</u>	<u>13:30</u>	<u>0.0051</u>	<u>0.7835</u>	<u>21:35</u>	<u>0.0010</u>	<u>0.9762</u>
<u>5:30</u>	<u>0.0012</u>	<u>0.0642</u>	<u>13:35</u>	<u>0.0050</u>	<u>0.7885</u>	<u>21:40</u>	<u>0.0009</u>	<u>0.9771</u>
<u>5:35</u>	<u>0.0012</u>	<u>0.0654</u>	<u>13:40</u>	<u>0.0048</u>	<u>0.7933</u>	<u>21:45</u>	<u>0.0009</u>	<u>0.9780</u>
<u>5:40</u>	<u>0.0014</u>	<u>0.0668</u>	<u>13:45</u>	<u>0.0047</u>	<u>0.7980</u>	<u>21:50</u>	<u>0.0010</u>	<u>0.9790</u>
<u>5:45</u>	<u>0.0012</u>	<u>0.0680</u>	<u>13:50</u>	<u>0.0045</u>	<u>0.8025</u>	<u>21:55</u>	<u>0.0009</u>	<u>0.9799</u>
<u>5:50</u>	<u>0.0013</u>	<u>0.0693</u>	<u>13:55</u>	<u>0.0044</u>	<u>0.8069</u>	<u>22:00</u>	<u>0.0009</u>	<u>0.9808</u>
<u>5:55</u>	<u>0.0014</u>	<u>0.0707</u>	<u>14:00</u>	<u>0.0041</u>	<u>0.8110</u>	<u>22:05</u>	<u>0.0008</u>	<u>0.9816</u>
<u>6:00</u>	<u>0.0013</u>	<u>0.0720</u>	<u>14:05</u>	<u>0.0040</u>	<u>0.8150</u>	<u>22:10</u>	<u>0.0009</u>	<u>0.9825</u>
<u>6:05</u>	<u>0.0013</u>	<u>0.0733</u>	<u>14:10</u>	<u>0.0040</u>	<u>0.8190</u>	<u>22:15</u>	<u>0.0009</u>	<u>0.9834</u>
<u>6:10</u>	<u>0.0014</u>	<u>0.0747</u>	<u>14:15</u>	<u>0.0039</u>	<u>0.8229</u>	<u>22:20</u>	<u>0.0009</u>	<u>0.9843</u>
<u>6:15</u>	<u>0.0014</u>	<u>0.0761</u>	<u>14:20</u>	<u>0.0038</u>	<u>0.8267</u>	<u>22:25</u>	<u>0.0009</u>	<u>0.9852</u>

<u>6:20</u>	<u>0.0015</u>	<u>0.0776</u>	<u>14:25</u>	<u>0.0037</u>	<u>0.8304</u>	<u>22:30</u>	<u>0.0008</u>	<u>0.9860</u>
<u>6:25</u>	<u>0.0015</u>	<u>0.0791</u>	<u>14:30</u>	<u>0.0037</u>	<u>0.8341</u>	<u>22:35</u>	<u>0.0008</u>	<u>0.9868</u>
<u>6:30</u>	<u>0.0015</u>	<u>0.0806</u>	<u>14:35</u>	<u>0.0035</u>	<u>0.8376</u>	<u>22:40</u>	<u>0.0009</u>	<u>0.9877</u>
<u>6:35</u>	<u>0.0016</u>	<u>0.0822</u>	<u>14:40</u>	<u>0.0035</u>	<u>0.8411</u>	<u>22:45</u>	<u>0.0008</u>	<u>0.9885</u>
<u>6:40</u>	<u>0.0016</u>	<u>0.0838</u>	<u>14:45</u>	<u>0.0034</u>	<u>0.8445</u>	<u>22:50</u>	<u>0.0008</u>	<u>0.9893</u>
<u>6:45</u>	<u>0.0016</u>	<u>0.0854</u>	<u>14:50</u>	<u>0.0033</u>	<u>0.8478</u>	<u>22:55</u>	<u>0.0009</u>	<u>0.9902</u>
<u>6:50</u>	<u>0.0017</u>	<u>0.0871</u>	<u>14:55</u>	<u>0.0033</u>	<u>0.8511</u>	<u>23:00</u>	<u>0.0007</u>	<u>0.9909</u>
<u>6:55</u>	<u>0.0016</u>	<u>0.0887</u>	<u>15:00</u>	<u>0.0032</u>	<u>0.8543</u>	<u>23:05</u>	<u>0.0008</u>	<u>0.9917</u>
<u>7:00</u>	<u>0.0018</u>	<u>0.0905</u>	<u>15:05</u>	<u>0.0030</u>	<u>0.8573</u>	<u>23:10</u>	<u>0.0008</u>	<u>0.9925</u>
<u>7:05</u>	<u>0.0017</u>	<u>0.0922</u>	<u>15:10</u>	<u>0.0030</u>	<u>0.8603</u>	<u>23:15</u>	<u>0.0008</u>	<u>0.9933</u>
<u>7:10</u>	<u>0.0019</u>	<u>0.0941</u>	<u>15:15</u>	<u>0.0030</u>	<u>0.8633</u>	<u>23:20</u>	<u>0.0008</u>	<u>0.9941</u>
<u>7:15</u>	<u>0.0018</u>	<u>0.0959</u>	<u>15:20</u>	<u>0.0028</u>	<u>0.8661</u>	<u>23:25</u>	<u>0.0007</u>	<u>0.9948</u>
<u>7:20</u>	<u>0.0019</u>	<u>0.0978</u>	<u>15:25</u>	<u>0.0028</u>	<u>0.8689</u>	<u>23:30</u>	<u>0.0008</u>	<u>0.9956</u>

<u>7:25</u>	<u>0.0019</u>	<u>0.0997</u>	<u>15:30</u>	<u>0.0027</u>	<u>0.8716</u>	<u>23:35</u>	<u>0.0008</u>	<u>0.9964</u>
<u>7:30</u>	<u>0.0019</u>	<u>0.1016</u>	<u>15:35</u>	<u>0.0026</u>	<u>0.8742</u>	<u>23:40</u>	<u>0.0007</u>	<u>0.9971</u>
<u>7:35</u>	<u>0.0020</u>	<u>0.1036</u>	<u>15:40</u>	<u>0.0025</u>	<u>0.8767</u>	<u>23:45</u>	<u>0.0008</u>	<u>0.9979</u>
<u>7:40</u>	<u>0.0020</u>	<u>0.1056</u>	<u>15:45</u>	<u>0.0025</u>	<u>0.8792</u>	<u>23:50</u>	<u>0.0007</u>	<u>0.9986</u>
<u>7:45</u>	<u>0.0020</u>	<u>0.1076</u>	<u>15:50</u>	<u>0.0023</u>	<u>0.8815</u>	<u>23:55</u>	<u>0.0006</u>	<u>0.9992</u>
<u>7:50</u>	<u>0.0021</u>	<u>0.1097</u>	<u>15:55</u>	<u>0.0022</u>	<u>0.8837</u>	<u>24:00</u>	<u>0.0008</u>	<u>1.0000</u>
<u>7:55</u>	<u>0.0021</u>	<u>0.1118</u>	<u>16:00</u>	<u>0.0023</u>	<u>0.8860</u>			
<u>8:00</u>	<u>0.0022</u>	<u>0.1140</u>	<u>16:05</u>	<u>0.0022</u>	<u>0.8882</u>			