

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

PART 3. This ordinance takes effect on _____, 2020.

PASSED AND APPROVED

_____, 2020 §
 §
 §

Steve Adler
Mayor

APPROVED: _____
Anne L. Morgan
City Attorney

ATTEST: _____
Jannette S. Goodall
City Clerk




EXHIBIT A

County: Travis
Parcel No.: 14
Highway: IH 35
Limits: From: South of Rundberg Lane
 To: US 290
CSJ: 0015-13-382
RCSJ: 0015-13-393

PROPERTY DESCRIPTION FOR PARCEL 14

DESCRIPTION OF A 0.2200 ACRE (9,581 SQ. FT.) PARCEL OF LAND LOCATED IN THE JAMES P. WALLACE SURVEY NO. 57, ABSTRACT NO. 789, IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF LOT 2 (CALLED 1.100 ACRES), S/W ONE, A SUBDIVISION OF RECORD IN VOLUME 81, PAGE 245, PLAT RECORDS OF TRAVIS COUNTY, TEXAS (P.R.T.C.TX.), DESCRIBED IN A DEED TO AVE, INC., EXECUTED FEBRUARY 3, 2006 AND RECORDED IN DOCUMENT NO. 2006021949, OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.TX.); SAID 0.2200 ACRE (9,581 SQ. FT.) PARCEL, AS SHOWN ON A PLAT PREPARED BY SAM FOR THIS PARCEL, BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a 1/2-inch iron rod found 453.94 feet left of Interstate Highway 35 (IH 35) Engineer's Centerline Station (E.C.S.) 2987+03.52 for the northeast corner of said Lot 2, the most northerly northwest corner of Lot 1, of said S/W One subdivision, described in a deed to Radiant Properties, LLC, and recorded in Document No. 2008043635, O.P.R.T.C.TX., and a point on the south line of a 25.00 acre tract of land described in a deed to the State of Texas, and recorded in Volume 1447, Page 377, Deed Records of Travis County, Texas (D.R.T.C.TX.);

THENCE N 62°37'58" W, with the common line of said Lot 2 and said 25.00 acre tract, a distance of 242.10 feet to a Texas Department of Transportation (TXDOT) Type II monument (Surface Coordinates: N=10,098,374.34; E=3,127,937.22) set 211.84 feet left of IH 35 E.C.S. 2987+03.65 on the proposed east right-of-way line of IH 35, for the northeast corner and the **POINT OF BEGINNING** of the parcel described herein;

THENCE with the proposed east right-of-way line of said IH 35, over and across said Lot 2 the following two (2) courses and distances numbered 1-2:

- 1) S 06°23'47" W, a distance of 106.01 feet to a TXDOT Type II monument set 249.83 feet left of IH 35 E.C.S. 2988+02.62, and
- 2) S 12°03'46" E, a distance of 130.00 feet to a 5/8-inch iron rod with TxDOT aluminum cap set 332.46 feet left of IH 35 E.C.S. 2989+02.98 on the common line of said Lot 2 and said Lot 1, for the southeast corner of the parcel described herein;

3) **THENCE** N 62°28'49" W, departing the proposed east right-of-way line of said IH 35, with the common line of said Lot 2 and said Lot 1, passing at a distance of 101.72 feet a 1/2-inch iron rod found, and continuing for a total distance of 102.09 feet to a calculated point for the southwest corner of said Lot 2 and the most westerly northwest corner of said Lot 1, said point being on the existing east right-of-way line of said IH 35, a variable width right-of-way, as dedicated to the State of Texas in Volume 2226, Page 466, D.R.T.C.TX., for the southwest corner of the parcel described herein;

4) **THENCE N 17°32'25" E**, with the existing east right-of-way line of said IH 35 and the west line of said Lot 2, a distance of 202.09 feet to a calculated point for the northwest corner of said Lot 2 and the southwest corner of said 25.00 acre tract, for the northwest corner of the parcel described herein;

5) **THENCE S 62°37'58" E**, departing the existing east right-of-way line of said IH 35, with the common line of said Lot 2 and said 25.00 acre tract, a distance of 16.08 feet to the **POINT OF BEGINNING**, and containing 0.2200 acre (9,581 sq. ft.) of land, more or less.

This property description is accompanied by a separate plat of even date.

Bearing Basis:

All bearings shown are based on the Texas State Plane Coordinate system, Central Zone, NAD 83/93. All distances shown are surface and may be converted to grid by dividing by a Surface Adjustment Factor of 1.00011. Units: U.S. Survey Feet.

THE STATE OF TEXAS

§
§
§


KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF TRAVIS

That I, William Reed Herring, a Registered Professional Land Surveyor, do hereby certify that the above description is true and correct to the best of my knowledge and belief and that the property described herein was determined by a survey made on the ground under my direction and supervision.

WITNESS MY HAND AND SEAL at Austin, Travis County, Texas, on the date shown below.

SURVEYING AND MAPPING, LLC
4801 Southwest Pkwy
Building Two, Suite 100
Austin, Texas 78735
TX. Firm No. 10064300

 2/26/2016

William Reed Herring Date
Registered Professional Land Surveyor
No. 6355 – State of Texas



UNITED STATES HIGHWAY 183
 ENGINEER'S CENTERLINE CURVE DATA
 PI STATION 1028+90.39
 DELTA 04° 10' 03" (INT)
 DEGREE OF CURVE 00° 15' 00"
 TANGENT LENGTH 633.689
 RADIUS 1667.04
 PC STATION 1029+86.31
 PT STATION 1035+23.59

IH-35 (ROW VARIES)

2985+00

IH 35 ENGINEER'S CENTERLINE S27° 24' 00" W

(S29° 55' W CSJ 0015-13-048)

2990+00

JAMES P. WALLACE
 SURVEY NO. 57
 ABSTRACT NO. 789

STATE OF TEXAS
 CALLED 1.415 AC.
 VOL. 2226, PG. 466
 D.R.T.C. TX.

STATE OF TEXAS
 REMAINDER OF A
 CALLED 23.08 AC. 499
 VOL. 2447, P.C. TX.

P.O.B. 03.65
 2987+03.65
 211.84' LT
 N=10,088,374.34
 E=3,127,937.22

SEE DETAIL A

SEE DETAIL B

SEE DETAIL C

SEE DETAIL D

SEE DETAIL E

SEE DETAIL F

SEE DETAIL G

SEE DETAIL H

SEE DETAIL I

SEE DETAIL J

SEE DETAIL K

SEE DETAIL L

SEE DETAIL M

SEE DETAIL N

SEE DETAIL O

SEE DETAIL P

SEE DETAIL Q

SEE DETAIL R

SEE DETAIL S

SEE DETAIL T

SEE DETAIL U

SEE DETAIL V

SEE DETAIL W

SEE DETAIL X

SEE DETAIL Y

SEE DETAIL Z

SEE DETAIL AA

SEE DETAIL AB

SEE DETAIL AC

SEE DETAIL AD

SEE DETAIL AE

SEE DETAIL AF

SEE DETAIL AG

SEE DETAIL AH

SEE DETAIL AI

SEE DETAIL AJ

SEE DETAIL AK

SEE DETAIL AL

SEE DETAIL AM

SEE DETAIL AN

SEE DETAIL AO

SEE DETAIL AP

SEE DETAIL AQ

SEE DETAIL AR

SEE DETAIL AS

SEE DETAIL AT

SEE DETAIL AU

SEE DETAIL AV

SEE DETAIL AW

SEE DETAIL AX

SEE DETAIL AY

SEE DETAIL AZ

SEE DETAIL BA

SEE DETAIL BB

SEE DETAIL BC

SEE DETAIL BD

SEE DETAIL BE

SEE DETAIL BF

SEE DETAIL BG

SEE DETAIL BH

SEE DETAIL BI

SEE DETAIL BJ

SEE DETAIL BK

SEE DETAIL BL

SEE DETAIL BM

SEE DETAIL BN

SEE DETAIL BO

SEE DETAIL BP

SEE DETAIL BQ

SEE DETAIL BR

SEE DETAIL BS

SEE DETAIL BT

SEE DETAIL BU


SEE DETAIL BV

LEGEND


- TXDOT TYPE I CONCRETE MONUMENT FOUND
- TXDOT TYPE II CONCRETE MONUMENT FOUND
- ⊙ 3/4" PIPE FOUND UNLESS NOTED
- 5/8" IRON ROD W/TXDOT ALUM CAP SET UNLESS NOTED
- 5/8" IRON ROD FOUND UNLESS NOTED
- △ CALCULATED POINT
- ⌒ PROPERTY LINE
- () RECORD INFORMATION
- P.O.B. POINT OF BEGINNING
- P.O.C. POINT OF COMMENCING
- P.O.R. POINT OF REFERENCE
- D. R. T. C. TX. DEED RECORDS, TRAVIS COUNTY, TEXAS
- R. P. R. T. C. TX. REAL PROPERTY RECORDS, TRAVIS COUNTY, TEXAS
- O. P. R. T. C. TX. OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS
- P. R. T. C. TX. PLAT RECORDS, TRAVIS COUNTY, TEXAS
- DISTANCE NOT TO SCALE
- DEED LINE (COMMON OWNERSHIP)

LINE TABLE

LINE NO.	BEARING	DISTANCE
L1	S06° 23' 47" W	106.01'
L2	N62° 28' 49" W	102.09'
L3	S62° 37' 58" E	16.08'



DETAIL "A"
NOT TO SCALE



DETAIL "B"
NOT TO SCALE



NOTES:

1. ALL BEARINGS SHOWN ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, TEXAS CENTRAL ZONE, NAD 83/93. ALL DISTANCES SHOWN ARE SURFACE AND MAY BE CONVERTED TO GRID BY DIVIDING BY A SURFACE ADJUSTMENT FACTOR OF 1.00011. UNITS: U.S. SURVEY FEET
2. THIS SURVEY WAS COMPLETED WITHOUT THE BENEFIT OF A TITLE REPORT. THERE MAY BE EASEMENTS OR OTHER MATTERS OF RECORD NOT SHOWN.
3. VISIBLE IMPROVEMENTS AND UTILITIES SHOWN HEREON ARE BASED UPON AN AERIAL AND ON-THE-GROUND SURVEY BY SAM DATED JANUARY 2013, DECEMBER 2014, AND UPDATED OCTOBER 2015. THERE MAY BE ADDITIONAL IMPROVEMENTS AND UTILITIES THAT ARE NOT SHOWN.
4. IH 35 ENGINEER'S CENTERLINE ALIGNMENT WAS RECEIVED BY SAM ON OCTOBER 22, 2015, FROM ATKINS NORTH AMERICA, INC.
5. THIS PARCEL PLAT IS ACCOMPANIED BY A PROPERTY DESCRIPTION OF EVEN DATE.
6. PARENT TRACT WAS CALCULATED BY SAM, LLC FOR THIS PARCEL PLAT UTILIZING MONUMENTATION FOUND DURING FIELD SURVEY AND RECORDED PLAT INFORMATION.
7. 5/8" IRON ROD WITH TXDOT ALUMINUM CAP DESCRIBED HEREIN AS SET MAY BE REPLACED WITH A TEXAS DEPARTMENT OF TRANSPORTATION TYPE II RIGHT-OF-WAY MARKER UPON COMPLETION OF THE HIGHWAY CONSTRUCTION PROJECT UNDER THE SUPERVISION OF A REGISTERED PROFESSIONAL LAND SURVEYOR, EITHER EMPLOYED OR RETAINED BY TEXAS DEPARTMENT OF TRANSPORTATION.

I HEREBY CERTIFY THAT THIS SURVEY WAS MADE ON THE GROUND UNDER MY DIRECTION AND SUPERVISION AND THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

William Reed Herring
2/26/2016
DATE

WILLIAM REED HERRING
REGISTERED PROFESSIONAL LAND SURVEYOR
NO. 6355, STATE OF TEXAS

EXISTING | 1.100 AC. | ACQUIRE | 0.220 AC. | REMAINING | 0.880 AC. | LEFT


REF. FIELD NOTE NO. 29321



4801 Southwest Parkway
Building Two, Suite 100
Austin, Texas 78735
(512) 417-0575
Fax: (512) 526-5029
Texas State Registration No. 1685420

PLAT OF
PARCEL 14
IH 35

0.220 AC. (9,581 SQ. FT.)
CSJ NO. 0015-13-382
RCSJ NO. 0015-13-393



ZONING

ZONING CASE#: C14-2020-0072



 SUBJECT TRACT

 PENDING CASE

 ZONING BOUNDARY



1" = 400'

This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

This product has been produced by CTM for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or completeness.

Created: 7/16/2020