



## WILLIAMS BUILDING SUPPLY PO. Box 1556 Manchaca, TX 78652



**BILL TO:** SHIP TO:

2.401

JOB NAME

Phone

Phone Fax

Contact Info

PROJECT

Email Centac	t Info	
QUOTE#	PO#	QUOTE NAME
1263471		BENNETT

1203471	BEN	NETT OF	VENS			
LINE #	LINE TYPE	DESCRIPTION	QUANTITY	LIST PRICE	EXTENDED	4
100-1	WindowAndDoor	PK-335	2	\$1,129.38	\$2,251.76	
**	2021 PRICING**					

H3 Aluminum Clad Sliding Windows Single Slider Left/Fixed 71.5 x 37.25

Custom: Frame Width = 71.5, Frame Height = 37.25, Sash Split = 50/50, Sereen Width = 34.3125, Sereen Height = 35.125

**Complete Unit, CoreGuard Plus** 

Frame = Belge 335, AAMA 2604, Natural, Pine Interior, Frame Jamb Flush, Visible Interior Vinyl Profile: Beige

CUSTOMER PO #

Sash = Beige 335, AAMA 2604, Natural

Lew-E 366, Argon Gas, Black Warm Edge Spacer

Half Screen Shipped Separately, Standard Screen, Beige 335, AAMA 2604, Fiberglass Mesh Applied Hardware, Champagne, 1-Lock, Stainless Steel Rollers

4-9/16<sup>n</sup>

Integral Rigid Vinyl Nailing Fin, No Drip Cap

U-Factor = 0.3, SHOC = 0.21, CR = 56, VT = 0.49, A1 = <0.30/<1.5, CPD =

SIE-N-119-01768-00001, Energy Star Region = NC,SC,S, GapFill1 = ARG, CanER = 15, WM2K = 1.7

Clear Opening Width = 32, Clear Opening Height = 33,4375, Clear Opening So Ft =

7.430555, Meets Eeress = Yes

PGSO, FBC = FLSOSOS

Unit 1: Glass Width = 33.125. Glass Height = 32.375. Left Glass Sash Width = 35.125. Left Glass Such Height = 34,375, Right Glass Such Width = 34,875, Right Glass Sech Height = 35.21875

Rough Opening: 72" X 37.75" Overall Unit Size: 71.5" X 37.25"

**Room Location**; None Assigned Kitchen

## WILLIAMS BUILDING SUPPLY PO. Dox 1556 Manchaca, TX 78652

\* All drawings are viewed from exterior of window.

Page 1 O€ 4 List Only

\$/20/2021

<u></u>	1 V IT	AAATS DURITE	TRUSEL	SVB MAINE	GVOLVMER FU#
1263471		BENNETT	<b>GIVENS</b>		
LINE #	LINE TY	PE DESCRI	PTION QUANTIT	Y LIST PRICE	EXTENDED
400=1	WindowAnd			\$1,953,49	\$1,953,49
**2(	021 PRICING**	*			
			der Active/Fixed/Active 109 x	37.25	
Cus	tem: Frame Wi	dth = 109, Frame Height = 3	17.25, Sash Split = 1/4 - 1/2 - 1	/4, Sereen	5ar 
Wid	th = 26.875, \$61	reen Height = 35,125	· · ·	:	
	nplete Unit, Cor			<b>教</b>	
Fran	ne = Neige 335,	, AAMA 2604, Natural, Pine	) Interior, Frame Jamb Flush, V	isible Interior	Realization III Statistication
	vi Profile:Beige	AMA 2604, Natural			
		Gas, Black Warm Edge Spa	ner		
Hall	f Screen Shipped	d Separately, Standard Scree	n, Boige 335, AAMA 2604, Fi	berglass Mesh	
App	lled Hardware,	Champagne, 1-Lock, Stainle	ess Steel Rollers		
4-9/					
Inte	gral Rigid Vinyl	Nailing Fin, No Drip Cap			
「「「「「」」」「「」」」「「」」」「「」」」」「「」」」」「「」」」」「」」」」	rendi = V.J. Briv .N.110-01768-0	JC = VIZI, CR = 38, YT = 4 MAA1 Bierov Star Benian =	).49, Al = <0.30/<1.5, CPD = = NC,SC,S, GapFill = ARG, C	19989 18	
WM	12K = 1.7	inna 1 i Brief Bank wellini -	- nelsels' cahumu - wee' e	MUSIX 131	
Clea	er Opening Widt	th = 24.5625, Clear Opening	r Height = 33,4375, Clear Oper	ning Sq Pt =	
	3532, Meets Eg				
PQ3	0, FBC = FL22 allation Straps =	044, TDI = WIN-2252			
			Height = 32.375, Center Glass	Width =	
51.3	75. Center Glas	a Height = 32.375. Right G	lass Width = 25.6875, Right Gl	ase Height =	
32,3	75,Left Glass S	ash Width = 27,9375, Left (	Glass Sash Height = 34.375, Ce	nier Glass	
Sast	n Width = \$3,12	5, Center Glass Sash Heigh	t = 35.21875, Right Glass Saah		
27.9	1375, Right Glas	is Sash Height = 34,375			
Rough	Opening: 109	.5" X 37.75"		Room Location;	None Assigned
**** <b>6</b> 50				TOOTT DABHHATH	TIANA LIGRIGITES

Overall Unit Size: 109" X 37.25"

Room Location: None Assigned Master Bedroom

## WILLIAMS BUILDING SUPPLY P.O. Box 1596 Manchaca, TX 78652

\* All drawings are viewed from exterior of window.

۰.

Page 3 Of 4

List Only

5/20/2021

1263471 BENNETT	* ********	UVB MAITH	USLUMER PU#
1263471 BENNETT	CIVENS		
	RIPTION QUANTITY		EXTENDED
200-1 WindowAndDoor P	K-335 a	\$316.47	STER # 632.94
**2021 PRICING**			
H3 Aluminum Clad Direct Set Windows 2.0 Custom: Frame Width = 11.5, Frame Heigh	Direct Set Fixed 11.5 x 23		
Complete Unit, CoreGuard Plus	£3		
Frame = Beige 335, AAMA 2604, Natural,	Pine Interior, Frame Jamb Plush		
Low-E 366, Argon Gas, Black Warm Edge	lpacer		
4-9/16" Integral Rigid Aluminum Nailing Fin, No D	ria Con		
U-Faster = $0.27$ , SHGC = $0.24$ , CR = $58$ , V	rip eap T = 0.56. At = <0.30/<1.5. CPD =		** R01-92-4
SIE-N-148-00112-00001, Energy Star Regi	m = N,NC,SC,S, GapFill1 = ARG,	CunER = 20,	
WM2K = 1,53 PG50, FBC = PL22043, TD1 = WIN-2306			
Unit 1: Glass Width = 8.8125, Glass Height	= 20.3125.	-	
-	#4:21#2j		
Rough Opening: 12" X 23.5"		<b>Room Location:</b>	None Assigned
Overall Unit Size: 11.5" X 23"			
	RIPTION QUANTITY	/ LIST PRICE	EXTENDED
300-1 WindowAndDoor Pl	- 335	\$595.24	19374 1190.48
**2021 PRICING**			a manageration designing and a second second
HJ Aluminum Clad Double Hung Windows	2.0 Double Hung Operating 31.5 x	35.5	
Cuality France With = 31.3. Frame Heigh			
29.1875. Screen Heleht = 33.4375	t = 35.5, Sach Spilt = 50/50, Screen	Width =	
29.1873, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus			
29,1875, Sersen Height = 33,4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J			
29.1875, Sereen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, I Vinyl Profile;Belge			
29.1875, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, I Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1	Pine Interior, Frame Jamb Flush, Vis Ioaccr	sible Interi <del>or</del>	
29.1875, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge Full Sersen Shipped Separately, Standard Sci	Pine Interior, Frame Jamb Flush, Vis Spacer Steen, Beise 335, AAMA 2604, Fibe	sible Interior cralass Mesh	
29.1875, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge Full Sersen Shipped Separately, Standard S Applied Hardware, Standard Lock, Champa	Pine Interior, Frame Jamb Flush, Vis Spacer Steen, Beise 335, AAMA 2604, Fibe	sible Interior cralass Mesh	
29.1875, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Sersen Shipped Separately, Standard S Applied Hardware, Standard Look, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap	sible Interior cralass Mesh	
29.1875, Sereen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Screen Shipped Separately, Standard S Applied Hardware, Standard Look, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C U-Faster = 0.3, SHGC = 0.21, CR = 56, VT	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap = 0.49, AI = ≪0.3D/≪1.5, CPD =	sible Interior erglass Mesh	
29.1875, Sereen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Screen Shipped Separately, Standard S Applied Hardware, Standard Lock, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C U-Faster = 0.3, SHGC = 0.21, CR = 56, VT SIE-N-135-01497-00001, Energy Star Regi	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap = 0.49, AI = ≪0.3D/≪1.5, CPD =	sible Interior erglass Mesh	
29.1875, Sereen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, I Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Screen Shipped Separately, Standard & Applied Hardware, Standard Lock, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C U-Faster = 0.3, SHGC = 0.21, CR = 56, VT SIE-N-135-01497-00001, Energy Star Regi WM2K = 1.7	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap = 0.49, AI = ≪0.3D/≪1.5, CPD =	sible Interior erglass Mesh	
29.1875, Sersen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Screen Shipped Separately, Standard S Applied Hardware, Standard Lock, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C U-Factor = 0.3, SHGC = 0.21, CR = 56, VT SIE-N-135-01497-00001, Energy Star Regi	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap = 0.49, AJ = ≪0.30/≪1.5, CPD = on = NC,8C,8, GapFill1 = ARG, Ca	sible Interior orglass Mesh mER = 14,	
29.1875, Sereen Height = 33.4375 Complete Unit, CoreGuard Plus Frame = Belge 335, AAMA 2604, Natural, J Vinyl Profile:Belge Sash = Beige 335, AAMA 2604, Natural Low-E 366, Argon Gas, Black Warm Edge 1 Full Screen Shipped Separately, Standard S Applied Hardware, Standard Look, Champe 4-9/16" Integral Rigid Vinyl Nailing Fin, No Drip C U-Faster = 0.3, SHGC = 0.21, CR = 56, VT SIE-N-135-01497-00001, Energy Star Regi WM2K = 1.7 PG50, FBC = PL22042, TDI = WIN-2246 Unit 1: Glass Width = 26.375, Glass Height	Pine Interior, Frame Jamb Flush, Vis Ipacer sreen, Beige 335, AAMA 2604, Fibr gne, Concealed Jambliner, 2-Locks ap = 0.49, AJ = ≪0.30/≪1.5, CPD = on = NC,8C,8, GapFill1 = ARG, Ca	sible Interior orglass Mesh mER = 14,	

WILLIAMS BUILDING SUPPLY P.O. Box 1556 Manchaca, TX 78652

\* All drawings are viewed from exterior of window.

÷.,

Page 2 Of 4

··· ····

List Only

5/20/2021

