



Order Summary

dba: RENEWAL BY ANDERSEN OF CENTRAL TEXAS

Legal Name: Central Texas Windows and Doors, LLC | License #
6231 E. Stassney Ln, Building 13 - Suite 100 | Austin, TX 78744
Phone: 512-834-8383 | Fax: 972-446-7777 |

Measure Tech: Dave Gill,


DONNA DECESARE

1510 Ashwood Rd
Austin, TX 78722

ID#	ROOM	SIZE		DETAILS
JOB				
		0"	0"	Misc: Misc, Processing Fee, <Enter Description Here> Construction: None Material: None
		0"	0"	Misc: Misc, Lead Testing Construction: None Material: None
103	entry room	51" 50-7/8"	61" 61"	Window: Picture, Base Frame, Exterior Forest Green, Interior White Glass: All Sash: High Performance SmartSun Glass, No Pattern, Tempered Glass Grille Style: Grilles Between Glass (GBG), Wide Bar Grille Pattern: All Sash: Colonial 3w x 4h Misc: STUCCO, Stucco Extraction Door/Wdw Construction: None Material: None
104	downstairs bath	35" 34-7/8"	36" 36-1/4"	Window: Awning, Base Frame, Exterior Forest Green, Interior White Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG), Wide Bar Grille Pattern: All Sash: Colonial 2w x 3h Misc: STUCCO, Stucco Extraction Door/Wdw Construction: None Material: None
105	guest bed	51" 50-3/4"	61" 60-3/4"	Window: Picture, Base Frame, Exterior Forest Green, Interior White Glass: All Sash: High Performance SmartSun Glass, No Pattern, Tempered Glass Grille Style: Grilles Between Glass (GBG), Wide Bar Grille Pattern: All Sash: Colonial 3w x 4h Misc: STUCCO, Stucco Extraction Door/Wdw Construction: None Material: None
106	guest bed	35" 34-7/8"	61" 60-3/4"	Window: Casement, Single, Right, Base Frame, Exterior Forest Green, Interior White Glass: All Sash: High Performance SmartSun Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG), Wide Bar Grille Pattern: All Sash: Colonial 2w x 4h Misc: STUCCO, Stucco Extraction Door/Wdw Construction: None Material: None

PRODUCTS: 6 WINDOWS: 4 PATIO DOORS: 0 SPECIALTY: 0 MISC: 2

Updated 5/19/21



Order Summary

dba: RENEWAL BY ANDERSEN OF CENTRAL TEXAS

Legal Name: Central Texas Windows and Doors, LLC | License #
6231 E. Stassney Ln, Building 13 - Suite 100 | Austin, TX 78744
Phone: 512-834-8383 | Fax: 512-446-7777 |

Measure Tech: Dave Gill,

DONNA DECESARE


1510 Ashwood Rd
Austin, TX 78722

JOB NOTES

Tested positive for lead
Current windows are metal casement old home
The house appears to be cinder block with stucco over blocks
Be prepared to have screws that will hold in cinder block opening
Easy access to windows to work on single story
Will need medium size crew may take more work to remove and install
Crew size 3 complete 1 day

Estimated Duration: 1 days

FLOORPLAN - 1ST FLOOR



UNIT NOTES

<Enter Description Here>

JOB PHOTOS

Do not remove until final code inspection. Save label for future reference.

ENERGY STAR® Certified in Highlighted Regions
Certifié ENERGY STAR dans les régions en surbrillance

Canada
 energystar.gc.ca



U.S. / É.U.
 energystar.gov

ER/RE 20



DO NOT REMOVE UNTIL FINAL INSPECTION/NE PAS RETIRER AVANT L'INSPECTION FINALE



National Fenestration
 Rating Council®
CERTIFIED

Renewal
 by Andersen
 WINDOW REPLACEMENT an Andersen Company



AND-N-36-00595-00001
 Vinyl/Wood Composite Material
 Dual-Pane HP SmartSun with Argon
 Product Type: Picture

ENERGY PERFORMANCE RATINGS

U-Factor
0.27 | **1.53**
 (U.S./I-P) (Metric/SI)

Solar Heat Gain Coefficient
0.23 *max*

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance
0.53

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
 www.nfrc.org

WINDOW & COOK
 MANUFACTURERS ASSOCIATION
WDMA
 Hallmark Certified
 www.wdma.com

Licensee: 129-H-723.03 129-H-723.04

Andersen Corporation
 RbA Picture Window

Manufacturer stipulates certification to the applicable standards.

STANDARD	RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG50 Size Tested: 48.0x48.0 in DP +50/-50
AAMA/WDMA/CSA 101/I.S.2/A440-05	FW-LC5048.0 inx48.0 in
AAMA/WDMA/CSA 101/I.S.2/A440-08 A440S1-09	Class LC-PG50 Size Tested: 1219x1219 mm; Positive/Negative Design Pressure (DP): 2400 Pa Water Penetration Resistance Test Pressure: 360 Pa Canadian Air Infiltration/Exfiltration: Fixed

ENERGY STAR® Certified in Highlighted Regions
Certifié ENERGY STAR dans les régions en surbrillance

Canada
 energystar.gc.ca



U.S. / É.U.
 energystar.gov

ER/RE 11



DO NOT REMOVE UNTIL FINAL INSPECTION/NE PAS RETIRER AVANT L'INSPECTION FINALE



National Fenestration
 Rating Council®
CERTIFIED

Renewal
 by Andersen
 WINDOW REPLACEMENT an Andersen Company



AND-N-28-02026-00001
 Vinyl/Wood Composite Material
 Dual-Pane with Argon
 Product Type: Double Hung

ENERGY PERFORMANCE RATINGS

U-Factor
0.31 | **1.76**
 (U.S./I-P) (Metric/SI)

Solar Heat Gain Coefficient
0.19

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance
0.29

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
 www.nfrc.org

WINDOW & COOK
 MANUFACTURERS ASSOCIATION
WDMA
 Hallmark Certified
 www.wdma.com

Licensee: 129-H-835.06 129-H-835.07

Andersen Corporation
 RbA Double-Hung

Manufacturer stipulates certification to the applicable standards.

STANDARD	RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG25 Size Tested: 45x77 in DP +35/-35
AAMA/WDMA/CSA 101/I.S.2/A440-05	H-R2545x77+35/-35
AAMA/WDMA/CSA 101/I.S.2/A440-08 A440S1-09	Class R-PG25 Size Tested: 1143x1955mm Positive/Negative Design Pressure (DP): 1680 Pa Water Penetration Resistance Test Pressure: 25 Canadian Air Infiltration/Exfiltration: A2

Do not remove until final code inspection. Save label for future reference.

15
 CSA A440.2
 Energy Rating
 Rendement Énergétique

Qualified for area indicated.
Admissible pour les régions indiquées.

Canada
energystar.nrcan-mrcan.gc.ca



U.S. / É.U.
energystar.gov



☐ = Qualified/Admissible



Renewal by Andersen.

WINDOW REPLACEMENT an Andersen Company

AND-N-102-00160-00001
 Wood/Vinyl Composite
 Dual Argon Low-E4 SmartSun
 Product Type: Casement



ENERGY PERFORMANCE RATINGS		
U-Factor 0.28 (U.S./I-P)	1.59 (Metric/SI)	Solar Heat Gain Coefficient 0.17
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.38		—

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.

www.nfrc.org

 Licensee: CCL 129-H-935.00 CCL 129-H-935.01 Andersen Corporation RbA Casement Window Manufacturer stipulates conformance to the following standards	
Standard	Rating
AAMA/WDMA/CSA 1011.5 2/A440-08	Class LC-PG40 Size tested: 40x80
AAMA/WDMA/CSA 1011.5 2/A440-05	C-LC-PG40 1016x2032 (40x80)
 This product meets Green Seal's environmental standards governing energy efficiency, heavy metals in the frame and sash material, packaging, and consumer educational materials.	
100-00580790-013	

Meets or exceeds C.E.C. & I.E.C.C. Air Infiltration requirements of 0.2 CFM/lin. ft. or less. WDMA Hailmark Certification Program


Do not remove until final code inspection. Save label for future reference.

ENERGY STAR® Certified in Highlighted Regions
Certifié ENERGY STAR dans les régions en surbrillance

Canada
energystar.gc.ca



U.S. / É.U.
energystar.gov



☐ = Certified/Certifié

ER/RE 16

DO NOT REMOVE UNTIL FINAL INSPECTION/NE PAS RETIRER AVANT L'INSPECTION FINALE



Renewal by Andersen.

WINDOW REPLACEMENT an Andersen Company

AND-N-103-00145-00001
 Wood/Vinyl Composite
 Dual Argon Low-E4 SmartSun
 Product Type: Awning



ENERGY PERFORMANCE RATINGS		
U-Factor 0.28 (U.S./I-P)	1.59 (Metric/SI)	Solar Heat Gain Coefficient 0.18
ADDITIONAL PERFORMANCE RATINGS		
Visible Transmittance 0.42		—

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.

www.nfrc.org

 Licensee: 129-H-936.11 129-H-936.10 Andersen Corporation RbA Awning Window Manufacturer stipulates conformance to the following standards	
Standard	Rating
AAMA/WDMA/CSA 1011.5 2/A440-08	Class LC-PG4060.0 in Size tested: x48.0 in DP +40/-40
AAMA/WDMA/CSA 1011.5 2/A440-05	LC-PG4060.0 in x48.0 in
 This product meets Green Seal's environmental standards governing energy efficiency, heavy metals in the frame and sash material, packaging, and consumer educational materials.	
100-00623038-001	

Meets or exceeds C.E.C. & I.E.C.C. Air Infiltration requirements of 0.2 CFM/lin. ft. or less. WDMA Hailmark Certification Program