



front 5 units



Left 7 units



NO PRICE COPY

QUOTATION #1797372

Date Entered: 11/19/2021
Date Printed: 12/14/2021
Printed By: Edson Chavez

SOLD TO:
Titan Siding & Windows

SHIP TO:
Titan Siding & Windows


Phone:
Fax:

Phone:
Fax:

PO NUMBER	QUOTE NAME	PROJECT NAME
	KLINGNER	TITAN

LineItem #	Qty.	Description
------------	------	-------------


100-1 1 ProFinish Builder Single Hung 36" X 64" Operation
= Operating, Frame = Fin Frame, Ext. Color =
White, Int. Color = White, Glass Package = Energy
Star Southern , ProSolar Shade Low E, Argon,
Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
out DS, Upper = Annealed, Lower = Annealed,
Locks = 2, White, Cam, Air Latches = 2, Screen
Coverage = Half, Fiberglass, Extruded, Grille Pattern
= Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
Meets Energy Star Zones = North Central, South
Central, Southern, DP = 25, AAMA, Florida
Approval Code = 5414






Initials: _____

LineItem #	Qty.	Description
------------	------	-------------

200-1 2 ProFinish Builder Single Hung 36" X 64" Operation
= Operating, Frame = Fin Frame, Ext. Color =
White, Int. Color = White, Glass Package = Energy
Star Southern , ProSolar Shade Low E, Argon,
Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
out DS, Upper = Tempered, Lower = Tempered,
Locks = 2, White, Cam, Air Latches = 2, Screen
Coverage = Half, Fiberglass, Extruded, Grille Pattern
= Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
Meets Energy Star Zones = North Central, South
Central, Southern, DP = 25, AAMA, Florida
Approval Code = 5414






Initials: _____

LineItem #	Qty.	Description	
300-1	1	ProFinish Builder Single Hung 36" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, Florida Approval Code = 5414	  



Initials: _____

LineItem #	Qty.	Description	
400-1	1	ProFinish Builder Single Hung 44" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 4W2H, U-Factor = 0.31, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = Southern, DP = 25, AAMA, TDI = WIN-832, Florida Approval Code = 5414	  



Initials: _____

LineItem #	Qty.	Description
500-1	2	ProFinish Builder Single Hung 36" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, Florida Approval Code = 5414

RO:


36.5 x 64.5

Room ID:

Custom

LEFT

LAUNDRY



Initials: _____

LineItem #	Qty.	Description
600-1	2	ProFinish Builder Single Hung 36" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, Florida Approval Code = 5414


RO:

36.5 x 64.5

Room ID:

Custom

LEFT B2



Initials: _____

LineItem #	Qty.	Description
700-1	1	ProFinish Builder Single Hung 32" X 44" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Tempered, Lower = Tempered, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 50, AAMA, TDI = WIN-832, Florida Approval Code = 5414

RO:

32.5 x 44.5

Room ID:

Custom

LEFT BATH



Initials: _____

LineItem #	Qty.	Description
800-1	1	ProFinish Builder Single Hung 32" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Tempered, Lower = Tempered, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, TDI = WIN-832, Florida Approval Code = 5414



RO:

32.5 x 64.5

Room ID:

Custom

LEFT B3



Initials: _____

LineItem #	Qty.	Description
900-1	1	ProFinish Builder Single Hung 32" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U- Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, TDI = WIN- 832, Florida Approval Code = 5414


RO:

32.5 x 64.5

Room ID:

Custom

LEFT B3



Initials: _____

12 Total Qty Units

Comment:

Submitted by: _____ Accepted by: _____ Date _____



NO PRICE COPY

QUOTATION #1797372

Date Entered: 11/19/2021
Date Printed: 12/14/2021
Printed By: Edson Chavez

SOLD TO:
 Titan Siding & Windows

SHIP TO:
 Titan Siding & Windows


Phone:
 Fax:

Phone:
 Fax:

PO NUMBER	QUOTE NAME	PROJECT NAME
	KLINGNER	TITAN

LineItem #	Qty.	Description
------------	------	-------------


100-1 1 ProFinish Builder Single Hung 36" X 64" Operation
 = Operating, Frame = Fin Frame, Ext. Color =
 White, Int. Color = White, Glass Package = Energy
 Star Southern , ProSolar Shade Low E, Argon,
 Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
 out DS, Upper = Annealed, Lower = Annealed,
 Locks = 2, White, Cam, Air Latches = 2, Screen
 Coverage = Half, Fiberglass, Extruded, Grille Pattern
 = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
 Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
 Meets Energy Star Zones = North Central, South
 Central, Southern, DP = 25, AAMA, Florida
 Approval Code = 5414




Initials: _____

LineItem #	Qty.	Description
------------	------	-------------

200-1 2 ProFinish Builder Single Hung 36" X 64" Operation
 = Operating, Frame = Fin Frame, Ext. Color =
 White, Int. Color = White, Glass Package = Energy
 Star Southern , ProSolar Shade Low E, Argon,
 Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
 out DS, Upper = Tempered, Lower = Tempered,
 Locks = 2, White, Cam, Air Latches = 2, Screen
 Coverage = Half, Fiberglass, Extruded, Grille Pattern
 = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
 Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
 Meets Energy Star Zones = North Central, South
 Central, Southern, DP = 25, AAMA, Florida
 Approval Code = 5414




Initials: _____

LineItem #	Qty.	Description	
300-1	1	ProFinish Builder Single Hung 36" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, Florida Approval Code = 5414	




Initials: _____

LineItem #	Qty.	Description	
400-1	1	ProFinish Builder Single Hung 44" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 4W2H, U-Factor = 0.31, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = Southern, DP = 25, AAMA, TDI = WIN-832, Florida Approval Code = 5414	




Initials: _____

LineItem #	Qty.	Description
500-1	2	ProFinish Builder Single Hung 36" X 64" Operation
RO:		= Operating, Frame = Fin Frame, Ext. Color =
36.5 x 64.5		White, Int. Color = White, Glass Package = Energy
Room ID:		Star Southern , ProSolar Shade Low E, Argon,
Custom		Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
LEFT		out DS, Upper = Annealed, Lower = Annealed,
LAUNDRY		Locks = 2, White, Cam, Air Latches = 2, Screen
		Coverage = Half, Fiberglass, Extruded, Grille Pattern
		= Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
		Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
		Meets Energy Star Zones = North Central, South
		Central, Southern, DP = 25, AAMA, Florida
		Approval Code = 5414



Initials: _____

LineItem #	Qty.	Description
600-1	2	ProFinish Builder Single Hung 36" X 64" Operation
RO:		= Operating, Frame = Fin Frame, Ext. Color =
36.5 x 64.5		White, Int. Color = White, Glass Package = Energy
Room ID:		Star Southern , ProSolar Shade Low E, Argon,
Custom		Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8
LEFT B2		out DS, Upper = Annealed, Lower = Annealed,
		Locks = 2, White, Cam, Air Latches = 2, Screen
		Coverage = Half, Fiberglass, Extruded, Grille Pattern
		= Colonial, Grille App = 5/8" Flat, White, 3W2H, U-
		Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0,
		Meets Energy Star Zones = North Central, South
		Central, Southern, DP = 25, AAMA, Florida
		Approval Code = 5414



Initials: _____

LineItem #	Qty.	Description
700-1	1	ProFinish Builder Single Hung 32" X 44" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Tempered, Lower = Tempered, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 50, AAMA, TDI = WIN-832, Florida Approval Code = 5414


RO:

32.5 x 44.5

Room ID:

Custom

LEFT BATH



Initials: _____

LineItem #	Qty.	Description
800-1	1	ProFinish Builder Single Hung 32" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Tempered, Lower = Tempered, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, TDI = WIN-832, Florida Approval Code = 5414


RO:

32.5 x 64.5

Room ID:

Custom

LEFT B3



Initials: _____


PO NUMBER

QUOTE NAME

PROJECT NAME

KLINGNER

TITAN

LineItem #	Qty.	Description	
900-1	1	ProFinish Builder Single Hung 32" X 64" Operation = Operating, Frame = Fin Frame, Ext. Color = White, Int. Color = White, Glass Package = Energy Star Southern , ProSolar Shade Low E, Argon, Intercept, 3/4"IGU, Glass Thickness = 1/8 in - 1/8 out DS, Upper = Annealed, Lower = Annealed, Locks = 2, White, Cam, Air Latches = 2, Screen Coverage = Half, Fiberglass, Extruded, Grille Pattern = Colonial, Grille App = 5/8" Flat, White, 3W2H, U-Factor = 0.3, SHGC = 0.2, VT = 0.44, STC = 0, Meets Energy Star Zones = North Central, South Central, Southern, DP = 25, AAMA, TDI = WIN-832, Florida Approval Code = 5414	



Initials: _____

12 Total Qty Units

Comment:

Submitted by: _____ Accepted by: _____ Date: _____