RESOLUTION NO. 20220519-051

WHEREAS, the City Council of the City of Austin has found that public necessity requires the City to acquire certain real property interests for public uses as set out below; and

WHEREAS, the City has attempted to purchase those needed real property interests, but has been unable to agree with the owner on the value of the property interest, or the damages, if any; **NOW, THEREFORE**,

BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

The City Attorney or other authorized designee, is hereby authorized and directed to file, or cause to be filed, a suit in eminent domain on behalf of the City against the owner now having, or who may acquire, an interest in the real property interests necessary to the City, described below, for the public uses set out below, and to take whatever other action may be deemed appropriate to effect the necessary acquisitions including but not limited to the deposit of funds in the amount awarded by the Court appointed Special Commissioners.

BE IT FURTHER RESOLVED:

The City Attorney, or other authorized designee, shall file eminent domain

proceedings for: Owners:

Panjwani Energy Properties, LLC

Project:

William Cannon Drive Corridor Project

Project Public Use:

Acquiring a Sidewalk, Trail, and Recreational

Easement.

Location:

3430 W. William Cannon Drive, Austin, TX 78745

The general route of the project is along William Cannon Drive between Southwest Pkwy to McKinney Falls Pkwy.

Property:

Described in the attached and incorporated "Exhibits A and B."

City Clerk

ADOPTED: May 19, 2022 ATTEST: Myrna Rios
City Clark

Page 2 of 2

City of Austin:

Corridor Program

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

Parcel 5309.006 STARE 0.0394 Acre, 1,718 Sq. Ft.

Page 1 of 7

March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309.006 STARE

DESCRIPTION OF A 0.0394 ACRE (1,718 SQUARE FOOT) PARCEL OF LAND OUT OF THE THEODORE BISSELL LEAGUE, SURVEY NO. 18, ABSTRACT NO. 3, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, BEING OUT OF A PORTION OF LOT 1, BLOCK 1, COURTEPLACE, A SUBDIVISION RECORDED DECEMBER 11, 1987, IN VOLUME 87, PAGES 131C – 131D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, SAID PORTION OF LOT 1, BEING DESCRIBED AS A 0.901 ACRE TRACT OUT OF SAID LOT 1, CONVEYED TO PANJWANI ENERGY PROPERTIES, LLC BY SPECIAL WARRANTY DEED EFFECTIVE NOVEMBER 11, 2013 AND RECORDED IN DOCUMENT NUMBER 2013204829 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS; SAID 0.0394 ACRE PARCEL AS SHOWN ON THE ACCOMPANYING SKETCH PREPARED BY CP&Y, INC. IS MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

COMMENCING at a 1/2-inch iron rod with orange plastic cap stamped "SINCLAIR" found on the existing southeast right-of-way line of Brodie Lane (right-of-way width varies), for the common north corner of said Lot 1, the north corner of said Panjwani Energy Properties 0.901 acre tract, and the west corner of Lot 4, Block 1, of said CourtePlace Subdivision;

THENCE with the common existing southeast right-of-way line of said Brodie Lane, the northwest line of said Lot 1, and the northwest line of said Panjwani Energy Properties 0.901 acre tract, South 27° 30′ 37″ West, a distance of 152.10 feet to a calculated point being the west corner of an existing 10-foot wide sidewalk easement dedicated by said CourtePlace Subdivision, for the northwest corner and **POINT OF BEGINNING** hereof, having a Surface Coordinate of: North = 10,051,610.22 feet and East = 3,087,579.21 feet, being 158.20 feet left of Engineer's Baseline Station 335+05.88;

THENCE, with the southwest line of said existing 10-foot wide sidewalk easement, through the interior of said Lot 1 and said Panjwani Energy Properties 0.901 acre tract, with the proposed line of the herein described parcel, South 62° 29' 23" East, at a distance of 10.00 feet passing the south corner of said existing 10-foot wide sidewalk easement, and continuing a total distance of 11.00 feet to a calculated point, being 157.87 feet left of Engineer's Baseline Station 335+16.85, for the northeast corner hereof;

City of Austin:

Corridor Program

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

Parcel 5309.006 STARE

0.0394 Acre, 1,718 Sq. Ft.

Page 2 of 7

March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309.006 STARE

THENCE, continuing through the interior of said Lot 1 and said Panjwani Energy Properties 0.901 acre tract, with the proposed line of the herein described parcel, the following six (6) courses and distances:

- 2) **South 27° 30' 37" West**, a distance of **67.75 feet** to a calculated point, being 90.15 feet left of Engineer's Baseline Station 335+14.76, for an angle point hereof;
- 3) **South 20° 52' 42" East**, a distance of **20.90 feet** to a calculated point, being 75.79 feet left of Engineer's Baseline Station 335+29.96, for an angle point hereof;
- 4) **South 64° 21' 35" East**, a distance of **36.61 feet** to a calculated point, being 75.86 feet left of Engineer's Baseline Station 335+66.57, for an angle point hereof;
- 5) **South 55° 07' 19" East**, a distance of **43.60 feet** to a calculated point, being 68.94 feet left of Engineer's Baseline Station 336+09.62, for an angle point hereof;
- 6) **South 64° 21' 35" East**, a distance of **14.13 feet** to a calculated point, being 68.96 feet left of Engineer's Baseline Station 336+23.76, for the most easterly corner hereof;
- 7) South 25° 38' 25" West, a distance of 3.00 feet to a calculated point on the common existing northeast right-of-way line of William Cannon Drive (right-of-way width varies) and the southwest line of said Panjwani Energy Properties 0.901 acre tract, being the northeast line of that 0.0278 acre tract conveyed by Street Deed to the City of Austin, recorded in Document Number 2002035342, of the Official Public Records of Travis County, Texas, said calculated point being 65.96 feet left of Engineer's Baseline Station 336+23.76, for the southeast corner hereof, from which an "X" cut in concrete set on the common line of said Lot 1 and Lot 2, Block 1 of said CourtePlace Subdivision, being the south corner of said Panjwani Energy Properties 0.901 acre tract, and being the east corner of the said City of Austin 0.0278 acre tract, bears, S 64° 21' 35" E, a distance of 46.91 feet;

City of Austin:

Corridor Program

Parcel 5309.006 STARE 0.0394 Acre, 1,718 Sq. Ft.

Corridor:

William Cannon Drive

Acre, 1,718 Sq. Ft.

Segment:

WCDR-C2

Page 3 of 7

Segment From:

U.S. Highway 290

March 23, 2021

Limits To: East of Brodie Lane

PROPERTY DESCRIPTION - PARCEL 5309,006 STARE

THENCE, continuing through the interior of said Lot 1, with the common existing northeast right-of-way line of said William Cannon Drive, the southwest line of said Panjwani Energy Properties 0.901 acre tract, and the northeast line of said City of Austin 0.0278 acre tract, the following two (2) courses and distances:

- 8) **North 64° 21' 35" West**, a distance of **84.52 feet** to a 1/2-inch iron rod with orange plastic cap stamped "McGray 2093" found, for a point of curvature hereof;
- 9) with the arc of said curve to the **right**, having a radius of **37.00 feet**, an arc length of **47.15 feet**, a central angle of **073° 00' 22"**, and a chord which bears, **North 27° 50' 43" West**, a distance of **44.02 feet** to a cotton spindle in rock set on the common existing southeast right-of-way line of Brodie Lane (right-of-way width varies) and the northwest line of said Lot 1, for the southwest corner of said Panjwani Energy Properties 0.901 acre tract and the north corner of the said City of Austin 0.0278 acre tract, for a point of non-tangency hereof;
- 10) **THENCE**, **North 27° 30' 37" East**, with the common existing southeast right-of-way line of said Brodie Lane, the northwest line of said Lot 1, and the northwest line of said Panjwani Energy Properties 0.901 acre tract, at a distance of 5.44 feet pass a 1/2-inch iron rod with orange plastic cap stamped "McGray 2093" found, in all a total distance of **66.30 feet** to the **POINT OF BEGINNING** hereof and containing 0.0394 acre (1,718 sq. ft.) of land;

City of Austin:

Corridor Program

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

Parcel 5309.006 STARE

0.0394 Acre, 1,718 Sq. Ft.

Page 4 of 7 March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309,006 STARE

Notes:

 All bearings and coordinates described herein are based on the Texas Coordinate System (TCS), Central Zone (4203), North American Datum of 1983 (NAD 83) 2001 Adjustment, Epoch 2010.00. All distances and coordinates described herein are Surface and may be converted to Grid by dividing the combined Adjustment Factor of 1.00011. All measurements are in U.S. Survey Feet.

2. A parcel plat of even date was prepared in conjunction with this property description.

3. **The monument(s) described as "calculated" may be set with a typical ROW/Easement marker, after acquisition is completed, under the supervision of a Registered Professional Land Surveyor, either employed or retained by the City of Austin.

4. Stations and offsets are relative to Corridor Centerline provided by Engineer on 08/28/2020.

Surveyed March 23, 2021 by:

Margaret A. Nolen, R.P.L.S. No. 5589

CP&Y, Inc.


One Chisholm Trail, Suite 130 Round Rock, Texas 78681


Ph. (512) 248-0065

TBPELS Firm No. 10194125

Project No. 1800252

AUSTIN GRID E-17 PROPERTY ID: 511566





Ö

CURVE TABLE					
CURVE	RADIUS	ARC	DELTA	CH. BEARING	CHORD
C-1	37.00'	47.15'	073°00'22"	N 27*50'43" W	44.02'
(C-1)	(37.00')	(47.14')	(073°00'13")	(N 25°48'14" W)	(44.02')

LEGEND

△ = CALCULATED POINT

= 1/2" IRON ROD FOUND

■ 1/2" IRON ROD FOUND WITH PLASTIC CAP STAMPED (AS NOTED)

∅ = "X" CUT IN CONCRETE SET

O = COTTON SPINDLE IN ROCK SET

D.R.T.C.T. = DEED RECORDS OF TRAVIS COUNTY, TEXAS

R.P.R.T.C.T. = REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS

 $\hbox{O.P.R.T.C.T.} \ = \ \hbox{OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS }$

= AREA, IN ACRES/SQ FT, OF EXISTING EASEMENT WITHIN PARCEL LIMITS (EQUALS PARCEL AREA IF NOT NOTED)

= LUMINARE STANDARD

O = SIGN/MARKER

= FLAGPOLE

O = BOLLARD

W = WATER METER

= IRRIGATION CONTROL VALVE

= FIRE HYDRANT

₩

= WATER VALVE

= WATER MANHOLE

—O— = POWER POLE

= TRAFFIC SIGNAL POLE

E = ELECTRIC METER

E = ELECTRIC MANHOLE

FO Φ = FIBER OPTICS CABLE MARKER

= TREE

P.U.E. = PUBLIC UTILITY EASEMENT

P = PROPERTY/DEED LINE

(XX) = RECORD INFORMATION

R.O.W. = RIGHT-OF-WAY

P.O.B. = POINT OF BEGINNING

P.O.C. = POINT OF COMMENCEMENT

LINE TABLE **BEARING** LINE **LENGTH** L-1S 27°30'37" W 152.10' L-2S 62°29'23" E 11.00 L-3S 27'30'37" W 67.75 L-4S 20°52'42" E 20.90' L-5 S 64°21'35" E 36.61 L-6 S 55'07'19" E 43.60' L-7S 64°21'35" E 14.13' 1 - 8S 25'38'25" W 3.00 1 - 9N 27'30'37" E 66.30 L-10 S 64°21'35" E 46.91 (S 29°32'35" W) (152.33')

EASEMENTS

(1) 10' SIDEWALK EASEMENT RECORDED: 12/11/1987 VOL. 87 PG. 131C-131D, P.R.T.C.T.

25' BUILDING LINE RECORDED: 12/11/1987

VOL. 87 PG. 131C-131D, P.R.T.C.T.

3 FOR USE AND BENEFIT OF ALL CURRENT AND SUBSEQUENT OWNERS OF LOTS 1 AND 2 45' X 45' ACCESS EASEMENT (CALLED 2,025 SQ. FT.)
RECORDED: 08/24/1988
VOL. 10760 PG. 584, R.P.R.T.C.T.

(4) 10' BUILDING LINE EXECUTED: 6/3/1988 VOL. 10713 PG. 464, R.P.R.T.C.T.

GENERAL NOTES:

- 1) ALL BEARINGS AND COORDINATES DESCRIBED HEREIN ARE BASED ON THE TEXAS COORDINATE SYSTEM (TCS), CENTRAL ZONE (4203), NORTH AMERICAN DATUM OF 1983 (NAD 83), 2011 ADJUSTMENT, EPOCH 2010.00. ALL DISTANCES AND COORDINATES SHOWN HEREON ARE SURFACE AND MAY BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED ADJUSTMENT FACTOR OF 1.00011. ALL MEASUREMENTS ARE IN US SURVEY FEET.
- STATIONS AND OFFSETS ARE RELATIVE TO THE CORRIDOR CENTERLINE PROVIDED BY ENGINEER 08/28/2020.
- A PROPERTY DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS PARCEL PLAT.



1 Chisholm Trail, Suite 130
Round Rock, Texas 78681 512.248.0065
TEXAS REGISTERED ENGINEERING FIRM F-1741
TBPELS 10194125

CITY OF AUSTIN - CORRIDOR PROGRAM
WILLIAM CANNON DRIVE, SEGMENT C2
PARCEL PLAT - 5309.006 STARE

0.0394 ACRE (1,718 SQ. FT.)

	AUSTIN GRID NO. E-17
PROPERTY ID: 511566	WORK ORDER: 1800252R
SURVEY DATE: 03/23/21	SCALE:
REVISED DATE:	PAGE 7 OF 7

City of Austin:

Corridor Program

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

Parcel 5309.006 TCE 0.0276 Acre, 1,202 Sq. Ft.

Page 1 of 8

March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309.006 TCE

DESCRIPTION OF A 0.0276 ACRE (1,202 SQUARE FOOT) PARCEL OF LAND OUT OF THE THEODORE BISSELL LEAGUE, SURVEY NO. 18, ABSTRACT NO. 3, IN THE CITY OF AUSTIN, TRAVIS COUNTY, TEXAS, BEING OUT OF A PORTION OF LOT 1, BLOCK 1, COURTEPLACE, A SUBDIVISION RECORDED DECEMBER 11, 1987, IN VOLUME 87, PAGES 131C – 131D OF THE PLAT RECORDS OF TRAVIS COUNTY, TEXAS, SAID PORTION OF LOT 1, BEING DESCRIBED AS A 0.901 ACRE TRACT OUT OF SAID LOT 1, CONVEYED TO PANJWANI ENERGY PROPERTIES, LLC BY SPECIAL WARRANTY DEED EFFECTIVE NOVEMBER 11, 2013 AND RECORDED IN DOCUMENT NUMBER 2013204829 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS; SAID 0.0276 ACRE PARCEL AS SHOWN ON THE ACCOMPANYING SKETCH PREPARED BY CP&Y, INC. IS MORE PARTICULARLY DESCRIBED IN TWO PARTS BY METES AND BOUNDS AS FOLLOWS:

Part 1 – 0.0108 Acre, 469 Sq. Ft.:

COMMENCING at a 1/2-inch iron rod with orange plastic cap stamped "SINCLAIR" found on the existing southeast right-of-way line of Brodie Lane (right-of-way width varies), for the common north corner of said Lot 1, the north corner of said Panjwani Energy Properties 0.901 acre tract, and the west corner of Lot 4, Block 1, of said CourtePlace Subdivision;

THENCE with the common existing southeast right-of-way line of said Brodie Lane, the northwest line of said Lot 1, and the northwest line of said Panjwani Energy Properties 0.901 acre tract, South 27° 30′ 37″ West, a distance of 218.40 feet to a cotton spindle in rock set for a non-tangent point of curvature on the common existing northeast right-of-way line of William Cannon Drive (right-of-way width varies) and the southwest line of said Panjwani Energy Properties 0.901 acre tract;

THENCE with the common curving existing northwest right-of-way line of said William Cannon Drive and the southwest line of said Panjwani Energy Properties 0.901 acre tract, the following two (2) courses and distances:

with the arc of a curve to the left, having a radius of 37.00, an arc length of 47.15 feet, a central angle of 073° 00' 22", and having a chord which bears, South 27° 50' 43" East, a distance of 44.02 feet to a 1/2-inch iron rod with orange plastic cap stamped "McGRAY 2093" found for a point of tangency;

City of Austin:

Corridor Program

Parcel 5309.006 TCE

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

0.0276 Acre, 1,202 Sq. Ft. Page 2 of 8

March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309.006 TCE

South 64° 21' 35" East, a distance of 84.52 feet to a calculated point for the west corner and **POINT OF BEGINNING** hereof, having a Surface Coordinate of: North = 10,051,475.92 feet and East = 3,087,645.34 feet, being 65.96 feet left of Engineer's Baseline Station 336+23.76;

THENCE, through the interior of said Panjwani Energy Properties 0.901 acre tract and said Lot 1, with the proposed line of the herein described parcel, the following two (2) courses and distances:

- 1) North 25° 38' 25" East, a distance of 10.00 feet to a calculated point, being 75.96 feet left of Engineer's Baseline Station 336+23.74, for the north corner hereof;
- 2) **South 64° 21' 35" East**, a distance of **46.92 feet** to a calculated point on the common southeast line of said Lot 1, the southeast line of said Panjwani Energy Properties 0.901 acre tract, and the northwest line of Lot 2, Block 1, of said CourtePlace Subdivision, being 76.05 feet left of Engineer's Baseline Station 336+70.66, for the east corner hereof;
- 3) **THENCE**, with the common southeast line of said Lot 1, the southeast line of said Panjwani Energy Properties 0.901 acre tract, and the northwest line of said Lot 2, **South 25° 39' 08" West**, a distance of **10.00 feet** to an "X" cut in concrete set on the existing northeast right-of-way line of said William Cannon Drive being the south corner of said Panjwani Energy Properties 0.901 acre tract and being the east corner of that 0.0278 acre tract conveyed by Street Deed to the City of Austin, recorded in Document Number 2002035342 of the Official Public Records of Travis County, Texas;
- 4) **THENCE**, through the interior of said Lot 1 with the common existing northeast right-of-way line of said William Cannon Drive and the southwest line of said Panjwani Energy Properties 0.901 acre tract and the northeast line of said City of Austin 0.0278 acre tract, **North 64° 21' 35" West**, a distance of **46.91 feet** to the **POINT OF BEGINNING** hereof and containing 0.0108 acre (469 sq. ft.) of land.

Part 2 – 0.0168 Acre, 733 Sq. Ft.:

COMMENCING at a 1/2-inch iron rod with orange plastic cap stamped "Sinclair" found on the existing southeast right-of-way line of Brodie Lane (right-of-way width varies), for the common north corner of said Panjwani Energy Properties 0.901 acre tract, the north corner of said Lot 1, and the west corner of Lot 4, Block 1, of said CourtePlace Subdivision:

City of Austin:Corridor ProgramParcel 5309.006 TCECorridor:William Cannon Drive0.0276 Acre, 1,202 Sq. Ft.

Segment: WCDR-C2 Page 3 of 8

Segment From: U.S. Highway 290 March 23, 2021
Limits To: East of Brodie Lane

PROPERTY DESCRIPTION - PARCEL 5309.006 TCE

THENCE with the common existing southeast right-of-way line of said Brodie Lane, the northwest line of said Panjwani Energy Properties 0.901 acre tract, and the northwest line of said Lot 1, South 27° 30' 37" West, a distance of 100.30 feet to a calculated point for the north corner and **POINT OF BEGINNING** hereof, having a Surface Coordinate of: North = 10,051,656.17 feet and East = 3,087,603.14 feet, being 209.99 feet left of Engineer's Baseline Station 335+07.45;

THENCE, through the interior of said Panjwani Energy Properties 0.901 acre tract and said Lot 1, with the proposed line of the herein described parcel, the following three (3) courses and distances:

- 1) **South 62° 29' 23" East**, a distance of **14.15 feet** to a calculated point, being 209.55 feet left of Engineer's Baseline Station 335+21.59, for the west corner hereof;
- 2) **South 27° 30' 37" West**, a distance of **51.81 feet** to a calculated point, being 157.77 feet left of Engineer's Baseline Station 335+20.00, for the south corner hereof;
- 3) North 62° 29' 23" West, a distance of 14.15 feet to a calculated point on the common existing southeast right-of-way line of said Brodie Lane, the northwest line of said Panjwani Energy Properties 0.901 acre tract, and the northwest line of said Lot 1, being 158.20 feet left of Engineer's Baseline Station 335+05.88, for the west corner hereof, from which a cotton spindle in rock set for a non-tangent point of curvature on the common northeast line of William Cannon Drive (right-of-way width varies) and the southwest line of said Panjwani Energy Properties 0.901 acre tract bears, South 27° 30' 37" West, at a distance of 60.86 feet pass a 1/2-inch iron rod with orange plastic cap stamped "McGray 2093" found, in all a total distance of 66.30 feet:
- 4) **THENCE**, with the common southeast right-of-way line of said Brodie Lane, the northwest line of said Panjwani Energy Properties 0.901 acre tract, and the northwest line of said Lot 1, **North 27° 30' 37" East,** a distance of **51.81 feet** to the **POINT OF BEGINNING** hereof and containing 0.0168 acre (733 sq. ft.) of land.

City of Austin:

Corridor Program

Corridor:

William Cannon Drive

Segment:

WCDR-C2

Segment From:

U.S. Highway 290

Limits To:

East of Brodie Lane

Parcel 5309.006 TCE 0.0276 Acre, 1,202 Sq. Ft.

Page 4 of 8

March 23, 2021

PROPERTY DESCRIPTION - PARCEL 5309.006 TCE

Part 1 – 0.0108 Acre, 469 Sq. Ft. Part 2 – 0.0168 Acre, 733 Sq. Ft. Total Area – 0.0276 Acre, 1,202 Sq. Ft.

Notes:

 All bearings and coordinates described herein are based on the Texas Coordinate System (TCS), Central Zone (4203), North American Datum of 1983 (NAD 83) 2001 Adjustment, Epoch 2010.00. All distances and coordinates described herein are Surface and may be converted to Grid by dividing the combined Adjustment Factor of 1.00011.
 All measurements are in U.S. Survey Feet.

2. A parcel plat of even date was prepared in conjunction with this property description.

3. **The monument(s) described as "calculated" may be set with a typical ROW/Easement marker, after acquisition is completed, under the supervision of a Registered Professional Land Surveyor, either employed or retained by the City of Austin.

4. Stations and offsets are relative to Corridor Centerline provided by Engineer on 08/28/2020.

Surveyed March 23, 2021 by:

Margaret A. Nolen, R.P.L.S. No. 5589

CP&Y, Inc.


One Chisholm Trail, Suite 130 Round Rock, Texas 78681


Ph. (512) 248-0065

TBPELS Firm No. 10194125


Project No. 1800252

AUSTIN GRID E-17 PROPERTY ID: 511566





© 2021 ALL RIGHTS RESERVED



CURVE DATA:

Cannon\PARCEL

PI NORTHING: 10,051,504.54' PI EASTING: 3,087,434.14' PI STATION: 334+21.10

RADIUS: 8000.00' DELTA: 001°13'47" RIGHT

ARC LENGTH: 171.70' TANGENT LENGTH: 85.85' CHORD BEARING: S64° 52' 10"E

CHORD DISTANCE: 171.69' PC STATION: 333+35.25 PT STATION: 335+06.95

LINE TABLE			
LINE	BEARING LENGTH		
L-5	S 62°29'23" E	14.15'	
L-6	S 27°30'37" W	51.81'	
L-7	N 62°29'23" W	14.15	
L-8	N 27°30'37" E	51.81'	

TEXAS REGISTERED ENGINEERING FIRM F-1741 TBPELS 10194125

CITY OF AUSTIN - CORRIDOR PROGRAM WILLIAM CANNON DRIVE, SEGMENT C2 PARCEL PLAT - 5309.006 TCE

PART 2 - 0.0168 ACRE (733 SQ. FT.)

	AUSTIN GRID NO. E-17
PROPERTY ID: 511566	WORK ORDER: 1800252R
SURVEY DATE: 03/23/21	SCALE: $1" = 30'$
REVISED DATE:	PAGE 7 OF 8

04
0
_
o`
=
•
9
*
ń
006-TCE\WCDR-C2_5309.006-TCE Plat.d
ᆂ
О
$\overline{}$
ш
1.1
ᄣ
9
σ.
9
0
Ō
=
g
0
M
S
- 1
N
63
\sim
1.
œ
Ö
×
-
1
'n
S
_
1
Ó
Õ
$\tilde{}$
۲.
9
0
3
2
71
~!
14
Ų
- 1
a
$\overline{}$
\WCDR-C2_5309.006
×
>,
/
S
z
0
$\overline{}$
느
~
\overline{c}
in
IL DESCRIPTIONS
=
_
-1
$\overline{}$
罴
$\frac{8}{2}$
RCE
ARCE
PARCE
\PARCE
n\PARCE
on\PARCE
non\PARCE
nnon\PARCE
annon\PARCE
Cannon\PARCE
Cannon\PARCE
n Cannon\PARCE
Im Cannon\PARCE
iam Cannon\PARCE
Iliam Cannon\PARCE
William Cannon\PARCE
William Cannon\PARCE
· William Cannon\PARCE
 William Cannon\PARCE
- William Cannon\PARCE
A - William Cannon\PARCE
OA − William Cannon\PARCE
30A - William Cannon\PARCE
COA - William Cannon\PARCE
- COA — William Cannon\PARCE
- COA - William Cannon\PARCE
- COA - William Cannon\PARCE
R - COA - William Cannon\PARCE
2R - COA - William Cannon\PARCE
52R - COA - William Cannon\PARCE
252R — COA — William Cannon\PARCE
0252R - COA - William Cannon\PARCE
00252R — COA — William Cannon\PARCE
800252R - COA - William Cannon\PARCE
1800252R — COA — William Cannon\PARCE
1800252R - COA - William Cannon\PARCE
S\1800252R - COA - William Cannon\PARCE
TS\1800252R - COA - William Cannon\PARCE
Cannon/PARCE - COA - William Cannon/PARCE
CTS/1800252R - COA - William Cannon/PARCE
JECTS\1800252R - COA - William Cannon\PARCE
JJECTS\1800252R — COA — William Cannon\PARCE
ROJECTS/1800252R - COA - William Cannon/PARCE
'ROJECTS\1800252R - COA - William Cannon\PARCE
PROJECTS\1800252R - COA - William Cannon\PARCE
PROJECTS/1800252R - COA - William Cannon/PARCE
::\PROJECTS\1800252R - COA - William Cannon\PARCE
G: \PROJECTS\1800252R - COA - William Cannon\PARCE

CURVE TABLE					
CURVE	RADIUS	ARC	DELTA	CH. BEARING	CHORD
C-1	37.00'	47.15'	073'00'22"	S 27°50'43" E	44.02'
(C-1)	(37.00')	(47.14')	(073°00'13")	(S 25°48'14" E)	(44.02')

LEGEND

△ = CALCULATED POINT

= 1/2" IRON ROD FOUND

⊗ = "X" CUT IN CONCRETE SET

= COTTON SPINDLE IN ROCK SET

D.R.T.C.T. = DEED RECORDS OF TRAVIS COUNTY, TEXAS

R.P.R.T.C.T. = REAL PROPERTY RECORDS OF TRAVIS COUNTY, TEXAS

O.P.R.T.C.T. = OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS

= AREA, IN ACRES/SQ FT, OF EXISTING EASEMENT WITHIN PARCEL LIMITS (EQUALS PARCEL AREA IF NOT NOTED)

□ = LUMINARE STANDARD

= SIGN/MARKER

= FLAGPOLE

= BOLLARD 0

W = WATER METER

= IRRIGATION CONTROL VALVE 0

= FIRE HYDRANT ♦

= WATER VALVE

= WATER MANHOLE

-O- = POWER POLE

= TRAFFIC SIGNAL POLE E = ELECTRIC METER

 ELECTRIC MANHOLE FO

= FIBER OPTICS CABLE MARKER

= TREE

P.U.E. = PUBLIC UTILITY EASEMENT

P = PROPERTY/DEED LINE

 (\overline{XX}) = RECORD INFORMATION

R.O.W. = RIGHT-OF-WAY

P.O.B. = POINT OF BEGINNING

P.O.C. = POINT OF COMMENCEMENT

GENERAL NOTES:

- 1) ALL BEARINGS AND COORDINATES DESCRIBED HEREIN ARE BASED ON THE TEXAS COORDINATE SYSTEM (TCS), CENTRAL ZONE (4203), NORTH AMERICAN DATUM OF 1983 (NAD 83), 2011 ADJUSTMENT, EPOCH 2010.00. ALL DISTANCES AND COORDINATES SHOWN HEREON ARE SURFACE AND MAY BE CONVERTED TO GRID BY DIVIDING BY THE COMBINED ADJUSTMENT FACTOR OF 1.00011. ALL MEASUREMENTS ARE IN US SURVEY FEET.
- 2) STATIONS AND OFFSETS ARE RELATIVE TO THE CORRIDOR CENTERLINE PROVIDED BY ENGINEER 08/28/2020.
- 3) A PROPERTY DESCRIPTION OF EVEN DATE WAS PREPARED IN CONJUNCTION WITH THIS PARCEL PLAT.



1 Chisholm Trail, Suite 130 Round Rock, Texas 78681 512.248.0065 TEXAS REGISTERED ENGINEERING FIRM F-1741 TBPELS 10194125

CITY OF AUSTIN - CORRIDOR PROGRAM WILLIAM CANNON DRIVE, SEGMENT C2 PARCEL PLAT - 5309.006 TCE PART 1 - 0.0108 ACRE (469 SQ. FT.) PART 2 - 0.0168 ACRE (733 SQ. FT.) 0.0276 ACRE (1,202 SQ. FT.)

	AUSTIN GRID NO. E-17
PROPERTY ID: 511566	WORK ORDER: 1800252R
SURVEY DATE: 03/23/21	SCALE:
REVISED DATE:	PAGE 8 OF 8