



Order Summary

dba: RENEWAL BY ANDERSEN OF CENTRAL TEXAS


John David Penn

JOB NOTES

Single story home wood siding.
All wood windows in the house.
Straightforward install.
Presume lead, use zip walls and drop cloths.
One window on the side of the house is broken from the freeze.
Crew 4-5, 1 day.
Difficulty 5-10.

Estimated Duration: 1 days

FLOORPLAN - 1ST FLOOR



UNIT NOTES



JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF CENTRAL TEXAS

John David Penn



ID#	ROOM	SIZE		DETAILS
JOB				
000		0"	0"	Misc: Misc, All Job Miscellaneous Charges, * Processing Fee Construction: None Material: None
100		0"	0"	Misc: Misc, All Job Miscellaneous Charges, ** Lead Testing Construction: Ext. Trim (1) Material: WH caulk (1), WH L trim (1), WH Flat trim (1), 1X4X10 pine (10), 2X4X10 (8), Foam (1), Tape (1)
101	living	29"	61"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
		29-3/4"	61-1/2"	
102	den	29"	61"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
		29-3/4"	61-5/8"	
103	den	29"	61"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
		29-5/8"	61-3/8"	
104	den	29"	61"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
		29-5/8"	61-3/8"	

Cancelled



Order Summary

dba: RENEWAL BY ANDERSEN OF CENTRAL TEXAS

John David Penn

ID#	ROOM	SIZE		DETAILS
105	den	29" 29-3/4"	61" 61-1/2"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
106	laundry	29" 29-3/4"	61" 61-1/2"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
107	dining	29" 29-13/16"	61" 61-5/8"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
108	dining	29" 29-3/4"	61" 61-1/2"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
109	dining	29" 29-3/4"	61" 61-1/2"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: TruScene, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None
110	Room 1	28" 28-1/8"	58" 58"	Window: Double-Hung, 1:1, Flat Sill Insert, Traditional Checkrail, Exterior White, Interior White Performance Calculator: PG Rating: 25 DP Rating: + 35 / - 35 Glass: All Sash: High Performance SmartSun Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: None

PRODUCTS: 12 WINDOWS: 10 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 2

Updated 2/8/23

Do not remove until final code inspection. Save label for future reference.

ENERGY STAR - Certified in Highlighted Regions
Certifié ENERGY STAR dans les régions en surbrillance

Canada
energystar.ca



U.S. / É.U.
energystar.gov

ER/RE 20



Renewal
by Andersen
WINDOW REPLACEMENT



AND-N-36-00595-00001
Vinyl/Wood Composite Material
Dual-Pane WP SmartView with Argon
Product Type: Picture

ENERGY PERFORMANCE RATINGS

U-Factor
0.27
(U.S./I-P)

Solar Heat Gain Coefficient
1.53
(Metric/SI)

0.23
(Metric/SI)

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance
0.53

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not warrant any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
www.nfrc.org

WDMA
Hallmark Certified
www.wdma.ca

Licensee: 129-H-723.03 129-H-723.04

Andersen Corporation
R&A Picture Window

Manufacturer stipulates certification to the applicable standard.

STANDARD	RATING
ANSI/WHI/CSA 101/1.5.2/A440-05	Class LG-PG25 Size Tested: 48.0x48.0 in DP +35/-35
ANSI/WHI/CSA 101/1.5.2/A440-05	PG-LOS048.0 1x48.0 in
ANSI/WHI/CSA 101/1.5.2/A440-05	Class LG-PG25 Size Tested: 1219x1219 mm Positive/Negative Design Pressure (DP): 2400 Pa Water Penetration Resistance Test Pressure: 360 Canadian Air Infiltration/Exfiltration: Flood


ENERGY STAR - Certified in Highlighted Regions
Certifié ENERGY STAR dans les régions en surbrillance

Canada
energystar.ca



U.S. / É.U.
energystar.gov

ER/RE 11



Renewal
by Andersen
WINDOW REPLACEMENT



AND-N-28-02026-00001
Vinyl/Wood Composite Material
Dual-Pane With Argon
Product Type: Double Hung

ENERGY PERFORMANCE RATINGS

U-Factor
0.31
(U.S./I-P)

Solar Heat Gain Coefficient
1.76
(Metric/SI)

0.19
(Metric/SI)

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance
0.29

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not warrant any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information.
www.nfrc.org

WDMA
Hallmark Certified
www.wdma.ca

Licensee: 129-H-835.06 129-H-835.07

Andersen Corporation
R&A Double-Hung

Manufacturer stipulates certification to the applicable standard.

STANDARD	RATING
ANSI/WHI/CSA 101/1.5.2/A440-05	Class R-PG25 Size Tested: 45x77 in DP +35/-35
ANSI/WHI/CSA 101/1.5.2/A440-05	R-RZ545x77+35/-35
ANSI/WHI/CSA 101/1.5.2/A440-05	Class R-PG25 Size Tested: 1143x1965mm Positive/Negative Design Pressure (DP): 1600 Pa Water Penetration Resistance Test Pressure: 240 Canadian Air Infiltration/Exfiltration: 42

















