

ENVIRONMENTAL COMMISSION RECOMMENDATION 20240306-004

Date: March 6, 2024

Subject: Ledgestone Revised Wastewater Service Extension Request #4622R

Motion by: Jennifer Bristol Second by: Kevin Ramberg

WHEREAS, the Environmental Commission recognizes the applicant is requesting a water service extension with in the Austin 2-Mile Extraterritorial Jurisdiction,

WHEREAS, the Environmental Commission recognizes the site is located in the Slaughter Creek Watershed, Barton Springs Zone, Edwards Aquifer Contributing Zone, Drinking Water Protection Zone, and

WHEREAS, the Environmental Commission recognizes the staff recommends the Wastewater Service Extension Request.

THEREFORE, the Environmental Commission recommends the Wastewater Service Extension Request as the preferred method over locating an onsite wastewater plant on sight that could damage the thin soils and pollute the drinking water zone.

Vote: 8-0

For: Perry Bedford, Richard Brimer, Jennifer Bristol, Mariana Krueger, Colin Nickells, Haris Qureshi, Kevin Ramberg, and David Sullivan

Against: None

Abstain: None

Absent: Hanna Cofer, Peter Einhorn, and Melinda Schiera

Attest:

Kevin Ramberg, Environmental Commission Chair