ORDINANCE NO.	

AN ORDINANCE REZONING AND CHANGING THE ZONING MAP FOR THE PROPERTY LOCATED AT 901 1/2 AND 1031 1/2 LINGER LANE, 1001 AND 1003 ED BLUESTEIN BOULEVARD NORTHBOUND, AND 6700 BOLM ROAD FROM LIMITED INDUSTRIAL SERVICE (LI) DISTRICT TO LIMITED INDUSTRIAL SERVICE-PLANNED DEVELOPMENT AREA (LI-PDA) COMBINING DISTRICT.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

PART 1. The zoning map established by Section 25-2-191 of the City Code is amended to change the base district from limited industrial service (LI) base district to limited industrial service-planned development area (LI-PDA) combining district on the property described in Zoning Case No. C14-2023-0049, on file at the Planning Department, as follows:

44.3568 acres of land out of the James Burleson Survey No. 19, Abstract No. 4, in Travis County, Texas, being all of a called 39.34 acre tract conveyed by deed recorded in Document No. 2009205761, Official Public Records of Travis County, Texas, and being all of a called 5.004 acre tract conveyed by deed recorded in Document No. 2016138858, Official Public Records of Travis County, Texas, said 44.3568 acres being more particularly described by metes and bounds in **Exhibit** "A" incorporated into this ordinance (the "Property"),

locally known as 901 1/2 and 1031 1/2 Linger Lane, 1001 and 1003 Ed Bluestein Boulevard Northbound, and 6700 Bolm Road in the City of Austin, Travis County, Texas, generally identified in the map attached as **Exhibit "B"**.

PART 2. Except as specifically provided in Part 3 and Part 4 of this ordinance, the Property may be developed and used in accordance with the regulations established for the limited industrial service (LI) base district and other applicable requirements of the City Code.

PART 3. Development of the Property shall comply with Section 25-2-648 (*Planned Development Area Performance Standards*) of the City Code.

47

50

PART 4. Development of the Property within the boundaries of the planned development area (PDA) combining district established by this ordinance is subject to the use and site development regulations set forth in this part:

(A) The following uses are additional permitted uses of the Property:

Aquaponic System Camp

Club or Lodge Cocktail Lounge not to exceed a

maximum of 20,000 square feet

Condominium Residential Consumer Repair Services

Convention Center Guidance Services

Horticulture Hospital Services (General)

Hospital Services (Limited) Liquor Sales
Marina Market Garden

Multifamily Residential Outdoor Entertainment

Park & Recreation Services Park and Recreation Services

(General) (Special)
Performance Venue Pet Services

Recreational Equipment Recreational Equipment Sales

Maintenance and Storage

Short-Term Rental Single-Family Attached Residential

Single-Family Residential Small Lot Single-Family

Residential

Townhouse Residential

(B) The following uses are prohibited uses of the Property:

Bail Bond Services Basic Industry

Drop-Off Recycling Collection Exterminating Services

Facility

Funeral Services General Warehousing and

Distribution

Monument Retail Sales Recycling Center

Resource Extraction Scrap and Salvage Services

(C) The following uses are conditional uses of the Property:

Cocktail Lounge exceeding 20,000 Outdoor Entertainment

square feet

Research Assembly Services Research Testing Services

Research Warehousing Services

54

64

82

(D) Automotive Sales located within 100 feet of the following residential uses is a conditional use of the Property:

Condominium Residential Short-Term Rental Single-Family Residential Multifamily Residential
Single-Family Attached Residential
Small Lot Single-Family
Residential

Townhouse Residential

- (E) Development of the Property shall comply with the following regulations:
 - (1) The minimum lot area is 1,000 square feet.
 - (2) The minimum lot width is 25 feet.
 - (3) The maximum height of a building or structure shall not exceed:
 - (a) 180 feet for the portion of the Property referred to as "Area 1", more particularly described by metes and bounds in **Exhibit "D"** incorporated into this ordinance; and
 - (b) 60 feet for the portion of the Property referred to as "Area 2", more particularly described by metes and bounds in **Exhibit "E"** incorporated into this ordinance.
 - (4) The minimum setbacks for Single-Family Residential, Single-Family Attached Residential, and Small Lot Single-Family Residential uses are:
 - (a) 10 feet for front yard
 - (b) 10 feet for side street yard
 - (c) 0 feet for interior side yard
 - (d) 0 feet for rear yard
 - (5) The minimum setbacks for all other uses are:
 - (a) 0 feet for front yard
 - (b) 0 feet for side street yard
 - (c) 0 feet for interior side yard
 - (d) 0 feet for rear yard

110111112

- (6) Development of the Property shall not exceed a floor to area ratio of 4 to 1.
- (7) Maximum impervious cover is 85 percent.
- (8) Maximum building coverage is 85 percent.
- (9) There are no minimum site area requirements.
- (F) Section 25-6-471 (*Off-Street Parking Facility Required*) is modified to allow a parking facility to be located anywhere within the boundaries of the Property regardless of where the use for the facility is located within the Property, subject to approval by the Director of Transportation and Public Works at time of site plan.
- (G) A 100-foot wide vegetative buffer shall be provided and maintained between the following residential uses and the following commercial and industrial uses:

Residential Uses:

Condominium Residential Multifamily Residential

Short-Term Rental Single-Family Attached Residential

Single-Family Residential Small Lot Single-Family

Residential

Townhouse Residential

Commercial and Industrial Uses:

Automotive Rentals

Construction Sales and Services

Automotive Sales

Light Manufacturing

Limited Warehousing and Research Assembly Services

Distribution

Research Testing Services Research Warehousing Services

Vehicle Storage

Improvements permitted within the vegetative buffer are limited to driveways, parking facilities, solid fences, pedestrian trails, hike and bike trails, recreational facilities, detention and water quality reirrigation facilities, drainage, underground utility improvements, overhead electric or communication lines, or those improvements that may be otherwise required by the City of Austin or specifically authorized in this ordinance.

- (H) No buildings shall be constructed within the area depicted on **Exhibit "C"**. Improvements permitted within the no building area may include hike and bike trails with associated educational kiosks, stormwater infrastructure, picnic areas, kayak launches, fishing spots, observation decks, and other improvements that may be otherwise required by the City of Austin or specifically authorized by this ordinance.
- (I) Outdoor entertainment and performance venue are only permitted as an accessory use to the following principal uses:

Camp Club or lodge
Cocktail lounge Hotel-motel
Outdoor entertainment Restaurant (general)

Restaurant (limited)

- (J) Chapter 25-2, Subchapter E, Article 2, Section 2.5 (*Exterior Lighting*) is modified as follows:
 - (1) Low Kelvin rated lights (3000 Kelvin or less) shall be used for outdoor lighting;
 - (2) Outdoor lights shall be shielded so that neither the light fixtures, light source, nor the lens shall be visible from a distance less than the mounting height of the fixture;
 - (3) Light shall be focused on activity and activity appropriate lighting shall be used;
 - (4) Low voltage lighting may be used for landscape "uplights". Low voltage uplights shall be allowed outside of the Critical Water Quality Zone only;
 - (5) Artificial light shall be minimized in the area described by metes and bounds in **Exhibit "C"**, except as required for public safety or to light pedestrian pathways and trails.
- (K) Chapter 25-2, Subchapter C, Article 9 (*Landscaping*) is modified such that new plantings on the Property shall include only native vegetation, planted in accordance with the City of Austin Grow Green program.

ART 5. This ordinance taxes effect on _	, 2024.
PASSED AND APPROVED	
	§ § §
	Kirk Watson Mayor
A DDD OVED.	
APPROVED: Anne L. Morgan	_ATTEST: Myrna Rios
City Attorney	City Clerk

EXHIBIT "A"

Legal Description

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 44.3568 ACRES (1,932,183 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING ALL OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING ALL OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858 (O.P.R.T.C.T.), SAID 44.3568 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 (512) 537-2384 jward@4wardls.com www.4wardls.com

BEGINNING, at a TxDOT Type I concrete monument found in the east right-of-way line of said U.S. Highway 183, being in the northeast line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being the west corner of said APAC-5.004 acre tract, for the westerly most corner and **POINT OF BEGINNING** hereof, from which a mag nail found for an angle point in the east right-of-way line of said U.S. Highway 183, being the northeast corner of a called 71.35 acre tract conveyed to APAC-Texas, Inc. in Document No. 2009205757 (O.P.R.T.C.T.), and being near the northwest corner of said City of Austin – 31.37 acre tract bears, N61°41'57"W, a distance of 64.60 feet;

THENCE, with the easterly right-of-way line of said U.S. Highway 183, the west line of said APAC - 5.004 acre tract, and with the west line of said APAC-39.34 acre tract, N27°16'35"E, passing at a distance of 351.03 feet an iron rod with "RPLS 5784" cap found for the common west corner of said APAC - 5.004 acre tract and said APAC - 39.34 acre tract, and continuing for a total distance of 596.39 feet to a calculated point for an angle point hereof (from which an iron rod with "RPLS 5784" cap found bears, S74°58'05"E, a distance of 0.51 feet), said point being an angle point in the west line of said APAC - 39.34 acre tract, and being the southwest corner of a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which a TxDOT Type III aluminum monument found for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said City of Austin - 67.1 acre tract bears, N27°16'35"E, a distance of 106.32 feet;

THENCE, leaving the east right-of-way line of said U.S. Highway 183, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following eight (8) courses and distances:

- 1) S74°58'05"E, a distance of 192.61 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) N23°45'12"E, a distance of 292.80 feet to an iron rod with "CP&Y" cap found for an angle point hereof.
- 3) S66°09'06"E, a distance of 170.89 feet to a 1/2-inch iron rod found for an angle point hereof,
- 4) N27°15'24"E, a distance of 104.72 feet to an iron rod with an illegible cap found for an angle point hereof
- 5) S67°43'37"E, a distance of 662.54 feet to a calculated point for an angle point hereof,
- 6) N27°37'53"E, a distance of 263.36 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 7) N80°57'11"E, a distance of 34.03 feet to a 5/8-inch iron rod found for an angle point hereof, and
- 8) **S61°31'58"E**, passing at a distance of 76.00 feet a calculated point for the west corner of said Capitol Aggregates -1.000 acre tract, passing at a distance of 555.98 feet a calculated point for the southerly most corner of said Capitol Aggregates 1.000 acre tract, and continuing for a total distance of **835.97** feet to an iron rod with "CP&Y" cap found for the northeast corner hereof, said point being the northeast corner of said APAC 39.34 acre tract, being the southeast corner of said City of Austin 67.1 acre tract, and being in a west bank of the Colorado River;

THENCE, with the east line of said APAC – 39.34 acre tract and a meandering west bank of said Colorado River, the following eight (8) courses and distances:

- 1) S53°23'12"W, a distance of 164.73 feet to a calculated point for an angle point hereof,
- 2) S19°21'12"W, a distance of 98.66 feet to a calculated point for an angle point hereof,
- 3) S23°24'57"W, a distance of 188.68 feet to a calculated point for an angle point hereof,
- 4) S36°00'57"W, a distance of 153.51 feet to a calculated point for an angle point hereof,
- 5) S47°09'27"W, a distance of 161.91 feet to a calculated point for an angle point hereof,
- 6) S49°43'12"W, a distance of 250.51 feet to a calculated point for an angle point hereof,
- 7) S49°38'12"W, a distance of 199.42 feet to a calculated point for an angle point hereof, and
- 8) **S53°06'57"W**, a distance of **211.06** feet to an iron rod with "RPLS 5784" cap found for the southerly most corner hereof, said point being the southerly most corner of said APAC 39.34 acre tract;

THENCE, leaving the west bank of said Colorado River, with the south line of said APAC – 39.34 acre tract, N63°36'42"W, a distance of 327.79 feet to a bolt found for an angle point hereof, said point being the easterly most corner of said City of Austin – 31.37 acre tract, and being an angle point in the south line of said APAC – 39.34 acre tract;

THENCE, continuing with the south line of said APAC – 39.34 acre tract, and with the north line of said City of Austin – 31.37 acre tract, N63°30'56"W, a distance of 76.56 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of a called 0.055 acre tract (described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), and being an ell-corner in the south line of said APAC – 39.34 acre tract;

THENCE, leaving the north line of said City of Austin -31.37 acre tract, with the common line of said APAC -39.34 acre tract and said One Gas tract, in part with the common line of said APAC -5.004 acre tract and said One Gas tract, the following three (3) courses and distances:

- 1) N26°09'08"E, a distance of 29.91 feet to a 1/2-inch iron rod found for an ell-corner hereof,
- 2) N63°38'11"W, a distance of 79.97 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being in the easterly line of said APAC 5.004 acre tract, and
- 3) S25°58'04"W, a distance of 29.87 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of said APAC 5.004 acre tract, being the westerly most corner of said One Gas tract, and being in the north line of said City of Austin 31.37 acre tract;

THENCE, with the north line of said City of Austin – 31.37 acre tract and the south line of said APAC – 5.004 acre tract, N63°42'48"W, a distance of 993.53 feet to the POINT OF BEGINNING and containing 44.3568 Acres (1,932,183 Square Feet) of land, more or less.


NOTE:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203), all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516.dwg).

Jason Ward, RPLS #5811

4Ward Land Surveying, LLC

3/5/2024



LINE TABLE			
LINE # DIRECTION LENGTH			
L1	N27"6'35"E	596.39'	
L2	S74*58'05"E	192.61'	
L3	N23°45'12"E	292.80'	
L4	S66°09'06"E	170.89'	
L5	N27"5'24"E	104.72'	
L6	N27'37'53"E	263.36'	
L7	N80°57'11"E	34.03'	
L8	S61°31'58"E	835.97	
L9	S53°23'12"W	164.73'	
L10	S19°21'12"W	98.66'	
L11	S23°24'57"W	188.68'	
L12	S36°00'57"W	153.51	
L13	S47°09'27"W	161.91'	
L14	S49°43'12"W	250.51	
L15	S49*38'12"W	199.42'	
L16	S53°06'57"W	211.06'	
L17	N63°36'42"W	327.79	
L18	N63°30'56"W	76.56'	
L19	N26°09'08"E	29.91'	
L20	N63°38'11"W	79.97'	
L21	S25°58'04"W	29.87'	
L22	N63°42'48"W	993.53'	
L23	S63°43'07"E	529.25'	
L24	S27°14'46"W	280.68'	
L25	S63°42'04"E	462.53'	
L26	S25°58'04"W	40.41	
L27	N61°41'57"W	64.60'	
L28	N28°39'47"E	91.23'	
L29	N27"6'35"E	106.32'	
L30	N28'38'20"E	91.27'	

RECORD LINE TABLE			
LINE #	DIRECTION LENGTH		
(L2)	S74°57'00"E	192.35'	
4.2>	S74°57'00"E	192.35'	
(L3)	N23°46'00"E	293.08'	
<1.3>	N23°46'00"E	293.08'	
(L4)	S66°05'15"E	170.87	
<1.4>	S66°05'15"E	170.87	
(L5)	N27°16'45"E	104.84	
<1.5>	N27°16'45"E	104.84	
(L6)	N27*38'00"E	263.33'	
<1.6>	N27°38'00"E	263.33'	
(L7)	N80°55'00"E	34.06'	
<1.7>	N80°55'00"E	34.06'	
(L8)	(L8) S61°32'00"E 836.01'		
(L9)	S53°23'45"W	164.70'	
(L10)	S19°21'45"W	98.64'	
(L11)	S23°25'30"W	188.64	
(L12)	S36°01'30"W	153.48'	
(L13)	S47"10'00"W	161.88'	
(L14)	S49°43'45"W	250.46'	

RECORD LINE TABLE		
LINE #	DIRECTION LENGT	
(L15)	S49°38'45"W	199.38'
(L16)	S53°07'30"W	211.02'
(L17)	N63*39'45"W	327.78
(L18)	N6310'30"W	76.46'
(L19)	N25°41'30"E	28.80'
{L19}	N27*59'00"E	30.00'
(L20)	N63°34'15"W	79.62'
{L20}	N62°01'00"W	80.00'
{L21}	S27*59'00"W	30.00'
[L22]	N63°44'21"W	993.95'
(L23)	S63°42'26"E	528.94'
[L23]	S63°42'26"E	529.10'
(L24)	S27"16'45"W	280.72
[L24]	S27"15'50"W	280.72'
(L25)	S63'42'15"E	462.81
[L25]	S63'41'00"E	462.59'
(L26)	S25°47'00"W	40.86'
((L27))	N61°45'00"W	64.64
<l28></l28>	N28°28'00"E	90.75
<∟29>	N2716'45"E	106.31'
<∟30>	N28°28'00"E	90.75

44.3568 ACRES
ZONING EXHIBIT
City of Austin, Travis
County, Texas



Date:	3/5/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	2 OF 3

[A] APAC-TEXAS, INC. CALLED 5.004 ACRES DOC. NO. 2016138858 O.P.R.T.C.T.

[B] CITY OF AUSTIN CALLED 31.37 ACRES VOL. 511, PG. 365 D.R.T.C.T.

[C] APAC-TEXAS, INC. CALLED 71.35 ACRES DOC. NO. 2009205757 O.P.R.T.C.T.

[D]
CAPITOL AGGREGATES, LTD.
CALLED 1.000 ACRE
DESCRIBED IN
DOC. NO. 2013117685
O.P.R.T.C.T.

[E] STATE OF TEXAS CALLED 0.519 ACRES VOL. 2725, PG. 360 D.R.T.C.T.

[F] JAMES BURLESON SURVEY NO. 19 ABSTRACT NO. 4

LEGEND

PROPERTY LINE EXISTING PROPERTY LINES Δ CALCULATED POINT BOLT FOUND AS NOTED **©** 1/2" IRON ROD FOUND (UNLESS NOTED) IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED) MAG NAIL IN ASPHALT FOUND TXDOT TYPE I CONCRETE MONUMENT FOUND (UNLESS NOTED) TXDOT TYPE III 5/8" ALUMINUM \Box CAPPED FOUND (UNLESS NOTED) P.O.B. POINT OF BEGINNING VOL./PG. VOLUME, PAGE DOC. NO. DOCUMENT NUMBER R.O.W. RIGHT-OF-WAY 0.P.R.T.C.T. OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS D.R.T.C.T. DEED RECORDS, TRAVIS COUNTY, TEXAS RECORD INFORMATION PER (.....) DEED DOC. NO. 2009205757 RECORD INFORMATION PER <.....> DEED DOC. NO. 2013117685 RECORD INFORMATION PER [.....] DEED DOC. NO. 2016138858 RECORD INFORMATION PER ((....))DEED DOC. NO. 2009205757

COA GRID #M-20 & M-21 TCAD PARCEL #789580, #789582

NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.

3/5/2024




RECORD INFORMATION PER DEED DOC. NO. 2014016896

44.3568 ACRES
ZONING EXHIBIT
City of Austin, Travis
County, Texas



Date:	3/5/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	3 OF 3



SUBJECT TRACT PENDING CASE ZONING BOUNDARY

1" = 400'

ZONING

ZONING CASE#: C14-2023-0049

This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

This product has been produced by the Housing and Planning Department for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or



Created: 4/11/2023

EXHIBIT "D"

(180' Max Building Height) James Burleson Survey No. 19, Abstract No. 4

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 19.8667 ACRES (865,395 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING A PORTION OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858 (O.P.R.T.C.T.), SAID 19.8667 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at a TxDOT Type I concrete monument found in the east right-of-way line of said U.S. Highway 183, being in the northeast line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being the west corner of said APAC-5.004 acre tract, for the westerly most corner and **POINT OF BEGINNING** hereof, from which a mag nail found for an angle point in the east right-of-way line of said U.S. Highway 183, being the northeast corner of a called 71.35 acre tract conveyed to APAC-Texas, Inc. in Document No. 2009205757 (O.P.R.T.C.T.), and being near the northwest corner of said City of Austin – 31.37 acre tract bears, N61°41'57"W, a distance of 64.60 feet;

THENCE, with the easterly right-of-way line of said U.S. Highway 183, the west line of said APAC - 5.004 acre tract, and with the west line of said APAC-39.34 acre tract, N27°16'35"E, passing at a distance of 351.03 feet an iron rod with "RPLS 5784" cap found for the common west corner of said APAC - 5.004 acre tract and said APAC - 39.34 acre tract, and continuing for a total distance of 596.39 feet to a calculated point for an angle point hereof (from which an iron rod with "RPLS 5784" cap found bears, S74°58'05"E, a distance of 0.51 feet), said point being an angle point in the west line of said APAC - 39.34 acre tract, and being the southwest corner of a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which a TxDOT Type III aluminum monument found for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said City of Austin - 67.1 acre tract bears, N27°16'35"E, a distance of 106.32 feet;

THENCE, leaving the east right-of-way line of said U.S. Highway 183, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following five (5) courses and distances:

- 1) S74°58'05"E, a distance of 192.61 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) N23°45'12"E, a distance of 292.80 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 3) S66°09'06"E, a distance of 170.89 feet to a 1/2-inch iron rod found for an angle point hereof,
- 4) N27°15'24"E, a distance of 104.72 feet to an iron rod with an illegible cap found for an angle point hereof, and
- 5) S67°43'37"E, a distance of 552.45 feet to a calculated point for the northeast corner hereof, from which a calculated point for an ell-corner in the common line of said APAC 39.34 acre tract and said City of Austin 67.1 acre tract bears, S67°43'37"E, a distance of 110.09 feet;

THENCE, leaving the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, over and across said APAC - 39.34 acre tract and said APAC - 5.004 acre tract, the following two (2) courses and distances:

- 1) S27°26'04"W, a distance of 226.94 feet to a calculated point for an angle point hereof, and
- 2) S23°34'04"W, a distance of 851.12 feet to a calculated point for the southeast corner hereof, said point being in the common line of said APAC – 5.004 acre tract and said City of Austin - 31.37 acre tract, from which a 1/2-inch iron rod found for the southwest corner of a called 0.055 acre tract (Described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), being the southerly most corner of said APAC - 5.004 acre tract, and being in the north line of said City of Austin – 31.37 acre tract bears, S63°42'48"E, a distance of 47.83 feet;

THENCE, with the common line of said APAC – 5.004 acre tract and said City of Austin – 31.37 acre tract, N63°42'48"W, a distance of 945.70 feet to the POINT OF BEGINNING and containing 19.8667 Acres (865,395 Square Feet) of land, more or less.

Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 180' Max Bldg Ht (East Exhibit).dwg.)

Jason Ward, RPLS #5811

2/2/24

4Ward Land Surveying, LLC

References: TCAD #789580 COA Grid #M-20 & M-21



LINE TABLE		
LINE #	# DIRECTION LENGTH	
L1	S74°58'05"E 192.61'	
L2	N23°45'12"E 292.80'	
L3	S66°09'06"E 170.89'	
L4	N27"15'24"E 104.72'	
L5	N61°41'57"W	64.60'


RECORD LINE TABLE		
LINE #	DIRECTION	LENGTH
(L1)	S74°57'00"E	192.35'
< L1>	S74°57'00"E	192.35
(L2)	N23°46'00"E	293.08'
<l2></l2>	N23°46'00"E	293.08'
(L3)	S66°05'15"E	170.87
<1.3>	S66°05'15"E	170.87
(L4)	N27°16'45"E 104.84'	
<l4></l4>	N27°16'45"E	104.84
((L5))	N61°45'00"W	64.64

[A]
APAC-TEXAS, INC.
CALLED 5.004 ACRES
DOC. NO. 2016138858
O.P.R.T.C.T.

[B] JAMES BURLESON SURVEY NO. 19 ABSURACU NO. 4

NOTES: 1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



LEGEND

CALCULATED POINT

BOLT FOUND AS NOTED 1/2" IRON ROD FOUND (UNLESS NOTED)

Δ

③

MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES



County, Texas



Date:	2/2/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	2 OF 2

EXHIBIT "E"

(60' Max Building Height) James Burleson Survey No. 19, Abstract No. 4

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 24.4901 ACRES (1,066,788 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING A PORTION OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858, SAID 24.4901 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at an iron rod with "RPLS 5784" cap found in a west bank of the Colorado River, and being the southerly most corner of said APAC – 39.34 acre tract, for the southwest corner and **POINT OF BEGINNING** hereof;

THENCE, leaving the west bank of said Colorado River, with the south line of said APAC – 39.34 acre tract, **N63°36'42"W**, a distance of **327.79** feet to a bolt found for an angle point hereof, said point being the easterly most corner of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being an angle point in the south line of said APAC – 39.34 acre tract;

THENCE, continuing with the south line of said APAC – 39.34 acre tract, and with the north line of said City of Austin – 31.37 acre tract, N63°30'56"W, a distance of 76.56 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of a called 0.055 acre tract (described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), and being an ell-corner in the south line of said APAC – 39.34 acre tract;

THENCE, leaving the north line of said City of Austin -31.37 acre tract, with the common line of said APAC -39.34 acre tract and said One Gas tract, in part with the common line of said APAC -5.004 acre tract and said One Gas tract, the following three (3) courses and distances:

- 1) N26°09'08"E, a distance of 29.91 feet to a 1/2-inch iron rod found for an ell-corner hereof,
- 2) N63°38'11"W, a distance of 79.97 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being in the easterly line of said APAC 5.004 acre tract, and
- 3) S25°58'04"W, a distance of 29.87 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of said APAC 5.004 acre tract, being the westerly most corner of said One Gas tract, and being in the north line of said City of Austin 31.37 acre tract;

THENCE, with the north line of said City of Austin – 31.37 acre tract and the south line of said APAC – 5.004 acre tract, N63°42'48"W, a distance of 47.83 feet to a calculated point for the westerly most corner hereof;

THENCE, leaving the north line of said City of Austin -31.37 acre tract and the south line of said APAC -5.004 acre tract, over and across said APAC -5.004 acre tract and said APAC -39.34 acre tract, the following two (2) courses and distances:

1) N23°34'04"E, a distance of 851.12 feet to a calculated point for an angle point hereof, and

2) N27°26′04″E, a distance of 226.94 feet to a calculated point for an angle point hereof, said point being in the common line of said APAC – 39.34 acre tract and a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which an iron rod with an illegible cap found for an ell-corner in the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract bears, N67°43′37"W, a distance of 552.45 feet;

THENCE, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following four (4) courses and distances:

- 1) S67°43'37"E, a distance of 110.09 feet to a calculated point for an angle point hereof,
- 2) N27°37'53"E, a distance of 263.36 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 3) N80°57'11"E, a distance of 34.03 feet to a 5/8-inch iron rod found for an angle point hereof, and
- 4) S61°31'58"E, passing at a distance of 76.00 feet a calculated point for the west corner of said Capitol Aggregates -1.000 acre tract, passing at a distance of 555.98 feet a calculated point for the southerly most corner of said Capitol Aggregates 1.000 acre tract, and continuing for a total distance of 835.97 feet to an iron rod with "CP&Y" cap found for the northeast corner hereof, said point being the northeast corner of said APAC 39.34 acre tract, being the southeast corner of said City of Austin 67.1 acre tract, and being in a west bank of the Colorado River;

THENCE, with the east line of said APAC – 39.34 acre tract and a meandering west bank of said Colorado River, the following eight (8) courses and distances:

- 1) S53°23'12"W, a distance of 164.73 feet to a calculated point for an angle point hereof,
- 2) S19°21'12"W, a distance of 98.66 feet to a calculated point for an angle point hereof,
- 3) S23°24'57"W, a distance of 188.68 feet to a calculated point for an angle point hereof,
- 4) S36°00'57"W, a distance of 153.51 feet to a calculated point for an angle point hereof,
- 5) S47°09'27"W, a distance of 161.91 feet to a calculated point for an angle point hereof,
- 6) S49°43'12"W, a distance of 250.51 feet to a calculated point for an angle point hereof,
- 7) S49°38'12"W, a distance of 199.42 feet to a calculated point for an angle point hereof, and
- 8) S53°06'57"W, a distance of 211.06 feet to the POINT OF BEGINNING and containing 24.4901 Acres (1,066,788 Square Feet) of land, more or less.

Notes:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516_60' Max Bldg Ht (East Exhibit).dwg.)

Jason Ward, RPLS #5811


4Ward Land Surveying, LLC


JASON WARD


SURJESSION

SURJES

References: TCAD #789580 COA Grid #M-20 & M-21









City of Austin, Travis County, Texas



Date:	2/2/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	TR
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	3 OF 5
4 DIJ- III /C-	







	LINE TABLE		
LINE #	DIRECTION LENGTH		
L1	N63°30'56"W 76.56'		
L2	N26°09'08"E 29.91'		
L3	N63°38'11"W 79.97'		
L4	S25*58'04"W 29.87'		
L5	N63°42'48"W 47.83'		
L6	N80°57'11"E 34.03'		
L7	S53°23'12"W	164.73	
L8	S19°21'12"W	98.66'	

RECORD LINE TABLE		
LINE #	DIRECTION	LENGTH
(L1)	N63°30'56"W	76.56'
(L2)	N26°09'08"E	29.91'
{L2}	N26°09'08"E	29.91'
(L3)	N63°38'11"W	79.97'
{L3}	N63°38'11"W	79.97
{L4}	S25*58'04"W	29.87
<16>	N80°55'00"E	34.06'
(L6)	N80°55'00"E	34.06'
(L7)	S53°23'45"W	164.70
(L8)	S19°21'45"W	98.64

60' Max Building **Height Exhibit City of Austin, Travis County, Texas**

GRAPHIC SCALE: 1" = 100'



Date:	2/2/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	TR
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	4 OF 5
. 5/=	. =

[A]
APAC-TEXAS, INC.
CALLED 5.004 ACRES
DOC. NO. 2016138858
O.P.R.T.C.T.

[B]
JAMES BURLESON
SURVEY NO. 19
ABSTRACT NO. 4

LEGEND

MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES Δ CALCULATED POINT **③ BOLT FOUND AS NOTED** 1/2" IRON ROD FOUND (UNLESS NOTED) IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED) P.O.B. POINT OF BEGINNING VOL./PG. VOLUME, PAGE DOC. NO. DOCUMENT NUMBER R.O.W. RIGHT-OF-WAY

O.P.R.T.C.T. OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS

D.R.T.C.T. DEED RECORDS, TRAVIS COUNTY, TEXAS

(.....) RECORD INFORMATION PER DEED DOC. NO. 2009205757

RECORD INFORMATION PER

DEED DOC. NO. 2014016896

<.....> RECORD INFORMATION PER DEED DOC. NO. 2013117685

COA GRID #M-20 & M-21 TCAD PARCEL #789580

{......}

NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



2/2/2024

60' Max Building
Height Exhibit
City of Austin, Travis
County, Texas



Date:	2/2/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	TR
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	5 OF 5