ORDINANCE NO.	

AN ORDINANCE REZONING AND CHANGING THE ZONING MAP FOR THE PROPERTY LOCATED AT 700 1/2, 713, 726, AND 726 1/2 LINGER LANE, 6221 1/2, 6299 1/2, AND 6301 1/2 LEVANDER LOOP, AND 529 1/2, 531 1/2, 545 1/2, 601 1/2, 701 1/2, AND 827 ED BLUESTEIN BOULEVARD NORTHBOUND FROM LIMITED INDUSTRIAL SERVICE (LI) DISTRICT TO LIMITED INDUSTRIAL SERVICE-PLANNED DEVELOPMENT AREA (LI-PDA) COMBINING DISTRICT.

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:

PART 1. The zoning map established by Section 25-2-191 of the City Code is amended to change the base district from limited industrial service (LI) base district to limited industrial service-planned development area (LI-PDA) combining district on the property described in Zoning Case No. C14-2023-0050, on file at the Planning Department, as follows:

71.3582 acres of land out of the J.C. Tannehill Survey, Abstract No. 22 in Travis County, Texas, being all of a called 71.35 acre tract conveyed by deed recorded in Document No. 2009205757, Official Public Records Of Travis County, Texas, said 71.3582 acres being more particularly described by metes and bounds in **Exhibit** "A" incorporated into this ordinance (the "Property"),

locally known as 700 1/2, 713, 726, and 726 1/2 Linger Lane, 6221 1/2, 6299 1/2, and 6301 1/2 Levander Loop, and 529 1/2, 531 1/2, 545 1/2, 601 1/2, 701 1/2, and 827 Ed Bluestein Boulevard Northbound in the City of Austin, Travis County, Texas, generally identified in the map attached as **Exhibit "B"**.

PART 2. Except as specifically provided in Part 3 and Part 4 of this ordinance, the Property may be developed and used in accordance with the regulations established for the limited industrial service (LI) base district and other applicable requirements of the City Code.

PART 3. Development of the Property shall comply with Section 25-2-648 (*Planned Development Area Performance Standards*) of the City Code.

50 51 52

PART 4. Development of the Property within the boundaries of the planned development area (PDA) combining district established by this ordinance is subject to the use and site development regulations set forth in this part:

(A) The following uses are additional permitted uses of the Property:

> Aquaponic System Camp

Cocktail Lounge not to exceed a Club or Lodge

maximum of 30,000 square feet

Consumer Repair Services Condominium Residential

Convention Center Guidance Services

Hospital Services (General) Horticulture

Liquor Sales Hospital Services (Limited) Market Garden Marina

Multifamily Residential **Outdoor Entertainment**

Park & Recreation Services Park & Recreation Services

(Special) (General) Performance Venue Pet Services

Recreational Equipment Sales Recreational Equipment

Maintenance and Storage

Research Assembly Services

Research Warehousing Services **Short-Term Rental**

Single-Family Attached Residential

Small Lot Single-Family

Residential

Research Testing Services

Single-Family Residential

Townhouse Residential

The following uses are prohibited uses of the Property: (B)

> **Bail Bond Services Basic Industry**

Drop-Off Recycling Collection Exterminating Services

Facility

Funeral Services General Warehousing and

Distribution

Recycling Center Monument Retail Sales

Resource Extraction Scrap and Salvage Services

(C) Cocktail Lounge exceeding 30,000 square feet is a conditional use of the Property.

56

80

85

(D) Automotive Sales located within 100 feet of the following residential uses is a conditional use of the Property:

Condominium Residential Short-Term Rental Single-Family Residential Multifamily Residential Single-Family Attached Residential Small Lot Single-Family Residential

Townhouse Residential

- (E) Development of the Property shall comply with the following regulations:
 - (1) The minimum lot area is 1,000 square feet.
 - (2) The minimum lot width is 25 feet.
 - (3) The maximum height of a building or structure shall not exceed 180 feet.
 - (a) 180 feet for the portion of the Property referred to as "Area 1", more particularly described by metes and bounds in **Exhibit "D"** incorporated into this ordinance;
 - (b) 120 feet for the portion of the Property referred to as "Area 2", more particularly described by metes and bounds in **Exhibit "E"** incorporated into this ordinance; and
 - (c) 60 feet for the portion of the Property referred to as "Area 3", more particularly described by metes and bounds in **Exhibit "F"** incorporated into this ordinance.
 - (4) The minimum setbacks for Single-Family Residential, Single-Family Attached Residential, and Small Lot Single-Family Residential uses are:
 - (a) 10 feet for front yard
 - (b) 10 feet for side street yard
 - (c) 0 feet for interior side yard
 - (d) 0 feet for rear yard

- (5) The minimum setbacks for all other uses are:
 - (a) 0 feet for front yard
 - (b) 0 feet for side street yard
 - (c) 0 feet for interior side yard
 - (d) 0 feet for rear yard
- (6) Development of the Property shall not exceed a floor to area ratio of 8 to 1.
- (7) Maximum impervious cover is 85 percent.
- (8) Maximum building coverage is 85 percent.
- (9) There are no minimum site area requirements.
- (F) Section 25-6-471 (*Off-Street Parking Facility Required*) is modified to allow a parking facility to be located anywhere within the boundaries of the Property regardless of where the use for the facility is located within the Property subject to approval by the Director of Transportation and Public Works at time of site plan.
- (G) A 100-foot wide vegetative buffer shall be provided and maintained between the following residential uses and the following commercial and industrial uses:

Residential Uses:

Condominium Residential Multifamily Residential

Short-Term Rental Single-Family Attached Residential

Single-Family Residential Small Lot Single-Family

Residential

Townhouse Residential

Commercial and Industrial Uses:

Automotive Rentals Automotive Sales
Construction Sales and Services Light Manufacturing

Limited Warehousing and Research Assembly Services

Distribution

Research Testing Services Research Warehousing Services

114115

Improvements permitted within the vegetative buffer are limited to driveways, parking facilities, solid fences, pedestrian trails, hike and bike trails, recreational facilities, detention and water quality reirrigation facilities, drainage, underground utility improvements, overhead electric or communication lines, or those improvements that may be otherwise required by the City of Austin or specifically authorized in this ordinance.

- (H) No buildings shall be constructed within the area depicted on **Exhibit "C"**. Improvements permitted within the no building area may include hike and bike trails with associated educational kiosks, stormwater infrastructure, picnic areas, kayak launches, fishing spots, observation decks, and other improvements that may be otherwise required by the City of Austin or specifically authorized by this ordinance.
- (I) Outdoor entertainment and performance venue are only permitted as an accessory use to the following principal uses:

Camp Club or lodge Cocktail lounge Hotel-motel

Outdoor entertainment Restaurant (general)

Restaurant (limited)

- (J) Chapter 25-2, Subchapter E, Article 2, Section 2.5 (*Exterior Lighting*) is modified as follows:
 - (1) Low Kelvin rated lights (3000 Kelvin or less) shall be used for outdoor lighting;
 - (2) Outdoor lights shall be shielded so that neither the light fixtures, light source, nor the lens shall be visible from a distance less than the mounting height of the fixture;
 - (3) Light shall be focused on activity and activity appropriate lighting shall be used;
 - (4) Low voltage lighting may be used for landscape "uplights". Low voltage uplights shall be allowed outside of the Critical Water Quality Zone only;
 - (5) Artificial light shall be minimized in the area described by metes and bounds in **Exhibit "C"**, except as required for public safety or to light pedestrian pathways and trails.

DAGGED AND ADDROVED	
PASSED AND APPROVED	
	\$ Kirk Watson Mayor
APPROVED:Anne L. Morgan	ATTEST: Myrna Rios

EXHIBIT "A"

Legal Description

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 71.3582 ACRES (3,108,364 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE J.C. TANNEHILL SURVEY, ABSTRACT NO. 22 IN TRAVIS COUNTY, TEXAS, BEING ALL OF A CALLED 71.35 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205757 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 71.3582 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 (512) 537-2384 jward@4wardls.com www.4wardls.com

BEGINNING, at an iron pipe found (1/2-inch iron rod found inside pipe) in the southerly right-of-way line of U.S. Highway 183 (A.K.A. Ed Bluestein Boulevard; Right-of-way varies), being the northeast corner of Lot 1, Linger Lane Waste Facility No. 1, a subdivision in Travis County, Texas according to the map or plat thereof, recorded in Document No. 2013224112 (O.P.R.T.C.T.), and being the northerly most corner of said APAC-71.35 acre tract, for the northerly most corner and **POINT OF BEGINNING** hereof, from which a TxDOT Type III monument found for an angle point in the southerly right-of-way line of said U.S. Highway 183, and being the northwest corner of said Lot 1, Linger Lane Waste Facility No. 1 bears, N66°30'51"W, a distance of 51.48 feet;

THENCE, with the southerly right-of-way line of said U.S. Highway 183 and the north line of said APAC-Texas tract, S65°25'44"E, a distance of 49.83 feet to a mag nail found for the northeast corner hereof, said point being the northeast corner of said APAC-71.35 acre tract, and being near the northwest corner of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), from which a TxDOT Type I concrete monument found in the northeast line of said City of Austin - 31.37 acre tract, being the west corner of a called 5.004 acre tract conveyed to APAC-Texas, Inc. in Document No. 2016138858 (O.P.R.T.C.T.), and being an interior corner in the southerly right-of-way line of said U.S. Highway 183 bears, S61°41'57"E, a distance of 64.60 feet;

THENCE, leaving the southerly right-of-way line of said U.S. Highway 183, with the east line of said APAC-71.35 acre tract, in conflict with the west line of said City of Austin – 31.37 acre tract, S26°46'15"W, a distance of 920.43 feet to a 5/8-inch iron rod found for an angle point hereof, said point being an angle point in the east line of said APAC-71.35 acre tract, and being in the west line of said City of Austin-31.37 acre tract;

THENCE, continuing with the east line of said APAC-71.35 acre tract, and with the west line of said City of Austin - 31.37 acre tract, **S27°26'42"W**, a distance of **192.66** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof, said point being an angle point in the west line of said City of Austin - 31.37 acre tract, and being the northerly most corner of a called 0.33 acre tract conveyed to the City of Austin in Volume 7922, Page 284 (D.R.T.C.T.);

THENCE, continuing with the east line of said APAC - 71.35 acre tract, and with the west line of said City of Austin - 0.33 acre tract, the following two (2) courses and distances:

- 1) S37°39'32"W, a distance of 290.23 feet to a 1/2-inch iron rod found for an angle point hereof, and
- 2) S33°09'18"W, a distance of 446.55 feet to a mag nail found in concrete for an angle point hereof, said point being the southerly most corner of said City of Austin-0.33 acre tract, and being an angle point in the west line of said City of Austin-31.37 acre tract;

THENCE, continuing with the east line of said APAC - 71.35 acre tract, and with the west line of said City of Austin-31.37 acre tract, **S20°02'40"W**, passing at a distance of 97.16 feet a 1/2-inch iron rod found, and continuing for a total distance of **265.61** feet to a calculated point for the southeast corner hereof, said point being the southeast corner of said APAC - 71.35 acre tract, and being a north bank of the Colorado River;

THENCE, with the south line of said APAC - 71.35 acre tract, and a meandering north bank of said Colorado River, the following nine (9) courses and distances:

- 1) S64°04'33"W, a distance of 24.77 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) S78°05'33"W, a distance of 286.54 feet to a calculated point for an angle point hereof,
- 3) S75°14'33"W, a distance of 142.52 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 4) S81°00'04"W, a distance of 227.48 feet to a calculated point for an angle point hereof,
- 5) **S87°10'34"W**, a distance of **429.12** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 6) **S87°28'00"W**, a distance of **190.72** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 7) S85°16'05"W, a distance of 352.54 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 8) **S81°59'36"W**, a distance of **326.97** feet to a 1/2-inch iron rod found for an angle point hereof, and
- 9) **S84°02'36"W**, a distance of **242.50** feet to a calculated point for the southwest corner hereof, said point being in the east right-of-way line of said U.S. Highway 183, and being the southwest corner of said APAC 71.35 acre tract;

THENCE, leaving a north bank of said Colorado River, with the east right-of-way line of said U.S. Highway 183 and the west line of said APAC - 71.35 acre tract, **N08°58'56"W**, passing at a distance of 39.86 feet a 1/2-inch iron rod found, and continuing for a total distance of **255.65** feet to a 3/8-inch iron rod found for an angle point hereof;

THENCE, with the southerly right-of-way line of said U.S. Highway 183 and the northerly line of said APAC - 71.35 acre tract, the following ten (10) courses and distances:

- 1) N27°17'29"E, a distance of 389.49 feet to a 1/2-inch iron rod with "4Ward Boundary" cap set for an angle point hereof,
- 2) N03°28'31"W, a distance of 271.62 feet to a 1/2-inch iron rod with "4Ward Boundary" cap set for a non-tangent point of curvature hereof,
- 3) Along the arc of a curve to the right, whose radius is **556.46** feet, whose arc length is **354.36** feet and whose chord bears **N41°09'44"E**, a distance of **348.40** feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for a compound point of curvature hereof,
- 4) Along the arc of a curve to the right, whose radius is **865.91** feet, whose arc length is **199.04** feet and whose chord bears **N66°01'59"E**, a distance of **198.60** feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for an angle point hereof,
- 5) N72°36'59"E, a distance of 348.57 feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for an angle point hereof,
- 6) N77°38'29"E, a distance of 261.72 feet to a TxDOT Type I concrete monument found for an angle point hereof,
- 7) N69°16'11"E, a distance of 383.84 feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for a non-tangent point of curvature hereof,

- 8) Along the arc of a curve to the right, whose radius is **3,804.72** feet, whose arc length is **272.53** feet and whose chord bears **N75°22'41"E**, a distance of **272.47** feet to a TxDOT Type II brass disc found for an angle point hereof,
- 9) N77°17'06"E, a distance of 299.34 feet to a TxDOT Type II brass disc found for a non-tangent point of curvature hereof, and
- 10) Along the arc of a curve to the left, whose radius is **1,924.86** feet, whose arc length is **48.83** feet and whose chord bears **N76°49'44"E**, a distance of **48.83** feet to a 1/2-inch iron rod found for an angle point hereof, said point being the westerly most corner of Lot 2 of said Linger Lane Waste Facility No. 1;

THENCE, leaving the south right-of-way line of said U.S. Highway 183, with the northeasterly line of said APAC - 71.35 acre tract and the southwest line of said Lot 2, **S63°26'09"E**, a distance of **753.29** feet to a mag nail in asphalt found for an interior ell-corner hereof, said point being an interior ell-corner in the north line of said APAC - 71.35 acre tract, and being near the southeast corner of said Lot 2 of said Linger Lane Waste Facility No. 1;


THENCE, with the westerly line of said APAC - 71.35 acre tract, in conflict with the east line of said Lots 1 & 2 of said Linger Lane Waste Facility No. 1, N26°47′03″E, a distance of 918.69 feet to the POINT OF **BEGINNING** and containing 71.3582 Acres (3,108,364 Square Feet) of land, more or less.

NOTE:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203), all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516.dwg).

3/5/2024


Jason Ward, RPLS #5811 4Ward Land Surveying, LLC





71.3582 ACRES
ZONING EXHIBIT
City of Austin, Travis
County, Texas





Date:	3/5/2024
Project:	01516
Scale:	1" = 500'
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	1 OF 10




















LINE TABLE		
LINE #	DIRECTION	LENGTH
L1	S65°25'44"E	49.83'
L2	S27°26'42"W	192.66
L3	S87°28'00"W	190.72
L4	S61°41'57"E	64.60'
L5	N66°30'51"W	51.48'

RECORD LINE TABLE		
LINE #	DIRECTION	LENGTH
(L1)	S65°22'30"E	49.91
[[L1]]	S64°02'00"E	50.13
(L2)	S27°29'00"W	192.67
(L3)	S87°28'00"W	190.69'
(L4)	N61°45'00"E	64.64
(L5)	N66°27'15"W	51.25'
[L5]	N66°28'46"W	51.25'
{{L5}}	N66°28'42"W	51.17

[#] J.C. TANNEHILL SURVEY ABSTRACT NO. 22

NOTES:

- 1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.
- 2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.





LEGEND


PROPERTY LINE EXISTING PROPERTY LINES Δ CALCULATED POINT NAIL FOUND AS NOTED 1/2" IRON ROD WITH "4WARD \bigcirc BOUNDARY" CAP SET 1/2" IRON ROD FOUND (UNLESS NOTED) IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED) 1/2" IRON PIPE FOUND ◉ (UNLESS NOTED) TXDOT TYPE I CONCRETE MONUMENT FOUND (UNLESS NOTED) TXDOT TYPE II BRASS DISC FOUND (UNLESS NOTED) TXDOT TYPE III 5/8" ALUMINUM CAPPED FOUND (UNLESS NOTED) P.O.B. POINT OF BEGINNING VOL./PG. VOLUME, PAGE DOC. NO. DOCUMENT NUMBER R.O.W. RIGHT-OF-WAY O.P.R.T.C.T. OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS D.R.T.C.T. DEED RECORDS. TRAVIS COUNTY, TEXAS RECORD INFORMATION PER (.....) DEED DOC. NO. 2009205757 RECORD INFORMATION PER [.....] PLAT DOC. NO. 201500140 RECORD INFORMATION PER *{......}* DEED VOL. 7922, PG. 284 RECORD INFORMATION PER ((....))DEED VOL. 11572, PG. 1158 RECORD INFORMATION PER [[.....]] DEED VOL. 2807, PG. 478 RECORD INFORMATION PER **{{.....}**} DEED DOC. NO. 2006051846 RECORD INFORMATION PER <.....> DEED VOL. 2464 PG. 286

COA GRID #L-20 & M-20 TCAD PARCEL #187760

71.3582 ACRES
ZONING EXHIBIT
City of Austin, Travis
County, Texas



3/5/2024	
01516	
N/A	
FP	
JG	
CR/RT	
OCT. 2022	
10 OF 10	





1" = 400'

ZONING CASE#: C14-2023-0050

This product is for informational purposes and may not have been prepared for or be suitable for legal, engineering, or surveying purposes. It does not represent an on-the-ground survey and represents only the approximate relative location of property boundaries.

This product has been produced by the Housing and Planning Department for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or



Created: 4/11/2023

EXHIBIT "C"

EXHIBIT "

(Ordinary High Water Mark Setback) J.C. Tannehill Survey, Abstract No. 22

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 12.9040 ACRES (562,098 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE J.C. TANNEHILL SURVEY, ABSTRACT NO. 22 IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 71.35 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205757 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 12.9040 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at a calculated point in a north bank of the Colorado River, being in the east right-of-way line of U.S. Highway 183 (A.K.A. Ed Bluestein Boulevard; Right-of-way varies), and being the southwest corner of said APAC – 71.35 acre tract, for the southwest corner and **POINT OF BEGINNING** hereof;

THENCE, leaving a north bank of said Colorado River, with the east right-of-way line of said U.S. Highway 183 and the west line of said APAC – 71. 35 acre tract, N08°58′56″W, passing at a distance of 39.86 feet a 1/2-inch iron rod found, and continuing for a total distance of 240.53 feet to a calculated point for the northwest corner hereof, from which a 3/8-inch iron rod found for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said APAC – 71.35 acre tract bears, N08°58′56″W, a distance of 15.13 feet;

THENCE, leaving the east right-of-way line of said U.S. Highway 183 and the west line of said APAC – 71.35 acre tract, over and across said APAC – 71.35 acre tract, the following sixty (60) courses and distances:

- 1) N72°47'39"E, a distance of 72.22 feet to a calculated point for an angle point hereof,
- 2) S84°25'10"E, a distance of 36.65 feet to a calculated point for an angle point hereof,
- 3) N89°17'56"E, a distance of 31.03 feet to a calculated point for an angle point hereof,
- 4) N80°29'43"E, a distance of 28.60 feet to a calculated point for an angle point hereof,
- 5) N86°01'28"E, a distance of 64.68 feet to a calculated point for an angle point hereof,
- 6) N88°13'50"E, a distance of 5.69 feet to a calculated point for an angle point hereof,
- 7) N77°17'12"E, a distance of 10.26 feet to a calculated point for an angle point hereof,
- 8) N72°18'27"E, a distance of 57.35 feet to a calculated point for an angle point hereof,
- 9) N89°17'55"E, a distance of 74.01 feet to a calculated point for an angle point hereof,
- 10) N54°38'22"E, a distance of 24.47 feet to a calculated point for an angle point hereof,
- 11) N85°00'34"E, a distance of 96.73 feet to a calculated point for an angle point hereof,
- 12) N83°09'40"E, a distance of 31.58 feet to a calculated point for an angle point hereof,
- 13) N81°53'56"E, a distance of 38.30 feet to a calculated point for an angle point hereof,
- 14) N86°07'07"E, a distance of 57.27 feet to a calculated point for an angle point hereof,
- 15) N87°48'39"E, a distance of 63.19 feet to a calculated point for an angle point hereof,
- 16) N86°07'06"E, a distance of 40.32 feet to a calculated point for an angle point hereof,
- 17) N79°11'12"E, a distance of 15.06 feet to a calculated point for an angle point hereof,
- 18) N78°02'18"E, a distance of 52.94 feet to a calculated point for an angle point hereof,
- 19) N82°16'12"E, a distance of 89.33 feet to a calculated point for an angle point hereof,
- 20) S88°41'32"E, a distance of 70.22 feet to a calculated point for an angle point hereof,
- 21) S87°00'35"E, a distance of 46.60 feet to a calculated point for an angle point hereof,

- 22) \$73°14'17"E, a distance of 12.02 feet to a calculated point for an angle point hereof. 23) S89°52'48"E, a distance of 22.84 feet to a calculated point for an angle point hereof, 24) N84°01'58"E, a distance of 27.13 feet to a calculated point for an angle point hereof, 25) N82°04'40"E, a distance of 66.06 feet to a calculated point for an angle point hereof, 26) S86°39'51"E, a distance of 65.42 feet to a calculated point for an angle point hereof, 27) S83°59'30"E, a distance of 54.59 feet to a calculated point for an angle point hereof, 28) S80°57'14"E, a distance of 18.78 feet to a calculated point for an angle point hereof, 29) N73°46'28"E, a distance of 18.28 feet to a calculated point for an angle point hereof, 30) S83°47'27"E, a distance of 56.14 feet to a calculated point for an angle point hereof, 31) N81°10'05"E, a distance of 40.06 feet to a calculated point for an angle point hereof, 32) N80°37'04"E, a distance of 25.65 feet to a calculated point for an angle point hereof, 33) N80°28'08"E, a distance of 40.35 feet to a calculated point for an angle point hereof, 34) N89°17'55"E, a distance of 26.50 feet to a calculated point for an angle point hereof, 35) N85°32'49"E, a distance of 0.13 feet to a calculated point for an angle point hereof, 36) N42°49'43"E, a distance of 26.02 feet to a calculated point for an angle point hereof, 37) S85°07'41"E, a distance of 77.80 feet to a calculated point for an angle point hereof, 38) N62°44'07"E, a distance of 16.23 feet to a calculated point for an angle point hereof, 39) S84°41'36"E, a distance of 33.21 feet to a calculated point for an angle point hereof, 40) N85°38'12"E, a distance of 49.13 feet to a calculated point for an angle point hereof, 41) N78°54'06"E, a distance of 12.18 feet to a calculated point for an angle point hereof, 42) N80°48'34"E, a distance of 42.01 feet to a calculated point for an angle point hereof, 43) N85°25'10"E, a distance of 26.27 feet to a calculated point for an angle point hereof, 44) N75°40'17"E, a distance of 7.60 feet to a calculated point for an angle point hereof, 45) N82°41'04"E, a distance of 2.97 feet to a calculated point for an angle point hereof, 46) N64°56'11"E, a distance of 20.42 feet to a calculated point for an angle point hereof, 47) N83°35'11"E, a distance of 11.75 feet to a calculated point for an angle point hereof, 48) N49°21'40"E, a distance of 16.42 feet to a calculated point for an angle point hereof, 49) N77°24'38"E, a distance of 36.34 feet to a calculated point for an angle point hereof, 50) N61°53'27"E, a distance of 18.71 feet to a calculated point for an angle point hereof, 51) N80°12'30"E, a distance of 46.62 feet to a calculated point for an angle point hereof, 52) N78°20'41"E, a distance of 6.88 feet to a calculated point for an angle point hereof, 53) N54°36'14"E, a distance of 35.71 feet to a calculated point for an angle point hereof, 54) N86°07'09"E, a distance of 56.70 feet to a calculated point for an angle point hereof, 55) N69°30'00"E, a distance of 59.70 feet to a calculated point for an angle point hereof, 56) S81°57'23"E, a distance of 17.61 feet to a calculated point for an angle point hereof, 57) N66°59'29"E, a distance of 28.66 feet to a calculated point for an angle point hereof, 58) S86°41'14"E, a distance of 32.74 feet to a calculated point for an angle point hereof, 59) N69°51'32"E, a distance of 11.45 feet to a calculated point for an angle point hereof, and
- 60) **N84°58'56"E**, a distance of **209.33** feet to a calculated point for the northeast corner hereof, said point being in the east line of said APAC 71.35 acre tract, and being in the west line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), from which a mag nail in concrete found for the southerly most corner of a called 0.33 acre tract conveyed to the City of Austin in Volume 7922, Page 284 (D.R.T.C.T.), being an angle point in the east line of said APAC 71.35 acre

tract, and being an angle point in the west line of said City of Austin – 31.37 acre tract bears, N20°02'40"E, a distance of 5.22 feet;

THENCE, with the east line of said APAC – 71.35 acre tract and the west line of said City of Austin – 31.37 acre tract, **S20°02'40"W**, passing at a distance of 91.94 feet a 1/2-inch iron rod found, and continuing for a total distance of **260.40** feet to a calculated point for the southeast corner hereof, said point being the southeast corner of said APAC – 71.35 acre tract, and being in a north bank of said Colorado River;

THENCE, with the south line of said APAC - 71.35 acre tract, and a meandering north bank of said Colorado River, the following nine (9) courses and distances:

- 1) **S64°04'33"W**, a distance of **24.77** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) S78°05'33"W, a distance of 286.54 feet to a calculated point for an angle point hereof,
- 3) S75°14'33"W, a distance of 142.52 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 4) S81°00'04"W, a distance of 227.48 feet to a calculated point for an angle point hereof,
- 5) **S87°10'34"W**, a distance of **429.12** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 6) **S87°28'00"W**, a distance of **190.72** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 7) S85°16'05"W, a distance of 352.54 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 8) S81°59'36"W, a distance of 326.97 feet to a 1/2-inch iron rod found for an angle point hereof, and
- 9) S84°02'36"W, a distance of 242.50 feet to the POINT OF BEGINNING and containing 12.9040 Acres (562,098 Square Feet) of land, more or less.

Notes:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 OHWM West Exhibit.dwg.)

1/24/24

Jason Ward, RPLS #5811 4Ward Land Surveying, LLC JASON WARD

SURVEY

OF

STEATH

TO

SURVEY

OF

STEATH

TO

SURVEY

OF

STEATH

TO

SURVEY


OF


STEATH


TO


SURVEY

References: TCAD #187760 COA Grid #L-20 & M-20









Sheet:

TBPELS FIRM #10174300

	LINE TABLE		
LINE #	DIRECTION	LENGTH	
L1	N72°47'39"E	72.22'	
L2	S84°25'10"E	36.65'	
L3	N8917'56"E	31.03'	
L4	N80°29'43"E	28.60'	
L5	N86°01'28"E	64.68'	
L6	N8813'50"E	5.69'	
L7	N77¶7'12"E	10.26	
L8	N7248'27"E	57.35'	
L9	N8917'55"E	74.01	
L10	N54°38'22"E	24.47'	
L11	N85°00'34"E	96.73'	
L12	N83°09'40"E	31.58'	
L13	N81°53'56"E	38.30'	
L14	N86°07'07"E	57.27'	
L15	N87°48'39"E	63.19'	
L16	N86°07'06"E	40.32'	
L17	N79"11'12"E	15.06'	
L18	N78°02'18"E	52.94'	
L19	N82"6'12"E	89.33'	
L20	S88°41'32"E	70.22'	

	LINE TABLE		
LINE #	DIRECTION	LENGTH	
L21	S87°00'35"E	46.60'	
L22	S7314'17"E	12.02'	
L23	S89°52'48"E	22.84	
L24	N84°01'58"E	27.13	
L25	N82°04'40"E	66.06	
L26	S86*39'51"E	65.42'	
L27	S83*59'30"E	54.59'	
L28	S80°57'14"E	18.78'	
L29	N73°46'28"E	18.28'	
L30	S83°47'27"E	56.14'	
L31	N81°10'05"E	40.06	
L32	N80'37'04"E	25.65	
L33	N80°28'08"E	40.35	
L34	N8917'55"E	26.50'	
L35	N85'32'49"E	0.13'	
L36	N42'49'43"E	26.02	
L37	S85°07'41"E	77.80'	
L38	N62'44'07"E	16.23'	
L39	S84°41'36"E	33.21	
L40	N85°38'12"E	49.13'	

LINE TABLE		
LINE #	DIRECTION	LENGTH
L41	N78*54'06"E	12.18'
L42	N80°48'34"E	42.01'
L43	N85°25'10"E	26.27
L44	N75 ° 40 ' 17 " E	7.60'
L45	N82°41'04"E	2.97
L46	N64°56'11"E	20.42
L47	N83°35'11"E	11.75'
L48	N49°21'40"E	16.42'
L49	N77°24'38"E	36.34
L50	N61°53'27"E	18.71'
L51	N80°12'30"E	46.62'
L52	N78°20'41"E	6.88'
L53	N54°36'14"E	35.71'
L54	N86°07'09"E	56.70'
L55	N69*30'00"E	59.70'
L56	S81°57'23"E	17.61'
L57	N66°59'29"E	28.66
L58	S86°41'14"E	32.74
L59	N69°51'32"E	11.45'
L60	N84°58'56"E	209.33'

ORDINARY HIGH
WATER MARK
SETBACK
City of Austin, Travis
County, Texas



Date:	1/24/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	TR
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	5 OF 6

[A] TRACT 1

APAC-TEXAS, INC. CALLED 71.35 ACRES DOC. NO. 2009205757 O.P.R.T.C.T.

> [B] STATE OF TEXAS CALLED 3.431 ACRES VOL. 2433, PG. 425 D.R.T.C.T.

> [C] STATE OF TEXAS CALLED 1.083 ACRES VOL. 2464, PG. 286 D.R.T.C.T.

LEGEND

	SETBACK LINE EXISTING PROPERTY LINES
Δ	CALCULATED POINT
A	NAIL FOUND AS NOTED
0	1/2" IRON ROD WITH "4WARD BOUNDARY" CAP SET
•	1/2" IRON ROD FOUND (UNLESS NOTED)
	IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED)
P.O.B.	POINT OF BEGINNING
VOL./PG.	VOLUME, PAGE
DOC. NO.	DOCUMENT NUMBER
R.O.W.	RIGHT-OF-WAY
O.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS
D.R.T.C.T.	DEED RECORDS, TRAVIS COUNTY, TEXAS
()	RECORD INFORMATION PER DEED DOC. NO. 2009205757
<>	RECORD INFORMATION PER DEED VOL. 2464, PG. 286

COA GRID #L-20 & M-20 TCAD PARCEL #187760

NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



1/24/2024

ORDINARY HIGH
WATER MARK
SETBACK
City of Austin, Travis
County, Texas



1/24/2024
01516
N/A
FP
TR
CG/RT
OCT. 2022
6 OF 6

EXHIBIT "D"

(180' Max Building Height) J.C. Tannehill Survey, Abstract No. 22

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 34.9152 ACRES (1,520,907 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE J.C. TANNEHILL SURVEY, ABSTRACT NO. 22 IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 71.35 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205757 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 34.9152 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at an iron pipe found (1/2-inch iron rod found inside pipe) in the southerly right-of-way line of U.S. Highway 183 (A.K.A. Ed Bluestein Boulevard; Right-of-way varies), being the northeast corner of Lot 1, Linger Lane Waste Facility No. 1, a subdivision in Travis County, Texas according to the map or plat thereof, recorded in Document No. 2013224112 (O.P.R.T.C.T.), and being the northerly most corner of said APAC-71.35 acre tract, for the northerly most corner and **POINT OF BEGINNING** hereof, from which a TxDOT Type III monument found for an angle point in the southerly right-of-way line of said U.S. Highway 183, and being the northwest corner of said Lot 1, Linger Lane Waste Facility No. 1 bears, N66°30'51"W, a distance of 51.48 feet;

THENCE, with the southerly right-of-way line of said U.S. Highway 183 and the north line of said APAC-Texas tract, S65°25'44"E, a distance of 49.83 feet to a mag nail found for the northeast corner hereof, said point being the northeast corner of said APAC-71.35 acre tract, and being near the northwest corner of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), from which a TxDOT Type I concrete monument found in the northeast line of said City of Austin - 31.37 acre tract, being the west corner of a called 5.004 acre tract conveyed to APAC-Texas, Inc. in Document No. 2016138858 (O.P.R.T.C.T.), and being an interior corner in the southerly right-of-way line of said U.S. Highway 183 bears, S61°41'57"E, a distance of 64.60 feet;

THENCE, leaving the southerly right-of-way line of said U.S. Highway 183, with the east line of said APAC-71.35 acre tract, in conflict with the west line of said City of Austin – 31.37 acre tract, S26°46'15"W, a distance of 920.43 feet to a 5/8-inch iron rod found for an angle point hereof, said point being an angle point in the east line of said APAC-71.35 acre tract, and being in the west line of said City of Austin-31.37 acre tract;

THENCE, continuing with the east line of said APAC-71.35 acre tract, and with the west line of said City of Austin - 31.37 acre tract, **S27°26'42"W**, a distance of **192.66** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof, said point being an angle point in the west line of said City of Austin - 31.37 acre tract, and being the northerly most corner of a called 0.33 acre tract conveyed to the City of Austin in Volume 7922, Page 284 (D.R.T.C.T.);

THENCE, continuing with the east line of said APAC - 71.35 acre tract, and with the west line of said City of Austin - 0.33 acre tract, S37°39'32"W, a distance of 202.52 feet to a calculated point for the southeast corner hereof, from which a 1/2-inch iron rod found for an angle point in the east line of said APAC - 71.35 acre tract, and being an angle point in the west line of said City of Austin - 0.33 acre tract bears, S37°39'32"W, a distance of 87.71 feet;

THENCE, leaving the east line of said APAC -71.35 acre tract and the west line of said City of Austin -0.33 acre tract, over and across said APAC -71.35 acre tract, the following thirteen (13) courses and distances:

- 1) N88°00'19"W, a distance of 947.47 feet to a calculated point for a point of curvature hereof,
- 2) Along the arc of a curve to the right, whose radius is **220.00** feet, whose arc length is **71.99** feet and whose chord bears **N78°37'51"W**, a distance of **71.67** feet to a calculated point for a point of tangency hereof,
- 3) N69°15'24"W, a distance of 34.68 feet to a calculated point for a point of curvature hereof,
- 4) Along the arc of a curve to the left, whose radius is 200.00 feet, whose arc length is 53.21 feet and whose chord bears N76°52'40"W, a distance of 53.05 feet to a calculated point for a point of tangency hereof,
- 5) N84°29'55"W, a distance of 171.12 feet to a calculated point for a point of curvature hereof,
- 6) Along the arc of a curve to the left, whose radius is **159.00** feet, whose arc length is **265.07** feet and whose chord bears **S47°44'32"W**, a distance of **235.42** feet to a calculated point for a point of tangency hereof,
- 7) S00°01'01"E, a distance of 55.33 feet to a calculated point for a non-tangent point of curvature hereof,
- 8) Along the arc of a curve to the right, whose radius is **291.00** feet, whose arc length is **473.06** feet and whose chord bears **S46°33'13"W**, a distance of **422.66** feet to a calculated point for an angle point hereof,
- 9) N86°46'01"W, a distance of 418.01 feet to a calculated point for a non-tangent point of curvature hereof,
- 10) Along the arc of a curve to the right, whose radius is **4,040.99** feet, whose arc length is **76.83** feet and whose chord bears **N86°13'20"W**, a distance of **76.83** feet to a calculated point for an angle point hereof,
- 11) N85°40'39"W, a distance of 146.44 feet to a calculated point for a non-tangent point of curvature hereof,
- 12) Along the arc of a curve to the left, whose radius is **359.00** feet, whose arc length is **27.26** feet and whose chord bears **N87°51'09"W**, a distance of **27.25** feet to a calculated point for an angle point hereof,
- 13) **S89°58'21"W**, a distance of **36.22** feet to a calculated point for the southwest corner hereof, said point being in the northerly line of said APAC 71.35 acre tract, and being in the southerly right-of-way line of said U.S. Highway 183, from which a 3/8-inch iron rod found for an angle point in the east line of said APAC 71.35 acre tract, and being an angle point in the west right-of-way line of said U.S. Highway 183 bears, S27°17'29"W, a distance of 377.76 feet;

THENCE, with the southerly right-of-way line of said U.S. Highway 183 and the northerly line of said APAC - 71.35 acre tract, the following ten (10) courses and distances:

- 1) N27°17'29"E, a distance of 11.73 feet to a 1/2-inch iron rod with "4Ward Boundary" cap set for an angle point hereof,
- 2) N03°28'31"W, a distance of 271.62 feet to a 1/2-inch iron rod with "4Ward Boundary" cap set for a non-tangent point of curvature hereof,
- 3) Along the arc of a curve to the right, whose radius is **556.46** feet, whose arc length is **354.36** feet and whose chord bears **N41°09'44"E**, a distance of **348.40** feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for a compound point of curvature hereof,
- 4) Along the arc of a curve to the right, whose radius is **865.91** feet, whose arc length is **199.04** feet and whose chord bears **N66°01'59"E**, a distance of **198.60** feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for an angle point hereof,
- 5) N72°36'59"E, a distance of 348.57 feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for an angle point hereof,

- 6) N77°38'29"E, a distance of 261.72 feet to a TxDOT Type I concrete monument found for an angle point hereof,
- 7) N69°16'11"E, a distance of 383.84 feet to a 1/2-inch iron rod with "4Ward-Boundary" cap set for a non-tangent point of curvature hereof,
- 8) Along the arc of a curve to the right, whose radius is **3,804.72** feet, whose arc length is **272.53** feet and whose chord bears **N75°22'41"E**, a distance of **272.47** feet to a TxDOT Type II brass disc found for an angle point hereof,
- 9) N77°17'06"E, a distance of 299.34 feet to a TxDOT Type II brass disc found for a non-tangent point of curvature hereof, and
- 10) Along the arc of a curve to the left, whose radius is 1,924.86 feet, whose arc length is 48.83 feet and whose chord bears N76°49'44"E, a distance of 48.83 feet to a 1/2-inch iron rod found for an angle point hereof, said point being the westerly most corner of Lot 2 of said Linger Lane Waste Facility No. 1;

THENCE, leaving the south right-of-way line of said U.S. Highway 183, with the northeasterly line of said APAC - 71.35 acre tract and the southwest line of said Lot 2, **S63°26'09"E**, a distance of **753.29** feet to a mag nail in asphalt found for an interior ell-corner hereof, said point being an interior ell-corner in the north line of said APAC - 71.35 acre tract, and being near the southeast corner of said Lot 2 of said Linger Lane Waste Facility No. 1;

THENCE, with the westerly line of said APAC - 71.35 acre tract, in conflict with the east line of said Lots 1 & 2 of said Linger Lane Waste Facility No. 1, N26°47′03″E, a distance of 918.69 feet to the POINT OF BEGINNING and containing 34.9152 Acres (1,520,907 Square Feet) of land, more or less.

Notes:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 180' Max Bldg Ht (West Exhibit).dwg.)


2/2/24


Jason Ward, RPLS #5811 4Ward Land Surveying, LLC JASON WARD

SURVEY


SU


References: TCAD #187760 COA Grid #L-20 & M-20











	CURVE TABLE				
CURVE #	RADIUS	LENGTH	DELTA	BEARING	DISTANCE
C1	220.00'	71.99'	18*44'55"	N78°37'51"W	71.67'
C2	200.00'	53.21'	15°14'32"	N76°52'40"W	53.05'
С3	159.00'	265.07	95*31'06"	S47°44'32"W	235.42'
C4	291.00'	473.06'	93°08'29"	S46°33'13"W	422.66'
C5	4,040.99	76.83'	1°05'21"	N8613'20"W	76.83'
C6	359.00'	27.26'	4°21'00"	N87°51'09"W	27.25'

LINE TABLE				
LINE #	DIRECTION	LENGTH		
L1	S65°25'44"E	49.83'		
L2	S27°26'42"W	192.66		
L3	S37°39'32"W	202.52		
L4	N69°15'24"W	34.68'		
L5	N84°29'55"W	171.12'		
L6	S00°01'01"E	55.33'		

LINE TABLE				
LINE #	DIRECTION LENGTH			
L7	N85°40'39"W 146.44'			
L8	S89°58'21"W	36.22'		
L9	N27°17'29"E	11.73'		
L10	N66°30'51"W	51.48'		
L11	S61°41'57"E	64.60'		



RECORD LINE TABLE				
LINE #	DIRECTION	LENGTH		
(L1)	S65°22'30"E	49.91'		
[[L1]]	S64°02'00"E	50.13		
(L2)	S27°29'00"W	192.67		
(L10)	N66°27'15"W	51.25'		
[L10]	N66°28'46"W	51.25		
{{L10}}	N66°28'42"W	51.17'		
(L11)	N61°45'00"E	64.64'		

LEGEND				
	MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES			
Δ	CALCULATED POINT			
A	NAIL FOUND AS NOTED			
0	1/2" IRON ROD WITH "4WARD BOUNDARY" CAP SET			
•	1/2" IRON ROD FOUND (UNLESS NOTED)			
	IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED)			
•	1/2" IRON PIPE FOUND (UNLESS NOTED)			
	TXDOT TYPE I CONCRETE MONUMENT FOUND (UNLESS NOTED)			
②	TXDOT TYPE II BRASS DISC FOUND (UNLESS NOTED)			
	TXDOT TYPE III 5/8" ALUMINUM CAPPED FOUND (UNLESS NOTED)			
P.O.B.	POINT OF BEGINNING			
VOL./PG.	VOLUME, PAGE			
DOC. NO.	DOCUMENT NUMBER			
R.O.W.	RIGHT-OF-WAY			
O.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS			
D.R.T.C.T.	DEED RECORDS, TRAVIS COUNTY, TEXAS			
()	RECORD INFORMATION PER DEED DOC. NO. 2009205757			
[]	RECORD INFORMATION PER PLAT DOC. NO. 201500140			
{ }	RECORD INFORMATION PER DEED VOL. 7922, PG. 284			
(())	RECORD INFORMATION PER DEED VOL. 11572, PG. 1158			
[[]]	RECORD INFORMATION PER DEED VOL. 2807, PG. 478			
{{} }	RECORD INFORMATION PER DEED DOC. NO. 2006051846			

COA GRID #L-20 & M-20 TCAD PARCEL #187760

J.C. TANNEHILL SURVEY ABSTRACT NO. 22

180' Max Building
Height Exhibit
City of Austin, Travis
County, Texas

NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



Date:	2/2/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	6 OF 6
511 111 (111	. =

EXHIBIT "E"

(120' Max Building Height) J.C. Tannehill Survey, Abstract No. 22

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 10.7312 ACRES (467,450 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE J.C. TANNEHILL SURVEY, ABSTRACT NO. 22 IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 71.35 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205757 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 10.7312 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at a calculated point in the east line of said APAC – 71.35 acre tract, and being in the west line of a called 0.33 acre tract conveyed to the City of Austin in Volume 7922, Page 284 of the Deed Records of Travis County, Texas (D.R.T.C.T.), for the northeast corner and **POINT OF BEGINNING** hereof, from which an iron rod with "RPLS 5784" cap found for the northerly most corner of said City of Austin – 0.33 acre tract, being an angle point in the east line of said APAC – 71.35 acre tract, and being in the west line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 (D.R.T.C.T.) bears, N37°39'32"E, a distance of 202.52 feet;

THENCE, with the east line of said APAC -71.35 acre tract and the west line of said City of Austin -0.33 acre tract, the following two (2) courses and distances:

- 1) S37°39'32"W, a distance of 87.71 feet to a 1/2-inch iron rod found for an angle point hereof, and
- 2) S33°09'18"W, a distance of 307.41 feet to a calculated point for the southeast corner hereof, from which a mag nail in concrete found for the southerly most corner of said City of Austin 0.33 acre tract, and being an angle point in the west line of said City of Austin 31.37 acre tract bears, S33°09'18"W, a distance of 139.14 feet;

THENCE, leaving the east line of said APAC – 71.35 acre tract and the west line of said City of Austin – 0.33 acre tract, over and across said APAC – 71.35 acre tract, the following thirty-one (31) courses and distances:

- 1) S67°17'03"W, a distance of 169.90 feet to a calculated point for an angle point hereof,
- 2) S58°26'35"W, a distance of 40.83 feet to a calculated point for an angle point hereof,
- 3) S69°07'05"W, a distance of 21.33 feet to a calculated point for an angle point hereof,
- 4) S78°03'35"W, a distance of 28.29 feet to a calculated point for an angle point hereof,
- 5) N89°51'58"W, a distance of 39.10 feet to a calculated point for an angle point hereof,
- 6) N78°59'58"W, a distance of 30.00 feet to a calculated point for an angle point hereof,
- 7) N62°39'56"W, a distance of 27.78 feet to a calculated point for an angle point hereof,
- 8) N51°31'07"W, a distance of 37.30 feet to a calculated point for an angle point hereof,
- 9) N48°14'47"W, a distance of 25.11 feet to a calculated point for an angle point hereof,
- 10) N55°36'12"W, a distance of 22.63 feet to a calculated point for an angle point hereof,
- 11) N74°43'25"W, a distance of 40.82 feet to a calculated point for an angle point hereof,
- 12) S86°45'37"W, a distance of 31.25 feet to a calculated point for an angle point hereof,
- 13) N51°11'25"W, a distance of 184.88 feet to a calculated point for an angle point hereof,
- 14) N80°16'19"W, a distance of 21.60 feet to a calculated point for an angle point hereof,
- 15) N56°23'30"W, a distance of 58.86 feet to a calculated point for an angle point hereof,
- 16) N77°22'27"W, a distance of 28.58 feet to a calculated point for an angle point hereof,
- 17) \$72°06'18"W, a distance of 20.60 feet to a calculated point for an angle point hereof,

- 18) S59°03'26"W, a distance of 32.81 feet to a calculated point for an angle point hereof,
- 19) S72°15'07"W, a distance of 35.30 feet to a calculated point for an angle point hereof,
- 20) N77°43'42"W, a distance of 95.44 feet to a calculated point for an angle point hereof,
- 21) S83°10'52"W, a distance of 20.37 feet to a calculated point for an angle point hereof,
- 22) S49°35'29"W, a distance of 200.94 feet to a calculated point for an angle point hereof,
- 23) S89°27'35"W, a distance of 255.57 feet to a calculated point for a non-tangent point of curvature hereof,
- 24) Along the arc of a curve to the left, whose radius is **291.00** feet, whose arc length is **236.83** feet and whose chord bears **N23°17'53"E**, a distance of **230.35** feet to a calculated point for an angle point hereof,
- 25) N00°01'01"W, a distance of 55.33 feet to a calculated point for a point of curvature hereof,
- 26) Along the arc of a curve to the right, whose radius is **159.00** feet, whose arc length is **265.07** feet and whose chord bears **N47°44'32"E**, a distance of **235.42** feet to a calculated point for a point of tangency hereof,
- 27) S84°29'55"E, a distance of 171.12 feet to a calculated point for a point of curvature hereof,
- 28) Along the arc of a curve to the right, whose radius is **200.00** feet, whose arc length is **53.21** feet and whose chord bears **S76°52'40"E**, a distance of **53.05** feet to a calculated point for a point of tangency hereof,
- 29) S69°15'24"E, a distance of 34.68 feet to a calculated point for a point of curvature hereof,
- 30) Along the arc of a curve to the left, whose radius is **220.00** feet, whose arc length is **71.99** feet and whose chord bears **S78°37'51"E**, a distance of **71.67** feet to a calculated point for a point of tangency hereof, and
- 31) **S88°00'19"E**, a distance of **947.47** feet to the **POINT OF BEGINNING** and containing 10.7312 Acres (467,450 Square Feet) of land, more or less.


Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 120' Max Bldg Ht (West Exhibit).dwg.)


2/2/24

Jason Ward, RPLS #5811 4Ward Land Surveying, LLC 24 JASON WARD

References: TCAD #187760 COA Grid #L-20 & M-20







120' Max Building
Height Exhibit
City of Austin, Travis
County, Texas



-	
Date:	2/2/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	3 OF 4

LINE TABLE				
LINE #	DIRECTION	LENGTH		
L1	S37*39'32"W	87.71		
L2	S67°17'03"W	169.90'		
L3	S58°26'35"W	40.83'		
L4	S69°07'05"W	21.33'		
L5	S78°03'35"W	28.29'		
L6	N89°51'58"W	39.10'		
L7	N78*59'58"W	30.00'		
L8	N62°39'56"W	27.78'		
L9	N51°31'07"W	37.30'		
L10	N48°14'47"W	25.11'		
L11	N55°36'12"W	22.63'		
L12	N74°43'25"W	40.82'		

LINE TABLE				
LINE #	DIRECTION	LENGTH		
L13	S86°45'37"W	31.25'		
L14	N8016'19"W	21.60'		
L15	N56°23'30"W	58.86		
L16	N77*22'27"W	28.58'		
L17	S72°06'18"W	20.60'		
L18	S59°03'26"W	32.81'		
L19	S72°15'07"W	35.30'		
L20	N77°43'42"W	95.44'		
L21	S83"10'52"W	20.37		
L22	N00°01'01"W	55.33'		
L23	S6915'24"E	34.68'		

	CURVE TABLE				
CURVE #	VE # RADIUS LENGTH DELTA BEARING DISTANC				
C1	291.00'	236.83	46°37'49"	N2317'53"E	230.35
C2	159.00'	265.07	95*31'06"	N47*44'32"E	235.42
С3	200.00'	53.21'	15"14'32"	S76°52'40"E	53.05'
C4	220.00'	71.99'	18*44'55"	S78°37'51"E	71.67'

LEGEND MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES Δ CALCULATED POINT NAIL FOUND AS NOTED 1/2" IRON ROD WITH "4WARD BOUNDARY" CAP SET 1/2" IRON ROD FOUND (UNLESS NOTED) IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED) P.O.B. POINT OF BEGINNING VOL./PG. VOLUME, PAGE DOC. NO. DOCUMENT NUMBER R.O.W. RIGHT-OF-WAY 0.P.R.T.C.T. OFFICIAL PUBLIC RECORDS. TRAVIS COUNTY, TEXAS D.R.T.C.T. DEED RECORDS. TRAVIS COUNTY, TEXAS RECORD INFORMATION PER (.....) DEED DOC. NO. 2009205757 RECORD INFORMATION PER

DEED VOL. 2464, PG. 286

COA GRID #L-20 & M-20 TCAD PARCEL #187760

[A]
TRACT 1
APAC-TEXAS, INC.
CALLED 71.35 ACRES
DOC. NO. 2009205757
O.P.R.T.C.T.

NOTES:

- 1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.
- 2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



2/2/2024

120' Max Building
Height Exhibit
City of Austin, Travis
County, Texas



Date:	2/2/2024
Project:	01516
Scale:	N/A
Reviewer:	FP
Tech:	JG
Field Crew:	CG/RT
Survey Date:	OCT. 2022
Sheet:	4 OF 4

EXHIBIT "F"

(60' Max Building Height) J.C. Tannehill Survey, Abstract No. 22

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 25.7118 ACRES (1,120,007 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE J.C. TANNEHILL SURVEY, ABSTRACT NO. 22 IN TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 71.35 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205757 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 25.7118 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

BEGINNING, at a calculated point in a north bank of the Colorado River, being in the east right-of-way line of U.S. Highway 183 (A.K.A. Ed Bluestein Boulevard; Right-of-way varies), and being the southwest corner of said APAC – 71.35 acre tract, for the southwest corner and **POINT OF BEGINNING** hereof;

THENCE, leaving a north bank of said Colorado River, with the east right-of-way line of said U.S. Highway 183 and the west line of said APAC – 71.35 acre tract, the following two (2) courses and distances:

- 1) N08°58'56"W, passing at a distance of 39.86 feet a 1/2-inch iron rod found, and continuing for a total distance of 255.65 feet to a 3/8-inch iron rod found for an angle point hereof, and
- 2) N27°17′29″E, a distance of 377.76 feet to a calculated point for the northwest corner hereof, from which a 1/2-inch iron rod with "4Ward-Boundary" cap set for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said APAC 71.35 acre tract bears, N27°17′29″E, a distance of 11.73 feet;

THENCE, leaving the east right-of-way line of said U.S. Highway 183 and the west line of said APAC – 71.35 acre tract, over and across said APAC – 71.35 acre tract, the following twenty-nine (29) courses and distances:

- 1) N89°58'21"E, a distance of 36.22 feet to a calculated point for a point of curvature hereof,
- 2) Along the arc of a curve to the right, whose radius is **359.00** feet, whose arc length is **27.26** feet and whose chord bears **S87°51'09"E**, a distance of **27.25** feet to a calculated point for a point of tangency hereof,
- 3) S85°40'39"E, a distance of 146.44 feet to a calculated point for a point of curvature hereof,
- 4) Along the arc of a curve to the left, whose radius is **4,040.99** feet, whose arc length is **76.83** feet and whose chord bears **S86°13'20"E**, a distance of **76.83** feet to a calculated point for a point of tangency hereof,
- 5) S86°46'01"E, a distance of 418.01 feet to a calculated point for a point of curvature hereof,
- 6) Along the arc of a curve to the left, whose radius is **291.00** feet, whose arc length is **236.22** feet and whose chord bears **N69°52'07"E**, a distance of **229.79** feet to a calculated point for an angle point hereof,
- 7) N89°27'35"E, a distance of 255.57 feet to a calculated point for an angle point hereof,
- 8) N49°35'29"E, a distance of 200.94 feet to a calculated point for an angle point hereof,
- 9) N83°10'52"E, a distance of 20.37 feet to a calculated point for an angle point hereof,
- 10) S77°43'42"E, a distance of 95.44 feet to a calculated point for an angle point hereof,
- 11) N72°15'07"E, a distance of 35.30 feet to a calculated point for an angle point hereof,
- 12) N59°03'26"E, a distance of 32.81 feet to a calculated point for an angle point hereof,
- 13) N72°06'18"E, a distance of 20.60 feet to a calculated point for an angle point hereof,

- 14) \$77°22'27"E, a distance of 28.58 feet to a calculated point for an angle point hereof,
- 15) S56°23'30"E, a distance of 58.86 feet to a calculated point for an angle point hereof,
- 16) S80°16'19"E, a distance of 21.60 feet to a calculated point for an angle point hereof,
- 17) S51°11'25"E, a distance of 184.88 feet to a calculated point for an angle point hereof,
- 18) N86°45'37"E, a distance of 31.25 feet to a calculated point for an angle point hereof,
- 19) \$74°43'25"E, a distance of 40.82 feet to a calculated point for an angle point hereof,
- 20) S55°36'12"E, a distance of 22.63 feet to a calculated point for an angle point hereof,
- 21) S48°14'47"E, a distance of 25.11 feet to a calculated point for an angle point hereof,
- 22) **S51°31'07"**E, a distance of **37.30** feet to a calculated point for an angle point hereof,
- 23) S62°39'56"E, a distance of 27.78 feet to a calculated point for an angle point hereof,
- 24) S78°59'58"E, a distance of 30.00 feet to a calculated point for an angle point hereof,
- 25) S89°51'58"E, a distance of 39.10 feet to a calculated point for an angle point hereof,
- 26) N78°03'35"E, a distance of 28.29 feet to a calculated point for an angle point hereof,
- 27) N69°07'05"E, a distance of 21.33 feet to a calculated point for an angle point hereof,
- 28) N58°26'35"E, a distance of 40.83 feet to a calculated point for an angle point hereof, and
- 29) N67°17'03"E, a distance of 169.90 feet to a calculated point for an angle point hereof, said point being in the east line of said APAC 71.35 acre tract, and being in the west line of a called 0.33 acre tract conveyed to the City of Austin in Volume 7922, Page 284 of the Deed Records of Travis County, Texas (D.R.T.C.T.), from which a 1/2-inch iron rod found for an angle point in the east line of said APAC 71.35 acre tract, and being an angle point in the west line of said City of Austin 0.33 acre tract bears, N33°09'18"E, a distance of 307.41 feet:

THENCE, with the east line of said APAC – 71.35 acre tract and the west line of said City of Austin – 0.33 acre tract, **S33°09'18"W**, a distance of **139.14** feet to a mag nail in concrete found for an angle point hereof, said point being the southerly most corner of said City of Austin – 0.33 acre tract, and being an angle point in the west line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 (D.R.T.C.T.);

THENCE, with the east line of said APAC – 71.35 acre tract and the west line of said City of Austin – 31.37 acre tract, **S20°02'40"W**, passing at a distance of 97.16 feet a 1/2-inch iron rod found, and continuing for a total distance of **265.61** feet to a calculated point for the southeast corner hereof, said point being the southeast corner of said APAC – 71.35 acre tract, and being in a north bank of said Colorado River;

THENCE, with the south line of said APAC - 71.35 acre tract, and a meandering north bank of said Colorado River, the following nine (9) courses and distances:

- 1) **S64°04'33"W**, a distance of **24.77** feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) S78°05'33"W, a distance of 286.54 feet to a calculated point for an angle point hereof,
- 3) S75°14'33"W, a distance of 142.52 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 4) S81°00'04"W, a distance of 227.48 feet to a calculated point for an angle point hereof,
- 5) S87°10'34"W, a distance of 429.12 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 6) S87°28'00"W, a distance of 190.72 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 7) S85°16'05"W, a distance of 352.54 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,

- 8) S81°59'36"W, a distance of 326.97 feet to a 1/2-inch iron rod found for an angle point hereof, and
- 9) **S84°02'36"W**, a distance of **242.50** feet to the **POINT OF BEGINNING** and containing 25.7118 Acres (1,120,007 Square Feet) of land, more or less.

Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516_60' Max Bldg Ht (West Exhibit).dwg.)


Jason Ward, RPLS #5811 4Ward Land Surveying, LLC JASON WARD


SURVEY


SU

References: TCAD #187760 COA Grid #L-20 & M-20









City of Austin, Travis County, Texas



Date:	2/2/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	JG
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	4 OF 5
. 5	. =

LINE TABLE						
LINE #	DIRECTION	LENGTH				
L1	N89°58'21"E	36.22'				
L2	S85°40'39"E	146.44				
L3	N83°10'52"E	20.37				
L4	S77°43'42"E	95.44'				
L5	N72°15'07"E	35.30'				
L6	N59°03'26"E	32.81'				
L7	N72°06'18"E	20.60'				
L8	S77°22'27"E	28.58'				
L9	S56°23'30"E	58.86				
L10	S80"6'19"E	21.60'				
L11	N86°45'37"E	31.25'				
L12	S74°43'25"E	40.82'				

LINE TABLE					
LINE #	DIRECTION	LENGTH			
L13	S55'36'12"E	22.63'			
L14	S48*14'47"E	25.11'			
L15	S51°31'07"E	37.30'			
L16	S62*39'56"E	27.78'			
L17	S78*59'58"E	30.00'			
L18	S89°51'58"E	39.10'			
L19	N78°03'35"E	28.29'			
L20	N69°07'05"E	21.33'			
L21	N58°26'35"E	40.83'			
L22	N67°17'03"E	169.90'			
L23	S33°09'18"W	139.14'			
L24	N27°17'29"E	11.73'			

CURVE TABLE					
CURVE #	RADIUS	LENGTH	DELTA	BEARING	DISTANCE
C1	359.00'	27.26'	4°21'00"	S87°51'09"E	27.25'
C2	4,040.99	76.83'	1°05'21"	S86"13'20"E	76.83'
С3	291.00'	236.22'	46°30'39"	N69*52'07"E	229.79'

LEGEND MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES CALCULATED POINT NAIL FOUND AS NOTED 1/2" IRON ROD WITH "4WARD BOUNDARY" CAP SET 1/2" IRON ROD FOUND (UNLESS NOTED) IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED) P.O.B. POINT OF BEGINNING VOL./PG. VOLUME, PAGE DOC. NO. DOCUMENT NUMBER R.O.W. RIGHT-OF-WAY 0.P.R.T.C.T. OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS D.R.T.C.T. DEED RECORDS, TRAVIS COUNTY, TEXAS RECORD INFORMATION PER (.....) DEED DOC. NO. 2009205757 RECORD INFORMATION PER <.....>

DEED VOL. 2464, PG. 286

COA GRID #L-20 & M-20 TCAD PARCEL #187760

NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



2/2/2024

60' Max Building
Height Exhibit
City of Austin, Travis
County, Texas



Date:	2/2/2024		
Project:	01516		
Scale:	N/A		
Reviewer:	FP		
Tech:	JG		
Field Crew:	CG/RT		
Survey Date:	OCT. 2022		
Sheet:	5 OF 5		