## ORDINANCE NO. <u>20240404-072</u>

AN ORDINANCE REZONING AND CHANGING THE ZONING MAP FOR THE PROPERTY LOCATED AT 901 1/2 AND 1031 1/2 LINGER LANE, 1001 AND 1003 ED BLUESTEIN BOULEVARD NORTHBOUND, AND 6700 BOLM ROAD FROM LIMITED INDUSTRIAL SERVICE (LI) DISTRICT TO LIMITED INDUSTRIAL SERVICE-PLANNED DEVELOPMENT AREA (LI-PDA) COMBINING DISTRICT.

## **BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF AUSTIN:**

**PART 1.** The zoning map established by Section 25-2-191 of the City Code is amended to change the base district from limited industrial service (LI) base district to limited industrial service-planned development area (LI-PDA) combining district on the property described in Zoning Case No. C14-2023-0049, on file at the Planning Department, as follows:

44.3568 acres of land out of the James Burleson Survey No. 19, Abstract No. 4, in Travis County, Texas, being all of a called 39.34 acre tract conveyed by deed recorded in Document No. 2009205761, Official Public Records of Travis County, Texas, and being all of a called 5.004 acre tract conveyed by deed recorded in Document No. 2016138858, Official Public Records of Travis County, Texas, said 44.3568 acres being more particularly described by metes and bounds in **Exhibit** "**A**" incorporated into this ordinance (the "Property"),

locally known as 901 1/2 and 1031 1/2 Linger Lane, 1001 and 1003 Ed Bluestein Boulevard Northbound, and 6700 Bolm Road in the City of Austin, Travis County, Texas, generally identified in the map attached as **Exhibit "B"**.

**PART 2.** Except as specifically provided in Part 3 and Part 4 of this ordinance, the Property may be developed and used in accordance with the regulations established for the limited industrial service (LI) base district and other applicable requirements of the City Code.

**PART 3.** Development of the Property shall comply with Section 25-2-648 (*Planned Development Area Performance Standards*) of the City Code.

**PART 4.** Development of the Property within the boundaries of the planned development area (PDA) combining district established by this ordinance is subject to the use and site development regulations set forth in this part:

(A) The following uses are additional permitted uses of the Property:

Aquaponic System Club or Lodge

Condominium Residential Convention Center Horticulture Hospital Services (Limited) Market Garden Park & Recreation Services (General) Pet Services

Recreational Equipment Sales Single-Family Attached Residential Small Lot Single-Family Residential Camp Cocktail Lounge not to exceed a maximum of 20,000 square feet Consumer Repair Services Guidance Services Hospital Services (General) Liquor Sales Multifamily Residential Park and Recreation Services (Special) Recreational Equipment Maintenance and Storage Short-Term Rental Single-Family Residential

Townhouse Residential

(B) The following uses are prohibited uses of the Property:

Bail Bond Services Drop-Off Recycling Collection Facility Funeral Services

Monument Retail Sales Resource Extraction Basic Industry Exterminating Services

General Warehousing and Distribution Recycling Center Scrap and Salvage Services

(C) The following uses are conditional uses of the Property:

Cocktail Lounge exceeding 20,000 square feet Research Assembly Services Research Warehousing Services (D) Automotive Sales located within 100 feet of the following residential uses is a conditional use of the Property:

Condominium Residential Short-Term Rental Single-Family Residential Multifamily Residential Single-Family Attached Residential Small Lot Single-Family Residential

Townhouse Residential

- (E) Development of the Property shall comply with the following regulations:
  - (1) The minimum lot area is 1,000 square feet.
  - (2) The minimum lot width is 25 feet.
  - (3) The maximum height of a building or structure shall not exceed:
    - (a) 180 feet for the portion of the Property referred to as "Area 1", more particularly described by metes and bounds in Exhibit "D" incorporated into this ordinance; and
    - (b) 60 feet for the portion of the Property referred to as "Area 2", more particularly described by metes and bounds in **Exhibit "E"** incorporated into this ordinance.
  - (4) The minimum setbacks for Single-Family Residential, Single-Family Attached Residential, and Small Lot Single-Family Residential uses are:
    - (a) 10 feet for front yard
    - (b) 10 feet for side street yard
    - (c) 0 feet for interior side yard
    - (d) 0 feet for rear yard
  - (5) The minimum setbacks for all other uses are:
    - (a) 0 feet for front yard
    - (b) 0 feet for side street yard
    - (c) 0 feet for interior side yard
    - (d) 0 feet for rear yard
  - (6) Development of the Property shall not exceed a floor to area ratio of 4 to 1.

Page 3 of 6

- (7) Maximum impervious cover is 85 percent.
- (8) Maximum building coverage is 85 percent.
- (9) There are no minimum site area requirements.
- (10) Ornamental towers, cupolas, domes, and spires are not subject to Section 25-2-531 (*Height Limit Exceptions*).
- (F) Section 25-6-471 (*Off-Street Parking Facility Required*) is modified to allow a parking facility to be located anywhere within the boundaries of the Property regardless of where the use for the facility is located within the Property, subject to approval by the Director of Transportation and Public Works at time of site plan.
- (G) A 100-foot wide vegetative buffer shall be provided and maintained between the following residential uses and the following commercial and industrial uses:

<u>Residential Uses:</u> Condominium Residential Short-Term Rental Single-Family Residential

Multifamily Residential Single-Family Attached Residential Small Lot Single-Family Residential

Townhouse Residential

<u>Commercial and Industrial Uses:</u> Automotive Rentals Construction Sales and Services Limited Warehousing and Distribution Research Testing Services Vehicle Storage

Automotive Sales Light Manufacturing Research Assembly Services

**Research Warehousing Services** 

Improvements permitted within the vegetative buffer are limited to driveways, parking facilities, solid fences, pedestrian trails, hike and bike trails, recreational facilities, detention and water quality reirrigation facilities, drainage, underground utility improvements, overhead electric or communication lines, or those improvements that may be otherwise required by the City of Austin or specifically authorized in this ordinance.

- (H) No buildings shall be constructed within the area depicted on Exhibit "C". Improvements permitted within the no building area may include hike and bike trails with associated educational kiosks, stormwater infrastructure, picnic areas, kayak launches, fishing spots, observation decks, fencing, and other improvements that may be otherwise required by the City of Austin or specifically authorized by this ordinance. A man-made beach is not permitted within the no building area. A hike and bike trail included in the area depicted on Exhibit "C" can be located on the first bluff from the Colorado River but may not be closer than the 420-foot contour.
- (I) Outdoor entertainment and non-enclosed performance venue are only permitted as an accessory use to the following principal uses:

Camp	Club or lodge
Cocktail lounge	Hotel-motel
Outdoor sports and recreation	Restaurant (general)
Restaurant (limited)	

- (J) Chapter 25-2, Subchapter E, Article 2, Section 2.5 (*Exterior Lighting*) is modified as follows:
  - (1) Low Kelvin rated lights (3000 Kelvin or less) shall be used for outdoor lighting;
  - (2) Outdoor lights shall be shielded so that neither the light fixtures' light source, nor the lens shall be visible from a distance less than the mounting height of the fixture;
  - (3) Light shall be focused on activity and activity appropriate lighting shall be used;
  - (4) Low voltage lighting may be used for landscape "uplights". Low voltage uplights shall be allowed outside of the Critical Water Quality Zone only;
  - (5) Artificial light shall be minimized in the area described by metes and bounds in **Exhibit "C"**, except as required for public safety or to light pedestrian pathways and trails.
- (K) Chapter 25-2, Subchapter C, Article 9 (*Landscaping*) is modified such that new plantings on the Property shall include only native vegetation, planted in accordance with the City of Austin Grow Green program.

(L) A marina is a permitted use and subject to these requirements.

- (1) A marina may not allow watercraft propelled by an internal combustion engine or electric motor to use a dock, slip, or other appurtenance associated with the marina.
- (2) A marina shall comply with Chapter 25-2, Subchapter C, Article 13 (*Docks, Bulkheads, and Shoreline Access*).
- (M) A performance venue is a permitted use within an enclosed structure.

PART 5. This ordinance takes effect on April 15, 2024.

## **PASSED AND APPROVED**

s thin ,2024 April 4 Kirk Watson Mayor **APPROVED: ATTEST:** Myrna Rios Anne L. Morgan City Clerk **City Attorney** 

#### Legal Description

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 44.3568 ACRES (1,932,183 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING ALL OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING ALL OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858 (O.P.R.T.C.T.), SAID 44.3568 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 (512) 537-2384 jward@4wardls.com www.4wardls.com

**BEGINNING**, at a TxDOT Type I concrete monument found in the east right-of-way line of said U.S. Highway 183, being in the northeast line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being the west corner of said APAC-5.004 acre tract, for the westerly most corner and **POINT OF BEGINNING** hereof, from which a mag nail found for an angle point in the east right-of-way line of said U.S. Highway 183, being the northeast corner of a called 71.35 acre tract conveyed to APAC-Texas, Inc. in Document No. 2009205757 (O.P.R.T.C.T.), and being near the northwest corner of said City of Austin – 31.37 acre tract bears, N61°41'57"W, a distance of 64.60 feet;

**THENCE**, with the easterly right-of-way line of said U.S. Highway 183, the west line of said APAC - 5.004 acre tract, and with the west line of said APAC-39.34 acre tract, **N27°16'35" E**, passing at a distance of 351.03 feet an iron rod with "RPLS 5784" cap found for the common west corner of said APAC - 5.004 acre tract and said APAC - 39.34 acre tract, and continuing for a total distance of **596.39** feet to a calculated point for an angle point hereof (from which an iron rod with "RPLS 5784" cap found bears, S74°58'05"E, a distance of 0.51 feet), said point being an angle point in the west line of said APAC - 39.34 acre tract, and being the southwest corner of a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which a TxDOT Type III aluminum monument found for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said City of Austin – 67.1 acre tract bears, N27°16'35"E, a distance of 106.32 feet;

**THENCE**, leaving the east right-of-way line of said U.S. Highway 183, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following eight (8) courses and distances:

- 1) S74°58'05" E, a distance of 192.61 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) N23°45' 12" E, a distance of 292.80 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 3) S66°09'06" E, a distance of 170.89 feet to a 1/2-inch iron rod found for an angle point hereof,
- 4) N27°15' 24" E, a distance of 104.72 feet to an iron rod with an illegible cap found for an angle point hereof,
- 5) S67°43'37" E, a distance of 662.54 feet to a calculated point for an angle point hereof,
- 6) N27°37′53″E, a distance of 263.36 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 7) N80°57′11″ E, a distance of 34.03 feet to a 5/8-inch iron rod found for an angle point hereof, and
- 8) S61°31′58″ E, passing at a distance of 76.00 feet a calculated point for the west corner of said Capitol Aggregates -1.000 acre tract, passing at a distance of 555.98 feet a calculated point for the southerly most corner of said Capitol Aggregates 1.000 acre tract, and continuing for a total distance of 835.97 feet to an iron rod with "CP&Y" cap found for the northeast corner hereof, said point being the northeast corner of said APAC 39.34 acre tract, being the southeast corner of said City of Austin 67.1 acre tract, and being in a west bank of the Colorado River;

**THENCE**, with the east line of said APAC – 39.34 acre tract and a meandering west bank of said Colorado River, the following eight (8) courses and distances:

- 1) S53°23'12" W, a distance of 164.73 feet to a calculated point for an angle point hereof,
- 2) S19°21'12" W, a distance of 98.66 feet to a calculated point for an angle point hereof,
- 3) S23°24' 57" W, a distance of 188.68 feet to a calculated point for an angle point hereof,
- 4) S36°00' 57" W, a distance of 153.51 feet to a calculated point for an angle point hereof,
- 5) S47°09'27" W, a distance of 161.91 feet to a calculated point for an angle point hereof,
- 6) S49°43'12" W, a distance of 250.51 feet to a calculated point for an angle point hereof,
- 7) S49°38'12" W, a distance of 199.42 feet to a calculated point for an angle point hereof, and
- 8) S53°06′57″ W, a distance of 211.06 feet to an iron rod with "RPLS 5784" cap found for the southerly most corner hereof, said point being the southerly most corner of said APAC 39.34 acre tract;

**THENCE**, leaving the west bank of said Colorado River, with the south line of said APAC – 39.34 acre tract, N63°36'42" W, a distance of 327.79 feet to a bolt found for an angle point hereof, said point being the easterly most corner of said City of Austin – 31.37 acre tract, and being an angle point in the south line of said APAC – 39.34 acre tract;

**THENCE**, continuing with the south line of said APAC – 39.34 acre tract, and with the north line of said City of Austin – 31.37 acre tract, N63°30'56" W, a distance of 76.56 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of a called 0.055 acre tract (described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), and being an ell-corner in the south line of said APAC – 39.34 acre tract;

**THENCE**, leaving the north line of said City of Austin -31.37 acre tract, with the common line of said APAC -39.34 acre tract and said One Gas tract, in part with the common line of said APAC -5.004 acre tract and said One Gas tract, the following three (3) courses and distances:

- 1) N26°09' 08" E, a distance of 29.91 feet to a 1/2-inch iron rod found for an ell-corner hereof,
- 2) N63°38'11" W, a distance of 79.97 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being in the easterly line of said APAC 5.004 acre tract, and
- 3) **S25°58'04"** W, a distance of **29.87** feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of said APAC 5.004 acre tract, being the westerly most corner of said One Gas tract, and being in the north line of said City of Austin 31.37 acre tract;

**THENCE**, with the north line of said City of Austin -31.37 acre tract and the south line of said APAC -5.004 acre tract, N63°42'48" W, a distance of 993.53 feet to the POINT OF BEGINNING and containing 44.3568 Acres (1,932,183 Square Feet) of land, more or less.


### NOTE:

All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203), all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516.dwg).

apon tota 3/5/2024 Jason Ward, RPLS #5811

Jason Ward, RPLS #5811 4Ward Land Surveying, LLC





P:\01516\Dwg\01516\_Zoning Exhibit (East Exhibit).dwg


	LINE TABLE					
LINE #	DIRECTION	LENGTH				
L1	N2716'35"E	596.39'				
L2	S74°58'05"E	192.61'				
L3	N23°45'12"E	292.80'				
L4	S66°09'06"E	170.89'				
L5	N27"15'24"E	104.72'				
L6	N27*37'53"E	263.36'				
L7	N80°57'11"E	34.03'				
L8	S61°31'58"E	835.97'				
L9	S53°23'12"W	164.73'				
L10	S19°21'12"W	98.66'				
L11	S23°24'57"W	188.68'				
L12	S36°00'57"W	153.51'				
L13	S47°09'27"W	161.91'				
L14	S49*43'12"W	250.51'				
L15	S49'38'12"W	199.42'				
L16	S53°06'57"W	211.06'				
L17	N63*36'42"W	327.79'				
L18	N63°30'56"W	76.56'				
L19	N26°09'08"E	29.91'				
L20	N63°38'11"W	79.97'				
L21	S25°58'04"W	29.87'				
L22	N63*42'48"W	993.53'				
L23	S63*43'07"E	529.25'				
L24	S27"14'46"W	280.68'				
L25	S63'42'04"E	462.53 <b>'</b>				
L26	S25*58'04"W	40.41'				
L27	N61*41'57"W	64.60'				
L28	N28'39'47"E	91.23'				
L29	N27"16'35"E	106.32'				
L30	N28'38'20"E	91.27'				

RECORD LINE TABLE					
LINE #	DIRECTION	LENGTH			
(L2)	S74°57'00"E	192.35'			
<⊥2>	S74°57'00"E	192.35'			
(L3)	N23*46'00"E	293.08'			
<⊥3>	N23*46'00"E	293.08'			
(L4)	S66°05'15"E	170.87'			
<∟4>	S66°05'15"E	170.87'			
(L5)	N27"16'45"E	104.84'			
<⊥5>	N27"16'45"E	104.84'			
(L6)	N27"38'00"E	263.33'			
<⊾6>	N27°38'00"E	263.33'			
(L7)	N80°55'00"E	34.06'			
⊲⊥7>	N80°55'00"E	34.06'			
(L8)	S61"32'00"E	836.01'			
(L9)	S53°23'45"W	164.70'			
(L10)	S19°21'45"W	98.64'			
(L11)	S23°25'30"W	188.64'			
(L12)	S36°01'30"W	153.48'			
(L13)	S4710'00"W	161.88'			
(L14)	S49*43'45"W	250.46'			

RECORD LINE TABLE					
LINE #	DIRECTION	LENGTH			
(L15)	S49°38'45"W	199.38'			
(L16)	S53°07'30"W	211.02'			
(L17)	N63'39'45"W	327.78'			
(L18)	N6310'30"W	76.46'			
(L19)	N25*41'30"E	28.80'			
{L19}	N27*59'00"E	30.00'			
(L20)	N63°34'15"W	79.62'			
{L20}	N62*01'00"W	80.00'			
{L21}	S27*59'00"W	30.00'			
[L22]	N63*44'21"W	993.95'			
(L23)	S63*42'26"E	528.94'			
[L23]	S63*42'26"E	529.10'			
(L24)	S27"16'45"W	280.72'			
[L24]	S27"15'50"W	280.72			
(L25)	S63*42'15"E	462.81'			
[L25]	S63*41'00"E	462.59'			
(L26)	S25*47'00"W	40.86'			
((L27))	N61°45'00"W	64.64'			
⊲∟28>	N28°28'00"E	90.75'			
⊲∟29>	N2716'45"E	106.31'			
<∟30>	N28°28'00"E	90.75'			

44.3568 ACRES ZONING EXHIBIT City of Austin, Travis County, Texas





1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.


3/5/2024



44.3568 ACRES ZONING EXHIBIT City of Austin, Travis County, Texas



P:\01516\Dwg\01516\_Zoning Exhibit (East Exhibit).dwg



This product has been produced by the Housing and Planning Department for the sole purpose of geographic reference. No warranty is made by the City of Austin regarding specific accuracy or

Created: 4/11/2023

EXHIBIT "

(Ordinary High Water Mark Setback) James Burleson Survey No. 19, Abstract No. 4

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 12.4545 ACRES (542,520 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), SAID 12.4545 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

**BEGINNING**, at an iron rod with "RPLS 5784" cap found in a west bank of the Colorado River, and being the southerly most corner of said APAC – 39.34 acre tract, for the southwest corner and **POINT OF BEGINNING** hereof;

**THENCE**, leaving the west bank of said Colorado River, with the south line of said APAC -39.34 acre tract, N63°36′42″ W, a distance of 327.79 feet to a bolt found for an angle point hereof, said point being the easterly most corner of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being an angle point in the south line of said APAC -39.34 acre tract;

**THENCE**, continuing with the south line of said APAC – 39.34 acre tract, and with the north line of said City of Austin – 31.37 acre tract, N63°30'56" W, a distance of **58.69** feet to a calculated point for the northwest corner hereof, from which a 1/2-inch iron rod found for the southerly most corner of a called 0.055 acre tract (described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), and being an ell-corner in the south line of said APAC – 39.34 acre tract bears, N63°30'56"W, a distance of 17.87 feet;

**THENCE**, leaving the north line of said City of Austin 31.37 acre tract and the south line of said APAC - 31.37 acre tract, over and across said APAC - 31.37 acre tract, the following seventy-six (76) courses and distances:

- 1) N56°23'05"E, a distance of 7.77 feet to a calculated point for an angle point hereof,
- 2) N57°37'04"E, a distance of 17.19 feet to a calculated point for an angle point hereof,
- 3) N35°55'44"E, a distance of 21.93 feet to a calculated point for an angle point hereof,
- 4) N39°22'27"E, a distance of 26.18 feet to a calculated point for an angle point hereof,
- 5) N43°07'36"E, a distance of 19.42 feet to a calculated point for an angle point hereof,
- 6) **S00°01'27''E**, a distance of **21.20** feet to a calculated point for an angle point hereof,
- 7) N89°58'36"W, a distance of 5.01 feet to a calculated point for an angle point hereof,
- 8) **S00°00'39"E**, a distance of **5.00** feet to a calculated point for an angle point hereof,
- 9) N90°00'00"W, a distance of 5.00 feet to a calculated point for an angle point hereof,
- 10) S00°04'44"W, a distance of 5.00 feet to a calculated point for an angle point hereof,
- 11) S89°59'28"W, a distance of 4.99 feet to a calculated point for an angle point hereof,
- 12) S00°04'18"E, a distance of 5.00 feet to a calculated point for an angle point hereof,
- 13) N89°59'05"W, a distance of 10.00 feet to a calculated point for an angle point hereof,
- 14) S00°17'17"W, a distance of 2.21 feet to a calculated point for an angle point hereof,
- 15) S00°00'00"E, a distance of 2.79 feet to a calculated point for an angle point hereof,
- 16) S89°59'18"E, a distance of 9.99 feet to a calculated point for an angle point hereof,
- 17) S00°04'44"E, a distance of 5.00 feet to a calculated point for an angle point hereof,

18) N89°59'02"'E, a distance of 5.00 feet to a calculated point for an angle point hereof, 19) **S00°00'00"E**, a distance of **5.00** feet to a calculated point for an angle point hereof, 20) N90°00'00"E, a distance of 5.00 feet to a calculated point for an angle point hereof, 21) **S00°00'00''W**, a distance of **5.00** feet to a calculated point for an angle point hereof, 22) **S89°54'51"E**, a distance of **5.00** feet to a calculated point for an angle point hereof, 23) **S00°07'06"E**, a distance of **4.99** feet to a calculated point for an angle point hereof, 24) **S90°00'00''E**, a distance of **9.99** feet to a calculated point for an angle point hereof, 25) S00°00'00"E, a distance of 1.73 feet to a calculated point for an angle point hereof, 26) **S00°22'39"E**, a distance of **3.27** feet to a calculated point for an angle point hereof, 27) N90°00'00"E, a distance of 72.11 feet to a calculated point for an angle point hereof, 28) N89°59'44"E, a distance of 7.87 feet to a calculated point for an angle point hereof, 29) N00°04'11"W, a distance of 5.00 feet to a calculated point for an angle point hereof, 30) **S89°59'05''E**, a distance of **10.00** feet to a calculated point for an angle point hereof, 31) N00°14'29"E, a distance of 1.85 feet to a calculated point for an angle point hereof, 32) N00°13'40"E, a distance of 3.15 feet to a calculated point for an angle point hereof, 33) S89°58'23"E, a distance of 4.99 feet to a calculated point for an angle point hereof, 34) N00°04'18"W, a distance of 5.00 feet to a calculated point for an angle point hereof, 35) N89°57'58"E, a distance of 5.00 feet to a calculated point for an angle point hereof, 36) N00°01'50"E, a distance of 5.00 feet to a calculated point for an angle point hereof, 37) N89°58'23"E, a distance of 4.99 feet to a calculated point for an angle point hereof, 38) N00°33'18"E, a distance of 0.95 feet to a calculated point for an angle point hereof, 39) N00°00'00"W, a distance of 4.05 feet to a calculated point for an angle point hereof, 40) **S89°58'36"E**, a distance of **5.00** feet to a calculated point for an angle point hereof, 41) N00°03'14"W, a distance of 5.00 feet to a calculated point for an angle point hereof, 42) N89°55'42"E, a distance of 5.01 feet to a calculated point for an angle point hereof, 43) N00°00'00"W, a distance of 24.45 feet to a calculated point for an angle point hereof, 44) N00°00'00"E, a distance of 0.55 feet to a calculated point for an angle point hereof, 45) N89°58'10"W, a distance of 4.99 feet to a calculated point for an angle point hereof, 46) N00°00'16"W, a distance of 107.07 feet to a calculated point for an angle point hereof, 47) N00°00'16"W, a distance of 13.96 feet to a calculated point for an angle point hereof, 48) N64°59'38"E, a distance of 29.10 feet to a calculated point for an angle point hereof, 49) N42°27'07"E, a distance of 17.87 feet to a calculated point for an angle point hereof, 50) N28°31'34"E, a distance of 1.64 feet to a calculated point for an angle point hereof, 51) N07°49'44"E, a distance of 28.14 feet to a calculated point for an angle point hereof, 52) N42°27'03"E, a distance of 361.37 feet to a calculated point for an angle point hereof, 53) **S87°23'02''E**, a distance of **82.46** feet to a calculated point for an angle point hereof, 54) N45°52'51"E, a distance of 26.38 feet to a calculated point for an angle point hereof, 55) N58°30'52"E, a distance of 11.97 feet to a calculated point for an angle point hereof, 56) N51°54'10"E, a distance of 30.45 feet to a calculated point for an angle point hereof, 57) N47°27'11"E, a distance of 23.75 feet to a calculated point for an angle point hereof, 58) N40°11'37"E, a distance of 22.67 feet to a calculated point for an angle point hereof, 59) N45°15'00"E, a distance of 42.07 feet to a calculated point for an angle point hereof, 60) N39°44'19"E, a distance of 20.38 feet to a calculated point for an angle point hereof, 61) N44°17'54"'E, a distance of 20.90 feet to a calculated point for an angle point hereof, 62) N40°04'33"E, a distance of 19.06 feet to a calculated point for an angle point hereof, 63) N33°48'28"E, a distance of 43.09 feet to a calculated point for an angle point hereof, 64) N27°33'24"E, a distance of 2.18 feet to a calculated point for an angle point hereof,

- 65) N41°28'57"E, a distance of 1.78 feet to a calculated point for an angle point hereof,
- 66) N33°48'28"E, a distance of 2.71 feet to a calculated point for an angle point hereof,
- 67) N48°23'02"E, a distance of 3.01 feet to a calculated point for an angle point hereof,
- 68) N41°28'57"E, a distance of 27.88 feet to a calculated point for an angle point hereof,
- 69) N16°27'38"E, a distance of 6.52 feet to a calculated point for an angle point hereof,
- 70) N36°38'51"E, a distance of 32.13 feet to a calculated point for an angle point hereof,
- 71) N20°53'40"E, a distance of 0.50 feet to a calculated point for an angle point hereof,
- 72) N18°42'19"E, a distance of 54.22 feet to a calculated point for an angle point hereof,
- 73) N21°24'28"E, a distance of 24.61 feet to a calculated point for an angle point hereof,
- 74) N17°38'23"E, a distance of 47.33 feet to a calculated point for an angle point hereof,
- 75) N23°34'23"E, a distance of 140.76 feet to a calculated point for an angle point hereof, and
- 76) N44°34'19"E, a distance of 81.55 feet to a calculated point for the northeast corner hereof, said point being in the northeast line of said APAC 39.34 acre tract, and being in the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.);

**THENCE**, with the northeast line of said APAC – 39.34 acre tract and the southwest line of said Capitol Aggregates – 1.00 acre tract, in part with the common line of said APAC – 39.34 acre tract and a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), **S61°31′58″ E**, passing at a distance of 146.61 feet a calculated point for the southerly most corner of said Capitol Aggregates – 1.000 acre tract, and being an ell-corner in the southwest line of said City of Austin – 67.1 acre tract, and continuing for a total distance of **426.60** feet to an iron rod with "CP&Y" cap found for the northeast corner hereof, said point being the northeast corner of said APAC – 39.34 acre tract, being the southeast corner of said City of Austin – 67.1 acre tract, and being in a west bank of said Colorado River;

**THENCE**, with the east line of said APAC – 39.34 acre tract and a meandering west bank of said Colorado River, the following eight (8) courses and distances:


- 1) S53°23'12" W, a distance of 164.73 feet to a calculated point for an angle point hereof,
- 2) **S19°21'12"** W, a distance of **98.66** feet to a calculated point for an angle point hereof,
- 3) S23°24' 57" W, a distance of 188.68 feet to a calculated point for an angle point hereof,
- 4) S36°00' 57" W, a distance of 153.51 feet to a calculated point for an angle point hereof,
- 5) S47°09'27" W, a distance of 161.91 feet to a calculated point for an angle point hereof,
- 6) S49°43'12" W, a distance of 250.51 feet to a calculated point for an angle point hereof,
- 7) S49°38'12" W, a distance of 199.42 feet to a calculated point for an angle point hereof, and
- 8) **S53°06' 57"** W, a distance of **211.06** feet to the **POINT OF BEGINNING** and containing 12.4545 Acres (542,520 Square Feet) of land, more or less.

### Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 OHWM East Exhibit.dwg.)

1/25/24 Jason Ward, RPLS #5811 4Ward Land Surveying, LLC


<u>References:</u> TCAD #789580 COA Grid #M-20 & M-21




P:\01516\Dwg\01516\_OHWM East Exhibit.dwg



P:\01516\Dwg\01516\_OHWM East Exhibit.dwg




P:\01516\Dwg\01516\_OHWM East Exhibit.dwg



P:\01516\Dwg\01516\_OHWM East Exhibit.dwg

Cowg (01010\_0110m Edst Exhibit.



	LINE TABLE			LINE TABLE			LINE TABLE	
LINE #	DIRECTION	LENGTH	LINE #	DIRECTION	LENGTH	LINE #	DIRECTION	LENGTH
L1	N63*30'56"W	58.69'	L31	N00"14'29"E	1.85'	L61	N40°04'33"E	19.06'
L2	N56°23'05"E	7.77'	L32	N0013'40"E	3.15'	L62	N33°48'28"E	43.09'
L3	N57°37'04"E	17.19'	L33	S89°58'23"E	4.99'	L63	N27°33'24"E	2.18'
L4	N35*55'44"E	21.93'	L34	N00°04'18"W	5.00'	L64	N41°28'57"E	1.78'
L5	N39°22'27"E	26.18'	L35	N89*57'58"E	5.00'	L65	N33°48'28"E	2.71'
L6	N43°07'36"E	19.42'	L36	N00°01'50"E	5.00'	L66	N48°23'02"E	3.01'
L7	S00°01'27"E	21.20'	L37	N89*58'23"E	4.99'	L67	N41°28'57"E	27.88'
L8	N89*58'36"W	5.01'	L38	N00'33'18"E	0.95'	L68	N16°27'38"E	6.52'
L9	S00°00'39"E	5.00'	L39	N00'00'00"W	4.05'	L69	N36°38'51"E	32.13'
L10	N90'00'00"W	5.00'	L40	S89*58'36"E	5.00'	L70	N20°53'40"E	0.50'
L11	S00°04'44"W	5.00'	L41	N00°03'14"W	5.00'	L71	N18*42'19"E	54.22'
L12	S89*59'28"W	4.99'	L42	N89°55'42"E	5.01'	L72	N21°24'28"E	24.61'
L13	S00°04'18"E	5.00'	L43	N00°00'00"E	24.45'	L73	N17*38'23"E	47.33'
L14	N89*59'05"W	10.00'	L44	N00°00'00"E	0.55'	L74	N23°34'23"E	140.76'
L15	S00°17'17"W	2.21'	L45	N89*58'10"W	4.99'	L75	N44°34'19"E	81.55'
L16	S00°00'00"E	2.79'	L46	N00°00'16"W	107.07'	L76	S53°23'12"W	164.73'
L17	S89*59'18"E	9.99'	L47	N00°00'16"W	13.96'	L77	S19'21'12"W	98.66'
L18	S00°04'44"E	5.00'	L48	N64*59'38"E	29.10'	L78	S36'00'57"W	153.51'
L19	N89*59'02"E	5.00'	L49	N42°27'07"E	17.87'	L79	S47'09'27"W	161.91'
L20	S00°00'00"E	5.00'	L50	N28°31'34"E	1.64'			
L21	N90°00'00"E	5.00'	L51	N07*49'44"E	28.14'			
L22	S00°00'00"E	5.00'	L52	S87*23'02"E	82.46'	REC	ORD LINE T	ABLE
L23	S89*54'51"E	5.00'	L53	N45°52'51"E	26.38'	LINE #	DIRECTION	LENGTH
L24	S00°07'06"E	4.99'	L54	N58'30'52"E	11.97'	(L76)	S53*23'45"W	164.70'
L25	S90°00'00"E	9.99'	L55	N51°54'10"E	30.45'	(L77)	S19*21'45"W	98.64'
L26	S00°00'00"E	1.73'	L56	N47°27'11"E	23.75'	(L78)	S36°01'30"W	153.48'
L27	S00°22'39"E	3.27'	L57	N40'11'37"E	22.67'	(L79)	S47'10'00"W	161.88'
L28	N89°59'44"E	7.87'	L58	N4515'00"E	42.07'			>
L29	N00°04'11"W	5.00'	L59	N39°44'19"E	20.38'			
L30	S89*59'05"E	10.00'	L60	N4417'54"E	20.90'			

ORDINARY HIGH WATER MARK SETBACK City of Austin, Travis County, Texas



Date:	1/25/2024
Project:	01516
Scale:	1" = 100'
Reviewer:	FP
Tech:	TR
Field Crew:	CR/RT
Survey Date:	OCT. 2022
Sheet:	6 OF 7

P:\01516\Dwg\01516\_OHWM East Exhibit.dwg

[A] APAC-TEXAS, INC. CALLED 39.34 ACRES DOC. NO. 2009205761 O.P.R.T.C.T.

## [B] JAMES BURLESON SURVEY NO. 19 ABSTRACT NO. 4

3	LEGEND
	SETBACK LINE EXISTING PROPERTY LINES
$\bigtriangleup$	CALCULATED POINT
0	BOLT FOUND AS NOTED
•	1/2" IRON ROD FOUND (UNLESS NOTED)
	IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED)
P.O.B.	POINT OF BEGINNING
VOL./PG.	VOLUME, PAGE
DOC. NO.	DOCUMENT NUMBER
R.O.W.	RIGHT-OF-WAY
0.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS
D.R.T.C.T.	DEED RECORDS, TRAVIS COUNTY, TEXAS
()	RECORD INFORMATION PER DEED DOC. NO. 2009205757
<>	RECORD INFORMATION PER DEED DOC. NO. 2013117685

COA GRID #M-20 & M-21 TCAD PARCEL #789580

### NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



1/25/2024

# ORDINARY HIGH WATER MARK SETBACK City of Austin, Travis County, Texas



### EXHIBIT "D"

### (180' Max Building Height) James Burleson Survey No. 19, Abstract No. 4

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 19.8667 ACRES (865,395 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING A PORTION OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858 (O.P.R.T.C.T.), SAID 19.8667 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

**BEGINNING**, at a TxDOT Type I concrete monument found in the east right-of-way line of said U.S. Highway 183, being in the northeast line of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being the west corner of said APAC-5.004 acre tract, for the westerly most corner and **POINT OF BEGINNING** hereof, from which a mag nail found for an angle point in the east right-of-way line of said U.S. Highway 183, being the northeast corner of a called 71.35 acre tract conveyed to APAC-Texas, Inc. in Document No. 2009205757 (O.P.R.T.C.T.), and being near the northwest corner of said City of Austin – 31.37 acre tract bears, N61°41'57"W, a distance of 64.60 feet;

**THENCE**, with the easterly right-of-way line of said U.S. Highway 183, the west line of said APAC - 5.004 acre tract, and with the west line of said APAC-39.34 acre tract, **N27°16′35″ E**, passing at a distance of 351.03 feet an iron rod with "RPLS 5784" cap found for the common west corner of said APAC - 5.004 acre tract and said APAC - 39.34 acre tract, and continuing for a total distance of **596.39** feet to a calculated point for an angle point hereof (from which an iron rod with "RPLS 5784" cap found bears, S74°58'05"E, a distance of 0.51 feet), said point being an angle point in the west line of said APAC - 39.34 acre tract, and being the southwest corner of a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which a TxDOT Type III aluminum monument found for an angle point in the east right-of-way line of said U.S. Highway 183, and being an angle point in the west line of said City of Austin – 67.1 acre tract bears, N27°16'35''E, a distance of 106.32 feet;

**THENCE**, leaving the east right-of-way line of said U.S. Highway 183, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following five (5) courses and distances:

- 1) S74°58'05" E, a distance of 192.61 feet to an iron rod with "RPLS 5784" cap found for an angle point hereof,
- 2) N23°45′12″ E, a distance of 292.80 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 3) S66°09'06" E, a distance of 170.89 feet to a 1/2-inch iron rod found for an angle point hereof,
- 4) N27°15′24″ E, a distance of 104.72 feet to an iron rod with an illegible cap found for an angle point hereof, and
- 5) **S67°43'37"** E, a distance of **552.45** feet to a calculated point for the northeast corner hereof, from which a calculated point for an ell-corner in the common line of said APAC 39.34 acre tract and said City of Austin 67.1 acre tract bears, S67°43'37"E, a distance of 110.09 feet;

**THENCE**, leaving the common line of said APAC -39.34 acre tract and said City of Austin -67.1 acre tract, over and across said APAC -39.34 acre tract and said APAC -5.004 acre tract, the following two (2) courses and distances:

- 1) S27°26'04" W, a distance of 226.94 feet to a calculated point for an angle point hereof, and
- 2) S23°34′04″ W, a distance of 851.12 feet to a calculated point for the southeast corner hereof, said point being in the common line of said APAC 5.004 acre tract and said City of Austin 31.37 acre tract, from which a 1/2-inch iron rod found for the southwest corner of a called 0.055 acre tract (Described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), being the southerly most corner of said APAC 5.004 acre tract, and being in the north line of said City of Austin 31.37 acre tract bears, S63°42′48"E, a distance of 47.83 feet;

**THENCE**, with the common line of said APAC – 5.004 acre tract and said City of Austin – 31.37 acre tract, N63°42′48″ W, a distance of 945.70 feet to the POINT OF BEGINNING and containing 19.8667 Acres (865,395 Square Feet) of land, more or less.

### Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516 180' Max Bldg Ht (East Exhibit).dwg.)

Jason Ward, RPLS #5811 4Ward Land Surveying, LLC

2/2/24



**References:** TCAD #789580 COA Grid #M-20 & M-21




P:\01516\Dwg\01516\_180' Max Bldg Ht (East Exhibit).dwg

LINE TABLE					
LINE #	DIRECTION	LENGTH			
L1	S74°58'05"E	192.61'			
L2	N23°45'12"E	292.80'			
L3	S66°09'06"E	170.89'			
L4	N2715'24"E	104.72'			
L5	N61*41'57"W	6 <b>4</b> .60'			

RECORD LINE TABLE						
LINE #	DIRECTION	LENGTH				
(L1)	S74°57'00"E	192.35'				
⊲_1>	S74°57'00"E	192.35'				
(L2)	N23*46'00"E	293.08'				
⊲_2>	N23°46'00"E	293.08'				
(L3)	S66°05'15"E	170.87'				
⊲_3>	S66°05'15"E	170.87'				
(L4)	N27°16'45"E	104.84'				
⊲_4>	N27°16'45"E	104.84'				
((L5))	N61*45'00"W	64.64'				

[A] APAC-TEXAS, INC. CALLED 5.004 ACRES DOC. NO. 2016138858 O.P.R.T.C.T.



### NOTES:

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



-	LEGEND
	MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES
$\bigtriangleup$	CALCULATED POINT
0	BOLT FOUND AS NOTED
•	1/2" IRON ROD FOUND (UNLESS NOTED)
	IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED)
<b>A</b>	MAG NAIL IN ASPHALT FOUND
	TXDOT TYPE I CONCRETE MONUMENT FOUND (UNLESS NOTED)
	TXDOT TYPE III 5/8" ALUMINUM CAPPED FOUND (UNLESS NOTED)
P.O.B.	POINT OF BEGINNING
VOL./PG.	VOLUME, PAGE
DOC. NO.	DOCUMENT NUMBER
R.O.W.	RIGHT-OF-WAY
0.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS
D.R.T.C.T.	DEED RECORDS, TRAVIS COUNTY, TEXAS
()	RECORD INFORMATION PER DEED DOC. NO. 2009205757
<>	RECORD INFORMATION PER DEED DOC. NO. 2013117685
[]	RECORD INFORMATION PER DEED DOC. NO. 2016138858
(())	RECORD INFORMATION PER DEED DOC. NO. 2009205757

COA GRID #M-20 & M-21 TCAD PARCEL #789580







P:\01516\Dwg\01516\_180' Max Bldg Ht (East Exhibit).dwg

### (60' Max Building Height) James Burleson Survey No. 19, Abstract No. 4

BEING A DESCRIPTION OF A TRACT OF LAND CONTAINING 24.4901 ACRES (1,066,788 SQUARE FEET) OF LAND, MORE OR LESS, BEING OUT OF THE JAMES BURLESON SURVEY NO. 19, ABSTRACT NO. 4, TRAVIS COUNTY, TEXAS, BEING A PORTION OF A CALLED 39.34 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2009205761 OF THE OFFICIAL PUBLIC RECORDS OF TRAVIS COUNTY, TEXAS (O.P.R.T.C.T.), AND BEING A PORTION OF A CALLED 5.004 ACRE TRACT CONVEYED TO APAC-TEXAS, INC. IN DOCUMENT NO. 2016138858, SAID 24.4901 ACRES BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:



PO Box 90876 Austin, TX 78709 512.554.3371 jward@4wardls.com www.4wardls.com

**BEGINNING**, at an iron rod with "RPLS 5784" cap found in a west bank of the Colorado River, and being the southerly most corner of said APAC – 39.34 acre tract, for the southwest corner and **POINT OF BEGINNING** hereof;

**THENCE**, leaving the west bank of said Colorado River, with the south line of said APAC – 39.34 acre tract, N63°36′42″ W, a distance of **327.79** feet to a bolt found for an angle point hereof, said point being the easterly most corner of a called 31.37 acre tract conveyed to the City of Austin in Volume 511, Page 365 of the Deed Records of Travis County, Texas (D.R.T.C.T.), and being an angle point in the south line of said APAC – 39.34 acre tract;

**THENCE**, continuing with the south line of said APAC – 39.34 acre tract, and with the north line of said City of Austin – 31.37 acre tract, N63°30′56″ W, a distance of 76.56 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of a called 0.055 acre tract (described as "Tract 3") conveyed to One Gas, Inc. in Document No. 2014016896 (O.P.R.T.C.T.), and being an ell-corner in the south line of said APAC – 39.34 acre tract;

**THENCE**, leaving the north line of said City of Austin -31.37 acre tract, with the common line of said APAC -39.34 acre tract and said One Gas tract, in part with the common line of said APAC -5.004 acre tract and said One Gas tract, the following three (3) courses and distances:

- 1) N26°09'08" E, a distance of 29.91 feet to a 1/2-inch iron rod found for an ell-corner hereof,
- 2) N63°38'11" W, a distance of 79.97 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being in the easterly line of said APAC 5.004 acre tract, and
- 3) S25°58′04″ W, a distance of 29.87 feet to a 1/2-inch iron rod found for an ell-corner hereof, said point being the southerly most corner of said APAC 5.004 acre tract, being the westerly most corner of said One Gas tract, and being in the north line of said City of Austin 31.37 acre tract;

**THENCE**, with the north line of said City of Austin - 31.37 acre tract and the south line of said APAC - 5.004 acre tract, N63°42′48″ W, a distance of 47.83 feet to a calculated point for the westerly most corner hereof;

**THENCE**, leaving the north line of said City of Austin -31.37 acre tract and the south line of said APAC -5.004 acre tract, over and across said APAC -5.004 acre tract and said APAC -39.34 acre tract, the following two (2) courses and distances:

1) N23°34′04″ E, a distance of 851.12 feet to a calculated point for an angle point hereof, and

2) N27°26′04″ E, a distance of 226.94 feet to a calculated point for an angle point hereof, said point being in the common line of said APAC – 39.34 acre tract and a called 67.1 acre tract conveyed to the City of Austin in Document No. 2013117685 (O.P.R.T.C.T.), from which an iron rod with an illegible cap found for an ell-corner in the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract bears, N67°43'37"W, a distance of 552.45 feet;

**THENCE**, with the common line of said APAC – 39.34 acre tract and said City of Austin – 67.1 acre tract, in part with the southwest line of a called 1.000 acre tract described in deed recorded in Document No. 2013117686 (O.P.R.T.C.T.), said 1.000 acre tract being a portion of a called 75.39 acre tract conveyed to Capitol Aggregates, Inc. in Volume 3780, Page 440 (D.R.T.C.T.), the following four (4) courses and distances:

- 1) S67°43'37" E, a distance of 110.09 feet to a calculated point for an angle point hereof,
- 2) N27°37′53″ E, a distance of 263.36 feet to an iron rod with "CP&Y" cap found for an angle point hereof,
- 3) N80°57′11″ E, a distance of 34.03 feet to a 5/8-inch iron rod found for an angle point hereof, and
- 4) S61°31′58″ E, passing at a distance of 76.00 feet a calculated point for the west corner of said Capitol Aggregates -1.000 acre tract, passing at a distance of 555.98 feet a calculated point for the southerly most corner of said Capitol Aggregates 1.000 acre tract, and continuing for a total distance of 835.97 feet to an iron rod with "CP&Y" cap found for the northeast corner hereof, said point being the northeast corner of said APAC 39.34 acre tract, being the southeast corner of said City of Austin 67.1 acre tract, and being in a west bank of the Colorado River;

**THENCE**, with the east line of said APAC – 39.34 acre tract and a meandering west bank of said Colorado River, the following eight (8) courses and distances:

- 1) S53°23'12" W, a distance of 164.73 feet to a calculated point for an angle point hereof,
- 2) S19°21'12" W, a distance of 98.66 feet to a calculated point for an angle point hereof,
- 3) S23°24' 57" W, a distance of 188.68 feet to a calculated point for an angle point hereof,
- 4) S36°00' 57" W, a distance of 153.51 feet to a calculated point for an angle point hereof,
- 5) S47°09'27" W, a distance of 161.91 feet to a calculated point for an angle point hereof,
- 6) S49°43'12" W, a distance of 250.51 feet to a calculated point for an angle point hereof,
- 7) S49°38'12" W, a distance of 199.42 feet to a calculated point for an angle point hereof, and
- 8) **S53°06'57"** W, a distance of **211.06** feet to the **POINT OF BEGINNING** and containing 24.4901 Acres (1,066,788 Square Feet) of land, more or less.

### Notes:


All bearings are based on the Texas State Plane Coordinate System, Grid North, Central Zone (4203); all distances were adjusted to surface using a combined scale factor of 1.000054354601. See attached sketch (reference drawing: 01516\_60' Max Bldg Ht (East Exhibit).dwg.)

am 2/2/24


Jason Ward, RPLS #5811 4Ward Land Surveying, LLC




<u>References:</u> TCAD #789580 COA Grid #M-20 & M-21




P:\01516\Dwg\01516\_60' Max Bldg Ht (East Exhibit).dwg



P:\01516\Dwg\01516\_60' Max Bldg Ht (East Exhibit).dwg





**City of Austin, Travis County, Texas** 

A Limited Liability Company Field Crew: PO Box 90876, Austin Texas 78709 Survey Date: OCT. 2022 INFO@4WARDLS.COM (512) 537-2384 **TBPELS FIRM #10174300** Sheet:

P:\01516\Dwg\01516\_60' Max Bldg Ht (East Exhibit).dwg

CR/RT

4 OF 5

[A] APAC-TEXAS, INC.		LEGEND
CALLED 5.004 ACRES DOC. NO. 2016138858 O.P.R.T.C.T.	 ⊚ ●	MAX BUILDING HEIGHT LINE EXISTING PROPERTY LINES CALCULATED POINT BOLT FOUND AS NOTED 1/2" IRON ROD FOUND (UNLESS NOTED)
		IRON ROD WITH "RPLS 5784" CAP FOUND (UNLESS NOTED)
	P.O.B.	POINT OF BEGINNING
	VOL./PG.	VOLUME, PAGE
1 1	DOC. NO.	DOCUMENT NUMBER
ames burleson	R.O.W.	RIGHT-OF-WAY
Survey No. 19	0.P.R.T.C.T.	OFFICIAL PUBLIC RECORDS, TRAVIS COUNTY, TEXAS
lbstract no. 4	D.R.T.C.T.	DEED RECORDS, TRAVIS COUNTY, TEXAS
	()	RECORD INFORMATION PER DEED DOC. NO. 2009205757
	<>	RECORD INFORMATION PER DEED DOC. NO. 2013117685
	{}	RECORD INFORMATION PER DEED DOC. NO. 2014016896

COA GRID #M-20 & M-21 TCAD PARCEL #789580

### NOTES:

J

1) ALL BEARINGS ARE BASED ON THE TEXAS STATE PLANE COORDINATE SYSTEM, GRID NORTH, CENTRAL ZONE, (4203), NAD83, ALL DISTANCES WERE ADJUSTED TO SURFACE USING A SCALE FACTOR OF 1.000054354601.

2) SEE ATTACHED METES AND BOUNDS DESCRIPTION.



2/2/2024

60' Max Building Height Exhibit City of Austin, Travis County, Texas



P:\01516\Dwg\01516\_60' Max Bldg Ht (East Exhibit).dwg