

# Round II Modeling Results

## Austin Energy Resource, Generation and Climate Protection Plan to 2035

Michael Enger

Vice President, Energy Market Operations & Resource Planning



October 21, 2024

© Austin Energy

# Agenda



Recap of Modeling Timeline



Round II Modeling Results




Insights From Modeling To Date




Discussion & Next Steps



# Modeling Timeline



**Data Sources**



# Transitioning to Plan Development



## Resource Modeling

- How well do different resource mixes mitigate reliability, liquidity and load zone price separation risk?
- What are the tradeoffs in reliability, cost, and emissions between different portfolio mixes?



## Resource Planning

- What insights did we learn from the modeling process that should inform the plan?
- What are the key characteristics from the modeled portfolios that mitigate risk and balance tradeoffs?

# Round II Modeling



# Round II Portfolios

Austin Energy and EUC selected four new portfolios to improve our understanding of risks and tradeoffs

Portfolio 14  
Results in  
Progress

14

- Variation of Portfolio 10 with incremental new local storage + gas
- Tests “floor” level of local resources needed to maintain reliability

15

- Variation of Portfolio 12 with more local solar + storage + DR
- Tests cost/reliability of aggressive mix of DSM + storage only

16

- Variation of Portfolio 12 with larger ratio of storage to solar + more DR
- Tests relative performance of different solar + storage mixes
- Maintains Decker/Sand Hill past 2034

17

- Identical to Portfolio 12 with Decker/Sand Hill operating past 2034




# Reference Guide to New Portfolios

REF #	DESCRIPTION
10	<b>395 MW local storage</b> , 100% DNV projections, 65% RE (1,800 MW wind/solar PPAs), REACH on gas, <b>Decker/Sand Hill run through 2035</b>
14	<b>125 MW local storage</b> (100 MW 4-hr, 25 MW 2-hr), <b>200 MW local peakers</b> , 100% DNV projections (431 MW local solar, 270 MW demand response), 250 MW import capacity increase, 65% RE (1,800 MW wind/ solar PPAs), REACH on gas, Decker/Sand Hill run through 2035
12	<b>525 MW local storage</b> (300 MW 12-hr, 200 MW 4-hr, 25 MW 2-hr), <b>700 MW local solar</b> , <b>300 MW demand response</b> , 100% RE as % of load (2,500 MW wind/solar PPAs), 100% CF, REACH on gas, retire Decker/Sand Hill 2034
15	<b>625 MW local storage</b> (350 MW 12-hr, 250 MW 4-hr, 25 MW 2-hr), <b>960 MW local solar</b> , <b>325 MW demand response</b> , 250 MW import capacity increase, 100% CF, 100% RE as % of load (2,500 MW wind/solar PPAs), REACH on gas, retire Decker/Sand Hill in 2034
16	<b>525 MW local storage</b> (300 MW 12-hr, 200 MW 4-hr, 25 MW 2-hr), <b>860 MW local solar</b> , <b>400 MW demand response</b> , 250 MW import capacity increase, 100% RE as % of load (2,500 MW wind/solar PPAs), REACH on gas, Decker/Sand Hill run through 2035
17	Same as 12 except <b>Decker/Sand Hill run through 2035</b>



# Transmission Import Capacity



**Portfolios 14-16 include 250 MW increase of import capacity in 2031**

- When the lines we use to bring electricity into the service territory get overloaded (“local congestion”), Austin Energy can experience higher costs and higher reliability risk
- Caused by high load, reduced local generation, issues with transmission system, or some combination of these



# Scenarios

Future states (2025-2035) through which portfolios are stress-tested to measure risk to Austin Energy



## Austin Energy Load

Uses higher load growth projection from Webber Energy Group study



## Extreme Local Congestion

Simulates local generation and/or transmission outages



## Extreme Events

Summer heat, winter storm, low wind days



## Natural Gas Prices

Gas price increases




# Important Context for this Discussion




**Models provide information**  
not a specific plan or recommendation

The following slides show data results associated with preliminary modeling efforts for the Resource, Generation and Climate Protection Plan to 2035. **These results do not reflect a recommendation, and they do not reflect a plan.** These results are for informational purposes only. All modeling reflects the input assumptions coordinated with the Electric Utility Commission earlier this year.



# Round II Portfolios Demand-Side Management vs. DNV Market Potential Study

DSM targets in Portfolios 15-17 exceed the maximum economic market potential from recent DNV market potential study



# Round II Modeling Portfolio Comparison – Net Cost







## Net Cost

- “Net Cost” = Total capital + O&M costs to generate power – Total revenue from sale of power for a given portfolio mix.
- Capital costs for new assets amortized (spread out evenly) over expected life of asset.
- O&M costs include fuel, personnel, regular maintenance, etc.
- To compare a single “Net Cost” value across portfolios we use the Net Present Value (NPV) of the annual net costs for the 20-year period 2025-2045 using 7.8% discount rate.

# Net Present Value of 20-Yr Annual Net Costs (\$B)




# Net Present Value of 20-Yr Annual Net Costs (\$B) – All Scenarios - UPLAN



- Normal Conditions
- High Load Growth Scenario
- High Congestion Scenario
- Extreme Weather Scenario
- High Fuel Cost Growth Scenario



# Net Present Value of 20-Yr Annual Net Costs (\$B) – Sensitivity of Forward Battery Costs



**Portfolios 15-17:**  
Average cost difference is 2% (\$190M) using NREL Cost Estimates



■ Austin Energy 20-yr NPV Net Cost  
■ NREL Forward Cost Estimate - 20-yr NPV Net Cost






## Bill Impact

- "Average Monthly Residential Bill Increase" = expected increase in a typical Austin Energy residential customer's monthly electricity bill over time due to the additional net costs associated with the generation portfolio only
- Based on the "Net Cost" of each portfolio
- Does not account for any other new or required Austin Energy capital or O&M costs in the future

# 2035 Average Monthly Residential Bill Increase

Austin Energy 2% Affordability Target is not adjusted for inflation.  
Monthly bill impact data provided in nominal dollars



**DISCLAIMER:** These are representative results based on modeling for the 2035 Resource Generation Plan and are not projections of Austin Energy's future prices. The results are not inclusive of factors beyond the scope of this Resource Generation Plan modeling.




# Electricity Burden

- “Electricity Burden” is the percentage of a household’s monthly income that goes toward their electricity bill
- A higher percentage of income dedicated to electricity costs indicates a higher “electricity burden” for that household
- For this analysis Austin Energy estimates the electricity burden for a typical customer in its Customer Assistance Program (CAP) using the 2023 Federal Poverty Income guidelines as a reference for estimated annual income

# 2035 Electricity Burden

## 2035 Estimated Customer Assistance Program (CAP) Customer Electricity Burden (Avg of Scenarios)



# Round II Modeling Portfolio Comparison – Liquidity Risk






# Liquidity Risk

- “Liquidity Risk” = Risk to Austin Energy of not having enough cash on-hand to settle financial account with ERCOT after an extreme event
- Uses a modeling technique called “backcasting” to estimate how a portfolio of resources would have performed financially during an extreme winter & summer event
- During an extreme event, ERCOT prices can spike – Austin Energy must purchase power from ERCOT to cover local load – if Austin Energy does not sell enough electricity at the same prices to cover expense, it must pay the difference to ERCOT immediately
- Based on portfolio mix in 2035


# Stress Test Results – Liquidity Risk

Based on 2035 portfolio mix



# Stress Test Results – Total Liquidity Risk

Based on 2035 portfolio mix



- Uri Backcast 5k HCAP Total Liquidity Need (\$MM)
- Uri Backcast 5k HCAP + EPP Total Liquidity Need (\$MM)
- Summer 2023 Backcast Total Liquidity Need (\$MM)

*HCAP = ERCOT High System-wide Offer Cap*

*EPP = ERCOT Emergency Pricing Program*





# Round II Modeling Portfolio Comparison – Reliability






## Reliability Risk Hours


- “Reliability Risk Hours” = total number of hours in a given year that the model predicts there will be increased risk of local outages
- Local outages in this case are a result of not enough electricity physically available to meet Austin’s load
- Can be caused by high local load, decrease in local power generation, decrease in import capacity, or a combination of these factors

# Reliability Risk Hours – Ascend


## Portfolio 15





## Portfolio 17



## Portfolio 16



# Reliability Risk Hours – UPLAN




# Round II Modeling Portfolio Comparison – Emissions




# Modeled Austin Energy Stack CO<sub>2</sub> Emissions

## By Year vs. Historical




# Modeled Austin Energy Stack Emissions

Total CO2 Emissions (Million Metric Tons)  
2025-2035



Total NOx Emissions (Metric Tons)  
2025-2035




# Round II Modeling Portfolio Comparison - Summary





# P12 vs. P15-17 (2025-2035)




■ Net Cost (\$B)    
 ■ Total Reliability Risk Hours    
 ■ CO2 Emissions (Million Metric Tons)

# Key Insights from Modeling To Date and Next Steps



# Transitioning to Plan Development



## Resource Modeling

- How well do different resource mixes mitigate reliability, liquidity and load zone price separation risk?
- What are the tradeoffs in reliability, cost, and emissions between different portfolio mixes?



## Resource Planning

- What insights did we learn from the modeling process that should inform the plan?
- What are the key characteristics from the modeled portfolios that mitigate risk and balance tradeoffs?

# Key Insights from Modeling Results – Austin Energy

- Addition of 250 MW import capacity beyond known transmission upgrades significantly reduces reliability risk and net costs
- Loss of generation from Decker and Sand Hill significantly increases reliability risk and net costs
- High levels of new energy efficiency, demand response, local solar and storage plus existing generation manage reliability and liquidity risk – at a high cost, and pace of adoption exceeds estimated feasibility
- Model results are very sensitive to high load growth scenario



# Discussion & Collaboration



What did you observe?



What surprised you?



What insights did you gain?

What are the key characteristics from the modeled portfolios that you would like to see reflected in the plan?



# EUC Office Hours

- Tuesday, Oct. 22      3 p.m. – 4 p.m.
- Wednesday, Oct. 23    8:30 a.m. – 10 a.m.
- Thursday, Oct. 24      2:30 p.m. – 4 p.m.
- Friday, Oct. 25        9:30 a.m. – 10:30 a.m.

If you wish to attend and none of the above times work, please let us know so we can find a time to collaborate.

## Office Hours Objectives:

- Answer questions
- Share detail
- Discuss learnings

**By Wednesday, Oct. 30 – Seeking survey response from every Commissioner**



# Survey Questions



Requested  
by Oct. 30

What **key insights** or **lessons learned** did you take away from the 2035 Resource Generation Plan modeling exercise?

What are the **most important characteristics** from the portfolios we modeled that **you would like to see reflected** in the Resource, Generation and Climate Protection Plan to 2035?



**Customer Driven.  
Community Focused.<sup>SM</sup>**

