

ITEM02/2-UPDATED APPLICATION

Is this structure 45 years or older per records of the Travis Central Appraisal District (TCAD), contributing to a National Register historic district, or zoned H for historic landmarks or HD for properties in locally designated historic districts? Y N
Historic review required: Provide photos of each side of structure. One photo must show the entire elevation visible from the street. Photos must be two megapixels (1200 x 1600 pixels) or larger.

Will greater than 50% of exterior walls be demolished? Y* N

*If yes, submit a Demolition application in addition to this permit application.

Greater than 50% of exterior walls demolished will require compliance with the Demolition Notification requirements (Ordinance 20201001-040).

# existing bedrooms: 2	# bedrooms upon completion: 20	# baths existing: 2	# baths upon completion: 11.5
------------------------	--------------------------------	---------------------	-------------------------------

Project Description: (Note: Please provide thorough description of project. Attach additional pages as necessary.)

3 unit residential, Building 1, Unit A with 5 bedrooms 2.5 bathrooms, Unit B with 5 bedrooms 2.5 bathrooms, Building 2, 10 bedrooms, 5 bathrooms. The construction is not intended to use as lodging or dormitory.

Trades Permits Required (Check as applicable): electric plumbing* mechanical (HVAC) concrete (R.O.W.)

*For projects with a proposed pool, will the pool have an autofill or heating system? Y (If yes, this will trigger a plumbing permit)

Total Remodeled Floor Area (if applicable)

_____ sq ft. (work within existing habitable square footage)

Job Valuation – For Properties in a Floodplain Only

Total Job Valuation:
\$ 500000

Amount for Dwelling Unit(s): \$ 500000
 Elec: Y N | Plmbg: Y N | Mech: Y N

Note: The total job valuation should be the sum total of all valuations noted to the right. Labor and materials only, rounded to nearest dollar.

Amount for Accessory Structure: \$ _____
 Elec: Y N | Plmbg: Y N | Mech: Y N

Site Development Information

Area Description <small>Note: Provide a separate calculation for each distinct area. Attach additional sheets as necessary. Measurements are to the outside surface of the exterior wall.</small>	Existing sq. ft. to Remain		New/Added sq. ft.			Total sq. ft.		
	Bldg. 1	Bldg. 2	Bldg. 1	Bldg. 2	Bldg. 3	Bldg. 1	Bldg. 2	Bldg. 3
a) 1 st Floor conditioned area			1354	1350		1354	1350	0
b) 2 nd Floor conditioned area			1544	1550		1544	1550	0
c) 3 rd Floor conditioned area						0	0	0
d) Basement						0	0	0
e) Covered parking (garage or carport)						0	0	0
f) Covered patio, deck, and/or porch						0	0	0
g) Balcony						0	0	0
h) Other covered or roofed area						0	0	0
i) Uncovered wood decks						0	0	0
Total Building Area (total a through i)	0	0	2898	2900	0	2898	2900	0
j) Pool						0	0	0
k) Spa						0	0	0
l) Remodeled Floor Area, excluding Addition / New Construction						0	0	0

The Calculation Aid on page 9 is to be used to complete the following calculations and to provide additional information.

Building Coverage Information

Note: Building Coverage means the area of a lot covered by buildings or roofed areas, but excludes ground-level paving, landscaping, open recreational facilities, incidental projecting eaves, balconies, and similar features. Pools, ponds, and fountains are not included in this measurement. (LDC § 25-1-21)

Total Building Coverage (sq ft): 3046 % of lot size: 34

Impervious Cover Information

Note: Impervious cover is the total horizontal area of covered spaces including building coverage, paved areas, walkways, and driveways. The term excludes pools, ponds, fountains, and areas with gravel placed over pervious surfaces that are used only for landscaping or by pedestrians. For an uncovered wood deck that has drainage spaces between the deck boards and that is located over a pervious surface, 50 percent of the horizontal area of the deck is included in the measurement of impervious cover. (LDC § 25-1-23)

Total Impervious Cover (sq ft): 3394 % of lot size: 38

ITEM02/3-UPDATED APPLICATION

Setbacks

Are any existing structures on this site a non-compliant structure based on a yard setback requirement? (LDC § 25-2-492) Y N
 Does any structure (or an element of a structure) extend over or beyond a required yard? (LDC 25-2-513) Y N
 Is front yard setback averaging being utilized on this property? (LDC 25-2, Subchapter F, § 2.3* or § 25-2-778) Y N

Height Information (LDC § 25-1-21 or 25-2 Subchapter F, Section 3.4)

Parking # of spaces provided: _____

Building Height: 30 ft in Number of Floors: 2

Right-of-Way Information

Is a sidewalk required for the proposed construction? (LDC 25-6-353) Y N
 *Sidewalks are to be installed on any new construction of a single family, two-unit, three-unit or duplex residential structure and any addition to an existing building that increases the building's gross floor area by 50 % or more.
 Will a Type I driveway approach be installed, relocated, removed or repaired as part of this project? Y N
 Width of approach (measured at property line): _____ ft Distance from intersection (for corner lots only): _____ ft
 Are **storm sewer inlets** located within ten (10) feet of the end of any proposed driveway? Y N
(New driveways within ten (10) feet of an inlet with require additional review)

Requirements Applicable within the Subchapter F Boundary (LDC Chapter 25-2, Subchapter F § 1.2.1)

Single-Family Residential | Gross Floor Area

This section is only required for single-family residential projects located within the boundaries defined and illustrated in LDC Chapter 25-2, Subchapter F (§ 1.2.1). The Gross Floor Area of each floor is measured as the area contained within the outside edge of the exterior walls.

	Existing sq. ft. to remain	New/Added sq. ft.	Proposed Exemption (check article utilized)	Applied Exemption sq. ft.	Total sq. ft.
1 st Floor		2704			2704
2 nd Floor		3094			3094
3 rd Floor					0
Area w/ ceilings > 15'			Must follow article 3.3.5		0
Ground Floor Porch ¹ (check article utilized)			<input type="checkbox"/> Full Porch sq. ft. (3.3.3.A) <input type="checkbox"/> 200 sq. ft. (3.3.3 A 2)		0
Basement ⁴			Must follow article 3.3.3B, see note below		0
Attic ⁵			Must follow article 3.3.3C, see note below		0
Garage ² (check article utilized)	Attached		<input type="checkbox"/> 200 sq. ft. (3.3.2 B 2b)		0
	Detached		<input type="checkbox"/> 450 sq. ft. (3.3.2 A 1 / 2a) <input type="checkbox"/> 200 sq. ft. (3.3.2 B2A)		0
Carport ² : (check article utilized)	Attached		<input type="checkbox"/> 450 sq. ft. (3.3.2 A 3) <input type="checkbox"/> 200 sq. ft. (3.3.2 B 1) ³		0
	Detached		<input type="checkbox"/> 450 sq. ft. (3.3.2 A 1)		0
Accessory Building(s) (detached)					0
Totals	0	5798	TOTAL GROSS FLOOR AREA		5798

(Total Gross Floor Area ÷ Lot Area) x 100 = 64.8 Floor-To-Area Ratio (FAR)

Is a sidewall articulation required for this project? Y N
 (Yes, if: a wall, 15' tall or higher, within 9 feet of a side property line extends further than 36 feet in length per article 2.7.1)

Does any portion of the structure extend beyond a setback plane/exemption exhibit (aka "tent")? Y N
 (If Yes, indicate applicable section of Subchapter F and length of protrusion on the drawings.)

Single-Family Residential | Gross-Floor Area Exemptions

The following exemptions apply to the calculation of gross-floor area for single-family residential structures located within the boundaries established in LDC Chapter 25-2, Subchapter F, § 1.2.1) ONLY:

- 1. Ground Floor Porch exemption:** A ground floor porch, including a screened porch, may be exempted, provided that the porch is not accessible by automobile and is not connected to a driveway; and the exemption may not exceed 200 square feet if a porch has habitable space or a balcony above it.
- 2. Garage and carport exemptions (in relation to primary structure):** Exemptions must follow the code as outlined in Title 25-2 Subchapter F 3.3.2. Each amount listed (450 or 200) is the maximum exclusion allowed per the article designated. Note: Article 3.3.2 C, "An applicant may receive only one 450-square foot exemption per site under paragraph A. An applicant who receives a 450-square foot exemption may receive an additional 200-foot exemption for the same site under paragraph B, but only for an attached parking area used to meet minimum parking requirements."
- 3. Ordinance article 3.3.2 B 1 is 200 sq. ft. exemption may be combined with a 450 sq. ft. exemption. Otherwise only one 450 exemption or one 200 sq. ft. exemption may be taken.**
- 4. Basement exemption:** A habitable portion of a building that is below grade may be exempted if the habitable portion does not extend beyond the first-story footprint and is below natural or finished grade, whichever is lower; and it is surrounded by natural grade for at least 50% of its perimeter wall area and the finished floor of the first story is not more than three feet above the average elevation at the intersections of the minimum front yard setback line and the side property lines.
- 5. Habitable Attic exemption:** A habitable portion of an attic may be exempted if: 1) The roof above it is not a flat or mansard roof and has a slope of 3 to 12 or greater; 2) It is fully contained within the roof structure; 3) It has only one floor; 4) It does not extend beyond the footprint of the floors below; 5) It is the highest habitable portion of the building, or a section of the building, and adds no additional mass to the structure; and 6) Fifty percent or more of the area over 5 feet has a ceiling height of seven feet or less.

Requirements Applicable to Duplexes, Two-Unit Residential, and Three-Unit Residential

Duplexes, Two-Unit Residential, and Three-Unit Residential | Gross Floor Area

This section is only required for residential duplex, two-unit residential, and three-unit residential projects located within the boundaries established in LDC Chapter 25-2, Subchapter F § 1.2.1 . Per LDC § 25-2-773(E), Gross Floor Area for these uses is the total enclosed area of all floors in a building with a clear height of more than six feet, measured to the outside surface of the exterior walls.

- (Total Gross Floor Area ÷ Lot Area) x 100 = 32.4 (A) Floor-To-Area Ratio (FAR) for **Building 1**
 (Total Gross Floor Area ÷ Lot Area) x 100 = 32.4 (B) Floor-To-Area Ratio (FAR) for **Building 2**
 (Total Gross Floor Area ÷ Lot Area) x 100 = _____ (C) Floor-To-Area Ratio (FAR) for **Building 3** (if applicable)
 (Total Gross Floor Area ÷ Lot Area) x 100 = _____ (A+B+C) Floor-To-Area Ratio (FAR) for **entire site**
 (Total Gross Floor Area ÷ Lot Area) x 100 = _____ (A+B) Floor-To-Area Ratio (FAR) for **Buildings 1 & 2**
 (Total Gross Floor Area ÷ Lot Area) x 100 = _____ (A+C) Floor-To-Area Ratio (FAR) for **Buildings 1 & 3** (if applicable)
 (Total Gross Floor Area ÷ Lot Area) x 100 = _____ (B+C) Floor-To-Area Ratio (FAR) for **Buildings 2 & 3** (if applicable)

Duplexes, Two-Unit Residential, and Three-Unit Residential | Gross Floor Area Exemptions

Per LDC § 25-2-773(F), exemptions from Gross Floor Area may be available where existing structures are preserved through use of the Preservation Bonus. Please consult with staff for information on requirements and eligibility for using the Preservation Bonus.

Are you requesting to utilize the Preservation Bonus? Y* N

*Gross Floor Area proposed for Preservation, which must have been legally permitted at least 20 years prior to the date of application:

Contact Information

Owner	Kateryna lushchenko	Applicant/Agent	Kateryna lushchenko
Mailing Address	3606 highland view drive, Austin 78731	Mailing Address	
Phone	5 [REDACTED]	Phone	
Email	k [REDACTED]	Email	
General Contractor	Kateryna lushchenko	Design Professional	Anna Hendrix
Mailing Address	3606 highland view drive, Austin 78731	Mailing Address	
Phone	[REDACTED]	Phone	
Email	k [REDACTED]	Email	[REDACTED]

Authorization

- I understand that in accordance with Sections 25-1-411 and 25-11-66 of the Land Development Code (LDC), non-compliance with the LDC may be cause for the Building Official to suspend or revoke a permit and/or license.
- I further understand that no portion of any roof structure may overhang in any public utility or drainage easement. I acknowledge that the customer will bear the expense of any necessary relocation of existing utilities to clear this driveway location and/or the cost to repair any damage to existing utilities caused during construction. Water services, meters, and wastewater cleanouts are not permitted within or beneath driveways or sidewalks. Private plumbing appurtenances will not be located in public right-of-way or public easements. Private plumbing lines will not cross lot lines.
- I agree that this application is good for twelve (12) months after the date it is filed and will expire if not approved for compliance within that time frame. If the application expires, a new submittal will be required and compliance with the current code may be required. A one-time extension may be granted if requested in writing prior to the application expiration date.**
- I hereby certify that to the best of my knowledge and ability, the information provided in this application is complete and accurate. I further acknowledge that, should any information contained herein prove incorrect, the building official may suspend or revoke any resulting permit and/or license. As the owner or the authorized agent, my signature authorizes staff to visit and inspect the property for which this application is being submitted. I understand that without consent the review process may be delayed.
- I also understand that if there is a septic system located on the property, I am required to complete an On-site Sewage Facility (a.k.a. an OSSF or septic system) application by contacting Austin Water at (512) 972-0050 or ossf@austintexas.gov . This initiates the septic system permitting requirement needed to proceed with the development review process.
- Erosion and Sedimentation Controls are required per Section 25-8-181 of the LDC. **Failure to comply with this requirement may result in a Stop Work Order and/or legal action by the City of Austin including criminal charges and fines of up to \$2,000.00 per day.**
- I am the record owner of this property and authorize the agent/applicant listed above to apply for and acquire a permit on my behalf.
- I have checked for any property-specific information that may affect the review and/or construction of this project, including but not limited to: any subdivision notes, deed restrictions, restrictive covenants, zoning conditional overlays, and/or other requirements specific to proposed development on this property (collectively, the "Property Information"), located at:
_____.
- I understand that the review of this project by the City of Austin will **not** include a review of any private restrictive covenants or deed restrictions that may apply to this property.
- I am responsible for any conflicts between the Property Information and the request submitted to the City of Austin. I further acknowledge that I understand the implications of use and/or development restrictions that are a result of the Property Information. Additionally, I understand that the issuance of a City permit for this project does not affect the enforceability of any private restrictive covenants applicable to the property.
- I understand that if requested I must provide copies of any and all of the Property Information that may apply to this property.

Owner's name & signature: Kateryna lushchenko  Date: 10/01/2025

Applicant's name & signature: Kateryna lushchenko  Date: 10/01/2025

Design Professional's name & signature: Anna Hendrix  Date: 10/01/2025

General Contractor's name & signature: Kateryna lushchenko  Date: 10/01/2025



Residential New Construction and Addition Permit Application Additional Information

DevelopmentATX.com | Phone: 311 (or 512 974 2000 outside Austin)
For submittal and fee information, see austintexas.gov/digitaldevelopment

Application Process

For instructions of digital submissions, please visit [Digital Development](#):

- Completed application
- Permit exhibits
- [Austin Energy Building Service Plan Application \(BSPA\)](#)
Note: AE will review the BSPA concurrent with Plan Review. Please note per the fee schedule a BSPA review fee will be assessed per each submittal.
- [Austin Water W&WW Service Plan Verification](#), if water demand is to increase or a dwelling is added. (e.g. addition of a bath)
Note: The AW form and the plot plan must be stamped approved by AW prior to submittal. Please submit WWWSVPV by email to awtaps@austintexas.gov.
- Required documentation if any portion of an exterior wall or roof is to be removed or modified for structures that are 45 years of age or older per records of the Travis Central Appraisal District (TCAD), contributing to a National Register historic district, or zoned historic (H zoning for historic landmarks or HD zoning for properties in locally designated historic districts). If submitting for a total demolition for new construction, demolition application must be submitted separately.

All drawings must be to a City of Austin verifiable scale, see [Building Criteria Manual](#) for additional details and a list of acceptable scales.

[Check for expired permits](#). If there are expired permits associated with this property, they must be resolved. This can be done in the following ways:

Submit an Acknowledgement of Expired Permits form with this application if the work is not related to the work being permitted. OR Include it in the description of work on this application and reference expired permits to be resolved

If the Acknowledgement of Expired Permits form is used for this project, information about what will be required to resolve the expired permit(s) can be obtained by making an appointment with Residential Review staff.

All new construction must comply with the [Visitability Ordinance](#).

For submittal and additional information, go to the [Residential Plan Review Website](#).

About the Review Disciplines

Technical Review

Any permit exhibits not sealed and signed by a Texas-registered architect or certified building designer will be subject to a limited technical review. The technical review is not intended to be exhaustive of all possible building code requirements.

Erosion Hazard

There is a review of structural design if a property is located in the Erosion Hazard Zone, as defined by the boundaries located on the City of Austin GIS map. These zones align with locations where water flow and watershed could lead to erosion damage of the surrounding land features (e.g creeks, stream beds, etc).

Fire Review

There is additional review of a project if the square footage of a structure exceeds 3,600 square feet in area. The 3,600 sq. ft. includes the total gross building area: all first, second, and additional floor areas; attached covered porches, patios, decks, and balconies; attached garages; and any other attached roofed areas. The review ensures adequate proximity to fire hydrants and sufficient water supply to the hydrants based on the total gross area of the structure. Properties within 200 feet of a hazardous pipeline may also require additional review. Projects within the Wildland Urban Interface will require a fire review. Projects that will have NFPA 13D automatic sprinkler system installed will require a fire review.

Floodplain Review

Any work requiring a permit on property located within 100 feet of the 100-Year floodplain will require additional review. If review is anticipated, include supporting information such as FEMA elevation certificate form 086-0-033 and/or topographic surveys referencing NAVD88. To check your property for proximity to a flood plain visit www.ATXFloodPro.com or the City's [Floodplain Development Information](#) website.

Historic Review

There is additional review of exterior changes if property is a City Landmark or located in a Local Historic District, National Register Historic District, H or HD zoned district, or partial demolition of exterior features on property over 45 years old

Tree Review

All design proposals must abide by the Tree Preservation Criteria set forth in [Section 3.5.2 of the City of Austin's Environmental Criteria Manual](#). Cut and fill is limited to 4" within ½ Critical Root Zones (foundations cannot adhere to this), canopy removal is limited to 25% or less per tree, and 50% or more of the full Critical Root Zone must be kept at natural grade with natural ground cover. If proposing to remove a tree that is dead, diseased or an imminent hazard, please provide a Tree Risk Assessment from a Certified Arborist and/ or photographic evidence.

Austin Energy Review

All overhead and underground electrical facilities need to be clearly shown and labeled on the plot plan including: pad mount transformer and pad, pull boxes, all underground electric wires on site including service wire, utility poles, all overhead wires on subject property and adjacent properties including service wires, down guy wires, existing electric meter location. All electric easements and public utility easements need to be shown and labeled on the plot plan. AE will review based on current [Austin Energy Design Criteria](#) for required safety clearance per section 1.10. Any construction not listed in this application will NOT be considered part of the review. Please note if your project has existing transmission facilities and or transmission easements this BSPA and plot plan will be reviewed by our AE Transmission group. The Transmission review is separate from the Distribution review. The Transmission review group may require additional documentation than the Distribution review.

Documentation Explanations and Definitions

Permit Exhibits

Plot Plan

Plot Plans must be drawn to a standard scale and are to include but are not limited to the following items: property address and legal description, north arrow, drawing scale, trees within the ROW or trees equal to or greater than 19 inches in diameter located on the property and immediately adjacent to the property, property lines, building lines for both existing and proposed improvements, easements, required zoning setbacks and roof overhangs, water meter and wastewater cleanout locations, clearly shown all overhead and underground electrical facilities (see Austin Energy Review Discipline), and water and/or wastewater line size and material.

Floorplan(s)

Floorplans must be drawn to a standard scale and are to include (but are not limited to) the following items: drawing scale, room labels, new wall measurements, new ceiling heights, new door and window schedule, smoke detector* and carbon monoxide detector** specifications and locations, dimensioned locations of new plumbing fixtures, handrail/guardrail locations and room square footages. Please provide an Existing and Proposed Floor plan if part of the improvements includes removing or adding any wall, window, door, plumbing fixtures, etc. Clearly differentiate between existing, demolished, and new items, as applicable.

*provide smoke detector system (hardwired, interconnected, battery back-up) at each sleeping room and vicinity in accordance with IRC R314

**provide carbon monoxide detector in immediate vicinity of sleeping rooms in accordance with IRC R315.

Exterior Elevations

Elevation plans must be drawn to a standard scale and are to include front, rear, and sides of the structure. For additions, elevations are required of all sides of the new portion of the structure. Height dimensions are required on all elevations. If a building height exceeds 20' or building is multi-story include dimensions of high, low, and average elevations at grade.

Setback Plane Compliance Plan

If subject to Subchapter F, separate exhibit must be submitted showing topographic elevations on 1-foot intervals on the property, including the top of foundation spot elevation and intersections of the property boundary with the building line segments per Subchapter F, Section 2.6. All topographic information must be prepared and sealed by a Texas-registered professional land surveyor.

Structural Drawing(s)

Foundation plan of sufficient detail to show conformance to the provisions of the currently adopted IRC including but not limited to:

- 1) size, spacing and strength of reinforcing steel
- 2) foundation requirements for braced wall panels required in braced wall plan.

Wall and floor/ceiling/roof sections and details, framing plans and/or framing design information as follows:

- General – lumber size, grade, species and spacing of all wood elements.
- Wood framed floors – spans and intermediate girders.
- Wood framed walls – wall type (e.g. 2x4's @ 16 in. o.c.), wall height, headers.
- Wood Framed roofs – roof framing plan to include rafters and girders as a minimum.

Brace wall plan showing compliance with the currently adopted IRC. The plan shall clearly indicate the braced wall lines and the braced wall method use for compliance to expedite review.

Additional Requirements

Non-complying Structures (applicable to all work types)

A separate exhibit must be submitted showing the existing building footprint location in relation to the property boundaries and required

setbacks. Exterior walls and supporting structural elements must be clearly labeled and dimensioned showing walls to be removed per Land Development Code Section 25-2-963.

Setback Averaging

If using setback averaging, one copy of the Contextual Site Plan showing four adjacent properties with location of existing buildings and existing front yard setbacks identified for front yard setback averaging per the provisions of Subchapter F, Residential Design and Compatibility Standards, Section 2.3.

Surveys must be provided by a Texas-registered professional land surveyor showing existing buildings and their distance from the front lot line.

Design Professionals

For any project exceeding 20 feet in height or more than one-story within the Subchapter F boundaries, all permit exhibits must be sealed and signed by a Texas-registered architect or certified building designer (National Council of Building Designers or Texas Institute of Building Design).

Localized flooding

If there is a storm drain inlet or pipe, drainage ditch, or drainage easement on or near the property or the property is at the low point of a roadway, there may be a chance of flooding from the local drainage system. The proposed development cannot cause additional flooding on other property nor have an adverse impact on the existing local drainage system. Contact Land Development Information Services for more information.

Tree Survey

Provide a tree survey per [ECM 3.3.2](#) that labels the $\frac{1}{4}$, $\frac{1}{2}$ and full Critical Root Zones and provides the diameter and species of each protected tree (a Tree Legend is recommended). Depict proposed access routes and material staging. Show all proposed and existing utilities. Show specific locations of tree protection fencing and mulching per requirements of [ECM 3.5.2](#).

Calculation Aid			
Area Description	Existing Sq Ft	New/Added Sq Ft	Total Sq Ft
Note: Provide a separate calculation for each distinct area. Attach additional sheets as necessary. Measurements are to the outside surface of the exterior wall.			
a) 1 st floor conditioned area	0	2704	2704
b) 2 nd floor conditioned area	0	3094	3094
c) 3 rd floor conditioned area	0	0	0
d) Basement	0	0	0
e) Attached Covered Parking (garage or carport)			0
f) Detached Covered Parking (garage or carport)			0
g) Covered Wood Decks (counted at 100%)			0
h) Covered Patio		390	390
i) Covered Porch			0
j) Balcony			0
k) Other – Specify:			0
Total Building Area (TBA) (add: a through k)	0	6188	6188
Total Building Coverage (TBC) (from TBA subtract, if applicable: b, c, d, and j)	(A) 0	3094	3094
l) Driveway			0
m) Sidewalks		300	300
n) Uncovered Patio			0
o) Uncovered Wood Decks (counted at 50%)	0	0	0
p) AC pads and other concrete flatwork			0
q) Other (Pool Coping, Retaining Walls)			0
Total Site Impervious Coverage (add: TBC and l through q)	(C) 0	3394	3394
r) Pool	0	0	0
s) Spa	0	0	0

Building Coverage Information

Note: Building Coverage means the area of a lot covered by buildings or roofed areas, but excludes ground level paving, landscaping, open recreational facilities, incidental projecting eaves, balconies, and similar features. Pools, ponds, and fountains are not included in this measurement. (LDC 25-1-21)

Lot Area (sq. ft.): 8943

Existing Building Coverage (see above **A**, sq. ft.): 0

Existing Coverage % of lot (**A** ÷ Lot Area) x 100 : _____%

Final Building Coverage (see above **B**, sq. ft.): 3094

Final Coverage % of lot (**B** ÷ Lot Area) x 100 : 35 %

Impervious Cover Information

Note: Impervious cover is the total horizontal area of covered spaces including all building coverage, paved areas, walkways, and driveways. The term excludes pools, ponds, fountains, and areas with gravel placed over pervious surfaces that are used only for landscaping or by pedestrians. (LDC 25-1-23)

Existing Impervious Coverage (see above **C**, sq. ft.): 0

Existing coverage % of lot (**C** ÷ Lot Area) x 100 : _____%

Final Impervious Coverage (see above **D**, sq. ft.): 3394

Final coverage % of lot (**D** ÷ Lot Area) x 100 : 38 %