



RECOMMENDATION TO COUNCIL

Environmental Commission

Recommendation 20261007-002: 1107 Castle Ridge Road Wastewater Service Extension Request
No. 6451

WHEREAS, the Environmental Commission recognizes the applicant is requesting a Wastewater Service Extension at 1107 Castle Ridge Road; and

WHEREAS, the Environmental Commission recognizes the site is located in the Barton Creek Watershed, Barton Springs Zone, Edwards Aquifer Contributing Zone, Drinking Water Protection Zone and is subject to Save Our Springs Ordinance; and

WHEREAS, the Environmental Commission denied this request in 2024; and

WHEREAS, the Environmental Commission recognizes that staff now recommends the wastewater service extension request.

NOW THEREFORE, BE IT RESOLVED that the Environmental Commission recommends the wastewater service extension request no. 6451 for 1107 Castle Ridge Road.

Date of Approval: October 7, 2026

Motioned By: Vice Chair Bristol

Seconded By: Commissioner Sullivan

Vote: 10-0

For: Chair Krueger, Vice Chair Bristol, Secretary Qureshi, Commissioners Atkins, Changsut, Fierro, Fleury, Luecke, Morrison, Sullivan

Against: None

Abstain: Commissioner Brimer

Off the dais: None

Absent: None

Attest: Mariana Krueger

Mariana Krueger, Chair